




ODE SOLENOID VALVES

Complete range, for professional and prosumer espresso coffee machines



THE EXPERTS' CHOICE



SOLENOID VALVES



LF Code: 1120279
GEV Code: LF1120279

SOLENOID VALVE ODE 2-WAY 110/120V 15VA

TECNOPOLIMER PPS body
RUBY seal - orifice \varnothing 3.0 mm
with coil BDV08110AY
110/120V 50/60Hz 15VA
temperature -40°C +180°C
NSF certified

CARIMALI, CONTI, FAEMA, FIAMMA RST,
FIORENZATO C.S., GRIMAC, RANCILIO,
RENEKA



LF Code: 1120192
GEV Code: LF1120192

SOLENOID VALVE ODE 2-WAY 230/240V 8W

TECNOPOLIMER PPS body
RUBY seal - orifice \varnothing 1.5 mm
with coil BDV08230AY
230/240V 50/60Hz 16VA
temperature -40°C +180°C
NSF certified

CASADIO, CIMBALI, FAEMA



LF Code: 1120941
GEV Code: LF1120941

SOLENOID VALVE ODE 2-WAY 24VAC 8W

TECNOPOLIMER PPS body
RUBY seal - orifice \varnothing 1.5 mm
with coil BDA08024DS 24VAC
50/60Hz 8W
temperature -40°C +180°C
NSF certified

CIMBALI, FAEMA



LF Code: 5501168
GEV Code: LF5501168

SOLENOID VALVE ODE 2-WAY 24VDC

TECNOPOLIMER PPS body
RUBY seal - orifice \varnothing 3.0 mm
with coil BDV08024CS 24VDC
8W
temperature -40°C +180°C
NSF certified

CASADIO, RANCILIO



LF Code: 1120802
GEV Code: LF1120802

SOLENOID VALVE ODE 2-WAY 230V 8W

RUBY seal - orifice \varnothing 2 mm
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature -40°C +180°C

BIANCHI, GEM-FUTUREMA, LAVAZZA



LF Code: 1120248
GEV Code: LF1120248

SOLENOID VALVE ODE 2-WAY \varnothing 1/4" 230V

EPDM seal - orifice \varnothing 3.0 mm
with coil BDV08230AY
230/240V 50/60Hz 8W
temperature -10°C+80°C

ASTORIA CMA, WEGA



LF Code: 1120240
GEV Code: LF1120240

SOLENOID VALVE ODE 2-WAY \varnothing 1/4" 230V

FKM seal - orifice \varnothing 4.5 mm
with coil ADA08230AS
230/240V 50/60Hz 14.5VA
temperature -40°C+140°C
brass body OT57 low lead
content

ASTORIA CMA, WEGA



LF Code: 1120243
GEV Code: LF1120243

SOLENOID VALVE ODE 2-WAY \varnothing 1/4" 230V

FKM seal - orifice \varnothing 1.5 mm
with coil BDA08223DS
220/230V 50/60Hz 12.5VA
temperature -10°C+140°C

GAGGIA, NUOVA SIMONELLI, SAECO,
VICTORIA ARDUINO



LF Code: 1120803
GEV Code: LF1120803

SOLENOID VALVE ODE 2-WAY \varnothing 1/4" 230V 8W

FKM seal - orifice \varnothing 3 mm
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature -10°C+140°C

UNIVERSAL



LF Code: 5033799
GEV Code: LF5033799

SOLENOID VALVE ODE 2-WAY \varnothing 1/4" 24VAC 8W

FKM seal - orifice 5.5 mm
with coil BDA08024DS 8W
24VAC 50/60Hz
temperature -10°C+140°C
NSF certified

SPAZIALE



LF Code: 1120804
GEV Code: LF1120804

SOLENOID VALVE ODE 2-WAY \varnothing 1/8" 230V 8W

RUBY seal - orifice \varnothing 3 mm
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature -40°C +180°C

UNIVERSAL



LF Code: 1120808
GEV Code: 370615

SOLENOID VALVE ODE 2-WAY \varnothing 1/8" 230V 8W

FKM seal - orifice \varnothing 3 mm
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature -10°C+140°C

VIBIEMME



SOLENOID VALVES



LF Code: 5084890
GEV Code: LF5084890

SOLENOID VALVE ODE 2-WAY Ø 1/8" 24VAC 8W

FKM seal - orifice Ø 2.0 mm
with coil BDA08024DS 24Vac
50/60Hz 8W
temperature -10°C+140°C

DALLA CORTE



LF Code: 1120346
GEV Code: LF1120346

SOLENOID VALVE ODE 2-WAY Ø 1/4" 24VDC

FKM seal - orifice Ø 5.5 mm
with coil UDA 24VDC 12W
temperature -10°C+140°C
NSF certified

MARZOCCO, SLAYER ESPRESSO



LF Code: 1120273
GEV Code: LF1120273

SOLENOID VALVE ODE 2-WAY Ø 1/8" 24VAC

TECNOPOLIMER PPS body
FKM seal - orifice Ø 2.5 mm
with coil BDA08024DS 24VAC
50/60Hz 14.5VA
temperature -10°C+140°C
NSF certified

CIMBALI, FAEMA



LF Code: 1120106
GEV Code: LF1120106

SOLENOID VALVE ODE 2-WAY Ø 1/8" 24VDC

TECNOPOLIMER PPS body
FKM seal - orifice 3.0 mm
with coil BDV08024CY 11W
24VDC
temperature -10°C+140°C
NSF certified

CASADIO, CIMBALI, FAEMA



LF Code: 1120157
GEV Code: LF1120157

SOLENOID VALVE ODE 2-WAY Ø 1/8" 220V 5W

FKM seal - orifice Ø 2.3 mm
with coil LBV05220BU 220V
60Hz 5W
temperature -10°C+140°C

CONTI, LAVAZZA



LF Code: 1120393
GEV Code: LF1120393

SOLENOID VALVE ODE 2-WAY Ø 1/8" 230/240V

FKM seal - orifice Ø 2.3 mm
with coil LBV05230AY
230/240V 50/60Hz 11.5VA
temperature -10°C+140°C
TEA treated body

UNIVERSAL



LF Code: 5096827
GEV Code: LF5096827

SOLENOID VALVE ODE 2-WAY Ø 1/8" 24Vdc 7W

FKM seal - orifice Ø 2.0 mm
with coil LBV05024CU 24Vdc
7W
temperature -10°C+140°C

SAECO



LF Code: 1120272
GEV Code: LF1120272

SOLENOID VALVE ODE 2-WAY Ø 1/8" 24VDC 7W

FKM seal - orifice Ø 2.0 mm
with coil LBV05024CU 24VDC
7W
temperature -10°C+140°C

SAECO



LF Code: 1120812
GEV Code: LF1120812

SOLENOID VALVE ODE 3-WAY 110V 8W

RUBY seal - orifice Ø 1.5 mm
CONICAL connection
with coil BDV08110BW 25VA
110V 60Hz
temperature -40°C+180°C

BFC, ROYAL



LF Code: 5132236
GEV Code: LF5132236

SOLENOID VALVE ODE 3-WAY 220/230V 50Hz

FKM seal - orifice Ø 1.5 mm
CONICAL connection
with coil B0108223DS
220/230V 50/60Hz 14.5VA
fluid temperature -40°C
+180°C

UNIVERSAL



LF Code: 5093110
GEV Code: LF5093110

SOLENOID VALVE ODE 3-WAY 230/240V

RUBY seal - orifice Ø 1.5 mm
CONICAL connection
with coil BDV08230AY
230/240V 50/60Hz 16VA
fluid temperature -40°C
+180°C
NSF certified

MARZOCCO



LF Code: 1120375
GEV Code: 370541

SOLENOID VALVE ODE 3-WAY 230/240V 16VA

FKM seal - orifice Ø 1.5 mm
CONICAL connection
with coil BDV08230AY 16VA
230/240V 50/60Hz
temperature -40°C+180°C

UNIVERSAL

SOLENOID VALVES



LF Code: 1120801
GEV Code: LF1120801

SOLENOID VALVE ODE 3-WAY 230V 8W

RUBY seal - orifice \varnothing 1.5 mm
SLANTED connection
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$

LAVAZZA, NECTA VENDING EVOCA,
WITTENBORG EVOCA



LF Code: 1120805
GEV Code: LF1120805

SOLENOID VALVE ODE 3-WAY 230V 8W

RUBY seal - orifice \varnothing 1.5 mm
CONICAL connection
with coil BDA08223DS
220/230V 50/60Hz 8W
fluid temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$

BFC, CIME DODELVGRU, CONTI, NUOVA
SIMONELLI, ROYAL, VICTORIA ARDUINO



LF Code: 1120810
GEV Code: LF1120810

SOLENOID VALVE ODE 3-WAY 24V 8W

FKM seal - orifice \varnothing 3 mm
CONICAL connection
with coil BDA08024DS 24V
50/60Hz 8W
temperature $-10^{\circ}\text{C}+140^{\circ}\text{C}$

UNIVERSAL



LF Code: 1120809
GEV Code: LF1120809

SOLENOID VALVE ODE 3-WAY 230V 8W

RUBY seal - orifice \varnothing 1.5 mm
CONICAL connection
with coil B0108223DS
220/230V 50/60Hz 8W
fluid temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$

BFC, BRUGNETTI-AURORA, ECM,
FIOREZZATO C.S., FUTURMAT-ARIETE
GAGGIA SPAGNA, GRUPPO IZZO,
ITALCREM, MAIRALI, NUOVA SIMONELLI,
QUALITY ESPRESSO, ROYAL, SPAZIALE,
VISACREM



LF Code: 1120268
GEV Code: LF1120268

SOLENOID VALVE ODE 3-WAY 230V 50/60Hz

TECNOPOLIMER PPS body
RUBY seal - orifice \varnothing 1.5 mm
CONICAL connection
with coil BDV08230AY
230/240V 50/60Hz 16VA
fluid temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$
NSF certified

ASTORIA CMA, CASADIO, CIMBALI,
FAEMA, NUOVA SIMONELLI, SAN
MARCO, SANREMO, VICTORIA ARDUINO,
WEGA



LF Code: 1120286
GEV Code: LF1120286

SOLENOID VALVE ODE 3-WAY 24VAC 50/60Hz

TECNOPOLIMER PPS body
RUBY seal - orifice \varnothing 1.5 mm
CONICAL connection
with coil BDA08024DS 24VAC
50/60Hz
fluid temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$
NSF certified

CIMBALI, FAEMA



LF Code: 1120398
GEV Code: LF1120398

SOLENOID VALVE ODE 3-WAY 24VAC

outlet \varnothing 7 mm
RUBY seal - orifice \varnothing 1.5 mm
with coil BDV08024DY 17VA
24VAC 50/60Hz
temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$

DALLA CORTE



LF Code: 5083411
GEV Code: LF5083411

SOLENOID VALVE ODE 3-WAY 24VAC

outlet \varnothing 7 mm
RUBY seal - orifice \varnothing 1.5 mm
with coil BDA08024DS 14.5VA
24VAC 50/60Hz
temperature $-40^{\circ}\text{C}+180^{\circ}\text{C}$

DALLA CORTE



SOLENOID VALVES



LF Code: 1120225
GEV Code: LF1120225

SOLENOID VALVE ODE 3-WAY 24VDC

outlet \varnothing 7 mm
RUBY seal - orifice \varnothing 1.1 mm
with coil BDV08024CY 11W
24VDC
temperature -40°C +180°C

SAECO



LF Code: 1120123
GEV Code: LF1120123

SOLENOID VALVE ODE 3-WAY \varnothing 1/8" 220V 8W

FKM seal - orifice \varnothing 1.1 mm
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature -40°C +180°C

SAECO



LF Code: 1120239
GEV Code: LF1120239

SOLENOID VALVE ODE 3-WAY \varnothing 1/4" 230V

FKM seal - orifice \varnothing 3.0 mm
with coil ADA08230AS 230V
50Hz
temperature -10°C+140°C

ASTORIA CMA, WEGA



LF Code: 1120806
GEV Code: LF1120806

SOLENOID VALVE ODE 3-WAY \varnothing 1/8" 230V 8W

RUBY seal - orifice \varnothing 1.5 mm
with coil BDA08223DS
220/230V 50/60Hz 8W
temperature -40°C+180°C

UNIVERSAL



LF Code: 1120202
GEV Code: LF1120202

SOLENOID VALVE ODE 3-WAY \varnothing 1/8" 24V 8W

FKM seal - orifice \varnothing 1.5 mm
with coil BDA08024CS 24Vdc
8W
temperature -10°C+140°C

RHEAVENDORS, SERVOMAT, SIELAFF



LF Code: 5023098
GEV Code: LF5023098

SOLENOID VALVE ODE 3-WAY \varnothing 1/8" 230V

FKM seal - orifice \varnothing 1.5 mm
with coil BDV08230AY 16VA
230/240V 50/60Hz
temperature -10°C+140°C

NUOVA SIMONELLI



LF Code: 5053805
GEV Code: LF5053805

SOLENOID VALVE ODE 3-WAY \varnothing 1/8" 230V 5W

FKM seal - orifice \varnothing 1.2 mm
with coil LBA05230AS
230/240V 50/60Hz 5W
temperature -10°C+140°C

BEZZERA



LF Code: 1120276
GEV Code: LF1120276

SOLENOID VALVE ODE 3-WAY \varnothing 1/8" 24VDC

FKM seal - orifice \varnothing 2.0 mm
with coil LBV05024CU 24VDC
7W
temperature -10°C+140°C

SAECO



GEV Großküchen-Ersatzteil-Vertrieb GmbH

Gadastr. 4
85232 Bergkirchen - Germany
T +49 8142 6522-50
info.ger@repagroup.com
www.gev-online.com

LF S.p.A. a socio unico

Via Voltri 80
47522 Cesena FC - Italy
T +39 0547 341111
info.it@repagroup.com
www.lfspareparts724.com

EPGC S.a.s.

13 Rue des Forts
59960 Neuville en Ferrain - France
T +33 3 20250621
france@repagroup.com
www.epgc.com

Commercial Catering Spares Ltd.

Block C - Axis Point Hill Top Road
Heywood - Lancashire - OL10 2RQ - UK
T +44 1706 621 155
info@ccspares.co.uk
www.ccspares.co.uk

Atel S.r.l. a socio unico

Via Selvuzzis 51/2
33100 Udine UD - Italy
T +39 0432 602095
info@atelitalia.com
www.atelitalia.com

www.repagroup.com