

# MAINTENANCE CONSUMABLES

*New range CRC and Top Sellers*





The REPA Group has extended its range of maintenance consumables suitable for use in the Horeca and Foodservice industries. We are pleased to announce that we now offer a complete range of CRC products including Lubricants, Penetrating oils, Greases, Cutting oils, Degreasers, Thermic pastes, Thread sealants, Glues, Paints, Dust removers, Leak finders and Cooling sprays.

The CRC range help with daily maintenance and repair tasks on all equipment for Cooking, Refrigeration, Preparation and Dough processing.


You will find all the CRC products and top selling maintenance consumables you need presented in this brochure.

### **About CRC**

CRC Industries is a worldwide leader in the production of specific chemicals for maintenance and repair professionals in a number of industries including Horeca and Foodservice.

CRC was founded in 1958 as Corrosion Reaction Consultants offering only one product to customers. Today the company's numerous products are sold throughout the US, Europe, South America, and the Pacific Rim.

CRC is ISO 9001 certified and adheres to the strictest guidelines for quality in all aspects of research, development, and production.





# NEW CRC PRODUCTS



LF Code: 7152910  
GEV Code: LF7152910

## FOOD-GRADE LUBRICATING SPRAY 3-36 400 ml

lubrication & corrosion protection, NSF, HACCP, from -50 to +120°C



LF Code: 7152937  
GEV Code: 7152937

## FOOD GREASE LUBRICATING SPRAY 500 ml

multipurpose grease for food processing equipment, NSF, from -20 to +140°C



LF Code: 7152915  
GEV Code: LF7152915

## FOOD GREASE CARTRIDGE 400 g

multipurpose grease for food processing equipment, NSF, from -20 to +140°C



LF Code: 7152911  
GEV Code: LF7152911

## FOOD GREASE CAN 1 kg

multipurpose grease for food processing equipment, NSF, from -20 to +140°C



LF Code: 7152942  
GEV Code: LF7152942

## PEN OIL SPRAY 500 ml

lubricates, loosens seized & rusted mechanisms, NSF



LF Code: 7152930  
GEV Code: LF7152930

## SILICONE GREASE LUBRICATING SPRAY 500 ml

lubricant & releasant for small mechanism assembly, NSF, HACCP, from -40 to +200°C



LF Code: 7152953  
GEV Code: LF7152953

## ASSEMBLY PASTE CAN 500 ml

lubricant & releasant for mechanism assembly in food processing, NSF



LF Code: 7152947  
GEV Code: LF7152947

## DUST FREE 360 SPRAY 250 ml

removes dust & dirt from electric components, NSF, HP inert liquefied gas



LF Code: 7152952  
GEV Code: LF7152952

## SOUFFL'RONT ECO SPRAY 200 ml

removes dust & dry surfaces NSF, neutral dries gas



LF Code: 7152914  
GEV Code: LF7152914

## ECO LEAK FINDER FOAM SPRAY 500 ml

detects gas & compressed air leaks NSF, biodegradability : 31%



LF Code: 7152950  
GEV Code: LF7152950

## CHAIN LUBE PTFE LUBRICATING SPRAY 500 ml

chain & transport mechanism in food processing, NSF, from -15 to +175°C



LF Code: 7152941  
GEV Code: LF7152941

## BELT GRIP SPRAY 500 ml

Friction improver for traction & transport drive belts, NSF, round, flat & V-belts



LF Code: 7152912  
GEV Code: LF7152912

**INDUSTRIAL DEGREASER SPRAY 500 ml**

heavy duty non-chloridated cleaner, NSF, from -30 to +170°C



LF Code: 7152917  
GEV Code: LF7152917

**INOX KLEAN DEGREASING FOAM SPRAY 500 ml**

cleaner for stainless steel, PVC, aluminium, chrome, NSF, HACCP



LF Code: 7152949  
GEV Code: LF7152949

**PTFE PENETRATING OIL LUBRICATING SPRAY 5-56 500 ml**

multipurpose lubricant versatile helper for hundreds of repair jobs



LF Code: 7152944  
GEV Code: LF7152944

**PTFE PENETRATING OIL LUBRICATING SPRAY 5-56 200 ml**

multipurpose lubricant versatile helper for hundreds of repair jobs



LF Code: 7152932  
GEV Code: LF7152932

**BIODEGRADABLE ECO MULTI GREASE SPRAY 500 ml**

multipurpose grease biodegradability : 27%, from -40 to +150°C



LF Code: 7152929  
GEV Code: LF7152929

**SILICONE GREASE LUBRICATING SPRAY 400 ml**

plastic, caoutchouc & pneumatique part greasing, from -54 to +82°C



LF Code: 7152908  
GEV Code: LF7152908

**SILICONE LUBRICATING SPRAY SIL'PACK 400 ml**

lubricating & electrical insulation, anti-rust, hydrophobic, antistatic



LF Code: 7152951  
GEV Code: LF7152951

**HD VASELINE PRO LUBRICATING SPRAY 200 ml**

sealing of electrical contacts, sliding part greasing, opaque white, water repellent



LF Code: 7152954  
GEV Code: LF7152954

**MULTIFONCTION EP LITHIUM LUBRICATING SPRAY 400 ml**

high pressure gear assembly from -40 to +120°C



LF Code: 7152935  
GEV Code: LF7152935

**ALU PASTE HT ALUMINIUM LUBRICATING SPRAY 500 ml**

high temperature rough thread assembly from -10 to +600°C



LF Code: 7152943  
GEV Code: LF7152943

**GRAPHITE ASSEMBLY PASTE HT LUBRICATING SPRAY 500 ml**

high pressure & temperature moving part assembly - from -30 to +650°C



LF Code: 7152934  
GEV Code: LF7152934

**SILICONE GREASE TUBE 100 ml**

plastic, caoutchouc & pneumatique part greasing, from -54 to +82°C



# NEW CRC PRODUCTS



LF Code: 7152946  
GEV Code: LF7152946

## SILICONE GREASE SERYNQUE 10 g

plastic, caoutchouc & pneumatique part greasing, from -54 to +82°C



LF Code: 7152909  
GEV Code: LF7152909

## GEL P7 PTFE GREASE CAN 700 g

high pressure moving part assembly from -40 to +140°C



LF Code: 7152913  
GEV Code: LF7152913

## COPPER PASTE HT GREASE CAN 500 g

high temperature resistant anti-seize lubricant, lubrication up to +300°C



LF Code: 7152920  
GEV Code: LF7152920

## SUPER LT REASE EP LITHIUM TUBE 100 ml

pivot & bearing longterm greasing black, up to +130°C



LF Code: 7152922  
GEV Code: LF7152922

## SUPER LONGTERM GREASE EP LITHIUM CAN 1 kg

pivot & bearing longterm greasing black, up to +130°C



LF Code: 7152921  
GEV Code: LF7152921

## MULTI GREASE EP LITHIUM TUBE 100 ml

high pressure gear assembly from -40 to +120°C



LF Code: 7152923  
GEV Code: LF7152923

## SUPER ADHESIVE GREASE EP LITHIUM CARTRIDGE 400 g

high pressure gear assembly from -40 to +120°C



LF Code: 7152945  
GEV Code: LF7152945

## CONTACT CLEANER PLUS ELECTRICAL SPRAY 250 ml

cleaning, de-oxidation, lubrication & protection of electrical contacts



LF Code: 7152907  
GEV Code: LF7152907

## GEL 452 ELECTRICALLY CONDUCTIVE CAN 700 g

improves all electrical contacts under pressure, from -30 to +120°C



LF Code: 7152933  
GEV Code: LF7152933

## HEAT SINK COMPOUND THERMIC SILICONE PASTE SERYNQUE 20 g

heat dissipation paste with high thermal conductivity, white, from -50 to +200°C



LF Code: 7152948  
GEV Code: LF7152948

## MINUS 45 COOLING SPRAY 500 ml

multipurpose non-flammable dry inert coolant, 2008/47/CE, cools down to -45°C



LF Code: 7152940  
GEV Code: LF7152940

## PU FOAM 2-IN-1 FOAM SPRAY 500 ml

additional thermal & sound insulation application from -10 to +35°C



LF Code: 7152931  
GEV Code: LF7152931

**ECO SUPERCUT BIODEGRADABLE CUTTING OIL SPRAY 500 ml**

cutting & drilling on metals & non-ferrous  
biodegradability : 87 %



LF Code: 7152936  
GEV Code: LF7152936

**SUPERCUT CUTTING OIL SPRAY 400 ml**

cutting & drilling on metals & non-ferrous  
stable foam formulation



LF Code: 7152916  
GEV Code: LF7152916

**SUPERCUT CUTTING OIL CAN 5 L**

cutting & drilling on metals & non-ferrous  
stable foam formulation



LF Code: 7152928  
GEV Code: LF7152928

**QUICK FIX CYANOACRYLATE INSTANT GLUE BOTTLE 3 g**

solid materials: metals, rubber, wood,  
cardboard, ceramics, plastics



LF Code: 7152927  
GEV Code: LF7152927

**QUICK FIX CYANOACRYLATE INSTANT GLUE BOTTLE 20 g**

solid materials: metals, rubber, wood,  
cardboard, ceramics, plastics



LF Code: 7152924  
GEV Code: LF7152924

**SOFT LOCK THREAD SEALANT BOTTLE 50 ml**

locking & sealing of fittings  
shear force 10 N/mm<sup>2</sup>



LF Code: 7152926  
GEV Code: LF7152926

**RIGID SEAL THREAD SEALANT BOTTLE 50 ml**

flat gaskets & threaded fittings sealing  
shear force 8 N/mm<sup>2</sup>



LF Code: 7152925  
GEV Code: LF7152925

**EASY SEAL THREAD SEALANT BOTTLE 50 ml**

locking & sealing of fittings, shear force 4 to  
6 N/mm<sup>2</sup>, suitable to drinking water



LF Code: 7152918  
GEV Code: LF7152918

**GALVA BRITE GALVANIZED-EFFECT PAINTING SPRAY 500 ml**

bright & cold galvanize protective coating  
from -30 to +200°C



LF Code: 7152938  
GEV Code: LF7152938

**INOX 200 STAINLESS STEEL-EFFECT PAINTING SPRAY 500 ml**

protective coating for stainless steel  
up to +300°C



LF Code: 7152939  
GEV Code: LF7152939

**ALU HITEMP HT ALUMINIUM-EFFECT PAINTING SPRAY 500 ml**

high temperatur corron protection  
up to +600°C



LF Code: 7152919  
GEV Code: LF7152919

**ACRYLIC HT ACRYLIC PROTECTIVE PAINTING SPRAY 400 ml**

multi-surface anti-rust painting  
RAL black matte, up to +800°C

# TOP SELLERS GENERAL PURPOSE

## TECHNICAL CLEANERS



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Notes
1	7155039	890215	Euro-Lock	Los 1000	brake dirt cleaning spray	500 ml	-
2	3394361	LF3394361	Elcart	KD/E/2S	contact cleaning spray	200 ml	no corrosion, no residues
3	7155451	890206	Euro-Lock	Los 26	contact cleaning spray	400 ml	-
4	7151354	LF7151354	Orapi	9502	dust removing spray	500 ml	dry gas
5	5113518	890077	Henkel	Loctite SF 7200	gasket removing spray	400 ml	storage up to +50°C
6	3092362	890025	Euro-Lock	Los 4000	glass / plastic cleaning foam spray	500 ml	storage up to +50°C
7	5113381	890057	Euro-Lock	Los 186	glue removing spray	400 ml	from +20 to +50°C
8	5137340	890075	Henkel	Loctite SF 7063	multi-purpose cleaning spray	400 ml	storage up to +50°C

## PAINTING SPRAYS



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3709001	LF3709001	Fimi	Acciaio	stainless steel-effect painting spray	400 ml	suitable for all rigid materials, protective action	up to +600°C
2	3180082	551580	Fimi	Kromo	chrome-effect glossy painting spray	400 ml	suitable for all rigid materials, protective action	up to +600°C
3	3180084	LF3180084	Fimi	Rame	copper-effect glossy painting spray	400 ml	suitable for all rigid materials, protective action	up to +600°C
4	3180083	LF3180083	Fimi	Zinco	zinc-effect glossy painting spray	400 ml	suitable for all rigid materials, protective action	up to +600°C
5	3092170	LF3092170	Geb	Blackfire	black matte painting spray	500 ml	suitable for all rigid materials	up to +400°C
6	7134530	LF7134530	Geb	Galvageb	galvanized-effect painting spray	500 ml	suitable for all rigid materials	up to +400°C

# TOP SELLERS GENERAL PURPOSE

## MACHINING & DRILLING APPLICATIONS



1



2



3



4



5



6

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3394124	LF3394124	La-Co	Cool Gel	heat dissipating gel spray	947 g	heat sensitive component protection	-
2	3092168	LF3092168	Geb	Entiere	machining & cutting oil spray	500 ml	all metal working	-
3	3092200	LF3092200	Geb	Ag-Flux	solder stripping paste can	90 g	copper, brass, bronze, steel & stainless steel soldering	-
4	3092261	LF3092261	Express	Decap'Express	soldering & brazing gel can	320 ml	stainless steel & difficult metals	from +200 to +300°C
5	3375003	LF3375003	BrazeTec	h Paste	soldering & brazing past can	100 g	all metals	-
6	3375004	LF3375004	Brazetec	Flux Super 1	soldering & brazing powder can	100 g	all metals	-

## COMPLEMENTARY PRODUCTS



1



2



3



4



5



6

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3394195	LF3394195	Camon	Pur	polyurethane foam spray	750 ml	additional peripheral insulation	from -40 to +100°C
2	7150434	LF7150434	Geb	Geb somousse	fire stopping polyurethane foam spray	750 ml	additional peripheral insulation	from -40 to +100°C, fire resistant up to 4 h
3	3092096	LF3092096	Geb	D.S.T.	gas leak detector foam spray	400 ml	gas & compressed air leaks	-
4	3394100	890030	Fimi	Effe 91	gas leak detector foam spray	400 ml	gas & compressed air leaks	-
5	1180003	LF1180003	Electrolube	HTS	heat transfer silicone paste syringe	5 g	thermal sensors & fuses	-
6	3180109	890121	Euro Lock	920	heat transfer paste tube	100 g	thermal sensors & fuses	from -40 to + 200°C

# TOP SELLERS ADHESIVES

## CONTACT GLUES



1



2



3

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances
1	D065003	LFD065003	Finiscol	Super Pantack	polychloroprenic pasty glue tube	125 g	rubber gaskets
2	D065002	LFD065002	Finiscol	Super Pantack	polychloroprenic pasty glue tube	50 g	rubber gaskets
3	5214473	LF5214473	Bostick	Sader	neoprene pasty glue tube	55 ml	all materials

## INSTANT GLUES



1



2



3



4



5



6

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180155	890305	Camon	Jobby Jet	cyanoacrylate liquid glue bottle	20 g	solid materials: metals, rubber, wood, cardboard, ceramics, plastics	-
2	3180153	890136	Henkel	Loctite 401	ethyl cyanoacrylate liquid glue tube	3 g	solid materials: metals, rubber, wood, cardboard, ceramics, plastics	NSF, from -40 to +120°C
3	5136715	890078	Henkel	Loctite 401	ethyl cyanoacrylate liquid glue bottle	5 g	solid materials: metals, rubber, wood, cardboard, ceramics, plastics	NSF, from -40 to +120°C
4	3180157	LF3180157	Henkel	Loctite 401	ethyl cyanoacrylate liquid glue bottle	20 g	solid materials: metals, rubber, wood, cardboard, ceramics, plastics	NSF, from -40 to +120°C
5	3180063	LF3180063	Henkel	Loctite 406	ethyl cyanoacrylate liquid glue bottle	20 g	plastics, rubber, elastomers & EPDM	from -40 to +80°C
6	3180154	890138	Henkel	Loctite 454	ethyl cyanoacrylate liquid glue tube	20 g	porous materials: wood, metals, ceramics, most plastics	NSF, from -40 to +120°C

# TOP SELLERS ADHESIVES

## OTHER GLUES



1



2



3



4

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180073	LF3180073	Geb	Geboplast	PVC liquid glue can	240 ml	drain rigid PVC pipes assembly	not suitable to drinking water
2	3180070	LF3180070	Geb	Geboplast	PVC gel glue tube	125 ml	drain rigid PVC pipes assembly	not suitable to drinking water
3	3092191	LF3092191	Geb	Dulic	belt glue spray	500 ml	to nourish, soften, seal & remove sliding	suitable to all belts (leather, cloth, rubber)
4	5208001	LF5208001	Bostick	Araldite	two-component epoxy resin sticks	25 ml	all materials	extra strong hold

## SILICONE SEALANTS



1



2



3



4



5



6



7

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3092230	LF3092230	Camon	Eurosanit Bianco	silicone sealant cartridge	280 ml	plumbing & sanitary applications	white
2	7154954	890007	Fermit	Fermitopp N	silicone sealant cartridge	310 ml	plumbing & sanitary applications	anthracite
2	7155011	890111	Fermit	Fermitopp N	silicone sealant cartridge	310 ml	plumbing & sanitary applications	white
3	3392009	890037	Momentive	Silicone Rubber	food-safe silicone sealant tube	82,8 ml	glasses & metals	red, from -60 to +204°C
3	3392011	LF3392011	Momentive	Silicone Rubber	food-safe silicone sealant tube	82,8 ml	glasses & metals	black, from -60 to +204°C
4	3392010	LF3392010	Momentive	Silicone Rubber	food-safe silicone sealant tube	310 ml	glasses & metals	transparent, from -60 to +204°C
5	5113481	890112	Otto Chemie	Otto Seal S100	silicone sealant cartridge	300 ml	plumbing & sanitary applications	aluminium
5	5113494	890110	Otto Chemie	Otto Seal S100	silicone sealant cartridge	300 ml	plumbing & sanitary applications	transparent
5	5137342	890113	Otto Chemie	Otto Seal S27	food-safe silicone sealant cartridge	310 ml	plumbing & sanitary applications	transparent, from -40 to +160°C
5	7155433	890115	Otto Chemie	Otto Seal S27	food-safe silicone sealant cartridge	310 ml	plumbing & sanitary applications	anthracite, from -40 to +160°C
6	5056894	890060	Pactan	7055	silicone sealant cartridge	310 ml	glassceramic	black, up to +150°C
7	3392004	890106	Tomabond	TB40	food-safe silicone sealant tube	90 g	oven outer glasses	transparent, from -40 to +160°C

# TOP SELLERS ADHESIVES

## HIGH TEMPERATURE SILICONE SEALANTS



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	2101328	LF2101328	Camon	Alta temperatura	HT silicone sealant cartridge	280 ml	boiler flanges, stoves, fumes, pipelines	black, from -60 to +300°C
2	3392003	LF3392003	Camon	Supersil	HT silicone sealant tube	60 ml	ovens, motors, stoves, boilers	red, up to +350°C
3	3065011	890059	Fermit	Fermitopp HN 300	HT silicone sealant cartridge	310 ml	oven gaskets	black, from -40 to +265°C
4	3180052	LF3180052	Fimi	Silifim	HT silicone sealant cartridge	280 ml	oven gaskets	red, from -65 to +260°C
5	3092158	LF3092158	Geb	Geb silicone S	HT silicone sealant cartridge	310 ml	glasses & metals	transparent, from -50 to +230°C
5	3092159	LF3092159	Geb	Geb silicone S	HT silicone sealant cartridge	310 ml	glasses & metals	white, from -70 to +230°C
5	5037749	LF5037749	Geb	Geb silicone S	HT silicone sealant cartridge	310 ml	glasses & metals	black, from -70 to +230°C
6	3392007	LF3392007	Henkel	Loctite SI 5366	HT silicone sealant tube	100 g	oven glasses	transparent, from -65 to +250°C
7	3392006	LF3392006	Henkel	Loctite SI 5366	HT silicone sealant cartridge	310 ml	oven glasses	transparent, from -65 to +250°C



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	7126960	LF7126960	Henkel	Rubson HT	HT silicone sealant cartridge	310 ml	multi-purpose	red, up to +260°C
2	3392012	LF5057851	Otto Chemie	Novasil S57	HT silicone sealant cartridge	310 ml	glassceramic	black, up to +265°C
2	2111796	890050	Otto Chemie	Novasil S76	HT silicone sealant cartridge	310 ml	glassceramic hobs	black, up to +265°C
3	5200414	LF5200414	Otto Chemie	Novasil S76	HT silicone sealant cartridge	80 ml	glassceramic hobs	anthracite, up to +265°C
4	7155430	890015	Otto Chemie	Otto Seal S17	HT silicone sealant cartridge	310 ml	glassceramic hobs	red/brown, up to +285°C
5	7120814	890060	Pactan	6076	HT silicone sealant cartridge	310 ml	oven glasses	anthracite, up to +250°C
5	5113574	890055	Pactan	7076	HT silicone sealant cartridge	310 ml	oven glasses	anthracite, up to +250°C
6	5113259	890259	Tomabond	TB77	HT silicone sealant tube	90 ml	glasses & metals	anthracite, from -40 to +250°C
7	3065012	890258	Tomabond	TB77	HT silicone sealant cartridge	310 ml	glasses & metals	anthracite, from -40 to +250°C

# TOP SELLERS ADHESIVES

## MASTIC SEALANTS



1



2



3



4



5



6



7

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3065005	LF3065005	Camon	Kamin	HT refractory mastic paste cartridge	500 g	refractory materials: ovens, cooking hobs, chimney...	black, up to +1200°C
2	3180053	LF3180053	Fimi	Silifim Fire	HT refractory sealant cartridge	310 ml	refractory materials: ovens, cooking hobs, chimney...	black, up to +1500°C
3	3180075	LF3180075	Geb	Collafeu	HT refractory mastic paste can	300 g	refractory materials: ovens, cooking hobs, chimney...	beige, up to +1100°C
4	3092181	LF3092181	Geb	HT 452	HT refractory mastic paste cartridge	310 ml	refractory materials: ovens, cooking hobs, chimney...	black, up to +1300°C
5	3092180	LF3092180	Geb	HT 452	HT refractory mastic paste can	800 g	refractory materials: ovens, cooking hobs, chimney...	black, up to +1200°C
6	3092196	LF3092196	Geb	Filgum	plastic mastic paste can	200 g	fittings & sealing in sanitary appliances	beige, from -20 to +130°C
7	5120051	890082	Fermit	Plastic-fermit	plastic mastic paste can	500 g	fittings & sealing in sanitary appliances	white, up to +100°C

## COUPLING, FITTING, THREAD SEALANTS



1



2



3



4



5



6

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	7155007	890270	Euro-Lock	A 27.00	thread sealant bottle	10 g	metal threaded fittings	high strength, up to +155°C
2	3180057	LF3180057	Fimi	Ermetic Past	coupling sealant tube	200 g	coupling & threaded gas connectors	green, from -20 to +70°C
3	3180056	LF3180056	Fimi	Extra Gas	fitting sealant tube	200 g	coupling & threaded gas connectors	yellow, from -30 to +70°C
4	3180051	LF3180051	Fimi	Idealblock	thread sealant bottle	100 ml	threaded water & gas fittings	neutral composition, -50 to +150°C
5	3092156	LF3092156	Geb	Collex	fitting sealant tube	160 g	flat gaskets & threaded fittings sealing	orange, from -40 to +250°C
6	3786288	890234	Geb	Collex	fitting sealant tube	80 ml	gasket sealing between metal parts	black, from -40 to +250°C

# TOP SELLERS ADHESIVES

## COUPLING, FITTING, THREAD SEALANTS



1



2



3



4



5



6

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3092195	LF3092195	Geb	Gebsoflon	PTFE sealant tube	125 ml	< 2" metal water & air fittings	beige, from -250 to +250°C
2	3394905	890304	Highside Chemicals	Leak Lock	fitting sealant tube	39 ml	gasket sealing between metal parts	-
3	3786289	890266	Visbella	Red Hi-Temp Gasket Maker	fitting sealant tube	80 ml	flat gaskets & threaded fittings sealing	from -40 to +250°C
4	5111820	890137	Henkel	Loctite 243	food-grade thread sealant bottle	5 ml	locking & sealing of metal threaded fittings	NSF, blue, medium strength
5	3180152	LF3180152	Henkel	Loctite 243	food-grade thread sealant bottle	10 ml	locking & sealing of metal threaded fittings	NSF, blue, medium strength
6	7109798	890058	Henkel	Loctite 511	thread sealant bottle	50 ml	locking & sealing of metal threaded < 3" fittings	DVGW, yellow, from -55 to +150°C



1



2



3



4



5

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3065006	LF3065006	Henkel	Loctite 5400	thread sealant bottle	50 ml	locking & sealing of metal water & air < 3" fittings	DVGW-WRC, yellow, from -50 to +150°C
2	3394154	890128	Henkel	Loctite 542	thread sealant bottle	50 ml	plastic & metal water or pneumatic threaded fittings	DVGW-WRC, brown, from -55 to +150°C
3	3394363	890072	Henkel	Loctite 574	thread sealant bottle	50 ml	sealing of metal flanges & stiff parts	orange, from -55 to +150°C
4	3065010	890097	Henkel	Loctite 577	food-grade thread sealant bottle	50 ml	sealing of stainless steel threaded fittings	NSF-DVGW-BAM, yellow, from -55 to +150°C
5	5137343	890098	Henkel	Loctite SI 5331	food-grade fitting sealant tube	100 ml	plastic & metal threaded parts in contact with cold or warm water	NSF

# TOP SELLERS LUBRICANTS

## LUBRICATING SPRAYS



1



2



3



4



5



6



7

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180119	LF3180119	Belleville	Héritage	multi-purpose oil lubricating spray	400 ml	high pressures & high temperatures	from -50 to +300°C
2	3180077	LF3180077	Fimi	Lubisil	silicone oil lubricating spray	400 ml	water-repellent, moisture removing	-
3	3180081	LF3180081	Fimi	Scivol 97	neutral sliding oil lubricant spray	400 ml	plastic, rubber, hoses sliding improvment	-
4	3180079	LF3180079	Fimi	Svita Tutto	penetrating oil lubricating spray	400 ml	metallic oxidized, rusted or encrusted parts unblocking	-
5	3092173	LF3092173	Geb	Graphited Releasing	graphited penetrating oil lubricating spray	300 ml	rusted mechanism unblocking & lubricating	water proof
6	3092171	LF3092171	Geb	Noxydol	neutral penetrating oil lubricating spray	150 ml	rusted mechanism unblocking & lubricating	without acid & chlorate solvent
7	3092172	LF3092172	Geb	Noxydol	neutral penetrating oil lubricating spray	500 ml	rusted mechanism unblocking & lubricating	without acid & chlorate solvent



1



2



3



4



5



6

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	5130764	890074	Henkel	Loctite LB 8201	multi-purpose mineral oil lubricating spray	400 ml	humidity & corrosion protection, rusty & scaled gear unblocking	from -20 to +120°C
2	3180092	LF3180092	Nils	Atomic	PTFE grease lubricating spray	400 ml	universal lubricating	from -30 to +120°C
3	3180078	LF3180078	WD-40	WD-40	multi-purpose oil lubricating spray	500 ml	humidity & corrosion protection, rusty & scaled gear unblocking	-
4	3180038	LF3180038	Würth	0893 060	vaseline oil lubricating spray	300 ml	chromed & rubber parts protection	from -10 to +120°C
5	3180042	LF3180042	Würth	HHS Lube	organic penetrating oil lubricating spray	500 ml	dirt & water protection	from -25 to +150°C
6	3180041	LF3180041	Würth	Rost Off Plus	organic penetrating oil lubricating spray	300 ml	high penetration capacity throughout rust & corrosion	from -10 to +180°C

# TOP SELLERS LUBRICANTS

## FOOD-GRADE LUBRICATING SPRAYS



1



2



3



4



5

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180097	LF3180097	Belleville	Degalim	food-grade penetrating oil spray	400 ml	gripped gears, thread, axis, hinges unblocking	food-grade
2	5113335	890217	Euro Lock	Los 37	food-safe white oil spray	400 ml	universal lubricating in food industry	food-safe
3	5135082	LF5135082	Förch	S474	food-grade silicone oil spray	400 ml	synthetic materials, rubber & metal parts lubricating	NSF H1, up to +250°C
4	3092098	LF3092098	Henkel	Loctite 8200	food-grade rubber oil spray	400 ml	gripped gears, thread, axis, hinges unblocking	NSF
5	3180043	LF3180043	Würth	0893 107 1	food-grade neutral oil spray	300 ml	aluminium, stainless steel, plastic protection	NSF, from -10 to +180°C

## SPECIFIC OILS



1



2



3



4

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	7152904	LF7152904	IKV	Food Glide 3H/22	food-grade fluid oil can	5 l	cylinders & pistons (dough processing)	NSF, HACCP, 22 cSt at 40°C
1	3180096	LF3180096	IKV	Food Glide 3H/68	food-grade thick oil can	5 l	hopper (dough processing)	NSF, HACCP, 60 cSt at 40°C
1	7152903	LF7152904	IKV	Tribofood GBX 150PG	food-grade HP oil can	5 l	dough processing bronze HP part	NSF, HACCP, 150 cSt at 40°C
1	7152905	LF7152905	IKV	Tribogear 150	HP oil can	5 l	dough processing HP parts	150 cSt at 40°C
1	7152906	LF7152906	IKV	Tribogear 220	HP oil can	5 l	dough processing HP parts	220 cSt at 40°C
2	9009000	LF9009000	Total	Pharma 19	multi-purpose oil drip-feed oiler	50 ml	precision general	-
3	9009001	LF9009001	Total	Roto EP 680	food-grade fine oil can	1 l	slicing machines	NSF
4	3394117	LF3394117	Wigam	FO-200	flaring oil spray	200 ml	flaring applications	-

# TOP SELLERS LUBRICANTS

## SPECIFIC GREASES



1



2



3



4



5



6



7

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	1180501	LF1180501	Camon	Grasso al Silicone	silicone grease tube	150 ml	water taps & gaskets	up to +150°C
2	5111951	890202	Fermit	Glissa	fine grease tube	20 g	gas taps & valves	DVGW, from -20 to +150°C
3	3180101	890087	Fermit	Glissa	silicone grease tube	23 g	water taps & gaskets	from -40 to +200°C
4	3092179	890087	Geb	Graisse Silicone	silicone grease tube	20 g	water taps & gaskets	from -40 to +200°C
5	1180502	LF1180502	Molykote	55	silicone grease tube	100 g	water taps & gaskets	from -65 to +175°C
6	3092177	LF3092177	Molykote	1102	fine grease tube	50 g	gas taps & valves	up to +175°C
7	3180039	LF3180039	Würth	0893 060 1	vaseline grease can	750 g	chromed & rubber parts protection	from -10 to +120°C

## HIGH TEMPERATURE GREASES



1



2



3



4



5

Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180117	LF3180117	Belleville	Rouge	graphited grease cartridge	400 g	high temperature parts	grade 3, from -30 to +220°C
2	3180116	LF3180116	Belleville	Rouge	graphited grease can	700 g	high temperature parts	grade 3, from -30 to +220°C
3	3180098	LF3180098	Belleville	Patalu	aluminium grease cartridge	400 g	high temperature parts	grade 1, from -30 to +600°C
4	3180118	LF3180118	Belleville	Bleue	graphited grease can	500 g	high temperature parts	grade 4, from -30 to +800°C
5	3180100	LF3180100	Belleville	Helios	copper grease can	700 g	high temperature parts	grade 1, from -20 to +1100°C

# TOP SELLERS LUBRICANTS

## FOOD-GRADE GREASES



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180112	LF3180112	Belleville	Nutrol	food-grade white grease cartridge	400 g	food processing parts	NSF H1, grade 1,5, from -20 to +200°C
2	3180113	LF3180113	Belleville	Nutrol	food-grade white grease spray	400 ml	food processing parts	NSF H1, grade 1,5, from -20 to +200°C
3	3180111	LF3180111	Belleville	Nutrol	food-grade white grease can	700 g	food processing parts	NSF H1, grade 1,5, from -20 to +200°C
4	5059550	LF5059550	Carpigiani	Carpilube	food-grade grease tube	113 g	soft & shake machines	NSF H1
4	3180087	LF3180087	Carpigiani	Carpilube	food-grade grease tube	113 g	batch freezers	NSF H1
5	5114497	LF5114497	CFG	-	food-grade white grease tube	125 ml	pneumatic & water fittings	NSF H1, from -20 to +150°C
6	5031323	LF5031323	Chesterton	629	food-grade white grease cartridge	400 g	food processing parts	-



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	5135086	LF5135086	Forch	S476	food-grade grease cartridge	400 g	food processing parts	NSF H1, from -20 to +120°C
2	5135079	LF5135079	Förch	S470	food-grade neutral grease spray	400 ml	food processing parts	from -35 to +220°C
2	5135085	LF5135085	Förch	S475	food-grade white grease spray	400 ml	HP food processing parts	NSF H1, from -20 to +120°C
3	3180085	890295	Haynes	Lubri-Film Plus	food-grade grease tube	113 g	all bearing types	NSF H1
4	3092097	LF3092097	Henkel	Loctite 8105	food-grade white grease cartridge	400 ml	food processing parts	NSF H1, grade 2, from -20 to +150°C
5	3180009	LF3180009	Klüber	Klüberlub NH1 11-222	food-grade grease tube	45 g	hot & cold water fitting parts	black, NSF H1, from -30 to +120°C
5	1180001	LF1180001	Klüber	Klüberlub UH1 14-151	food-grade grease tube	45 g	steam & hot water fitting parts	beige, NSF H1, from -45 to +120°C
6	3180120	LF3180120	Klüber	Klübersynth AR 34-402	food-grade grease tube	20 g	pneumatic & gas taps	NSF H1, from -30 to +140°C
7	3180008	LF3180008	Klüber	Paraliq GTE 703	food-grade PTFE grease tube	60 g	EPDM-FPM-NBR-FKM-SIL gaskets	NSF, from -50 to +150°C

# TOP SELLERS LUBRICANTS

## FOOD-GRADE GREASES



Photo	LF Code	GEV Code	Manufacturer	Model	Description	Format	Appliances	Notes
1	3180088	LF3180088	Nils	Food 1	food-grade grease tube	50 ml	all bearing types & EPDM-FPM-NBR-FKM-SIL gaskets	NSF H1, from -20 to +140°C
2	3180091	LF3180091	Nils	Food TTF	food-grade aluminium grease can	150 g	HP food processing parts	NSF H1, from -45 to +160°C
3	3180089	LF3180089	Nils	Silikon 1-2	food-grade silicone grease can	150 g	EPDM-FPM-NBR-FKM-SIL gaskets	NSF H1, from -45 to +2200°C
4	3180094	LF3180094	SID	Lubraxyl	food-grade white grease cartridge	400 g	food processing parts	NSF H1, grade 2, from -20 to +150°C
5	3180095	LF3180095	Sid	Lubri Alim	food-grade vaseline grease spray	400 ml	food processing parts	NSF H1, from -15 to +120°C
6	1180000	LF1180000	Tecnite	332 FM	food-grade grease tube	25 g	all bearing types	NSF H1, from -20 to +180°C





**GEV Großküchen-Ersatzteil-Vertrieb GmbH**

Gadastr. 4  
85232 Bergkirchen - Germany  
T +49 8142 6522-50  
info.ger@repagroup.com  
www.gev-online.com

**LF S.p.A. a socio unico**

Via Voltri 80  
47522 Cesena FC - Italy  
T +39 0547 341111  
info.it@repagroup.com  
www.lfspareparts724.com

**EPGC S.a.s.**

13 Rue des Forts  
59960 Neuville en Ferrain - France  
T +33 3 20250621  
france@repagroup.com  
www.epgc.com

**Commercial Catering Spares Ltd.**

Block C - Axis Point Hill Top Road  
Heywood - Lancashire - OL10 2RQ - UK  
T +44 1706 621 155  
info@ccspares.co.uk  
www.ccspares.co.uk

**Atel S.r.l. a socio unico**

Via Selvuzzis 51/2  
33100 Udine UD - Italy  
T +39 0432 602095  
info@atelitalia.com  
www.atelitalia.com

[www.repagroup.com](http://www.repagroup.com)