



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**ADANDE**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## switches and momentary switches

### microswitches

#### with push button

#### switches with snap-fit



1

<b>GEV No.</b>	347163	<b>Ref. No.</b>	102923
<b>description</b>	microswitch with push button 250V 1A 1NO connection male faston 6.3mm L 16x12mm ambient temperature max. 85°C mounting distance 26x12mm type actuating force: 250g		
<b>For models:</b>	VCR, VCS		

## transformers

### power supplies



1

<b>GEV No.</b>	402169	<b>Ref. No.</b>	103512
<b>description</b>	power supply primary 100-240VAC secondary 12VDC 24VA secondary 2A H 35mm L 88mm W 50mm connection plug-in connection 50/60Hz type STD-12020T		
<b>For models:</b>	VCR, VCS		



1

<b>GEV No.</b>	402170	<b>Ref. No.</b>	103531
<b>description</b>	power supply primary 100-240VAC secondary 24VDC 90VA secondary 3.75A connection cable 50/60Hz		

## electronic controllers

### DIXELL

#### refrigeration controllers

#### built-in version



1

<b>GEV No.</b>	378254	<b>Ref. No.</b>	103060
<b>description</b>	electronic controller DIXELL XB570L-5R0C1-X mounting measurements 150x30mm built-in depth 65.5mm 230V voltage AC NTC relay outputs 6 NO-20A(8) NO-8A(3) NO-8A(3) NO-16A(5) NO-8A(3) NO-16A(5) NTC NTC DI DI yes yes yes protection IP65 preprogrammed -50 up to +99°C display 3½ digits		
<b>accessories for</b>	378254		
	<b>GEV No.</b>	378261	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 3m without screw connection 2-wire		

<b>accessories for</b>	378254		
	<b>GEV No.</b>	379057	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire		
	<b>GEV No.</b>	379160	<b>Ref. No.</b>
			103063 103355
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	<b>GEV No.</b>	379161	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	<b>GEV No.</b>	379342	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 1.5m 2-wire protection IP67		
	<b>GEV No.</b>	379343	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	<b>GEV No.</b>	379458	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	<b>GEV No.</b>	379784	<b>Ref. No.</b>
			—
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	<b>GEV No.</b>	379860	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	<b>GEV No.</b>	402818	<b>Ref. No.</b>
			—
	programming key 4K for electronic controller DIXELL		

## LAE

### refrigeration controllers

#### built-in version






1

<b>GEV No.</b>	378252	<b>Ref. No.</b>	102924
<b>description</b>	electronic controller LAE type AT2-5BS4E-AG(P) mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 relays -50 up to +150°C display 3 digits		
<b>For models:</b>	VCS		






built-in version 2-piece



<b>GEV No.</b>	379771	<b>Ref. No.</b>	103555
<b>description</b>	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
<b>accessories for</b>	379771		
	<b>GEV No.</b>	378253	<b>Ref. No.</b> 103554
	load module LAE type BD1-28C1S5W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
	<b>GEV No.</b>	403458	<b>Ref. No.</b> —
	load module LAE type BIT25B1S3E-A mounting measurements 88x85mm 230V voltage AC NTC relay outputs 3 NO-20A(8) NO-16A(4) NO-7A(2) NTC NTC DI DI front measurementsmm built-in depth 40mm protection IP55 yes yes -50 up to +110°C display		
	<b>GEV No.</b>	403459	<b>Ref. No.</b> —
	connection cable LAE type FC06-20M01		



<b>GEV No.</b>	378253	<b>Ref. No.</b>	103554
<b>description</b>	load module LAE type BD1-28C1S5W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
<b>accessories for</b>	378253		
	<b>GEV No.</b>	379771	<b>Ref. No.</b> 103555
	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
	<b>GEV No.</b>	379784	<b>Ref. No.</b> —
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	<b>GEV No.</b>	403459	<b>Ref. No.</b> —
	connection cable LAE type FC06-20M01		

## probes

### universal probes

#### temperature probes

<b>GEV No.</b>	379160	<b>Ref. No.</b>	103063 103355
<b>description</b>	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		

## evaporation and condensing trays

### evaporation trays heated

<b>GEV No.</b>	750279	<b>Ref. No.</b>	103009 103009,103082,103491
<b>description</b>	evaporation tray heated L 480mm W 197mm H 11mm 230V 150W		
<b>For models:</b>	VCR, VCS		

<b>GEV No.</b>	750280	<b>Ref. No.</b>	103079 103105 103105,103079,103491 104292
<b>description</b>	evaporation tray heated L 680mm W 197mm H 11mm 230V 200W		
<b>For models:</b>	VCR, VCS		

## fans

### axial fans

#### ebm-papst

<b>GEV No.</b>	601656 <sup>1</sup>	<b>Ref. No.</b>	103110
<b>description</b>	axial fan L 119mm W 119mm H 38mm 24VDC 12.5W bearing ball bearing manuf. no. 4114NHH connection cable 1500mm ebm-papst		

<sup>1</sup>with ball bearings



import



1	<b>GEV No.</b>	601080 <sup>1</sup>	<b>Ref. No.</b>	103008
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			
<b>For models:</b>	VCR, VCS			
<b>accessories for</b>	601080			
	<b>GEV No.</b>	550898	<b>Ref. No.</b>	—
<b>description</b>	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	<b>GEV No.</b>	692519	<b>Ref. No.</b>	—
<b>description</b>	guard L 120mm W 120mm plastic			

<sup>1</sup>with ball bearings



1	<b>GEV No.</b>	601655 <sup>1</sup>	<b>Ref. No.</b>	102508 106483
<b>description</b>	axial fan L 40mm W 40mm H 20mm 12VDC 1.6W bearing ball bearing connection cable cable length 1300mm SUNON			
<b>For models:</b>	VCR, VCS			

<sup>1</sup>with ball bearings

electric accessories

cables

power supply cables



1	<b>GEV No.</b>	550726	<b>Ref. No.</b>	103053
<b>description</b>	low temperature appliance supply cable CEE7/7 - C15 3-pole contacts P+N+E 1mm <sup>2</sup> max. 10A max 250V 2.0m H05VVF T70 2-pole + earthing insulation PVC			

extension cables




1	<b>GEV No.</b>	550824	<b>Ref. No.</b>	103036
<b>description</b>	extension cable C13 - C14 3-pole contacts P+N+E 1mm <sup>2</sup> max. 10A max 250V 1m T70 for equipment inlet			


equipment-specific units

for refrigerated counters

housing and bezels



1	<b>GEV No.</b>	691991	<b>Ref. No.</b>	103494 103494+103584
<b>description</b>	fan plate			




1	<b>GEV No.</b>	691989	<b>Ref. No.</b>	102907 102907+103583 103729
<b>description</b>	fan plate L 700mm W 550mm H 80mm			
<b>For models:</b>	VCR, VCS			

for dishwashers

spare parts and accessories




1	<b>GEV No.</b>	691983	<b>Ref. No.</b>	103582
<b>description</b>	drain pipe L 190mm			



1

<b>GEV No.</b>	691984	<b>Ref. No.</b>	103581
<b>description</b>	drain pipe L 730mm		
<b>For models:</b>	VCS		



1

<b>GEV No.</b>	901144	<b>Ref. No.</b>	103580
<b>description</b>	refrigeration gasket W 620mm L 785mm plug size heated		

## handles and hand wheels

### recessed handles



1

<b>GEV No.</b>	691985	<b>Ref. No.</b>	103257 104675
<b>description</b>	recessed handle W 123mm H 64mm		
<b>For models:</b>	VCR, VCS		

## gaskets

### refrigeration gaskets

#### plug-in gaskets

#### plug-in gaskets, heated



1

<b>GEV No.</b>	901143	<b>Ref. No.</b>	102745 106794
<b>description</b>	refrigeration gasket W 600mm L 755mm plug size heated		
<b>For models:</b>	VCR, VCS		

**A**

axial fans 4

**C**

cables 5

**E**

electric accessories 5

electronic controllers 3

evaporation trays heated 4

extension cables 5

**F**

fans 4

**M**

microswitches 3

**P**

plug-in gaskets 6

power supply cables 5

probes 4

**R**

refrigeration gaskets 6

**S**

switches and momentary switches 3

**T**

temperature probes 4

transformers 3

**U**

universal probes 4