



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**COMPAK**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## switches and momentary switches

### rocker/momentary rocker switches


30x22mm




<b>GEV No.</b>	345056	<b>Ref. No.</b>	K00069
<b>description</b>	rocker switch mounting measurements 30x22mm orange 2NO 250V 8A illuminated cup connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopico, K6-Telescopico, K8-Silenzio, K8-Silenzio-Telescopico		

ø20mm




<b>GEV No.</b>	347243	<b>Ref. No.</b>	K02015
<b>description</b>	rocker switch mounting ø 20mm black 1CO 250V 10A I O II connection male faston 4.8mm with neutral position		
<b>For models:</b>	K3-Push, K3-Shop, K3-Touch		
<b>accessories for</b>	347243		
	<b>GEV No.</b>	347331	<b>Ref. No.</b> —
	protective cover ED ø 24mm H 8mm		



<b>GEV No.</b>	347242	<b>Ref. No.</b>	K02014 K02014c
<b>description</b>	rocker switch mounting ø 20mm black/red 1NO 250V 6A I O connection male faston 4.8mm ambient temperature max. 125°C protection IP40		
<b>For models:</b>	K3		
<b>accessories for</b>	347242		
	<b>GEV No.</b>	347331	<b>Ref. No.</b> —
	protective cover ED ø 24mm H 8mm		



<b>GEV No.</b>	347241	<b>Ref. No.</b>	K02013
<b>description</b>	rocker switch mounting ø 20mm red 1NO/indicator light 250V 10A connection male faston 4.8mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	K3-Elite		
<b>accessories for</b>	347241		
	<b>GEV No.</b>	347331	<b>Ref. No.</b> —
	protective cover ED ø 24mm H 8mm		

## microswitches

### lever actuated



<b>GEV No.</b>	347244	<b>Ref. No.</b>	K02093
<b>description</b>	microswitch with lever 250V 0.1A 1NO connection cable ambient temperature max. 120°C lever length 51.5mm		
<b>For models:</b>	K3-Push, K3-Shop, K3-Touch		



<b>GEV No.</b>	347245	<b>Ref. No.</b>	K02505
<b>description</b>	microswitch with lever 250V 10.1A 1NO connection cable L 48mm ambient temperature max. 120°C mounting distance 10mm type CHERRY DB2 actuating force: 15g lever length 51.5mm		
<b>For models:</b>	K3-Push, K3-Shop, K3-Touch		

### pin-plunger actuated



<b>GEV No.</b>	345105	<b>Ref. No.</b>	K00733
<b>description</b>	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		
<b>For models:</b>	K3, K3-Elite, K5, K6, K6-Silenzio, K6-Silenzio-Telescopico, K6-Telescopico, K8-Silenzio, K8-Silenzio-Telescopico		

## condensators & interference suppression filters

### operating capacitors

#### plastic



<b>GEV No.</b>	365013	<b>Ref. No.</b>	K00254
<b>description</b>	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopico, K6-Telescopico, K8-Silenzio, K8-Silenzio-Telescopico		

**metal**

1

<b>GEV No.</b>	365114	<b>Ref. No.</b>	K05109
<b>description</b>	operating capacitor capacity 6 $\mu$ F 425/475V with metal case tolerance 5% $\phi$ 31mm L 60mm connection male faston 6.3mm		
<b>For models:</b>	K8-Silenzio, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	365113	<b>Ref. No.</b>	K00409 K01295
<b>description</b>	operating capacitor capacity 6 $\mu$ F 450V with metal case tolerance 5% 50/60Hz $\phi$ 43mm L 62mm M8 connection male faston 6.3mm		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K8-Silenzio, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	365004	<b>Ref. No.</b>	K01296
<b>description</b>	operating capacitor capacity 8 $\mu$ F 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\phi$ 30mm L 94mm M8 aluminium connection cable 300mm protection IP65		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		

**electric accessories****cables****miscellaneous**

1

<b>GEV No.</b>	344002	<b>Ref. No.</b>	K-02228
<b>description</b>	cable for rocker switch L 138mm connection male faston		
<b>For models:</b>	K3-Elite		

**equipment-specific units****for coffee grinders****grinding burrs****grinding burrs straight****standard**

1

<b>GEV No.</b>	525816	<b>Ref. No.</b>	K02058 K2058
<b>description</b>	grinding burrs pair turn direction right D1 $\phi$ 58mm ID $\phi$ 33.4mm H 8.5mm tooth spacing 3mm hole $\phi$ 5mm bore $\phi$ 8.5mm mounting $\phi$ 44 suitable for K3		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		



1

<b>GEV No.</b>	527240	<b>Ref. No.</b>	K00246
<b>description</b>	grinding burrs pair turn direction right D1 $\phi$ 60mm ID $\phi$ 36mm H 8mm tooth spacing 4mm hole $\phi$ 5.5mm bore $\phi$ 8.3mm mounting $\phi$ 48 straight suitable for WEGA, COMPAK		



1

<b>GEV No.</b>	525815	<b>Ref. No.</b>	K00099 K99
<b>description</b>	grinding burrs pair turn direction right D1 $\phi$ 63.4mm ID $\phi$ 38.2mm H 9.2mm tooth spacing 3.5mm hole $\phi$ 5.5mm bore $\phi$ 8.6mm mounting $\phi$ 50		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		



1

<b>GEV No.</b>	526552	<b>Ref. No.</b>	N/A
<b>description</b>	grinding burrs pair turn direction right D1 $\phi$ 75mm ID $\phi$ 43mm H 10.5mm tooth spacing 3.5mm hole $\phi$ 5.5mm bore $\phi$ 8.5mm mounting $\phi$ 57		




1


<b>GEV No.</b>	526177	<b>Ref. No.</b>	K00812
<b>description</b>	grinding burrs pair turn direction right D1 ø 82.5mm ID ø 49.2mm H 9.5mm tooth spacing 3.5mm hole ø 6mm bore ø 10.2mm mounting ø 66 suitable for COMPAK		
<b>For models:</b>	K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526174	<b>Ref. No.</b>	K01223
<b>description</b>	grinding burr holder for model K6 Silenzio		
<b>For models:</b>	K6-Silenzio, K6-Silenzio-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

grinding burrs conical



1

<b>GEV No.</b>	525457	<b>Ref. No.</b>	K03068 K03068C
<b>description</b>	grinding burrs pair turn direction right D1 ø 68mm suitable for COMPAK		
<b>For models:</b>	K10-Conic		



1

<b>GEV No.</b>	525817	<b>Ref. No.</b>	K01209 K1209	
<b>description</b>	grinding burr holder turn direction right D1 ø 58mm D2 ø 63mm H 24mm mounting pos. lower suitable for COMPAK for model K3E			
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch			
<b>spare parts for</b>	525817			
	<b>GEV No.</b>	525816	<b>Ref. No.</b>	K02058 K2058
	grinding burrs pair turn direction right D1 ø 58mm ID ø 33.4mm H 8.5mm tooth spacing 3mm hole ø 5mm bore ø 8.5mm mounting ø 44 suitable for K3			

grinding burrs holders



1

<b>GEV No.</b>	526175	<b>Ref. No.</b>	K01318
<b>description</b>	grinding burr holder for model K6		
<b>For models:</b>	K5, K6, K6-Telescopic		



1

<b>GEV No.</b>	526176	<b>Ref. No.</b>	K01203
<b>description</b>	grinding burr holder turn direction right D1 ø 63.5mm D2 ø 69mm H 21mm with grinding burr mounting pos. lower for model K6/K6 Silenzio		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		



1

<b>GEV No.</b>	526139	<b>Ref. No.</b>	K01320
<b>description</b>	grinding burr holder for model K-6		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		




1

<b>GEV No.</b>	525818	<b>Ref. No.</b>	K01208 K1208
<b>description</b>	grinding burr holder turn direction right for model K3E		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		



			
1			
<b>GEV No.</b>	526178	<b>Ref. No.</b>	K02170
<b>description</b>	grinding burr holder turn direction right mounting pos. upper for model K3		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		

## screws

			
1			
<b>GEV No.</b>	560445	<b>Ref. No.</b>	K02078 K2078
<b>description</b>	flat-headed bolt thread M4 thread L 8mm zinc-coated steel Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic		

## spillage trays

			
1			
<b>GEV No.</b>	527038	<b>Ref. No.</b>	K00803
<b>description</b>	drain tray for coffee grinder		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## dosing containers

## dosing container lids

			
1			
<b>GEV No.</b>	526156	<b>Ref. No.</b>	K02053
<b>description</b>	lid for dosing container L 181mm W 134mm H 40mm		
<b>For models:</b>	K3, K3-Elite		



1

<b>GEV No.</b>	526173	<b>Ref. No.</b>	K00804
<b>description</b>	lid for dosing container L 199mm W 168mm H 50mm		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## dosing units



1

<b>GEV No.</b>	526169	<b>Ref. No.</b>	K01113
<b>description</b>	dosing unit with lever and button mounting pos. left		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526171	<b>Ref. No.</b>	K01118
<b>description</b>	dosing unit with lever and counter mounting pos. right aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



			
1			
<b>GEV No.</b>	526170	<b>Ref. No.</b>	K01117
<b>description</b>	dosing unit with lever and counter plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

			
1			
<b>GEV No.</b>	526168	<b>Ref. No.</b>	K01112 K01227
<b>description</b>	dosing unit with lever mounting pos. left for A1/K3/K5/K6/K8/K10		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		

			
1			
<b>GEV No.</b>	526138	<b>Ref. No.</b>	K01111
<b>description</b>	dosing unit with lever mounting pos. left for A2/K3/K5/K6/K8/K10-Silen-zio		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

			
1			
<b>GEV No.</b>	526172	<b>Ref. No.</b>	K01119
<b>description</b>	dosing unit with lever, button and counter mounting pos. right aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		


springs

group 1

			
1			
<b>GEV No.</b>	526144	<b>Ref. No.</b>	K00619
<b>description</b>	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever left		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

			
1			
<b>GEV No.</b>	527150	<b>Ref. No.</b>	K00618
<b>description</b>	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

glass cylinders

			
1			
<b>GEV No.</b>	526155	<b>Ref. No.</b>	K02052
<b>description</b>	cylinder ø 125.5mm H 68.2mm		
<b>For models:</b>	K3, K3-Elite		

## levers

## levers



1

<b>GEV No.</b>	526150	<b>Ref. No.</b>	K01122
<b>description</b>	lever left dosing pump hole ø 18mm plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526145	<b>Ref. No.</b>	K01120
<b>description</b>	lever left dosing pump hole ø 19mm aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526153	<b>Ref. No.</b>	K01128
<b>description</b>	lever left for dosing pump L 19mm aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526152	<b>Ref. No.</b>	K01124
<b>description</b>	lever right dosing pump hole ø 18.5mm aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526151	<b>Ref. No.</b>	K01123
<b>description</b>	lever right dosing pump hole ø 18mm plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526149	<b>Ref. No.</b>	K01121
<b>description</b>	lever right dosing pump hole ø 19mm aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

## coffee powder dispenser



1

<b>GEV No.</b>	526158	<b>Ref. No.</b>	K00008
<b>description</b>	coffee discharge chute plastic for coffee machine		
<b>For models:</b>	K5, K6, K6-Telescopic		




1

<b>GEV No.</b>	527143	<b>Ref. No.</b>	K00635
<b>description</b>	coffee discharge chute rubber for coffee grinder		
<b>For models:</b>	K6-Silenzio, K6-Silenzio-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## coffee presses

## components

## springs



1

<b>GEV No.</b>	527147	<b>Ref. No.</b>	K00509
<b>description</b>	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

## pressers



1

<b>GEV No.</b>	526161	<b>Ref. No.</b>	K00160
<b>description</b>	coffee press ø 50mm H 20mm plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		





1


<b>GEV No.</b>	526163	<b>Ref. No.</b>	K01249
<b>description</b>	coffee press ø 53mm H 13mm thread M8x1.25 plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		








			
1			
<b>GEV No.</b>	526159	<b>Ref. No.</b>	K00038
<b>description</b>	coffee press ø 53mm H 18.5mm thread M8x1.25 plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


			
1			
<b>GEV No.</b>	526162	<b>Ref. No.</b>	K01247
<b>description</b>	coffee press ø 57mm H 13mm thread M8x1.25 plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


			
1			
<b>GEV No.</b>	526164	<b>Ref. No.</b>	K01166
<b>description</b>	coffee press ø 57mm H 28mm thread M8x1.25 aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

			
1			
<b>GEV No.</b>	527047	<b>Ref. No.</b>	K00166
<b>description</b>	coffee press ø 57mm thread M8 plastic for coffee grinder		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


buttons			
			
1			
<b>GEV No.</b>	526160	<b>Ref. No.</b>	K00064
<b>description</b>	counterflange for coffee press thread M6 L 41mm W 15mm thickness 2mm		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		


			
1			
<b>GEV No.</b>	527099	<b>Ref. No.</b>	K00505
<b>description</b>	frame for push-button plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

			
1			
<b>GEV No.</b>	527091	<b>Ref. No.</b>	K00506
<b>description</b>	push button		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

coffee presses			
			
1			
<b>GEV No.</b>	530520	<b>Ref. No.</b>	K00040C
<b>description</b>	coffee press ø 57mm L 76mm plastic		

bodies			
			
1			
<b>GEV No.</b>	527042	<b>Ref. No.</b>	K00221
<b>description</b>	retaining ring polished ø 130mm		
<b>For models:</b>	K3-Elite, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

automatic grinding			
			
1			
<b>GEV No.</b>	526157	<b>Ref. No.</b>	K02732
<b>description</b>	housing for microswitch with switch mechanism H 60mm for model K3		
<b>For models:</b>	K3, K3-Elite		

			
1			
<b>GEV No.</b>	527139	<b>Ref. No.</b>	K00732
<b>description</b>	housing for microswitch with switch mechanism H 68mm for model K5/K6/K8		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## stars

## complete



1

<b>GEV No.</b>	526167	<b>Ref. No.</b>	K01110
<b>description</b>	star complete ø 118mm aluminium		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	526166	<b>Ref. No.</b>	K01109
<b>description</b>	star complete ø 118mm plastic		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio-Telescopic		

## coffee beans containers

## container lids



1

<b>GEV No.</b>	526154	<b>Ref. No.</b>	K02027
<b>description</b>	lid for coffee beans container ø 162mm suitable for K3		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		



1

<b>GEV No.</b>	527039	<b>Ref. No.</b>	K00004
<b>description</b>	lid for coffee beans container ø 182mm		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## gaskets



1

<b>GEV No.</b>	526165	<b>Ref. No.</b>	K00570
<b>description</b>	gasket for coffee beans container ED ø 60mm ID ø 48mm plastic thickness 4mm		
<b>For models:</b>	K6-Silenzio, K6-Silenzio-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## coffee beans containers



1

<b>GEV No.</b>	526136	<b>Ref. No.</b>	K02028
<b>description</b>	coffee beans container ø 163mm H 193mm seat ø 47mm		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		




1

<b>GEV No.</b>	526137	<b>Ref. No.</b>	K01358
<b>description</b>	coffee beans container ø 187mm H 251mm seat ø 47mm		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



locks


 <p>1</p>			
<b>GEV No.</b>	527088	<b>Ref. No.</b>	K00827
<b>description</b>	catch for coffee beans container L 51mm W 42.5mm thickness 3mm plastic		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		

support for filter holder

 <p>1</p>			
<b>GEV No.</b>	527037	<b>Ref. No.</b>	K00815
<b>description</b>	bracket for filter holder short L 125mm W 82mm H 24mm plastic		
<b>For models:</b>	K3, K3-Elite, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		


equipment feet and end caps


bolting feet

 <p>1</p>			
<b>GEV No.</b>	527181	<b>Ref. No.</b>	K00022
<b>description</b>	equipment foot ø 28mm H 14mm rubber bore ø 6.5mm Qty 1 pcs		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		


springs

torsion springs

 <p>1</p>			
<b>GEV No.</b>	526144	<b>Ref. No.</b>	K00619
<b>description</b>	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever left		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

 <p>1</p>			
<b>GEV No.</b>	527150	<b>Ref. No.</b>	K00618
<b>description</b>	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		


compression springs


 <p>1</p>			
<b>GEV No.</b>	527147	<b>Ref. No.</b>	K00509
<b>description</b>	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

fastening material


screws

countersunk screws

 <p>1</p>			
<b>GEV No.</b>	560040	<b>Ref. No.</b>	K02079
<b>description</b>	countersunk screw thread M5 L 12mm WS 3 SS DIN 7991/ISO 10642 Qty 20 pcs intake hexagonal		
<b>For models:</b>	K3-Elite, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio, K8-Silen-zio-Telescopic		

 <p>1</p>			
<b>GEV No.</b>	560386	<b>Ref. No.</b>	K00065
<b>description</b>	countersunk screw thread M6 WS 4 DIN 7991/ISO 10642 Qty 1 pcs ED ø 12mm hardend thread L 16mm		
<b>For models:</b>	K10-Conic, K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic, K8-Silen-zio-Telescopic		

flat-headed bolts

 <p>1</p>			
<b>GEV No.</b>	560445	<b>Ref. No.</b>	K02078 K2078
<b>description</b>	flat-headed bolt thread M4 thread L 8mm zinc-coated steel Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch, K5, K6, K6-Silen-zio, K6-Silen-zio-Telescopic, K6-Telescopic		

## cylinder head bolts

DIN 912/ISO 4762



1

<b>GEV No.</b>	560388	<b>Ref. No.</b>	K00077
<b>description</b>	cylinder head bolt thread M4 thread L 25mm WS 3 Qty 1 pcs intake hexagonal DIN 912/ISO 4762		
<b>For models:</b>	K10-Conic		

## nuts

## hexagonal nuts

DIN 934 / ISO 4032/8673



1

<b>GEV No.</b>	560387	<b>Ref. No.</b>	K00115
<b>description</b>	hexagonal nut thread M10L H 8.15mm WS 17 brass DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		

## washers

## spring washers



1

<b>GEV No.</b>	696352	<b>Ref. No.</b>	K00127
<b>description</b>	spring washer ID ø 11mm ED ø 21mm DIN 137B Qty 1 pcs		
<b>For models:</b>	K5, K6, K6-Silenzio, K6-Silenzio-Telescopic, K6-Telescopic, K8-Silenzio, K8-Silenzio-Telescopic		



1

<b>GEV No.</b>	696353	<b>Ref. No.</b>	K02017
<b>description</b>	spring washer ID ø 8.5mm ED ø 15mm DIN 137A Qty 1 pcs		
<b>For models:</b>	K3, K3-Elite, K3-Push, K3-Shop, K3-Touch		

**C**

cables	4
condensators & interference suppression filters	3
countersunk screws	11
cylinder head bolts	12

**E**

electric accessories	4
----------------------	---

**F**

fastening material	11
flat-headed bolts	11

**H**

hexagonal nuts	12
----------------	----

**M**

microswitches	3
---------------	---

**N**

nuts	12
------	----

**O**

operating capacitors	3
----------------------	---

**R**

rocker/momentary rocker switches	3
----------------------------------	---

**S**

screws	11
spring washers	12
switches and momentary switches	3