



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

EVEREST

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





switches and momentary switches


rocker/momentary rocker switches

30x22mm



GEV No.	301001	Ref. No.	ELE2020
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301001		
	GEV No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



	GEV No.	347766	Ref. No.	ELE2034 TC32 R56
description	momentary push switch mounting measurements ø22mm green/red 1NO/1NC/1NO 400V connection male faston 6.3mm arrow right/left/0 4A protection IP40 ambient temperature max. 85°C/145°C			

	GEV No.	401709	Ref. No.	ELE1008
description	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm			

push/momentary push switches

ø22mm




GEV No.	403149	Ref. No.	ELE1007
description	control PCB mounting measurements ø22mm green/indicator light/red meat mincer TC8/TCE8/TCE8-2000 230V connection male faston 6.3mm L 79mm W 59mm 0-1 10A protection IP40		
spare parts for	403149		
	GEV No.	347789	Ref. No. —
	momentary push switch mounting measurements ø22mm white/red 1NO/1NC 250V connection screw 4A symbol ON-OFF protection IP40 ambient temperature max. 85°C		
accessories for	403149		
	GEV No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		



microswitches

roller-lever actuated

microswitches

	GEV No.	347767	Ref. No.	ELE1030
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 4.8mm L 21mm L1 16mm ambient temperature max. 85°C mounting distance 22.2mm black lever length 18mm			




GEV No.	401357	Ref. No.	ELE1001
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40		
spare parts for	401357		
	GEV No.	346181	Ref. No. —
	push button mounting ø 21mm external size 30x55mm oval		
accessories for	401357		
	GEV No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		

rotary switches

BREMAS

miscellaneous

	GEV No.	348130	Ref. No.	ELE1026
description	rotary switch 3 1-0-2 momentary sets of contacts 6 type CR012V048 690V 12A shaft ø 4.9x4.9mm shaft L 18mm shaft square connection screw			





control equipment

GIOVENZANA

switches (complete)





1

GEV No.	403149	Ref. No.	ELE1007
description	control PCB mounting measurements ø22mm green/indicator light/red meat mincer TC8/TCE8/TCE8-2000 230V connection male faston 6.3mm L 79mm W 59mm 0-1 10A protection IP40		
spare parts for	403149		
	GEV No.	347789	Ref. No. —
	momentary push switch mounting measurements ø22mm white/red 1NO/1NC 250V connection screw 4A symbol ON-OFF protection IP40 ambient temperature max. 85°C		
accessories for	403149		
	GEV No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		



1

GEV No.	401357	Ref. No.	ELE1001
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-1 connection screw ambient temperature max. 125/55°C protection IP40		
spare parts for	401357		
	GEV No.	346181	Ref. No. —
	push button mounting ø 21mm external size 30x55mm oval		
accessories for	401357		
	GEV No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		



1

GEV No.	347766	Ref. No.	ELE2034 TC32 R56
description	momentary push switch mounting measurements ø22mm green/red 1NO/1NC/1NO 400V connection male faston 6.3mm arrow right/left/0 4A protection IP40 ambient temperature max. 85°C/145°C		

electronics

PCBs



1

GEV No.	403150	Ref. No.	ELE1034
description	PCB cheese grater GS-TF-ST00 L 104mm W 104mm		



1

GEV No.	403554	Ref. No.	ELE1005
description	PCB for mincer TG12/TG22 suitable for EVEREST		

equipment-specific units

for meat mincers

blades

SALVADOR



1

GEV No.	696736	Ref. No.	DIS0372 S/S
description	knife type SALVADOR ø 73mm internal size 12.5x16.5mm stainless steel		

augers

complete



1

GEV No.	698298	Ref. No.	1DIS0152+DIS0180 1DIS0152+DIS0181
description	auger model 22 ø 63.5mm L 165mm cast iron shaft diameter 30x11mm with spindle Unger		



			
1			
GEV No.	698319	Ref. No.	1DIS0152+DIS0179
description	auger model 22 ø 63mm L 130mm cast iron shaft diameter 30x11mm ENTERPRISE		

C

control equipment 4

M

microswitches 3

P

push/momentary push switches 3

R

rocker/momentary rocker switches 3

rotary switches 3

S

switches and momentary switches 3