



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

EXPOBAR

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com





- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed






heating elements


heating elements for coffee machine


			
1			
GEV No.	417266	Ref. No.	38012000 E604B
description	heating element 1200W 230V heating circuits 1 thread 1¼" L 88mm ø 38mm tube ø 6.5mm connection male faston 6.3mm immersion heater connection length 17mm flange with thread coffee machine WS 37 suitable for Office		
For models:	Diamant, Office-Control, Office-Leva		


			
1			
GEV No.	417528	Ref. No.	38020001
description	heating element 2000W 230V heating circuits 1 thread 1¼" L 108mm ø 38mm tube ø 6.5mm connection male faston 6.3mm immersion heater connection length 17mm flange with thread coffee machine WS 37 suitable for Office		

			
1			
GEV No.	417075	Ref. No.	38025001
description	heating element 2500W 240V heating circuits 1 mounting ø 39mm hole distance 57mm L 205mm W 26mm H 48mm L1 20mm L2 170mm H1 30mm windings 4 hole ø 10mm tube ø 6mm cable length 380mm immersion heater 3 hole flange		
For models:	Elen, G-10, Markus, Monroc		
accessories for	417075		
		GEV No.	528007
		Ref. No.	50010030
	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 2.5mm Qty 1 pcs		

			
1			
GEV No.	417286	Ref. No.	38027000
description	heating element 3050W 230V heating circuits 2 mounting ø 38.5mm hole distance 57mm L 335mm W 34mm H 55mm L1 25mm L2 60mm L3 250mm H1 24mm H2 21mm hole ø 10mm tube ø 8mm cable length 350mm immersion heater 3 hole flange		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

			
1			
GEV No.	417287	Ref. No.	38040000
description	heating element 4000W 230V heating circuits 2 mounting ø 38.5mm hole distance 57mm L 515mm W 35mm H 55mm L1 25mm L2 55mm L3 435mm H1 25mm H2 30mm hole ø 10mm tube ø 8mm cable length 300mm immersion heater		
For models:	Diamant, Elen, G-10, Markus, Megacrem		



			
1			
GEV No.	417267	Ref. No.	38045000
description	heating element 4500W 230V heating circuits 3 mounting ø 39mm hole distance 57mm L 320mm W 32mm H 52mm L1 28mm L2 57mm L3 235mm H1 30mm H2 22mm tube ø 8.4mm cable length 310mm immersion heater 3 hole flange		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

			
1			
GEV No.	417268	Ref. No.	38060000
description	heating element 6000W 230V heating circuits 3 mounting ø 39mm hole distance 57mm L 500mm W 33mm H 55mm L1 37mm L2 58mm L3 405mm H1 30mm H2 25mm hole ø 11mm tube ø 8.3mm cable length 300mm immersion heater 3 hole flange		
For models:	Diamant, Elen, G-10, Markus, Megacrem		



accessories

sealing washers

PTFE gaskets

			
1			
			
GEV No.	528007	Ref. No.	50010030
description	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 2.5mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc		

O-rings

			
1			
			
GEV No.	528231	Ref. No.	30370075
description	O-ring Viton thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

GEV No.	301001	Ref. No.	60900035
----------------	--------	-----------------	----------

description rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65

For models: Elen, G-10, Markus, Megacrem, Monroc, Office-Control

accessories for 301001



GEV No.	301036	Ref. No.	—
----------------	--------	-----------------	---

protective cover internal size 30x22mm for rocker switch mounting measurementsmm



1

GEV No.	346377	Ref. No.	60900043
----------------	--------	-----------------	----------

description rocker switch mounting measurements 30x22mm black 2CO 230V 16A 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40

For models: Elen, G-10, Markus, Megacrem, Monroc, Office-Control

accessories for 346377



GEV No.	301036	Ref. No.	—
----------------	--------	-----------------	---

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

push/momentary push switches

30x22mm



1

GEV No.	301086	Ref. No.	60900050
----------------	--------	-----------------	----------

description push switch mounting measurements 30x22mm black 2NO 250V 12A 0-1 connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar

toggle switches

M12x0.75



1

GEV No.	346519	Ref. No.	60900080
----------------	--------	-----------------	----------

description toggle switch thread M12x0.75 2NO 250V 15A ON-OFF male faston 6.3mm

For models: Office-Leva

accessories for 346519



GEV No.	346525	Ref. No.	—
----------------	--------	-----------------	---

protection cap L 23.5mm W 17.3mm protection cap rubber thread M11

accessories for 346519



GEV No.	347197	Ref. No.	60900081
----------------	--------	-----------------	----------

bezel ON-OFF for toggle switch M12

accessories



1

GEV No.	347197	Ref. No.	60900081
----------------	--------	-----------------	----------

description bezel ON-OFF for toggle switch M12

For models: Office-Leva

microswitches

pin-plunger actuated

M12



1

GEV No.	345350	Ref. No.	60900030
----------------	--------	-----------------	----------

description microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g

For models: Office-Control, Office-Leva

accessories for 345350



GEV No.	345351	Ref. No.	—
----------------	--------	-----------------	---

nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs

rotary switches

BREMAS

A1600 series



1


GEV No.	347254	Ref. No.	60900000 60900002
----------------	--------	-----------------	----------------------

description rotary switch 2 0-1 sets of contacts 3 type CA0200003V 400V 16A shaft ø 5x5mm shaft L 18mm shaft square connection screw contacts 3NO

For models: Diamant, Elen, G-10, Markus, Megacrem



A1700 series

			
1			
GEV No.	347198 ¹	Ref. No.	60900010
description	rotary switch 2 0-1 sets of contacts 4 type CA0200004V 400V 20A shaft ø 5x5mm shaft L 19mm shaft square connection screw		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

¹incl. rubber protective sleeve


lamps

indicator lights

indicator lights (complete)


ø12mm

with plug-in socket

			
1			
GEV No.	359471	Ref. No.	60901001
description	indicator light ø 12mm 250V red cable length 500mm temp.-resist. 90°C		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

solid state relays


CROUZET

			
1			
GEV No.	402223	Ref. No.	1604203 60800101
description	solid state relay CROUZET 1 phase 25A 24-280V 3-32VDC L 58mm W 45mm screw type GN84136163		
For models:	Diamant, Elen, G-10, Markus, Megacrem		


			
1			
GEV No.	402222	Ref. No.	60800100
description	solid state relay CROUZET 1 phase 25A 24-280V 90-280VAC L 58mm W 45mm screw type 84136162		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Leva		

relays

level relays

<p>GICAR</p>			
			
1			
GEV No.	402103	Ref. No.	60100100
description	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		

<p>GIEMME</p>			
			
1			
GEV No.	529968	Ref. No.	60100101
description	level controller 240V voltage AC 50/60Hz 10A connection male faston 6.3mm type RL01E/2C+KNC/F		
For models:	Markus, Megacrem, Monroc, Office-Control, Office-Leva		

			
1			
GEV No.	402971	Ref. No.	60100200
description	level controller 240V voltage AC 50/60Hz 5/16A connection F6.3 type RLO 1E/SIC/F+LED time limit 2'		



electronic controllers

miscellaneous

universal controllers



1

GEV No.	379445	Ref. No.	10200125
description	thermostat type 9.3.00.43G		
For models:	Elen, G-10, Office-Leva		

probes

producer-specific probes

probes



1

GEV No.	379452	Ref. No.	60100076
description	temperature probe NTC cable glass fibre probe -40 up to +125°C cable -50 up to +350°C connection plug thread 1/4" probe ø3.5x20mm cable length 0.24m		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Office-Leva		

sensors



1

GEV No.	379450	Ref. No.	60100075
description	temperature probe steam pipe		
For models:	Diamant		

electronics

PCBs



1

GEV No.	402224	Ref. No.	60100301
description	display L 117mm W 44mm suitable for MEGA, 6-10, NEW ELEGANCE		
For models:	G-10, Megacrem		



1

GEV No.	529954	Ref. No.	60101022
description	display L 136mm W 62mm model MARKUS		
For models:	Markus		



1

GEV No.	529940	Ref. No.	60101050
description	display L 78mm W 138mm suitable for ELEN oval		
For models:	Elen		



1

GEV No.	529942	Ref. No.	60101060
description	display suitable for DIAMANT		
For models:	Diamant		



1

GEV No.	529955	Ref. No.	60106000
description	PCB LED type DIAMANT		
For models:	Diamant		




1

GEV No.	529956	Ref. No.	60106010
description	PCB LED type DIAMANT		
For models:	Diamant		




central units




1

GEV No.	529949	Ref. No.	60100420
description	central unit 3 groups 230V 50/60Hz type 3d5 Orquesta Plus voltage AC		
For models:	Diamant		



1

GEV No.	529950	Ref. No.	60100410
description	central unit 3 groups doser 50/60Hz AC type 3d5 3GRCTZ XLC (SC) voltage 240		
For models:	Elen, Markus, Monroc		



1

GEV No.	529951	Ref. No.	60100034
description	central unit 3-group 230V 50/60Hz type 3d5 MAESTRO DELUXE 3GRCTZND voltage AC		
For models:	Elen, G-10, Markus, Megacrem		




1

GEV No.	529948	Ref. No.	60100430
description	control box lighting 230V 50/60Hz type Scheda LUX LED voltage AC		
For models:	Diamant		

keypads

front foils




1

GEV No.	529965	Ref. No.	70000184
description	front foil control black L 102mm W 27mm		
For models:	Markus, Office-Control		




1

GEV No.	529963	Ref. No.	70000179
description	front foil control bronze L 102mm W 27mm		
For models:	Markus		



1

GEV No.	529964	Ref. No.	70000182
description	front foil control red L 102mm W 27mm		
For models:	Markus		



1

GEV No.	529959	Ref. No.	70000198
description	front foil ELEN L 128mm W 68mm		
For models:	Elen		




1

GEV No.	529958	Ref. No.	70000189
description	front foil ELEN L 129mm W 68mm		
For models:	Elen		



1

GEV No.	529960	Ref. No.	70000188
description	front foil ELEN L 129mm W 69mm		
For models:	Elen		





1

GEV No.	529957	Ref. No.	60100305
description	front foil G10 L 103mm W 27mm		
For models:	G-10		





			
1			
GEV No.	529962	Ref. No.	70000187
description	front foil MARKUS blue L 110mm W 35mm		
For models:	Markus		

			
1			
GEV No.	529961	Ref. No.	70000186
description	front foil MARKUS wood L 110mm W 35mm		
For models:	Markus		


			
1			
GEV No.	400657	Ref. No.	60102002
description	keypad foil 1d5 buttons 5		
For models:	Markus		

membrane keypads

			
1			
GEV No.	403681	Ref. No.	60102003
description	keypad foil buttons 5 L 103mm W 27mm		

			
1			
GEV No.	400334	Ref. No.	60102000
description	membrane keypad coffee machine		

keypad units

			
1			
GEV No.	400654	Ref. No.	60100000
description	keypad unit		

			
1			
GEV No.	529937	Ref. No.	60100300
description	keypad unit buttons 5 230V		
For models:	G-10, Monroc		

			
1			
GEV No.	529932	Ref. No.	60100401
description	keypad unit buttons 5 230V doser L 71mm W 117mm H 45.3mm 1d5e GR NKP S10		
For models:	Markus		

GEV No.	529932	Ref. No.	60100401
description	keypad unit buttons 5 230V doser L 71mm W 117mm H 45.3mm 1d5e GR NKP S10		
For models:	Markus		

			
1			
GEV No.	529936	Ref. No.	60100310
description	keypad unit buttons 5 230V doser L 71mm W 117mm with probe connection H 45.3mm 1d5e GRCZ NKP S10		
For models:	G-10		

GEV No.	529936	Ref. No.	60100310
description	keypad unit buttons 5 230V doser L 71mm W 117mm with probe connection H 45.3mm 1d5e GRCZ NKP S10		
For models:	G-10		

			
1			
GEV No.	529967	Ref. No.	60100027
description	keypad unit buttons 5 230V L 117mm W 45.5mm without probe connection 1d5e Spring SMD GR NKP S10		
For models:	Megacrem		

GEV No.	529967	Ref. No.	60100027
description	keypad unit buttons 5 230V L 117mm W 45.5mm without probe connection 1d5e Spring SMD GR NKP S10		
For models:	Megacrem		

			
1			
GEV No.	529947	Ref. No.	60100023
description	keypad unit buttons 5 230V L 117mm W 45.5mm wood 1d5e GR NKP S10		
For models:	Markus		

GEV No.	529947	Ref. No.	60100023
description	keypad unit buttons 5 230V L 117mm W 45.5mm wood 1d5e GR NKP S10		
For models:	Markus		


			
1			
GEV No.	529931	Ref. No.	60100022
description	keypad unit buttons 5 brown type 1d5e GRCZ NKP S10 L 117mm W 45.4mm wood		
For models:	Markus		

GEV No.	529931	Ref. No.	60100022
description	keypad unit buttons 5 brown type 1d5e GRCZ NKP S10 L 117mm W 45.4mm wood		
For models:	Markus		





1

GEV No.	529941	Ref. No.	60101500
description	keypad unit buttons 5 suitable for ELEN L 35mm W 138mm H 77mm		
For models:	Elen		



1

GEV No.	400652	Ref. No.	60100021
description	keypad unit espresso machine MARKUS buttons 5 black edition 1d5e GR NKP S10 type 1d5e GR NKP S10 L 117mm W 45mm		
For models:	Markus		



1

GEV No.	400653	Ref. No.	60100012
description	keypad unit buttons 5 type TH SMT 1GR+RL L 117mm W 46mm		
For models:	Markus		




1

GEV No.	400655	Ref. No.	60100020
description	keypad unit espresso machine MARKUS buttons 5 black type 1d5e GRCZ NKP S10 L 117mm W 45mm		
For models:	Markus		




1

GEV No.	529934	Ref. No.	60100402
description	keypad unit coffee machine Markus/Office-Control buttons 5 230V doser L 71mm W 117mm SS 1d5e GRCZ NKP S10 Oval Chromed Keys		
For models:	Markus, Office-Control		
accessories for	529934		
	GEV No.	Ref. No.	400214
	level electrode 1/4" total length 140mm probe L 112mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		




1

GEV No.	402705	Ref. No.	60102009NE
description	keypad unit MARKUS buttons 5 black suitable for EXPOBAR		
For models:	Markus		




1

GEV No.	529938	Ref. No.	60100026
description	keypad unit coffee machine MEGACREM buttons 5 230V L 70mm W 117mm with probe connection H 45.5mm 1d5e Spring SMD GRCZ NKP S10		
For models:	Megacrem		



1

GEV No.	402706	Ref. No.	60102009NO
description	keypad unit MARKUS buttons 5 brown suitable for EXPOBAR		
For models:	Markus		



1

GEV No.	529953	Ref. No.	60101510
description	keypad unit DIAMANT buttons 5 L 131mm W 78mm		
For models:	Diamant		



1

GEV No.	529939	Ref. No.	60101100
description	keypad unit MEGACREM buttons 5 230V L 27mm W 116.5mm H 44.5mm		
For models:	Megacrem		




GEV No.	529952	Ref. No.	60101520
description	keypad unit steam/water DIAMANT buttons 5		
For models:	Diamant		

control panel



GEV No.	529944	Ref. No.	60102006
description	bezel coffee machine MARKUS L 102mm W 40mm black plastic suitable for 1d5		
For models:	Markus		




GEV No.	529943	Ref. No.	60102007
description	bezel L 102mm W 40mm suitable for 1d5 wood		
For models:	Markus		



GEV No.	529945	Ref. No.	60102012
description	bezel L 112mm W 40mm black plastic suitable for 1d5 oval		
For models:	Markus, Office-Control		


solenoid valves
solenoid valves (water)

metal
PARKER
2-way
VE-131 series



GEV No.	370549	Ref. No.	60000105 ESC49995
description	solenoid valve 2-ways 230VAC connection with O-rings DNmm PARKER coil type KT09 50Hz flange 22x22mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem		


VE-161 series






GEV No.	370566	Ref. No.	60000100
description	solenoid valve 2-ways 230VAC inlet 1/4" IT outlet 1/4" IT connection 1/4" L 38.5mm body nickel-plated DN 2.20mm -10 up to 140°C PARKER coil type ZB09 membranes FKM p max 10bar p min 0bar brass		
For models:	Diamant, Elen, G-10, Markus, Monroc, Office-Control, Office-Leva		


3-way

VE-128 series



GEV No.	370060	Ref. No.	60000110	
description	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type YB09 with cable membranes Viton p max 10bar brass flange 32x32mm			
spare parts for	370060			
	GEV No.	370062	Ref. No.	—
	solenoid valve body PARKER 3-ways outer cone			
	GEV No.	371033	Ref. No.	—
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			
	GEV No.	371095	Ref. No.	—
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
accessories for	370060			
	GEV No.	101527	Ref. No.	—
	O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	GEV No.	532193	Ref. No.	—
	O-ring silicone thickness 1.78mm ID ø 6.75mm Qty 10 pcs			

VE-141 series



GEV No.	370550	Ref. No.	60000120
description	solenoid valve 3-ways 230VAC connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -20° up to 130°C coil type ZB09 membranes FKM (water) p max 3bar		
For models:	Diamant		



pressure switches

for coffee machines

miscellaneous



1

GEV No.	541684	Ref. No.	60000008
description	pressure control pressure range 0-1bar connection 1/4" 16A 1-pole type 250V ambient temperature max. 85°C		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



1

GEV No.	541021	Ref. No.	60000000
description	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		
For models:	Elen, G-10, Markus, Megacrem		

accessories for	541021		
------------------------	--------	--	--



GEV No.	550262	Ref. No.	—
description	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



GEV No.	890100	Ref. No.	—
description	PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm		

electrodes



1

GEV No.	400214	Ref. No.	60100040
description	level electrode 1/4" total length 140mm probe L 112mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

flow meters and flow sensors

flow meters

GICAR



1

GEV No.	401914	Ref. No.	60100045
description	flow meter thread 1/4" brass with LED plug connection with gasket approval NSF		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		



1

GEV No.	400004	Ref. No.	60100050
description	flow meter thread 1/4" stainless steel with LED plug connection approval NSF		

accessories for	400004		
GEV No.	400256	Ref. No.	—
description	plug GICAR for flow meter		

equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holders (complete)



1

GEV No.	529971	Ref. No.	75002500 75002510
description	filter holder complete suitable for EXPOBAR 2-way ID ø 62mm amount of coffee 14g outlet distance 44mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc		

filter holder without spout



1

GEV No.	529972	Ref. No.	75003010
description	filter holder suitable for CREM-EXPOBAR without outlet mounting \varnothing 82mm outlet 3/8" ID \varnothing 62mm		
For models:	Office-Control, Office-Leva		



1

GEV No.	529977	Ref. No.	N/A
description	filter holder suitable for CREM-EXPOBAR/WEGA/GRIMAC/SANRAMO without outlet mounting \varnothing 83mm outlet 3/8" ID \varnothing 61.5mm wedge high 10mm wedge position horizontal number of wedges 2 lever inclined		

filter holders short



1


GEV No.	529933	Ref. No.	75000110
description	filter holder mounting \varnothing 82.4mm outlet 3/8" ID \varnothing 61.5mm handle M12x1.75 wedge high 9.5mm wedge position horizontal number of wedges 2 lever inclined chrome-plated, polished		

handles

with external thread



1

GEV No.	529044	Ref. No.	75000105
description	handle \varnothing 35mm thread M12x1.75 thread L 15mm L 120mm black		
accessories for	529044		
	GEV No.	531161	Ref. No.
			—
	end cap \varnothing 24.6mm mounting \varnothing 22.1mm H 14mm chrome-plated		

spouts

with thread 3/8"



1

GEV No.	529003	Ref. No.	75000050
description	filter holder spout thread 3/8" 1-way curved/long outlet distance mm thread L 5mm		
For models:	Markus		



1

GEV No.	529007	Ref. No.	75000006
description	filter holder spout thread 3/8" 2-way curved/short outlet distance 45mm		

filters

for 1 cup



1

GEV No.	526261	Ref. No.	75000037
description	coffee filter \varnothing 70mm mounting \varnothing 60.5mm H 20.5mm cups 1 amount of coffee 6.5g		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



1

GEV No.	529012	Ref. No.	75000059
description	coffee filter \varnothing 70mm mounting \varnothing 60.8mm H 19.5mm cups 1 amount of coffee 6g		
For models:	Diamant, Markus, Office-Control, Office-Leva		



1


GEV No.	529011	Ref. No.	75000030 75000031
description	coffee filter \varnothing 70mm mounting \varnothing 60mm H 24.5mm cups 1 amount of coffee 7g perforation \varnothing 0.4mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		





for 2 cups			
			
1			
GEV No.	529013	Ref. No.	75000040 75000041
description	coffee filter ø 70mm mounting ø 60.5mm H 25.5mm cups 2 amount of coffee 14g perforation ø 0.3x0.3mm square		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


			
1			
GEV No.	529014	Ref. No.	75000047
description	coffee filter ø 70mm mounting ø 60mm H 21mm cups 2 amount of coffee 12g perforation ø 0.3mm round		

for 3 and more cups			
			
1			
GEV No.	529973	Ref. No.	75000049
description	coffee filter ø 70mm mounting ø 60mm H 28mm cups 3 amount of coffee 21g		
For models:	Elen, G-10, Markus, Megacrem, Monroc		


blind filters			
			
1			
GEV No.	529023	Ref. No.	75000020
description	blind filter ø 70mm mounting ø 60mm H 18mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc		

filter holder springs			
			
1			
GEV No.	529079	Ref. No.	75000120
description	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder		
For models:	Markus		

membranes			
			
1			
GEV No.	529024	Ref. No.	75000000
description	blind plug ø 50mm H 2.5mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

brewing units			
shower screens			
flat			
			
1			
GEV No.	529975	Ref. No.	75000015
description	shower screen ø 34.2mm hole ø 4.9mm		
For models:	Elen, G-10, Markus, Megacrem		


with upstand			
			
1			
GEV No.	528417	Ref. No.	75000010
description	shower screen ø 58mm H 19mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

filter holder gaskets			
flat			
standard			
			
1			
GEV No.	526255	Ref. No.	75000083
description	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 8.5mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

			
1			
GEV No.	526254	Ref. No.	75000081
description	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 8mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


			
1			
GEV No.	526256	Ref. No.	75000085
description	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 9mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Office-Control, Office-Leva		


shim gaskets


			
1			
GEV No.	528056	Ref. No.	75000095
description	shim gasket D1 ø 74mm D2 ø 58mm thickness 1mm rubber Qty 1 pcs		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

brewing units with solenoid valve


gaskets


			
1			
GEV No.	529980	Ref. No.	50030000
description	gasket D1 ø 15.3mm D2 ø 5.5mm thickness 3mm Viton		
For models:	Elen, G-10, Markus, Megacrem		


			
1			
GEV No.	532553	Ref. No.	50000105
description	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem		


			
1			
GEV No.	532554	Ref. No.	50000110
description	O-ring silicone thickness 1.5mm ID ø 4.1mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

nozzles

			
1			
GEV No.	529985	Ref. No.	30200061
description	injection nozzle for filter PTFE		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

			
1			
GEV No.	529987	Ref. No.	30200050
description	injection nozzle for group L 9mm thread M6x0.75 thread L 5mm head thickness 4mm brass edition until January 2005		
For models:	Elen, G-10, Markus, Megacrem, Office-Leva		


			
1			
GEV No.	529986	Ref. No.	ESC50001
description	injection nozzle with pipe for filter PTFE		
spare parts for	529986		
	GEV No.	Ref. No.	30200026
	injection pipe for filter ø 6mm ID ø 4mm L 65mm PTFE		
	GEV No.	Ref. No.	30200061
	injection nozzle for filter PTFE		


			
Image not available			
1			
GEV No.	526019	Ref. No.	30200060
description	nozzle for filter PTFE edition until 11/2008		
For models:	Elen, G-10, Markus, Megacrem		


components


			
1			
GEV No.	529982	Ref. No.	30000043
description	tap aerator L 100mm		
For models:	Elen, G-10, Markus, Megacrem		




			
1			
GEV No.	529981	Ref. No.	30000040
description	tap aerator L 58mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc		




<p>pipes</p>  <p>Image not available</p>			
1			
GEV No.	526018	Ref. No.	30200025
description	injection pipe for filter ø 6mm ID ø 4mm L 65mm PTFE		
For models:	Elen, G-10, Markus, Megacrem		


			
1			
GEV No.	529984	Ref. No.	30200026
description	injection pipe for filter ø 6mm ID ø 4mm L 65mm PTFE		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


<p>screw connections</p> 			
1			
GEV No.	529978	Ref. No.	30200035
description	end cap thread 1/2" L 30mm brass WS 26		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


<p>brewing units manual</p> <p>components</p> <p>drain units</p> <p>drain valves</p> 			
1			
GEV No.	526002	Ref. No.	CTAV1-05
description	valve support ø 16mm L 27mm brass shaft triangular D1 ø 10mm D2 ø 7mm		
For models:	Office-Leva		


<p>camshafts</p> 			
1			
GEV No.	526006	Ref. No.	CTAV1-13
description	camshaft shaft ø 8mm shaft intake ø 6.4mm L 86.3mm W 20mm H 17mm thread M6 brass		
For models:	Office-Leva		

<p>valves</p> 			
1			
GEV No.	526008	Ref. No.	CTAV1-24
description	valve group outflow L 54.3mm ED ø 16mm shaft ø 4.5mm brass		
For models:	Office-Leva		
accessories for	526008		
		GEV No.	526003
		Ref. No.	CTAV1-08
	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve		
		GEV No.	532550
		Ref. No.	—
	O-ring NBR 787/70 thickness 2.62mm ID ø 9.13mm Qty 10 pcs		


			
1			
GEV No.	526007	Ref. No.	CTAV1-09
description	valve group supply L 52.8mm ED ø 16mm shaft triangular		
For models:	Office-Leva		

<p>components</p> <p>nozzles</p> <p>with thread</p> 			
1			
GEV No.	528486	Ref. No.	30200020
description	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		
For models:	Elen, G-10, Markus, Megacrem		

<p>washers</p> 			
1			
GEV No.	526016	Ref. No.	50020020
description	nozzle bore ø 2.5mm ED ø 18.2mm thickness 1mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

			
1			
GEV No.	526015	Ref. No.	50020000
description	nozzle thickness 1mm D1 ø 18.2mm D2 ø 3.5mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

screws


			
1			
GEV No.	560373	Ref. No.	25091210
description	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

water dispersions


water dispersions

group 1


			
1			
GEV No.	529976	Ref. No.	30800070
description	water distributor ø 19.3mm thread M10x1.5 hole ø 3.3mm		
For models:	Elen, G-10, Markus, Megacrem		
accessories for	529976		
	GEV No.	529975	Ref. No.
			75000015
	shower screen ø 34.2mm hole ø 4.9mm		
	GEV No.	560076	Ref. No.
			25096300
	countersunk screw thread M4 L 10mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 7.5mm		

			
1			
GEV No.	529988	Ref. No.	30200040
description	water distributor thread M10x1.5 hole ø 3mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

group 2

			
1			
GEV No.	526262	Ref. No.	CTAV1-11
description	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 1mm brass 2 holes perforation ø 1mm		
For models:	Office-Leva		


accessories

			
1			
GEV No.	529977	Ref. No.	50000200
description	gasket water dispersion ø 51.5mm hole ø 31mm		
For models:	Elen, G-10, Markus, Megacrem		

safety valves


safety valves

3/8"


			
1			
GEV No.	529312	Ref. No.	65000110
description	safety valve connection 3/8" triggering pressure 1.8bar		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

expansion valves


gasket supports

			
1			
GEV No.	526017	Ref. No.	CTAV7-26 siehe Bemerkung
description	gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

compression springs

			
1			
GEV No.	526474	Ref. No.	55000030
description	compression spring ø 8mm L 31.5mm wire gauge ø 0.4mm for expansion valve		
For models:	Elen, G-10, Markus, Megacrem		

brass 3-way

			
1			
GEV No.	529991	Ref. No.	65000020
description	expansion valve T1: 1/4" T2: 1/4" T3: 3/8" T-shape		
For models:	Elen, G-10, Markus, Megacrem		



with non-return valve



1

GEV No.	529992	Ref. No.	65000031
description	expansion valve with non-return valve		
For models:	Elen, G-10, Markus, Megacrem		

drain pans



1

GEV No.	529970	Ref. No.	70001010
description	drain pan DIAMANT L 100mm W 113mm H 60mm hole ø 14.5mm		
For models:	Diamant		



1

GEV No.	529969	Ref. No.	70001000
description	drain pan L 100mm W 80mm H 60mm hole ø 14.5mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Leva		



1


GEV No.	528483	Ref. No.	10000250
description	drain pan L 224mm W 150mm H 64mm		
For models:	Office-Control		



1

GEV No.	528481	Ref. No.	20000150
description	drain tray L 415mm W 180mm H 18mm hole ø 12mm		
For models:	Markus		


aerators and air bleeders



1

GEV No.	529304	Ref. No.	65000200
description	aerator and air bleeder screw connection 1/4"		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


steam/water taps





1

GEV No.	528482	Ref. No.	15000325
description	steam/water tap inlet 1/4" outlet 3/8" shaft M6 shaft L 18.5mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


steam taps



1

GEV No.	529989	Ref. No.	15000338	
description	steam tap complete swing lever inlet 1/4" outlet 3/8" brass steam suitable for DIAMANT			
For models:	Diamant			
spare parts for	529989			
	GEV No.	526004	Ref. No.	55000070
	compression spring ø 13.7mm L 24.5mm wire gauge ø 1.5mm			
	GEV No.	526017	Ref. No.	CTAV7-26 siehe Bemerkung
	gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass			



GEV No.	528491	Ref. No.	15000400 CTAV4-01
description	steam tap with pipe inlet 3/8" outlet 3/8" chrome-plated brass pipe length 215mm tube ø 8mm		
For models:	Markus, Office-Leva		
spare parts for	528491		
	GEV No.	527954	Ref. No. —
	steam tap mounting pos. external inlet 3/8" outlet 3/8" chrome-plated brass		

miscellaneous



GEV No.	526017	Ref. No.	CTAV7-26 siehe Bemerkung
description	gasket support D1 ø 16mm D2 ø 10mm ID ø 7mm L 25mm square brass		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

components

shafts




GEV No.	526005	Ref. No.	30370050
description	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

bushes



GEV No.	526264	Ref. No.	30370077
description	bush for steam pipe D1 ø 12mm D2 ø 9mm ID ø 7.1mm H 5mm brass		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		



GEV No.	526010	Ref. No.	30370065
description	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		
accessories for	526010		
	GEV No.	526005	Ref. No. 30370050
	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass		

gaskets



GEV No.	526258	Ref. No.	30370060
description	gasket D1 ø 12.5mm thickness 5.5mm silicone		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

springs



GEV No.	526004	Ref. No.	55000070
description	compression spring ø 13.7mm L 24.5mm wire gauge ø 1.5mm		
For models:	Diamant		



GEV No.	526003	Ref. No.	CTAV1-08
description	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve		
For models:	Office-Leva		



GEV No.	529946	Ref. No.	CTAV1-06
description	compression spring ø 14.7mm L 34mm wire gauge ø 2mm		
For models:	Office-Leva		

washers



GEV No.	560381	Ref. No.	25012521
description	washer ID ø 7mm ED ø 20.8mm thickness 1.9mm SS Qty 1 pcs for thread M6		
For models:	Markus, Monroc, Office-Control		

steam/water pipes

steam pipes



GEV No.	526000	Ref. No.	35010085
description	steam pipe thread 3/8" H 185mm ø 14.5mm stainless steel Office		
For models:	Office-Leva		



1			
GEV No.	529994	Ref. No.	30370090
description	steam pipe with tube handle thread 3/8" H 190mm edition CLASSIC		
For models:	Monroc		

1			
GEV No.	529995	Ref. No.	30370095
description	steam pipe with tube handle thread 3/8" H 190mm ø 13.5mm edition MEGACREM		
For models:	G-10, Markus, Megacrem		

1			
GEV No.	529996	Ref. No.	35010050
description	steam pipe with tube handle thread 3/8" H 225mm ø 14.5mm stainless steel		
For models:	Elen, Markus		

1			
GEV No.	529997	Ref. No.	35010051
description	steam pipe with tube handle thread 3/8" H 235mm ø 14.5mm stainless steel with PTFE pipe		
For models:	Diamant		

1			
GEV No.	529998	Ref. No.	35010052
description	steam pipe with tube handle thread 3/8" H 240mm ø 14.5mm stainless steel MEGACREM, ELEGANCE		
For models:	Markus		

1			
GEV No.	529999	Ref. No.	35010075
description	steam pipe with tube handle thread 3/8" H 280mm ø 14.5mm nickel-plated brass		
For models:	Elen, Markus		

water pipes			
1			
GEV No.	529822	Ref. No.	30370080
description	water pipe thread 3/8" ø 14.5mm L 90mm bore ø 5.5mm WS 22		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

accessories			
gaskets			
1			
GEV No.	528402	Ref. No.	50000133
description	O-ring Viton thickness 2.62mm ID ø 10.78mm Qty 1 pcs		
For models:	Diamant		

1			
GEV No.	528231	Ref. No.	30370075
description	O-ring Viton thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

fine filters			
fine filters			
1			
GEV No.	529979	Ref. No.	70000009
description	fine filter ø 8.8mm H 22mm		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

intake valves			
intake valves			
1			
GEV No.	529990	Ref. No.	15000210
description	intake valve brass automatic		
For models:	Markus, Megacrem		

1			
GEV No.	529561	Ref. No.	15000200
description	intake valve complete		
For models:	Markus, Megacrem		

accessories

springs



GEV No.	528480	Ref. No.	55000020
description	compression spring ϕ 14.1mm L 28mm wire gauge ϕ 1.8mm		
For models:	Markus		

miscellaneous



GEV No.	528422	Ref. No.	25000020
description	ball ϕ 8mm SS		
For models:	Markus		

level glasses


level glasses


pressure rings



GEV No.	528682	Ref. No.	30100050
description	press ring D1 ϕ 15mm D2 ϕ 11.6mm thickness 3.2mm brass		

level glasses (complete)



GEV No.	529983	Ref. No.	ESC00070
description	water level tube Min/Max complete		
For models:	Markus		
spare parts for	529983		
	GEV No.	Ref. No.	
	526257	35902000	
	water level tube ϕ 11mm H 140mm without marking ID ϕ 8mm		

level glass pipes



GEV No.	526257	Ref. No.	35902000
description	water level tube ϕ 11mm H 140mm without marking ID ϕ 8mm		
For models:	Markus		

screw connections



GEV No.	526263	Ref. No.	30100040
description	union nut thread 3/8" hole ϕ 11.6mm H 8mm WS 17		
For models:	Markus		

non-return valves

pistons



GEV No.	526009	Ref. No.	30369110
description	piston for non-return valve with O-ring ϕ 12mm L 20mm		
For models:	Markus		

complete



GEV No.	529993	Ref. No.	65000010
description	non-return valve inlet 3/8" outlet 3/8" L 40mm		
For models:	Elen, G-10, Markus, Megacrem		

knobs

steam/water taps

steam/water taps



GEV No.	111272	Ref. No.	40000015 40000020
description	turning handle ϕ 42.5mm L 53mm thread Tr18x2 black		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

accessories for 111272



GEV No.	111269	Ref. No.	30370120
	symbol water ϕ 28mm L 27mm black		



GEV No.	111270	Ref. No.	30370130
	symbol steam ϕ 28mm L 27mm black		



GEV No.	111273	Ref. No.	30370110
	cotter pin ϕ 1.3mm L 25mm		



1			
GEV No.	111268	Ref. No.	40000043
description	turning handle ø 60mm shaft ø 6mm black wood		
For models:	Markus		

1			
GEV No.	111267	Ref. No.	40000042
description	turning handle ø 60mm shaft ø 6mm brown wood		
For models:	Markus		

knob dial plates

1			
GEV No.	111270	Ref. No.	30370130
description	symbol steam ø 28mm L 27mm black		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

1			
GEV No.	111269	Ref. No.	30370120
description	symbol water ø 28mm L 27mm black		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

accessories

1			
GEV No.	111273	Ref. No.	30370110
description	cotter pin ø 1.3mm L 25mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

handles and hand wheels

mushroom cap handles

1			
GEV No.	111093	Ref. No.	40000040
description	handle black		
For models:	Markus		

star handles

1			
GEV No.	541682	Ref. No.	40000070
description	star handle shaft 6x6mm ø 50mm L 18mm black plastic		
For models:	Office-Leva		

lever handles

1				
GEV No.	111271	Ref. No.	40000061	
description	cone handle ø 25mm thread M8x1.25 black			
For models:	Diamant			
accessories for	111271			
	GEV No.	529966	Ref. No.	30370131
	sticker steam ø 19mm thickness 2mm			

accessories

miscellaneous


1			
GEV No.	529966	Ref. No.	30370131
description	sticker steam ø 19mm thickness 2mm		
For models:	Diamant		

gaskets

O-rings


silicone

1			
GEV No.	532553	Ref. No.	50000105
description	O-ring silicone thickness 1.5mm ID ø 13.15mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem		



1


GEV No.	532554	Ref. No.	50000110
description	O-ring silicone thickness 1.5mm ID \varnothing 4.1mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem		



1


GEV No.	528222	Ref. No.	50000115
description	O-ring silicone thickness 2.62mm ID \varnothing 10.78mm Qty 1 pcs		
For models:	Markus, Office-Leva		

Viton




1

GEV No.	528402	Ref. No.	50000133
description	O-ring Viton thickness 2.62mm ID \varnothing 10.78mm Qty 1 pcs		
For models:	Diamant		




1

GEV No.	528231	Ref. No.	30370075
description	O-ring Viton thickness 2.62mm ID \varnothing 12.37mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		




1

GEV No.	532560	Ref. No.	CTAV1-27
description	O-ring Viton thickness 2.62mm ID \varnothing 20.63mm Qty 1 pcs		
For models:	Office-Leva		



1

GEV No.	528649	Ref. No.	30370020
description	O-ring Viton thickness 2mm ID \varnothing 6mm Qty 1 pcs		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		




1

GEV No.	526259	Ref. No.	50000130
description	O-ring Viton thickness 2mm ID \varnothing 7.2mm Qty 1 pcs		
For models:	Markus		

sealing washers

rubber gaskets




1

GEV No.	528495	Ref. No.	50000030
description	gasket rubber ED \varnothing 16mm ID \varnothing 8mm thickness 4mm Qty 1 pcs		
For models:	Markus, Office-Control, Office-Leva		

copper gaskets


DIN-7603-A



1


GEV No.	560396	Ref. No.	30370030
description	flat gasket copper ED \varnothing 22mm ID \varnothing 17.5mm thickness 2mm Qty 1 pcs		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

PTFE gaskets



1


GEV No.	526012	Ref. No.	50010050
description	flat gasket PTFE ED \varnothing 15mm ID \varnothing 10mm thickness 1mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc		





1


GEV No.	526011	Ref. No.	50010020
description	flat gasket PTFE ED \varnothing 18.2mm ID \varnothing 13.2mm thickness 2.5mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		





 <p>1</p>			
GEV No.	527154	Ref. No.	CTAV1-30
description	flat gasket PTFE ED ø 22mm ID ø 16.8mm thickness 2mm Qty 1 pcs		
For models:	Office-Leva		

 <p>1</p>			
GEV No.	526013	Ref. No.	50010000 50010080
description	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


 <p>1</p>			
GEV No.	526265	Ref. No.	50010070
description	flat gasket PTFE ED ø 24mm ID ø 19mm thickness 2mm Qty 1 pcs		
For models:	Diamant		

 <p>1</p>			
GEV No.	528683	Ref. No.	50010040 CTAV1-07
description	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

 <p>1</p>			
GEV No.	526014	Ref. No.	CTAV1-10
description	flat gasket PTFE ED ø 35mm ID ø 30mm thickness 2mm Qty 1 pcs		
For models:	Office-Leva		

 <p>1</p>			
GEV No.	528007	Ref. No.	50010030
description	flat gasket PTFE ED ø 50mm ID ø 40mm thickness 2.5mm Qty 1 pcs		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc		


Viton gaskets

 <p>1</p>			
GEV No.	528476	Ref. No.	50000020
description	flat gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Elen, G-10, Markus, Megacrem, Office-Leva		

special gaskets


group gaskets


 <p>1</p>			
GEV No.	529538	Ref. No.	50000010
description	group gasket L 74mm W 68mm thickness 2mm suitable for EXPOBAR equiv. no. 50000010		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		


 <p>1</p>			
GEV No.	529980	Ref. No.	50030000
description	gasket D1 ø 15.3mm D2 ø 5.5mm thickness 3mm Viton		
For models:	Elen, G-10, Markus, Megacrem		

springs


compression springs

 <p>1</p>			
GEV No.	526260	Ref. No.	30370040
description	compression spring ø 10.3mm L 31.5mm wire gauge ø 1.2mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		


 <p>1</p>			
GEV No.	529719	Ref. No.	30370076
description	compression spring ø 11.3mm L 16mm wire gauge ø 1.5mm for steam-/water-tap for espresso machine		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		




GEV No.	526004	Ref. No.	55000070
description	compression spring ø 13.7mm L 24.5mm wire gauge ø 1.5mm		
For models:	Diamant		




GEV No.	526003	Ref. No.	CTAV1-08
description	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve		
For models:	Office-Leva		




GEV No.	528480	Ref. No.	55000020
description	compression spring ø 14.1mm L 28mm wire gauge ø 1.8mm		
For models:	Markus		



GEV No.	529946	Ref. No.	CTAV1-06
description	compression spring ø 14.7mm L 34mm wire gauge ø 2mm		
For models:	Office-Leva		




GEV No.	528392	Ref. No.	55000010 CTAV7-21
description	compression spring ø 8mm L 29mm wire gauge ø 0.5mm		
For models:	Markus		




GEV No.	526474	Ref. No.	55000030
description	compression spring ø 8mm L 31.5mm wire gauge ø 0.4mm for expansion valve		
For models:	Elen, G-10, Markus, Megacrem		


manometers




GEV No.	541708	Ref. No.	60000050
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
For models:	Elen, Markus, Megacrem		




GEV No.	542358	Ref. No.	60000070
description	manometer ø 41mm pressure range 0-16bar thread 1/8" connection on the backside		
For models:	Elen, Markus, Megacrem		



GEV No.	541681	Ref. No.	60000072
description	manometer ø 41mm pressure range 0-16bar with PSI scale thread 1/4" IT connection on the backside with capillary pipe		
For models:	Diamant, Office-Leva		




GEV No.	541680	Ref. No.	60000062
description	manometer ø 41mm pressure range 0-2.5bar with PSI scale thread 1/8" connection on the backside		
For models:	Elen, G-10, Markus, Office-Leva		



GEV No.	541689	Ref. No.	60000060
description	manometer ø 41mm pressure range 0-3bar with PSI scale thread 1/8" marking 0.8-1 connection on the backside		
For models:	Elen, Markus, Megacrem, Monroc		




			
1			
GEV No.	541447	Ref. No.	60000065
description	manometer ø 60mm pressure range 0-2.5bar with PSI scale marking 0.8-1 connection on the backside		
For models:	Elen, Markus, Megacrem		

valves and tank inlets

ball valves

universal


mini ball valves

			
1			
GEV No.	520722	Ref. No.	15000310
description	ball valve connection 1/4" IT - 1/4" ET DN8 total length 39mm chrome-plated brass		
For models:	Diamant, Elen, G-10, Markus, Megacrem		

fastening material


screws

countersunk screws

			
1			
GEV No.	560076	Ref. No.	25096300
description	countersunk screw thread M4 L 10mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 7.5mm		
For models:	Elen, G-10, Markus, Megacrem		

cylinder head bolts


DIN 912/ISO 4762

			
1			
GEV No.	560373	Ref. No.	25091210
description	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
For models:	Diamant, Elen, G-10, Markus, Megacrem, Monroc, Office-Control, Office-Leva		

nuts

hexagonal nuts

hexagonal nuts metric (without norm)


			
1			
GEV No.	560379 ¹	Ref. No.	25097960
description	hexagonal nut thread M6 H 5mm WS 10 SS Qty 1 pcs slotted		
For models:	Markus, Office-Control		

¹slotted

washers

washers

miscellaneous

			
1			
GEV No.	560381	Ref. No.	25012521
description	washer ID ø 7mm ED ø 20.8mm thickness 1.9mm SS Qty 1 pcs for thread M6		
For models:	Markus, Monroc, Office-Control		

fasteners

cotter pins

			
1			
GEV No.	111273	Ref. No.	30370110
description	cotter pin ø 1.3mm L 25mm		
For models:	Elen, G-10, Markus, Megacrem, Monroc, Office-Control		

