



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**FRIGOMAT**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## switches and momentary switches

### push/momentary push switches

28.5x52.6mm



1

<b>GEV No.</b>	347780	<b>Ref. No.</b>	E07.37511
<b>description</b>	switch combination mounting measurements 28.5x52.6mm black 1NO/1CO 250V 16A with indicator connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

28.5x77.5mm



1


<b>GEV No.</b>	347779	<b>Ref. No.</b>	E07.37980
<b>description</b>	switch combination mounting measurements 28.5x77.5mm black 2CO/2CO/1NO 250V 16A ON-OFF/refrigeration/double arrow connection male faston 6.3mm ambient temperature max. 85°C latching protection IP40		


### magnetic switches

65x20mm



1



<b>GEV No.</b>	345116	<b>Ref. No.</b>	E07.37565
<b>description</b>	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
<b>accessories for</b>	345116		
	<b>GEV No.</b>	345399	<b>Ref. No.</b> —
	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

## timers

### mechanical timers



1

<b>GEV No.</b>	350196 <sup>1</sup>	<b>Ref. No.</b>	D04.104
<b>description</b>	timer G 2-pole operation time 30min impulse mechanical 1NO/1NC at 250V 16A permanent position no shaft 4.5x4.5mm shaft L 17mm mounting distance 28mm mounting thread 29 connection male faston 6.3mm TEMPOMATIC		

<sup>1</sup>incl. knob and symbol

## relays

### power relays

#### with bracket mounting



1


<b>GEV No.</b>	380900	<b>Ref. No.</b>	E08.37600
<b>description</b>	power relays FINDER 230VAC 20A 1NO/1NC connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. 65.31.8.230.0000 2-pole		

#### with male contacts

#### female contact 2.0mm



1



<b>GEV No.</b>	381166	<b>Ref. No.</b>	E08.37283
<b>description</b>	power relays CARLO GAVAZZI 24VAC 5A 4CO connection F2 raster size 5mm manuf. no. RMI-A-4-5-024AC 94.74/ZMD4		



<b>GEV No.</b>	380504	<b>Ref. No.</b>	D03.105	
<b>description</b>	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0000 94.74/ZMD4 250V connection 2mm			
<b>accessories for</b>	380504			
	<b>GEV No.</b>	380341	<b>Ref. No.</b>	—
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4			
	<b>GEV No.</b>	380399	<b>Ref. No.</b>	—
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			

## equipment-specific units

### for ice-cube maker

#### miscellaneous

<b>GEV No.</b>	694810	<b>Ref. No.</b>	P02.167.01 Z82.38447
<b>description</b>	magnet holder L 33mm W 25mm H 27mm		

### for cream whipping machines

#### spare parts

<b>GEV No.</b>	701456	<b>Ref. No.</b>	B11.042
<b>description</b>	spring $\phi$ 3.5mm L 30mm wire gauge $\phi$ 0.5mm		

## gaskets

### O-rings

#### EPDM

<b>GEV No.</b>	502134	<b>Ref. No.</b>	P10.045
<b>description</b>	O-ring EPDM thickness 2.5mm ID $\phi$ 26mm Qty 1 pcs		

<b>GEV No.</b>	532641	<b>Ref. No.</b>	P10.031
<b>description</b>	O-ring EPDM thickness 2.5mm ID $\phi$ 42mm Qty 1 pcs		

<b>GEV No.</b>	532633	<b>Ref. No.</b>	P10.128
<b>description</b>	O-ring EPDM thickness 5mm ID $\phi$ 58mm Qty 1 pcs		

### silicone

<b>GEV No.</b>	532195	<b>Ref. No.</b>	P10.019
<b>description</b>	O-ring silicone thickness 1.78mm ID $\phi$ 8.73mm Qty 10 pcs		

### Viton

<b>GEV No.</b>	532583	<b>Ref. No.</b>	P10.105
<b>description</b>	O-ring Viton thickness 2.62mm ID $\phi$ 17.86mm Qty 1 pcs		

## springs

### compression springs

<b>GEV No.</b>	701456	<b>Ref. No.</b>	B11.042
<b>description</b>	spring $\phi$ 3.5mm L 30mm wire gauge $\phi$ 0.5mm		



## dosing pumps

### membrane dosing pumps

#### electric dosing pumps

#### spare parts



1

<b>GEV No.</b>	361950	<b>Ref. No.</b>	P02.37049
<b>description</b>	lip valve DELTA		



**D**

dosing pumps 5

**M**

magnetic switches 3

mechanical timers 3

**O**

O-rings 4

**P**

push/momentary push switches 3

**R**

relays 3

**S**

switches and momentary switches 3

**T**

timers 3