



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**HUPFER**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## heating elements

### heating elements for plate warmers

			
<b>GEV No.</b>	418283	<b>Ref. No.</b>	014001122
<b>description</b>	heating element 1000W 230V thread L 530mm W 30mm H 116mm heating circuits 1 cable length 760mm dry heating element tube ø 8.5mm connection distance 22mm		


			
<b>GEV No.</b>	418276	<b>Ref. No.</b>	0191010879
<b>description</b>	heating element 200W 230V L 400mm W 67mm heating circuits 1 connection male faston 6.3mm dry heating element tube ø 8.5mm plate dispenser connection distance 59mm		


			
<b>GEV No.</b>	418277	<b>Ref. No.</b>	014510023
<b>description</b>	heating element 500W 230V thread L 480mm W 75mm heating circuits 1 connection male faston 6.3mm dry heating element tube ø 8.5mm connection length 20mm connection distance 69mm		

			
<b>GEV No.</b>	418273	<b>Ref. No.</b>	014040068
<b>description</b>	heating element 900W 230V bracket mounting thread L 654mm W 183mm heating circuits 1 connection male faston 6.3mm dry heating element tube ø 8.5mm hole distance 213mm hole ø M4mm connection length 37mm lug length 36mm lug width 15mm		


### heating elements for heated trolleys

			
<b>GEV No.</b>	418283	<b>Ref. No.</b>	014001122
<b>description</b>	heating element 1000W 230V thread L 530mm W 30mm H 116mm heating circuits 1 cable length 760mm dry heating element tube ø 8.5mm connection distance 22mm		

			
<b>GEV No.</b>	418259	<b>Ref. No.</b>	014001112
<b>description</b>	heating element 450W 230V L 475mm W 181mm H 35mm connection male faston 6.3mm dry heating element L1 85mm L2 390mm W1 150mm W2 31mm rectangular flange tube ø 6.5mm heating circuits 1 hole distance 56mm flange length 70mm flange width 22mm hole ø 4mm		



<b>GEV No.</b>	418257	<b>Ref. No.</b>	014001104 014001104-UL
<b>description</b>	heating element 700W 230V L 345mm W 254mm connection male faston 6.3mm dry heating element L1 35mm L2 315mm W1 110mm W2 30mm rectangular flange tube ø 6.3mm heating circuits 1 hole distance 56/28mm flange length 70mm flange width 22mm hole ø M4mm connection length 35mm		
<b>For models:</b>	SPA0001		



<b>GEV No.</b>	418258	<b>Ref. No.</b>	014001111
<b>description</b>	heating element 700W 230V L 446mm W 178mm connection male faston 6.3mm dry heating element L1 61mm L2 385mm W1 142mm W2 31mm rectangular flange tube ø 6.6mm heating circuits 1 hole distance 55mm flange length 70mm flange width 22mm hole ø M4mm connection length 35mm		

### heating elements for convection



<b>GEV No.</b>	418274	<b>Ref. No.</b>	014001107
<b>description</b>	heating element 1500W 230V heating circuits 1 ID ø 189mm ED ø 202mm L 225mm H 31mm L1 15mm W1 31mm H1 20mm H2 11mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		



<b>GEV No.</b>	418275	<b>Ref. No.</b>	014041047-03
<b>description</b>	heating element 2000W 230V heating circuits 1 ID ø 194mm ED ø 207mm L 220mm H 32mm L1 5mm W1 31mm H1 10mm H2 22mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm dry heating element hole ø 5mm rectangular flange		
<b>accessories for</b>	418275		
	<b>GEV No.</b>	510368	<b>Ref. No.</b> —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

## thermostats

### bi-metal thermostats

#### bi-metal thermostats



<b>GEV No.</b>	375503	<b>Ref. No.</b>	014001202 0191095077
<b>description</b>	bi-metal thermostat hole distance 34mm switch-off temp. 91°C 2NC 2-poleA connection F6.3 Qty 1 pcs		




<b>GEV No.</b>	375726	<b>Ref. No.</b>	014040228-01
<b>description</b>	thermostat t.max. 135°C temperature range 30-135°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 830mm capillary pipe isolated 210mm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.13\_ series



<b>GEV No.</b>	375112	<b>Ref. No.</b>	014034027-01
<b>description</b>	thermostat t.max. 115°C temperature range 30-115°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 1730mm capillary pipe isolated 800mm gland nut shaft L 15mm shaft position upper rotation 270°		




<b>GEV No.</b>	375727	<b>Ref. No.</b>	014001214-02
<b>description</b>	thermostat t.max. 85°C temperature range 20-85°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 870mm capillary pipe isolated 790mm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		



<b>GEV No.</b>	375725	<b>Ref. No.</b>	014040011-01
<b>description</b>	thermostat t.max. 115°C temperature range 30-115°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 830mm capillary pipe isolated 210mm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		




<b>GEV No.</b>	375712	<b>Ref. No.</b>	014001213
<b>description</b>	thermostat t.max. 91°C temperature range 30-91°C 1-pole 1CO 16A probe ø 3.1mm probe L 201mm capillary pipe 1730mm capillary pipe isolated 210mm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		



## switches and momentary switches

### rocker/momentary rocker switches

30x22mm

labelled



1

<b>GEV No.</b>	300125	<b>Ref. No.</b>	014001300
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
<b>accessories for</b>	300125		



<b>GEV No.</b>	301036	<b>Ref. No.</b>	—
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

## microswitches

### pin-plunger actuated



1

<b>GEV No.</b>	305004	<b>Ref. No.</b>	0191093679
<b>description</b>	microswitch with plunger 250V 16A 1NO/1NC connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XP2Z11 actuating force: 500g red stroke 8mm		


## fans

### hot air fans

#### ebm-papst



1



<b>GEV No.</b>	601253	<b>Ref. No.</b>	014001013
<b>description</b>	hot air fan 240V 30W L1 58mm L2 10mm L3 20mm L4 88mm fan wheel ø 150mm type R2K150-AC03-75 ebm-papst 1850rpm		

## electric accessories

### plugs - couplings - power sockets

#### appliance sockets/plugs

medium temperature appliances 120°C



1

<b>GEV No.</b>	550706	<b>Ref. No.</b>	014510022
<b>description</b>	medium temperature appliance plug C16 screw max 10A/250V T120 mounting distance 40mm hole ø 3.5mm thermoplastic		

## cables

### spiral cables



1

<b>GEV No.</b>	550101	<b>Ref. No.</b>	014001081
<b>description</b>	spiral cable plug type CEE7/7 type E+F 1.5mm <sup>2</sup> 3-pole with plug L 500mm expansion 5:1 countries A/B/D/F/I orange t.max. 70°C		



1

<b>GEV No.</b>	550071	<b>Ref. No.</b>	014001082
<b>description</b>	spiral cable plug type CEE7/7 type E+F 1.5mm <sup>2</sup> 3-pole with plug L 500mm expansion 5:1 countries A/D/I black		

## knobs

### producer-specific knobs

#### HUPFER



1

<b>GEV No.</b>	111440	<b>Ref. No.</b>	014002170-01
<b>description</b>	knob ø 54mm shaft 6x4.6mm shaft flat lower		



1

<b>GEV No.</b>	111873	<b>Ref. No.</b>	014002118
<b>description</b>	knob switch zero mark ø 54mm shaft ø 6x4.6mm shaft flat lower black		

## handles and hand wheels

### miscellaneous




1

<b>GEV No.</b>	690895	<b>Ref. No.</b>	014002100 014002101 0162592
<b>description</b>	handle mounting pos. left/right Qty 2 pcs		

## pullouts

### rollers

#### rollers



1

<b>GEV No.</b>	690920	<b>Ref. No.</b>	014041030
<b>description</b>	roller rollerø 24mm B1 6mm A 24mm B 6mm C 11.6mm D M6mm E 10mm plastic bearing ball bearing with thread bolt thread M6		

## TENTE

### with fixing plate

#### plastic



1

<b>GEV No.</b>	700306	<b>Ref. No.</b>	014000400
<b>description</b>	fixed castor ø 125mm plates fixing 95x70mm housing plastic plate size 95x70mm hole distance 75x50mm capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 166mm wheel width 32mm -20 up to +60°C Qty 1 pcs		



1

<b>GEV No.</b>	700305	<b>Ref. No.</b>	014000401
<b>description</b>	swivel castor ø 125mm plate fixing housing plastic plate size 95x70mm hole distance 75x50mm capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 166mm wheel width 32mm -20 up to +60°C Qty 1 pcs		



1

<b>GEV No.</b>	700304 <sup>1</sup>	<b>Ref. No.</b>	014000402
<b>description</b>	swivel castor with swivel brake ø 125mm plate fixing housing plastic plate size 95x70mm hole distance 75x50mm capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 166mm wheel width 32mm -20 up to +60°C Qty 1 pcs		

<sup>1</sup>with swivel brake

### with spigot

#### plastic



1

<b>GEV No.</b>	700302	<b>Ref. No.</b>	014000405 014000406
<b>description</b>	swivel castor ø 125mm spigot housing plastic capacity 100kg spigot hight 62mm spigot-ø 18mm bearing ball bearing wheel body polypropylene tread TPE tyres H 162mm wheel width 32mm -20 up to +60°C Qty 1 pcs		




1

<b>GEV No.</b>	700303 <sup>1</sup>	<b>Ref. No.</b>	014000405 014000406
<b>description</b>	swivel castor with swivel brake ø 125mm spigot housing plastic capacity 100kg spigot height 62mm spigot-ø 18mm bearing ball bearing wheel body polypropylene tread TPE tyres H 162mm wheel width 32mm -20 up to +60°C Qty 1 pcs		

<sup>1</sup>with swivel brake

spare parts and accessories

sleeves

for square pipes



1

<b>GEV No.</b>	710065	<b>Ref. No.</b>	014002006
<b>description</b>	sleeve suitable for square pipes external size 22.5x22.5mm L 62mm polyamide ø 18mm		

miscellaneous


bumper wheels



1

<b>GEV No.</b>	700157	<b>Ref. No.</b>	014002111
<b>description</b>	bumper wheel ED ø 99mm ID ø 25x25mm H 19mm PVC grey		

bumper angles



1

<b>GEV No.</b>	690908 <sup>1</sup>	<b>Ref. No.</b>	014002110
<b>description</b>	bumper angle outer length 180mm inner length 150mm W 30.5mm H 30mm mounting distance 80mm hole distance 27mm hole ø 5mm plastic black		
<b>accessories for</b>	690908		
	<b>GEV No.</b>	<b>Ref. No.</b>	0140026004
	690896		0140026004
	plug for bumper angle ø 10mm L 11mm black Qty 16 pcs		

<sup>1</sup>suitable plug 690896



1

<b>GEV No.</b>	690896	<b>Ref. No.</b>	0140026004
<b>description</b>	plug for bumper angle ø 10mm L 11mm black Qty 16 pcs		

baskets

fryer baskets

various



1

<b>GEV No.</b>	970157	<b>Ref. No.</b>	05.1606.2
<b>description</b>	fryer basket L1 295mm W1 200mm H1 115mm		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



1

<b>GEV No.</b>	523507	<b>Ref. No.</b>	014045014
<b>description</b>	deep-groove ball bearing type 6000-2RS shaft ø 10mm ED ø 26mm W 8mm with sealing discs deep-groove ball bearing DIN 625-1		

springs

tension springs



1

<b>GEV No.</b>	700517	<b>Ref. No.</b>	014040164
<b>description</b>	tension spring ø 11.8mm total length 145mm wire gauge ø 1.1mm		



1

<b>GEV No.</b>	700516	<b>Ref. No.</b>	014040101
<b>description</b>	tension spring ø 19.4mm total length 145mm wire gauge ø 1.6mm		



1

<b>GEV No.</b>	700518	<b>Ref. No.</b>	014004104
<b>description</b>	tension spring ø 25.5mm total length 150mm wire gauge ø 2mm		



1

<b>GEV No.</b>	692208	<b>Ref. No.</b>	014055088
<b>description</b>	tension spring ø 27mm total length 148mm wire gauge ø 2.1mm stainless steel		

**A**

appliance sockets/plugs 5

**B**

bi-metal thermostats 4, 4

**C**

cables 5

castors and bumper angles 6

control thermostats 4

**E**

electric accessories 5

**F**

fans 5

**H**

heating elements 3, 3

heating elements for convection 3

heating elements for heated trolleys 3

heating elements for plate warmers 3

hot air fans 5

**M**

microswitches 5

**P**

plugs - couplings - power sockets 5

**R**

rocker/momentary rocker switches 5

**S**

spiral cables 5

switches and momentary switches 5

**T**

thermostats 4