



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

INOKSAN

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



heating elements

heating elements for fryers

GEV No.	415377	Ref. No.	10070020
description	heating element 5500W 230V heating circuits 1 L 320mm W 86mm H 248mm rectangular flange connection M5 immersion heater W1 19mm W2 48mm H1 213mm H2 38mm hole distance 40mm hole ø 6mm flange length 60mm flange width 30mm tube ø 8.5mm connection length 26mm		

GEV No.	416868	Ref. No.	22317025
description	heating element 1500W 230V heating circuits 1 L 530mm W 225mm lug length 35mm lug width 14mm hole distance 190mm connection M4 tube ø 8.5mm bracket mounting thread M5 mounting pos. lower dry heating element		

GEV No.	416869	Ref. No.	22317022
description	heating element 500W 220V L 565mm W 58mm flange length 70mm flange width 14mm connection length 62mm connection M4 tube ø 6.5mm heating circuits 1 rectangular flange with thread bolt mounting thread M5 dry heating element		

GEV No.	416865	Ref. No.	22207023
description	heating element 1500W 230V L 485mm W 360mm thread M12 mounting distance 345mm connection length 55mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element mounting pos. upper 2 hole fixing pizza oven		

heating elements for griddles

GEV No.	416862	Ref. No.	24307022
description	heating element 600W 230V heating circuits 1 L 394mm tube ø 6.5mm bracket mounting connection male faston 6.3mm hole ø M5mm dry heating element lug length 32mm lug width 17mm		

heating elements for hot dog machines

GEV No.	416863	Ref. No.	24207022
description	heating element 1500W 230V L 232mm W 161mm tube ø 6.5mm connection M4 connection distance 155mm dry heating element heating circuits 1 hot dog machine		

GEV No.	416866	Ref. No.	22207024
description	heating element 2250W 230V L 485mm W 410mm thread 1/4" mounting distance 405mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element mounting pos. centre/bottom 2 hole fixing		


heating elements for pizza ovens

GEV No.	416867	Ref. No.	22317026
description	heating element 1000W 230V heating circuits 1 L 530mm W 220mm lug length 35mm lug width 114mm hole distance 170mm connection M4 tube ø 8.5mm rectangular flange mounting pos. upper hole ø M5mm dry heating element pizza oven		


heating elements for salamanders/toast-

GEV No.	416870	Ref. No.	24507022
description	heating element 1750W 230V heating circuits 1 L 282mm W 257mm L1 28mm L2 254mm W1 115mm W2 30mm flange length 70mm flange width 22mm hole distance 57mm tube ø 6.3mm dry heating element connection M4 rectangular flange hole ø M4mm H 6.3mm		




1 

GEV No.	416869	Ref. No.	22317022
description	heating element 500W 220V L 565mm W 58mm flange length 70mm flange width 14mm connection length 62mm connection M4 tube ø 6.5mm heating circuits 1 rectangular flange with thread bolt mounting thread M5 dry heating element		

1 


GEV No.	416860	Ref. No.	24407022
description	heating element 500W 230V heating circuits 1 L 295mm W 47mm flange length 60mm flange width 20mm connection male faston 6.3mm connection length 50mm tube ø 6.5mm rectangular flange dry heating element for toaster H 6.5mm		

quartz heating elements


1 

GEV No.	416861	Ref. No.	24417022
description	quartz heating element 290WV L 335mm ø 10mm connection male faston 6.3mm dry heating element		

radiation heaters

1 

GEV No.	490204	Ref. No.	24017570
description	radiation heater rectangular 600W 230V L 150mm W 130mm connections 2		

1 

GEV No.	490142	Ref. No.	24017550
description	radiation heater rectangular 750W 230V L 151mm W 133mm connections 2		

hot plates

square & rectangular

with radiused edge

1 

GEV No.	490056 ¹	Ref. No.	10071300
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector


1 

GEV No.	490177	Ref. No.	10071303
description	hot plate dimensions 300x300mm 3000W 440V with spill ring connection 4 screw clamps protector no		


round

with radiused edge

for domestic and commercial kitchens

1 

GEV No.	416864	Ref. No.	10071151
description	hot plate 1500W 230V		

1 

GEV No.	490012	Ref. No.	10071151
description	hot plate ø 145mm 1500W 230V connection 4 screw clamps with 8mm spill ring		



energy regulators

EGO

1-circuit



GEV No.	380015	Ref. No.	10091000
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

bi-metal thermostats

safety bi-metal thermostats



GEV No.	375673	Ref. No.	10100100
description	bi-metal safety thermostat hole distance 22mm 1NC 1-pole		

control and safety thermostats

EGO

control thermostats

55.17_series




GEV No.	375672	Ref. No.	10100004
description	thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3.03mm probe L 178mm capillary pipe 840mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




GEV No.	375674	Ref. No.	10100003
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 840mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.34_series



GEV No.	375424	Ref. No.	10100005
description	thermostat t.max. 320°C temperature range 60-320°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1800mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	375027	Ref. No.	10100002
description	thermostat t.max. 470°C temperature range 50-470°C 3-pole 3NO 16A probe ø 3.9mm probe L 308mm capillary pipe 990mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




safety thermostats

55.32_ series



GEV No.	375393	Ref. No.	10100051
description	safety thermostat switch-off temp. 235°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 87mm capillary pipe 1790mm capillary pipe isolated 1710mm gland nut M9x1 probe SS		



GEV No.	375257	Ref. No.	10100001
description	safety thermostat switch-off temp. 580°C 3-pole 20A probe ø 4mm probe L 163mm capillary pipe 1200mm capillary pipe isolatedmm gland nut probe		

switches and momentary switches

rocker/momentary rocker switches

30x11mm



GEV No.	346400	Ref. No.	10010207
description	rocker switch mounting measurements 30x11mm black 1CO 250V 16A with neutral position I O II connection male faston 6.3mm ambient temperature max. 85°C/145°C protection IP65 with cover cap		

accessories for 346400

	GEV No.	301035	Ref. No.	—
	protective cover mounting measurements 30x11mm			

30x22mm

blank



GEV No.	301005	Ref. No.	10010200
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with protecting cover		

accessories for 301005

	GEV No.	301036	Ref. No.	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

ø22.3mm



GEV No.	346402	Ref. No.	10010113
description	momentary push switch mounting ø 22.3mm red 1NC 250V 10A connection screw ambient temperature max. 85°C protection IP40		



GEV No.	346401	Ref. No.	10010112
description	push switch mounting ø 22.3mm green 1NO 250V 10A connection screw ambient temperature max. 85°C protection IP40		


cam switches

on/off



GEV No.	300021	Ref. No.	10010304
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

4-position






GEV No.	300022	Ref. No.	10010303
description	cam switch 4 operating positions 2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection screw		



7-position




GEV No.	300025	Ref. No.	10010302
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		
	GEV No.	112172	Ref. No. —
	knob universal ø 70mm black without adaptor/dial plate		
	GEV No.	112213	Ref. No. —
	knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		
	GEV No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		

lamps

indicator lights


indicator lights (complete)


ø 9mm

	GEV No.	359137	Ref. No.	10080001
description	indicator light ø 9mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C with lens			

ø 10mm

with plug-in socket

	GEV No.	359138	Ref. No.	10080002
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs			

	GEV No.	359140	Ref. No.	10080004
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs			


linear lamps

halogen lamps

	GEV No.	359620	Ref. No.	10080106
description	halogen lamp socket R7s L 117.6mm 230V 300W unjacketed IMPORT CE			

sockets for linear lamps

R7s

	GEV No.	359649	Ref. No.	10081001
description	lamp socket socket RX7S ømm L 45mm W 31mm H 35mm connection cable 350mm mounting distance 8/35mm cable material silicone Qty 1 pcs			

oven lamps

universal oven lamps

mounting diameter 65.5mm

	GEV No.	359712	Ref. No.	10080301
description	oven lamp mounting ø 65.5mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
spare parts for	359712			
	GEV No.	359022	Ref. No.	—
	lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm			
	GEV No.	359611	Ref. No.	—
	light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT			
	GEV No.	359722	Ref. No.	—
	gasket silicone ID ø 57.5mm ED ø 68mm thickness 2mm			
	GEV No.	359724	Ref. No.	—
	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C			



motors

gear motors

for gyros grills




1

GEV No.	500605	Ref. No.	10130100
description	gear motor CROUZET type 805274 16.7W 230V 50Hz 1rpm shaft \varnothing 7x8mm L 65mm W 65mm H 58mm		



1

GEV No.	500608	Ref. No.	10130104
description	gear motor CROUZET type 80527437 16.7W 230V 50Hz 1rpm shaft \varnothing 8mm L 64mm W 64mm H 59mm for gyro grill		



1

GEV No.	499012	Ref. No.	10130104
description	gear motor MECHTEX 230V voltage AC 50Hz 1rpm shaft \varnothing 8mm L 68mm W 68mm shaft length 22mm		



1

GEV No.	500606	Ref. No.	24011340
description	gear motor INOKSAN type 206 5W 230V 50Hz shaft \varnothing 16x19mm L 370mm W 180mm H 205mm for gyro grill		



1

GEV No.	500607	Ref. No.	24023040
description	gear motor CROUZET type 89945210 16.7W 230V 50Hz 1rpm shaft \varnothing 12x12.5mm L 130mm W 110mm H 110mm for gyro grill		

electric accessories

plugs - couplings - power sockets

protective contact power sockets

producer-specific power sockets

miscellaneous



1





GEV No.	550672	Ref. No.	10025101
description	power socket CEE7/4 type F built-in version 3-pole contacts P+N+E max. 16A max 230V with fine fuse countries D/I for gyro grill		

gas taps

ECA



1

GEV No.	106013	Ref. No.	11030602	
description	gas tap ECA gas inlet pipe flange \varnothing 21mm bypass nozzle \varnothing 0.55mm gas outlet 1/4" (tube \varnothing 8mm) thermocouple connection M8x1 shaft \varnothing 8x6.5mm shaft L 20/13mm shaft flat upper front fixing M13x1			
spare parts for	106013			
	GEV No.	101051	Ref. No.	—
	magnet unit L 27mm D1 \varnothing 12.5mm D2 \varnothing 8.5mm suitable for JUNKERS/EGA/MADEC/SABAF standard			
accessories for	106013			
	GEV No.	101277	Ref. No.	—
	olive ID \varnothing 8mm Qty 1 pcs			
	GEV No.	101351	Ref. No.	—
	mounting strap for gas tap			
	GEV No.	520656	Ref. No.	—
	union nut thread 1/4" tube \varnothing 6/8mm			



ignition parts


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket $\varnothing 6(6.5)$ mm

thermocouples SIT



GEV No.	107601	Ref. No.	11060004
description	thermocouple SIT M8x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		

gas burners

ceramic burners



GEV No.	105586	Ref. No.	11070001
description	ceramic burner L 235mm W 172mm firing range 178x125mm for gyro grill		

accessories

burner grids

GEV No.	105587	Ref. No.	24000210
description	burner grid L 423mm W 173mm for gyro grill		

GEV No.	105588	Ref. No.	24010210
description	burner grid L 490mm W 230mm for gyro grill		

GEV No.	105589	Ref. No.	24010410
description	burner grid L 500mm W 230mm for gyro grill		

GEV No.	105591	Ref. No.	24010371
description	burner grid L 500mm W 230mm for gyro grill		

GEV No.	105592	Ref. No.	24010510
description	burner grid L 660mm W 165mm for gyro grill		

GEV No.	105590	Ref. No.	24020210
description	burner grid L 670mm W 230mm for gyro grill		

GEV No.	105593	Ref. No.	24020310
description	burner grid L 670mm W 230mm for gyro grill		

GEV No.	105568	Ref. No.	24000720
description	burner grid L 493mm W 173mm		

GEV No.	105581	Ref. No.	24010760
description	burner grid L 563mm W 215mm		

GEV No.	105569	Ref. No.	24010720
description	burner grid L 731mm W 171mm		

GEV No.	105582	Ref. No.	24020720
description	burner grid L 732mm W 215mm		

equipment-specific units

for griddles

sumps



1

GEV No.	693428	Ref. No.	24010310
description	grease collecting tray		

for gyros grills

brakes



1

GEV No.	691820	Ref. No.	24023520
description	locking lever for gyros grill motor mounting pos. upper thread M10		



1

GEV No.	691821	Ref. No.	24003111
description	locking lever for sliding valve mounting pos. lower thread M10		



1

GEV No.	691819	Ref. No.	24003051 24024390
description	slide for gyro grill mounting pos. lower thread M8		



1

GEV No.	691818	Ref. No.	24024360 24024391
description	slide for gyro grill mounting pos. upper thread M8		

glass panels



1

GEV No.	693194	Ref. No.	24019502
description	glass panel L 450mm W 128mm thickness 4mm rectangular		



1

GEV No.	693195	Ref. No.	24029502
description	glass panel L 600mm W 130mm thickness 4mm rectangular		

scoops




1

GEV No.	691825	Ref. No.	24000080
description	scoop for gyro grill L 130mm W 185/250mm		




skewers




1

GEV No.	691822	Ref. No.	24014112
description	skewer for gyro grill size 12x12mm L 585mm		



1


GEV No.	691823	Ref. No.	24013373
description	skewer for gyro grill size 12x12mm L 650mm		



1

GEV No.	691824	Ref. No.	24023126
description	skewer for gyro grill size 12x12mm L 800mm		


skewer plates



1

GEV No.	691817	Ref. No.	24000010
description	skewer plate ø 120mm intake 12x12mm		

skewer holders



1


GEV No.	691833	Ref. No.	24023501
description	skewer holder for gyro grill L 505mm W 25mm H 25mm mounting pos. lower		



1

GEV No.	691832	Ref. No.	24023510
description	skewer holder for gyro grill L 550mm W 20mm H 20mm mounting pos. upper		


cotter pins



1

GEV No.	693457	Ref. No.	24003133
description	retainer clip L 73mm wire gauge ø 3mm zinc-coated steel Qty 1 pcs		

miscellaneous



1

GEV No.	691834	Ref. No.	24013180
description	turnstile for gyro grill		

for hot dog machines


lids



1

GEV No.	693192	Ref. No.	24209025
description	lid for hot dog machine		

glass cylinders



1

GEV No.	693190	Ref. No.	24209022
description	glass cylinder ø 207mm with bottom H 240mm		


skewers



GEV No.	693189	Ref. No.	24203001
description	bun spikes aluminium		

for pizza ovens

glass panels



GEV No.	693197	Ref. No.	22319033
description	glass panel L 565mm W 230mm thickness 5mm rectangular		

firebricks



GEV No.	850062	Ref. No.	22209053
description	firebrick L 515mm W 515mm H 15mm mounting pos. pizza oven delivery freight forwarding company only		



GEV No.	850063	Ref. No.	22319052
description	firebrick L 880mm W 290mm H 20mm mounting pos. pizza oven delivery freight forwarding company only		

doors



GEV No.	693196	Ref. No.	22200080
description	door complete suitable for pizza oven		



GEV No.	693198	Ref. No.	22300020
description	door complete suitable for pizza oven		

for rolling grills

pipes

pipes



GEV No.	693185	Ref. No.	24303000
description	pipe with gear wheel for roller grill		

for toasters

drive shafts




GEV No.	693179	Ref. No.	24403023
description	drive shaft for conveyor toaster ø 12/14mm SS L 320mm		




1 

GEV No.	693182	Ref. No.	24413023
description	drive shaft for conveyor toaster ø 8/12mm stainless steel L 360mm		

miscellaneous

1 

GEV No.	693184	Ref. No.	24413052
description	conveyor belt L 1000mm W 310mm wire gauge ø 1.2mm		


1 

GEV No.	693181	Ref. No.	24403052
description	conveyor belt L 490mm W 310mm wire gauge ø 2mm		


gear wheels

1 

GEV No.	693180	Ref. No.	24403035
description	gear wheel teeth 10 shaft intake ø 14mm ø 63mm hub ø 30mm stainless steel		

1 

GEV No.	693187	Ref. No.	24303006
description	gear wheel teeth 17 shaft intake ø 7mm ø 35mm hub ø 22mm stainless steel		


1 

GEV No.	693183	Ref. No.	24413035
description	gear wheel teeth 20 shaft intake ø 12mm ø 48mm hub ø 22mm		


knobs

producer-specific knobs

INOKSAN

1 

GEV No.	111551	Ref. No.	24506020
description	knob energy regulator Min/Max ø 55mm shaft ø 6x4.6mm shaft flat universal black		

1 


GEV No.	111775	Ref. No.	24016012 24016012+27006104
description	knob gas tap without ignition flame t.max.°C°C ø 55mm shaft ø 8x6.5mm shaft flat universal black		


1 


GEV No.	111261	Ref. No.	24506023+27006103
description	knob graduated ø 55mm shaft ø 6x4.6mm shaft flat universal black		


1 


GEV No.	111546	Ref. No.	24106100 24106109
description	knob switch 0-1-0-1 ø 55mm shaft ø 6x4.6mm shaft flat universal black		


			
1			
GEV No.	111540	Ref. No.	24016101 INO2401 6107 + INO2700 6103
description	knob switch 4-position ø 55mm shaft ø 6x4.6mm shaft flat universal black		

			
1			
GEV No.	111552	Ref. No.	24016100 24016103 24016103+27006104
description	knob switch 7-position t.max. °C ø 55mm shaft ø 8x6.5mm shaft flat universal black		

			
1			
GEV No.	111541	Ref. No.	26106000
description	knob thermostat t.max. 110°C ø 55mm shaft ø 6x4.6mm shaft flat universal black temperature range 30-110°C rotation 270°		


			
1			
GEV No.	111544	Ref. No.	22206000 22206003+27006103
description	knob thermostat t.max. 500°C ø 55mm shaft ø 6x4.6mm shaft flat lower black temperature range 50-500°C rotation 270°		

			
1			
GEV No.	111547	Ref. No.	24106106 24106110
description	knob thermostat t.max. 90°C ø 55mm shaft ø 6x4.6mm shaft flat universal black temperature range 30-90°C rotation 270°		

			
1			
GEV No.	111545	Ref. No.	24106102
description	knob dial plate switch 0-1-0-1 grey		

handles and hand wheels

mushroom cap handles

			
1			
GEV No.	693193	Ref. No.	13120107
description	mushroom cap handle thread M4 handle ø 25mm L 21.5mm chrome-plated steel		

bracket handles

			
1			
GEV No.	693427	Ref. No.	13120106
description	pull handle L 165mm H 55mm mounting distance 130mm thread M8		

locks

edgmount latches

handle latches

CAFF/FERMOD





			
1			
GEV No.	690400	Ref. No.	13120200
description	handle latch L 135mm mounting distance 120mm non lockable refrigeration units G 680		
accessories for	690400		
	GEV No.	690418	Ref. No. —
door catch L 36mm W 19mm H 29mm mounting distance 12mm zinc-coated steel for refrigeration units			

Table continues overleaf



accessories for		690400	
	GEV No.	690419	Ref. No. —
door catch L 52mm W 20mm H 30mm mounting distance 26-37mm zamak for refrigeration units			
	GEV No.	700435	Ref. No. —
door catch L 58mm W 20mm H 35mm mounting distance 42mm zamak for refrigeration units			


baskets

wire baskets for hot dog machines

			
1			
GEV No.	693191	Ref. No.	24203021
description	grid basket for hot dog grill ø 180mm H 210mm		

gaskets


gaskets for heated units

door seals			
			
1			
GEV No.	901296	Ref. No.	04060203
description	door seal profile 2211 W 12mm L 4m suitable for INOKSAN for banquet trolley ABS200		

transmission technology and ball bearings

chains

roller chains 04B-1 single

1			
GEV No.	693188	Ref. No.	24303020
description	chain DIN/ISO 04 B-1 splitting 6mm links 53 internal width 2.8mm roller ø 4mm single without connecting bow		

kitchen accessories


spillage trays

1			
GEV No.	698240	Ref. No.	15340020
description	drain tray ø 450mm H 35mm		

fastening material


fasteners

retainer clips

1			
GEV No.	693457	Ref. No.	24003133
description	retainer clip L 73mm wire gauge ø 3mm zinc-coated steel Qty 1 pcs		

retaining rings

DIN 471

1			
GEV No.	693186	Ref. No.	13130025
description	retaining ring shaft ø 25mm thickness 1.2mm steel DIN 471		

B			
bi-metal thermostats		5	
C			
cam switches		6	
ceramic burners		9	
control thermostats		5	
D			
door seals		15	
E			
edgemount latches		14	
electric accessories		8	
energy regulators		5	
F			
fasteners		15	
fastening material		15	
G			
gas burners		9	
gas taps		8	
gaskets for heated units		15	
H			
handle latches		14	
heating elements		3	
heating elements for fryers		3	
heating elements for griddles		3	
heating elements for pizza ovens		3	
heating elements for salamanders/toasters		3	
hot plates		4	
I			
indicator lights		7	
indicator lights (complete)		7	
L			
lamps		7	
linear lamps		7	
M			
motors		8	
O			
oven lamps		7	
P			
plugs - couplings - power sockets		8	
protective contact power sockets		8	
push/momentary push switches		6	
Q			
quartz heating elements		4	
R			
radiation heaters		4	
retainer clips		15	
retaining rings		15	
rocker/momentary rocker switches		6	
S			
safety bi-metal thermostats		5	
safety thermostats		6	
spillage trays		15	
switches and momentary switches		6	
T			
thermocouples		9	
thermostats		5	