



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

KING

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com




- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



heating elements


heating elements for ovens





1

GEV No.	418247	Ref. No.	OK9753
description	heating element 2000W 220V L 600mm W 450mm L1 55mm L2 545mm W1 390mm W2 30mm flange length 70mm flange width 15mm hole distance 56mm hole ø 6mm tube ø 6.5mm connection length 30mm connection male faston 6.3mm heating circuits 1 rectangular flange dry heating element oven		


heating elements for bain maries




1

GEV No.	415565	Ref. No.	OK9905
description	heating element 1500W 230V heating circuits 1 L 350mm W 180mm hole distance 22mm connection male faston 6.3mm tube ø 8.5mm compression flange immersion heater flange ø 32mm H 20mm mounting ø 32mm mounting thread M5		
spare parts for	415565		
	GEV No.	510364	Ref. No. —
	gasket Lmm Wmm ø 36mm for heating element thickness 3mm with 4 screw holes		
accessories for	415565		
	GEV No.	510365	Ref. No. —
	counterflange ø 36mm Lmm Wmm		


heating elements for griddles



1

GEV No.	415363	Ref. No.	OK9904
description	heating element 3000W 230V heating circuits 1 L 450mm W 242mm H 20mm tube ø 6.3mm W1 104mm W2 31mm rectangular flange hole distance 56mm cable length 340mm flange length 70mm flange width 23mm hole ø 5mm dry heating element		
accessories for	415363		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		


heating elements for contact grills







1


GEV No.	415648	Ref. No.	OH9684
description	heating element 660W 230V L 212mm W 72mm H 35mm tube ø 6.3mm L1 34mm L2 178mm W1 58mm W2 14mm connection cable length 210mm dry heating element		

heating elements for chargrills







1

GEV No.	415647	Ref. No.	OK9752
description	heating element 1000W 230V heating circuits 1 L 440mm W 30mm H 6.5mm 2 hole fixing thread M10x1 mounting distance 33mm dry heating element tube ø 6.5mm cable length 320mm connection length 41mm		
accessories for	415647		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		



1

GEV No.	415646	Ref. No.	OK9751
description	heating element 700W 230V heating circuits 1 L 444mm W 37mm 2 hole fixing thread M10x1 mounting distance 30mm dry heating element tube ø 6.5mm cable length 440mm connection length 22mm		
accessories for	415646		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		



ceramic heaters

245x60mm



1

GEV No.	415104	Ref. No.	0A2843
----------------	--------	-----------------	--------

description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm		
--------------------	--	--	--

spare parts for	415104		
------------------------	--------	--	--

GEV No.	415109	Ref. No.	—
----------------	--------	-----------------	---



spring clip

accessories for	415104		
------------------------	--------	--	--

GEV No.	415110	Ref. No.	—
----------------	--------	-----------------	---



reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm

round

with radiused edge

for domestic and commercial kitchens



1

GEV No.	490016	Ref. No.	OK0350
----------------	--------	-----------------	--------

description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
--------------------	--	--	--



1

GEV No.	490018	Ref. No.	OK0334
----------------	--------	-----------------	--------

description	hot plate ø 220mm 2000W 230V connection 4 screw clamps with 8mm spill ring		
--------------------	--	--	--

hot plates

square & rectangular


tiltable



1

GEV No.	490085	Ref. No.	OK9761
----------------	--------	-----------------	--------

description	hot plate dimensions 300x300mm 2500W 230V with cast edge tilt boiling plate connection 3 screw clamps H 43mm square		
--------------------	---	--	--



1

GEV No.	490089	Ref. No.	OK0371
----------------	--------	-----------------	--------

description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		
--------------------	---	--	--

energy regulators

EGO

1-circuit



1

GEV No.	380015	Ref. No.	OC1605
----------------	--------	-----------------	--------

description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
--------------------	---	--	--



thermostats

control and safety thermostats

EGO


control thermostats

55.34_series



GEV No.	375143	Ref. No.	004911
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	375038	Ref. No.	0H6217
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	GEV No.	110123	Ref. No.
			—
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		

safety thermostats

55.31_series



GEV No.	375521	Ref. No.	0H7487
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 177mm capillary pipe 2380mm capillary pipe isolated 1100mm gland nut M9x1 probe SS		

accessories

gland nut accessories

ducts



GEV No.	550271	Ref. No.	0K9769
description	gland duct ET M12x0.75 IT M9x1 with gasket and nut		

switches and momentary switches


cam switches

on/off



GEV No.	300021	Ref. No.	0K9771
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

4-position



GEV No.	300007	Ref. No.	0H6602
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-position ceramic		

7-position



GEV No.	300004	Ref. No.	0K6627
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		



operation switches

E-G-O



1

GEV No.	300002	Ref. No.	0A2134
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs



1

GEV No.	359602	Ref. No.	0H7036
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		



1

GEV No.	359603	Ref. No.	0H7037
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		

screw-on/push-on fit

neon light bulbs



1

GEV No.	359602	Ref. No.	0H7036
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		



1

GEV No.	359603	Ref. No.	0H7037
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		

linear lamps

infrared lamps

with base type Z ceramic



1

GEV No.	359625	Ref. No.	0K9756
description	infrared lamp socket Z-ceramic L 226mm 220-250V 500W cable length 195mm IMPORT		

solenoid valves

solenoid valves (water)

metal

MÜLLER

2-way



1

GEV No.	370035	Ref. No.	0H6405
description	solenoid valve 2-ways 230VAC inlet 3/4" ET outlet 1/2" IT L 57mm water MÜLLER		

motors

gear motors

for gyros grills



1

GEV No.	500805	Ref. No.	0K9826
description	gear motor AEG type M008 230V 50/60Hz 2rpm shaft ø 10mm L 71mm W 71mm H 48mm for gyro grills		

gas taps

PEL

23S/V series



1

GEV No.	101630	Ref. No.	OK9985
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat		
spare parts for	101630		
	GEV No.	100455	Ref. No. —
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5		
	GEV No.	101059	Ref. No. —
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1		
	GEV No.	102767	Ref. No. —
	gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S		
accessories for	101630		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	100945	Ref. No. —
	roll pin ø 3.2mm L 10mm		
	GEV No.	101218	Ref. No. —
	shaft extension JUNKERS		
	GEV No.	101219	Ref. No. —
	shaft extension L 25mm JUNKERS		
	GEV No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	GEV No.	110064	Ref. No. —
	knob		
	GEV No.	110066	Ref. No. —
	knob screw		
	GEV No.	550396	Ref. No. —
	shaft extension L 25mm JUNKERS		

alternatives to JUNKERS



1

GEV No.	101630	Ref. No.	OK9985
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat		
spare parts for	101630		
	GEV No.	100455	Ref. No. —
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5		
	GEV No.	101059	Ref. No. —
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1		
	GEV No.	102767	Ref. No. —
	gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S		
accessories for	101630		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	100945	Ref. No. —
	roll pin ø 3.2mm L 10mm		
	GEV No.	101218	Ref. No. —
	shaft extension JUNKERS		
	GEV No.	101219	Ref. No. —
	shaft extension L 25mm JUNKERS		
	GEV No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	GEV No.	110064	Ref. No. —
	knob		
	GEV No.	110066	Ref. No. —
	knob screw		
	GEV No.	550396	Ref. No. —
	shaft extension L 25mm JUNKERS		

EGA


24197 series

gas taps



GEV No.	101150	Ref. No.	0K0213
description	gas tap EGA type 24197 series with pipe outlet		
spare parts for	101150		
	GEV No.	101058	Ref. No. —
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	GEV No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101150		
	GEV No.	100944	Ref. No. —
	union nut thread M18x1.5 for pipe ø 12mm		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	GEV No.	101284	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101285	Ref. No. —
	union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS		


miscellaneous



GEV No.	nla ¹	Ref. No.	058225
description	piezoelectric igniter body metal connection F6.3x0.8 2 hole fixing ø 22mm		

¹no longer available

ignition units



GEV No.	101015	Ref. No.	004248
description	ignition unit outputs 4 230VAC 0.6VA 50Hz		


thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket ø6mm

type Junkers with aluminised tip



GEV No.	102229	Ref. No.	0H6174
description	thermocouple M10x1 L 1000mm plug connection ø6.0mm		




GEV No.	102231	Ref. No.	0K0687
description	thermocouple M10x1 L 1500mm plug connection ø6.0mm		

ignition parts

ignition cables


pre-assembled cables



GEV No.	100025	Ref. No.	0K0998
description	ignition cable cable length 600mm connection ø4mm / F6.3mm		

piezoelectric igniters

mounting diameter 22mm



GEV No.	100005	Ref. No.	0H6070
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT		

knobs

universal knobs

1			
GEV No.	110232	Ref. No.	0112134
description	knob switch 4-position t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

1			
GEV No.	110234	Ref. No.	0112138
description	knob switch 7-position t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

1			
GEV No.	110241	Ref. No.	0102025
description	knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		

1			
GEV No.	110242	Ref. No.	0K9909
description	knob thermostat t.max. 180°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-180°C		

1			
GEV No.	110245	Ref. No.	0102024
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		

producer-specific knobs

KING

1			
GEV No.	110232	Ref. No.	0112134
description	knob switch 4-position t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

1			
GEV No.	110234	Ref. No.	0112138
description	knob switch 7-position t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

1			
GEV No.	110241	Ref. No.	0102025
description	knob thermostat t.max. 110°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-110°C		

1			
GEV No.	110245	Ref. No.	0102024
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		

baskets

fryer baskets

KING



1

GEV No.	970439	Ref. No.	0K9832
description	fryer basket ø 230mm H1 145mm chrome-plated steel		

C

cam switches	5
ceramic heaters	4
control thermostats	5

E

energy regulators	4
-------------------	---

G

gas taps	7
----------	---

H

heating elements	3
heating elements for bain maries	3
heating elements for charginills	3
heating elements for contact grills	3
heating elements for griddles	3
heating elements for ovens	3
hot plates	4

I

ignition cables	8
ignition units	8
indicator lights	6
infrared lamps	6

L

lamps	6
linear lamps	6

M

motors	6
--------	---

N

neon light bulbs	6,6
------------------	-----

P

piezoelectric igniters	8
------------------------	---

S

safety thermostats	5
solenoid valves	6
switches and momentary switches	5

T

thermocouples	8
thermostats	5