



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**LA-ROCCA**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)





- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





## heating elements

### heating elements for coffee machine

|   |  |                 |                |
|---|--|-----------------|----------------|
|  |  |                 |                |
| 1   |  |                 |                |
| <b>GEV No.</b>  | 417531   | <b>Ref. No.</b> | 10202<br>10222 |
| <b>description</b>  | heating element 1700W 240V heating circuits 1 mounting ø 37mm hole distance 52mm L 130mm W 40mm H 40mm hole ø 10mm tube ø 10mm connection M4 |                 |                |

|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 417495  | <b>Ref. No.</b> | 10221 |
| <b>description</b>  | heating element 1800W 245V heating circuits 1 mounting ø 37mm hole distance 51.5mm L 133mm W 35mm H 36mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange |                 |       |


|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 417496   | <b>Ref. No.</b> | 10203 |
| <b>description</b>  | heating element 2600W 220V heating circuits 2 mounting ø 37mm hole distance 52mm L 415mm W 30mm H 58mm L1 25mm L2 50mm L3 340mm H1 25mm H2 28mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater |                 |       |

|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 417497   | <b>Ref. No.</b> | 10218 |
| <b>description</b>  | heating element 3500W 245V heating circuits 2 mounting ø 37mm hole distance 51.5mm L 413mm W 28mm H 63mm L1 24mm L2 44mm L3 345mm H1 25mm H2 38mm hole ø 10mm tube ø 8mm connection male faston 6.3mm immersion heater 3 hole flange |                 |       |


## thermostats

### bi-metal thermostats

#### safety bi-metal thermostats


|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 376003   | <b>Ref. No.</b> | 27104 |
| <b>description</b>  | bi-metal safety thermostat hole distance mm switch-off temp. 165°C 1NC 1-pole 10A 250V connection F6.3 |                 |       |

### bi-metal thermostats


|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 376002  | <b>Ref. No.</b> | 27103 |
| <b>description</b>  | bi-metal thermostat hole distance mm switch-off temp. 120°C 1NC 1-pole 10A 250V connection F6.3 |                 |       |

## switches and momentary switches


### rocker/momentary rocker switches

|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 30x22mm   |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 301060  | <b>Ref. No.</b> | 12120 |
| <b>description</b>  | rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |       |

### rotary switches

|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| GOTTAK  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 345148  | <b>Ref. No.</b> | 12188 |
| <b>description</b>  | rotary switch 3 0-1-2 sets of contacts 6 type 4RH 400V 10A shaft ø 4.8x6mm shaft L 21mm shaft oval connection male faston 6.3mm |                 |       |


### miscellaneous

|  |  |                 |       |
|--|--|-----------------|-------|
|  |  |                 |       |
| 1  |  |                 |       |
| <b>GEV No.</b>   | 347421   | <b>Ref. No.</b> | 15126 |
| <b>description</b>   | rotary switch with cable harness 2 groups ESTRELLA |                 |       |

## lamps

### indicator lights


#### indicator lights (complete)

|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| ø 8mm   |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 357027  | <b>Ref. No.</b> | 15040 |
| <b>description</b>  | indicator light ø 8mm 230V green cable length 180mm LED |                 |       |





### electronics

#### central units

|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 357026  | <b>Ref. No.</b> | 15041 |
| <b>description</b>  | indicator light ø 8mm 230V red cable length 180mm LED |                 |       |

ø13mm  
with plug-in socket

|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 359142   | <b>Ref. No.</b> | 12129 |
| <b>description</b>  | indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs |                 |       |

|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 359141   | <b>Ref. No.</b> | 12111 |
| <b>description</b>  | indicator light ø 13mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs |                 |       |



|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 402794  | <b>Ref. No.</b> | 13207 |
| <b>description</b> | central unit 230V 50/60Hz type 3d5 Maestro 2GRCTZD voltage AC |                 |       |



|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 402795  | <b>Ref. No.</b> | 13208 |
| <b>description</b> | central unit 230V 50/60Hz type 3d5 Maestro 3GRCTZD voltage AC |                 |       |



|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 402792  | <b>Ref. No.</b> | 12186 |
| <b>description</b> | central unit 230V 50/60Hz type ET405 voltage AC |                 |       |





|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 402793  | <b>Ref. No.</b> | 13238 |
| <b>description</b> | central unit 240V 50/60Hz type 3d5 3GRCTZ XLC„LL“ (SC) voltage AC |                 |       |


### relays

#### level relays

GICAR


|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 402103  | <b>Ref. No.</b> | 12168 |
| <b>description</b>  | level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F |                 |       |

|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 402790  | <b>Ref. No.</b> | 13245 |
| <b>description</b>  | level controller 230V voltage AC 50/60Hz type RL30/2E-2C/F T.O. Pompa 3 LED |                 |       |

1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 400520   | <b>Ref. No.</b> | 12185 |
| <b>description</b> | control box 2-group for coffee machine 230V type ET405 |                 |       |




1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 402791   | <b>Ref. No.</b> | 13228 |
| <b>description</b> | level controller 230V 50/60Hz type 30 MICRO ST + BUZZER voltage AC |                 |       |


**keypads**

keypad units




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 402788  | <b>Ref. No.</b> | 12189 |
| <b>description</b> | keypad unit buttons 5 black/white edition 1998 lighting LED |                 |       |



1

|                    |                                   |                 |       |
|--------------------|-----------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 402785                            | <b>Ref. No.</b> | 13240 |
| <b>description</b> | keypad unit buttons 6 black/white |                 |       |




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 402789  | <b>Ref. No.</b> | 13233 |
| <b>description</b> | keypad unit ESTRELLA buttons 6 chrome/black/white |                 |       |

**solenoid valves**


solenoid valves (water)

- metal
- ODE
- solenoid valves steam (water)
- 212A series




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 370617  | <b>Ref. No.</b> | 13216 |
| <b>description</b> | solenoid valve brass 2-ways 230VAC connection cable L 46mm DN 4.5mm ODE type series 212A5 coil type B01 p max 5bar p min 0bar 50/60Hz |                 |       |



1


|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 370719   | <b>Ref. No.</b> | 13216 |
| <b>description</b> | solenoid valve brass 2-ways 230VAC connection female faston 6.3mm L 46mm DN 4.5mm ODE coil type BDA p max 5bar 50Hz cable length 380mm |                 |       |



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 370687   | <b>Ref. No.</b> | 13216 |
| <b>description</b> | solenoid valve brass 2-ways 240VAC connection plug-in connection L 46mm DN 4.5mm ODE coil type BDA p max 5bar 50Hz |                 |       |

**electrodes**



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 401162   | <b>Ref. No.</b> | 12142 |
| <b>description</b> | level electrode 1/4" total length 129mm probe L 103mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm |                 |       |

## equipment-specific units

## for espresso machines

## filter holders

## filter holders standard

## filter holder without spout



1

|                    |   |                 |     |
|--------------------|---|-----------------|-----|
| <b>GEV No.</b>     | 531027  | <b>Ref. No.</b> | N/A |
| <b>description</b> | filter holder suitable for LA ROCCA without outlet mounting $\varnothing$ 83mm hole $\varnothing$ 8mm outlet 3/8" ID $\varnothing$ 62mm wedge height 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass |                 |     |

## filter holders short



1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 531024  | <b>Ref. No.</b> | 12607 |
| <b>description</b> | filter holder mounting $\varnothing$ 83mm outlet 3/8" ID $\varnothing$ 62mm handle M12x1.75 wedge height 10mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass |                 |       |

## filters

## for 1 cup



1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 531023  | <b>Ref. No.</b> | 12502 |
| <b>description</b> | coffee filter $\varnothing$ 70mm mounting $\varnothing$ 60mm H 24.5mm cups 1 amount of coffee 8g perforation $\varnothing$ 0.35mm |                 |       |

## for 2 cups



1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 526068  | <b>Ref. No.</b> | 12500 |
| <b>description</b> | coffee filter $\varnothing$ 70mm mounting $\varnothing$ 60mm H 24.5mm cups 2 amount of coffee 14g |                 |       |

## blind filters



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 529102   | <b>Ref. No.</b> | 12510 |
| <b>description</b> | blind filter $\varnothing$ 70mm mounting $\varnothing$ 60mm H 17mm |                 |       |

## brewing units

## shower screens

## with upstand and central hole



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 531022   | <b>Ref. No.</b> | 11363 |
| <b>description</b> | shower screen $\varnothing$ 55/56mm H 9mm hole $\varnothing$ 5mm |                 |       |

## filter holder gaskets

## flat

## with chamfer



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 525497   | <b>Ref. No.</b> | 14455 |
| <b>description</b> | filter holder gasket D1 $\varnothing$ 72.5mm D2 $\varnothing$ 47.5mm H 8.1mm |                 |       |

## shim gaskets



1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 531026  | <b>Ref. No.</b> | 12198 |
| <b>description</b> | shim gasket D1 $\varnothing$ 72mm D2 $\varnothing$ 48mm thickness 1mm steel |                 |       |

## components

## nozzles

## bushes



1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 528321  | <b>Ref. No.</b> | 11336 |
| <b>description</b> | filter support D1 $\varnothing$ 13mm ID $\varnothing$ 5mm int. $\varnothing$ 1 11mm H 9mm brass |                 |       |



with thread



|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 525892  | <b>Ref. No.</b> | 11323 |
| <b>description</b> | nozzle bore $\varnothing$ 0.65mm thread M6x0.75 L 9mm |                 |       |

safety valves

safety valves

3/8"



|                    |  |                 |                |
|--------------------|--|-----------------|----------------|
| 1                  |  |                 |                |
| <b>GEV No.</b>     | 531003   | <b>Ref. No.</b> | 10414<br>10415 |
| <b>description</b> | safety valve connection 3/8" triggering pressurebar suitable for LA ROCCA sealed |                 |                |

expansion valves

gaskets



|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 525822  | <b>Ref. No.</b> | 10813 |
| <b>description</b> | gasket ED $\varnothing$ 15mm seat $\varnothing$ 6mm H 5.2mm overall height 10mm |                 |       |



|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| 1                  |  |                 |       |
| <b>GEV No.</b>     | 525894                                   | <b>Ref. No.</b> | 14406 |
| <b>description</b> | sealing disc ED $\varnothing$ 15mm H 4mm |                 |       |

compression springs



|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| 1                  |  |                 |       |
| <b>GEV No.</b>     | 531002   | <b>Ref. No.</b> | 10806 |
| <b>description</b> | compression spring $\varnothing$ 14.7mm L 26mm wire gauge $\varnothing$ 2mm windings 3.5 |                 |       |

with non-return valve



|                    |                                       |                 |       |
|--------------------|---------------------------------------|-----------------|-------|
| 1                  |                                       |                 |       |
| <b>GEV No.</b>     | 531006                                | <b>Ref. No.</b> | 00120 |
| <b>description</b> | expansion valve with non-return valve |                 |       |

aerators and air bleeders



|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| 1                  |   |                 |       |
| <b>GEV No.</b>     | 529304  | <b>Ref. No.</b> | 00143 |
| <b>description</b> | aerator and air bleeder screw connection 1/4" |                 |       |

steam/water taps

steam/water taps

steam taps

steam taps (complete)



|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| 1                  |  |                 |       |
| <b>GEV No.</b>     | 531010   | <b>Ref. No.</b> | 11182 |
| <b>description</b> | steam tap inlet 1/4" suitable for LA ROCCA tube $\varnothing$ 10mm |                 |       |



|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| 1                  |  |                 |       |
| <b>GEV No.</b>     | 531008   | <b>Ref. No.</b> | 11136 |
| <b>description</b> | steam tap with pipe inlet 1/4" tube $\varnothing$ 10mm |                 |       |

knobs



|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| 1                  |  |                 |       |
| <b>GEV No.</b>     | 111392   | <b>Ref. No.</b> | 11610 |
| <b>description</b> | knob steam $\varnothing$ 54mm shaft $\varnothing$ 8mm black for VERONA |                 |       |

## components

## gaskets



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 525895 | <b>Ref. No.</b> | 10810 |
|----------------|--------|-----------------|-------|

|                    |   |  |  |
|--------------------|---|--|--|
| <b>description</b> | gasket D1 ø 13mm ID ø 4.5mm thickness 4mm NBR |  |  |
|--------------------|---|--|--|



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 525896 | <b>Ref. No.</b> | 14466 |
|----------------|--------|-----------------|-------|

|                    |   |  |  |
|--------------------|---|--|--|
| <b>description</b> | gasket D1 ø 15mm ID ø 4mm thickness 4mm Viton |  |  |
|--------------------|---|--|--|



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 525893 | <b>Ref. No.</b> | 14464 |
|----------------|--------|-----------------|-------|

|                    |   |  |  |
|--------------------|---|--|--|
| <b>description</b> | gasket D1 ø 15mm thickness 8mm since 2004 |  |  |
|--------------------|---|--|--|

## spring guides



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 531005 | <b>Ref. No.</b> | 11175 |
|----------------|--------|-----------------|-------|

|                    |   |  |  |
|--------------------|---|--|--|
| <b>description</b> | spring guide for steam-/water-tap D1 ø 14.5mm D2 ø 9mm ID ø 7mm L 6.5mm |  |  |
|--------------------|---|--|--|

## springs



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 525994 | <b>Ref. No.</b> | 11183 |
|----------------|--------|-----------------|-------|

|                    |  |  |  |
|--------------------|--|--|--|
| <b>description</b> | compression spring ø 12mm L 21mm wire gauge ø 1.3mm windings 3.5 steel |  |  |
|--------------------|--|--|--|

## water taps

## knobs



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 111394 | <b>Ref. No.</b> | 11609 |
|----------------|--------|-----------------|-------|

|                    |                         |  |  |
|--------------------|-------------------------|--|--|
| <b>description</b> | knob water ø 54mm black |  |  |
|--------------------|-------------------------|--|--|

## water taps



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 531007 | <b>Ref. No.</b> | 11137 |
|----------------|--------|-----------------|-------|

|                    |  |  |  |
|--------------------|--|--|--|
| <b>description</b> | water tap with pipe inlet 1/4" tube ø 12mm |  |  |
|--------------------|--|--|--|

## steam/water pipes

## steam pipes



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 531013 | <b>Ref. No.</b> | 11181 |
|----------------|--------|-----------------|-------|

|                    |   |  |  |
|--------------------|---|--|--|
| <b>description</b> | steam pipe H 145mm L 165mm ø 14mm tube ø 10mm |  |  |
|--------------------|---|--|--|



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 531015 | <b>Ref. No.</b> | 11187 |
|----------------|--------|-----------------|-------|

|                    |  |  |  |
|--------------------|--|--|--|
| <b>description</b> | steam pipe H 165mm L 200mm ø 14mm tube ø 10mm VERONA suitable for LA ROCCA |  |  |
|--------------------|--|--|--|



1

|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 531014 | <b>Ref. No.</b> | 11191 |
|----------------|--------|-----------------|-------|

|                    |   |  |  |
|--------------------|---|--|--|
| <b>description</b> | steam pipe H 170mm L 190mm ø 13.5mm tube ø 10mm suitable for LA ROCCA |  |  |
|--------------------|---|--|--|

## nozzles for steam pipes




1


|                |        |                 |       |
|----------------|--------|-----------------|-------|
| <b>GEV No.</b> | 531020 | <b>Ref. No.</b> | 11207 |
|----------------|--------|-----------------|-------|


|                    |  |  |  |
|--------------------|--|--|--|
| <b>description</b> | steam nozzle thread M10x1 ø 16mm L 28mm thread L 13mm 4 holes bore ø 1.5mm stainless steel |  |  |
|--------------------|--|--|--|








|   |   |                 |       |
|---|---|-----------------|-------|
| nozzles for water pipes   |   |                 |       |
| tap aerators  |   |                 |       |
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 548385  | <b>Ref. No.</b> | 11128 |
| <b>description</b>  | tap aerator thread M22x1 with plastic insert at 3bar ca.44l/min |                 |       |


|   |  |                 |       |
|---|--|-----------------|-------|
| accessories   |  |                 |       |
| bushes  |  |                 |       |
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 525898   | <b>Ref. No.</b> | 11149 |
| <b>description</b>  | bush D1 ø 14mm D2 ø 7mm int. ø 1 5.5mm H 5.5mm brass |                 |       |


|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 525897  | <b>Ref. No.</b> | 14461 |
| <b>description</b>  | bush D1 ø 15mm int. ø 1 8mm H 12.8mm Viton gasket |                 |       |


|   |   |                 |       |
|---|---|-----------------|-------|
| gaskets   |   |                 |       |
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 531019  | <b>Ref. No.</b> | 11147 |
| <b>description</b>  | gasket PTFE D1 ø 15mm D2 ø 11.2mm thickness 3mm inner cone for steam pipe |                 |       |

|   |  |                 |       |
|---|--|-----------------|-------|
| springs   |  |                 |       |
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 531001   | <b>Ref. No.</b> | 11142 |
| <b>description</b>  | compression spring ø 10.7mm L 25.5mm wire gauge ø 1.6mm windings 5 |                 |       |


|   |  |                 |       |
|---|--|-----------------|-------|
| tube handles  |  |                 |       |
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 525042   | <b>Ref. No.</b> | 11208 |
| <b>description</b>  | tube handle for pipe ø 10mm ø 13.5mm L 50mm rubber |                 |       |

|   |  |                 |                |
|---|--|-----------------|----------------|
| union nuts  |  |                 |                |
|  |  |                 |                |
| 1   |  |                 |                |
| <b>GEV No.</b>  | 531004   | <b>Ref. No.</b> | 11148<br>11171 |
| <b>description</b>  | union nut thread 3/8" L 35.1mm hole ø 12.3mm chrome-plated brass |                 |                |

|   |   |                 |       |
|---|---|-----------------|-------|
| fine filters  |   |                 |       |
| holders   |   |                 |       |
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 528321  | <b>Ref. No.</b> | 11336 |
| <b>description</b>  | filter support D1 ø 13mm ID ø 5mm int. ø 1 11mm H 9mm brass |                 |       |

|   |                                  |                 |       |
|---|----------------------------------|-----------------|-------|
| fine filters  |                                  |                 |       |
|  |                                  |                 |       |
| 1   |                                  |                 |       |
| <b>GEV No.</b>  | 529911                           | <b>Ref. No.</b> | 11337 |
| <b>description</b>  | fine filter flat ø 11mm H 0.25mm |                 |       |

|  |                           |                 |       |
|--|---------------------------|-----------------|-------|
| intake valves  |                           |                 |       |
| intake valves  |                           |                 |       |
|  |                           |                 |       |
| 1  |                           |                 |       |
| <b>GEV No.</b>   | 531009                    | <b>Ref. No.</b> | 10807 |
| <b>description</b>   | intake valve for LA ROCCA |                 |       |

|  |   |                 |       |
|--|---|-----------------|-------|
| accessories  |   |                 |       |
| springs  |   |                 |       |
|  |   |                 |       |
| 1  |   |                 |       |
| <b>GEV No.</b>   | 531000  | <b>Ref. No.</b> | 10814 |
| <b>description</b>   | compression spring ø 15mm L 26mm wire gauge ø 2mm |                 |       |

## level glasses

## level glasses

## level glasses (complete)



1

|                    |                                   |                 |       |
|--------------------|-----------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 531011                            | <b>Ref. No.</b> | 00122 |
| <b>description</b> | level glass suitable for LA ROCCA |                 |       |

## level glass pipes



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 531016                                   | <b>Ref. No.</b> | 11005 |
| <b>description</b> | water level tube ø 11mm H 145mm ID ø 8mm |                 |       |

## non-return valves

## compression springs



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 525499   | <b>Ref. No.</b> | 10815 |
| <b>description</b> | compression spring ø 8mm L 31.5mm wire gauge ø 0.5mm windings 10 |                 |       |



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 525498   | <b>Ref. No.</b> | 10804 |
| <b>description</b> | compression spring ø 8mm L 34mm wire gauge ø 0.4mm windings 10.5 |                 |       |

## pistons



1

|                    |                                 |                 |       |
|--------------------|---------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 531018                          | <b>Ref. No.</b> | 10822 |
| <b>description</b> | piston triangle ø 13mm L 19.6mm |                 |       |

## balls



1

|                    |                |                 |       |
|--------------------|----------------|-----------------|-------|
| <b>GEV No.</b>     | 528419         | <b>Ref. No.</b> | 10803 |
| <b>description</b> | ball ø 11mm SS |                 |       |

## knobs

## steam/water taps

## steam/water taps



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 111392   | <b>Ref. No.</b> | 11610 |
| <b>description</b> | knob steam ø 54mm shaft ø 8mm black for VERONA |                 |       |

## handles and hand wheels

## cone handles



1

|                    |  |                 |                        |
|--------------------|--|-----------------|------------------------|
| <b>GEV No.</b>     | 111393   | <b>Ref. No.</b> | 11613 + 11614<br>11617 |
| <b>description</b> | handle thread M10x1.5 ø 27.5mm L 38mm black matt |                 |                        |

## lever handles



1


|                    |  |                 |                        |
|--------------------|--|-----------------|------------------------|
| <b>GEV No.</b>     | 111393   | <b>Ref. No.</b> | 11613 + 11614<br>11617 |
| <b>description</b> | handle thread M10x1.5 ø 27.5mm L 38mm black matt |                 |                        |



## gaskets


### O-rings

#### EPDM



1


|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 504512   | <b>Ref. No.</b> | 10812 |
| <b>description</b> | O-ring EPDM thickness 1.78mm ID ø 14mm Qty 1 pcs |                 |       |



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 532598   | <b>Ref. No.</b> | 10811 |
| <b>description</b> | O-ring EPDM thickness 2mm ID ø 9.1mm Qty 1 pcs |                 |       |


#### silicone



1


|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 528222  | <b>Ref. No.</b> | 14409 |
| <b>description</b> | O-ring silicone thickness 2.62mm ID ø 10.78mm Qty 1 pcs |                 |       |

#### Viton




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 532571  | <b>Ref. No.</b> | 10809 |
| <b>description</b> | O-ring Viton thickness 1.78mm ID ø 3.85mm Qty 1 pcs |                 |       |



1


|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 525899  | <b>Ref. No.</b> | 14414 |
| <b>description</b> | O-ring Viton thickness 1.9mm ID ø 5.7mm Qty 1 pcs |                 |       |



1

|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 528525   | <b>Ref. No.</b> | 14439 |
| <b>description</b> | O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs |                 |       |

### NBR




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 532597  | <b>Ref. No.</b> | 14405 |
| <b>description</b> | O-ring NBR thickness 1.78mm ID ø 9.25mm Qty 1 pcs |                 |       |

### sealing washers


#### copper gaskets

##### DIN-7603-A



1


|                    |  |                 |                |
|--------------------|--|-----------------|----------------|
| <b>GEV No.</b>     | 506226   | <b>Ref. No.</b> | 11004<br>14203 |
| <b>description</b> | flat gasket copper ED ø 15mm ID ø 10.5mm thickness 1mm Qty 1 pcs |                 |                |



1


|                    |  |                 |       |
|--------------------|--|-----------------|-------|
| <b>GEV No.</b>     | 525889   | <b>Ref. No.</b> | 14401 |
| <b>description</b> | flat gasket copper ED ø 20mm ID ø 13.5mm thickness 1.6mm for thread 1/4" Qty 1 pcs |                 |       |

##### DIN-7603-C




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 528520  | <b>Ref. No.</b> | 14428 |
| <b>description</b> | gasket copper ED ø 22mm ID ø 16mm thickness 2mm |                 |       |




1

|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 527164  | <b>Ref. No.</b> | 14400 |
| <b>description</b> | gasket copper ED ø 23mm ID ø 17mm thickness 3mm for thread 3/8" |                 |       |





1


|                    |   |                 |       |
|--------------------|---|-----------------|-------|
| <b>GEV No.</b>     | 526431  | <b>Ref. No.</b> | 14440 |
| <b>description</b> | gasket copper ED ø 26mm ID ø 21.5mm thickness 2.2mm for thread 1/2" Qty 1 pcs |                 |       |


|   |   |                 |       |
|---|---|-----------------|-------|
|  |   |                 |       |
| 1   |   |                 |       |
| <b>GEV No.</b>  | 525887  | <b>Ref. No.</b> | 14438 |
| <b>description</b>  | gasket copper ED ø 28mm ID ø 34mm thickness 3mm Qty 1 pcs |                 |       |


**PTFE gaskets**


|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 525609   | <b>Ref. No.</b> | 14410 |
| <b>description</b>  | flat gasket PTFE ED ø 18mm ID ø 13.5mm thickness 2mm Qty 1 pcs |                 |       |


|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 526679   | <b>Ref. No.</b> | 10825 |
| <b>description</b>  | flat gasket PTFE ED ø 18mm ID ø 13mm thickness 2mm Qty 1 pcs |                 |       |

|   |  |                 |            |
|---|--|-----------------|------------|
|  |  |                 |            |
| 1   |  |                 |            |
| <b>GEV No.</b>  | 525890   | <b>Ref. No.</b> | 14428(alt) |
| <b>description</b>  | flat gasket PTFE ED ø 22mm ID ø 16mm thickness 2mm Qty 1 pcs |                 |            |

|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 526013   | <b>Ref. No.</b> | 14432 |
| <b>description</b>  | flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs |                 |       |


|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 525891   | <b>Ref. No.</b> | 14465 |
| <b>description</b>  | flat gasket PTFE ED ø 25mm ID ø 21.5mm thickness 2.5mm size 1/2" Qty 1 pcs |                 |       |

|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 528683   | <b>Ref. No.</b> | 14433 |
| <b>description</b>  | flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE |                 |       |


|   |  |                 |       |
|---|--|-----------------|-------|
|  |  |                 |       |
| 1   |  |                 |       |
| <b>GEV No.</b>  | 525888   | <b>Ref. No.</b> | 10206 |
| <b>description</b>  | flat gasket PTFE ED ø 47mm ID ø 38mm thickness 2mm Qty 1 pcs |                 |       |


**special gaskets**


**group gaskets**


|  |  |                 |       |
|--|--|-----------------|-------|
|  |  |                 |       |
| 1  |  |                 |       |
| <b>GEV No.</b>   | 531012   | <b>Ref. No.</b> | 14427 |
| <b>description</b>   | gasket L 71.5mm W 71.5mm thickness 2mm aperture 9.5mm hole distance 56mm suitable for LA ROCCA fibre |                 |       |

**springs**  
**compression springs**


|  |  |                 |       |
|--|--|-----------------|-------|
|  |  |                 |       |
| 1  |  |                 |       |
| <b>GEV No.</b>   | 531001   | <b>Ref. No.</b> | 11142 |
| <b>description</b>   | compression spring ø 10.7mm L 25.5mm wire gauge ø 1.6mm windings 5 |                 |       |


|  |  |                 |       |
|--|--|-----------------|-------|
|  |  |                 |       |
| 1  |  |                 |       |
| <b>GEV No.</b>   | 525994   | <b>Ref. No.</b> | 11183 |
| <b>description</b>   | compression spring ø 12mm L 21mm wire gauge ø 1.3mm windings 3.5 steel |                 |       |


|  |  |                 |       |
|--|--|-----------------|-------|
|  |  |                 |       |
| 1  |  |                 |       |
| <b>GEV No.</b>   | 531002   | <b>Ref. No.</b> | 10806 |
| <b>description</b>   | compression spring ø 14.7mm L 26mm wire gauge ø 2mm windings 3.5 |                 |       |

|  |   |                 |       |
|--|---|-----------------|-------|
|  |   |                 |       |
| 1  |   |                 |       |
| <b>GEV No.</b>   | 531000  | <b>Ref. No.</b> | 10814 |
| <b>description</b>   | compression spring ø 15mm L 26mm wire gauge ø 2mm |                 |       |





|  |  |                 |       |
|--|--|-----------------|-------|
|  <p>1</p> |  |                 |       |
| <b>GEV No.</b>   | 525499   | <b>Ref. No.</b> | 10815 |
| <b>description</b>   | compression spring ø 8mm L 31.5mm wire gauge ø 0.5mm windings 10 |                 |       |


|  |  |                 |       |
|--|--|-----------------|-------|
|  <p>1</p> |  |                 |       |
| <b>GEV No.</b>   | 525498   | <b>Ref. No.</b> | 10804 |
| <b>description</b>   | compression spring ø 8mm L 34mm wire gauge ø 0.4mm windings 10.5 |                 |       |


|  |  |                 |       |
|--|--|-----------------|-------|
|  <p>1</p> |  |                 |       |
| <b>GEV No.</b>   | 531017   | <b>Ref. No.</b> | 11325 |
| <b>description</b>   | push switch ø 8mm L 20mm wire gauge ø 0.8mm windings 4.5 |                 |       |


## manometers

|  |   |                 |       |
|--|---|-----------------|-------|
|  <p>1</p> |   |                 |       |
| <b>GEV No.</b>   | 541771  | <b>Ref. No.</b> | 12164 |
| <b>description</b>   | manometer double scale ø 58.5mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8" |                 |       |

|  |   |                 |       |
|--|---|-----------------|-------|
|  <p>1</p> |   |                 |       |
| <b>GEV No.</b>   | 541772  | <b>Ref. No.</b> | 13204 |
| <b>description</b>   | manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8" |                 |       |

|  |  |                 |       |
|--|--|-----------------|-------|
|  <p>1</p> |  |                 |       |
| <b>GEV No.</b>   | 541775   | <b>Ref. No.</b> | 13247 |
| <b>description</b>   | manometer ø 41mm pressure range 0-25bar thread 1/8" connection on the backside |                 |       |


|   |   |                 |       |
|---|---|-----------------|-------|
|  <p>1</p> |   |                 |       |
| <b>GEV No.</b>  | 541774  | <b>Ref. No.</b> | 13248 |
| <b>description</b>  | manometer ø 41mm pressure range 0-3bar thread 1/8" connection on the backside |                 |       |

|   |   |                 |       |
|---|---|-----------------|-------|
|  <p>1</p> |   |                 |       |
| <b>GEV No.</b>  | 541773  | <b>Ref. No.</b> | 13211 |
| <b>description</b>  | manometer ø 41mm pressure range 0-3bar thread 1/8" marking 1.4 - 1.6 connection on the backside |                 |       |

## fastening material

### screws


#### hexagonal screws

|  |  |                 |       |
|--|--|-----------------|-------|
|  <p>1</p> |  |                 |       |
| <b>GEV No.</b>   | 560448   | <b>Ref. No.</b> | 14042 |
| <b>description</b>   | hexagonal screw thread M5 thread L 8mm SS WS 8 Qty 1 pcs head thickness 4mm DIN 933 / ISO 4017 |                 |       |

### washers

#### washers

#### miscellaneous

|  |   |                 |       |
|--|---|-----------------|-------|
|  <p>1</p> |   |                 |       |
| <b>GEV No.</b>   | 531021  | <b>Ref. No.</b> | 14219 |
| <b>description</b>   | plain washer ID ø 7mm ED ø 11mm thickness 1mm stainless steel Qty 1 pcs |                 |       |



**B**

bi-metal thermostats 3, 3

**E**

electrodes 5

**F**

fastening material 13

**H**

heating elements 3

heating elements for coffee machine 3

hexagonal screws 13

**I**

indicator lights 3

indicator lights (complete) 3

**L**

lamps 3

**O**

O-rings 11

**R**

relays 4

rocker/momentary rocker switches 3

rotary switches 3

**S**

safety bi-metal thermostats 3

screws 13

sealing washers 11

solenoid valves 5

switches and momentary switches 3

**T**

thermostats 3

**W**

washers 13