



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**MALAG**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)







- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## heating elements


### heating elements for ovens

			
<b>GEV No.</b>	418225	<b>Ref. No.</b>	105597 (old)
<b>description</b>	heating element 1000W 230V windings 3 mounting pos. upper		


			
<b>GEV No.</b>	415315	<b>Ref. No.</b>	105597
<b>description</b>	heating element 2000W 230V heating circuits 1 L 327mm W 228mm L1 85mm L2 244mm W1 98mm W2 31mm flange length 71mm flange width 23mm hole distance 56mm hole ø M4mm tube ø 6.3mm connection plug-in connection windings 3 rectangular flange grill setting oven		
<b>accessories for</b>	415315		
	<b>GEV No.</b>	550404	<b>Ref. No.</b> —
power socket I-II phase 240V max. 16A countries I with screw connection for heating element			
	<b>GEV No.</b>	550405	<b>Ref. No.</b> —
power socket male faston 6.3mm for heating element 2-pole + earthing			

### heating elements for bain maries


			
<b>GEV No.</b>	415323	<b>Ref. No.</b>	105619 105643
<b>description</b>	heating element 1600W 230V heating circuits 1 L 383mm W 96mm flange length 45mm flange width 12mm hole distance 36mm tube ø 6.3mm cable length 290mm rectangular flange hole ø M5mm dry heating element L1 14mm L2 369mm W1 72mm W2 24mm		

			
<b>GEV No.</b>	415322	<b>Ref. No.</b>	105627
<b>description</b>	heating element 2600W 230V heating circuits 1 L 468mm W 130mm flange length 45mm flange width 17mm hole distance 36mm connection length 53mm tube ø 6.3mm cable length 200mm rectangular flange thread M5 dry heating element L1 13mm L2 455mm W1 105mm W2 25mm		


### heating elements for fryers


			
<b>GEV No.</b>	418226	<b>Ref. No.</b>	144436
<b>description</b>	heating element 6500W 220V heating circuits 3 L 370mm W 185mm H 255mm L1 90mm L2 280mm W1 39mm W2 107mm H1 343mm H2 27mm windings 9 flange ø 43mm rotation flange cable length 1450mm connection cable immersion heater mounting ø 39mm		
<b>For models:</b>	EF224, FF5-224		

### heating elements for heated cabinets

			
<b>GEV No.</b>	415323	<b>Ref. No.</b>	105619 105643
<b>description</b>	heating element 1600W 230V heating circuits 1 L 383mm W 96mm flange length 45mm flange width 12mm hole distance 36mm tube ø 6.3mm cable length 290mm rectangular flange hole ø M5mm dry heating element L1 14mm L2 369mm W1 72mm W2 24mm		

### heating rods

			
<b>GEV No.</b>	480063	<b>Ref. No.</b>	117994
<b>description</b>	heating rod type E2 450W 220V W 22.5mm heated length 700mm		

			
<b>GEV No.</b>	480064	<b>Ref. No.</b>	117995
<b>description</b>	heating rod type E2 450W 380V W 22.5mm heated length 700mm		

### pilot heating elements






			
<b>GEV No.</b>	415653	<b>Ref. No.</b>	105708
<b>description</b>	heating element 600W 230V heating circuits 1 mounting ø 47.5mm L 280mm W 36mm H 16mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm length thermostat sleeves 220mm number of thermostat sleeves 1 pilot heating element		
<b>spare parts for</b>	415653		
	<b>GEV No.</b>	510408	<b>Ref. No.</b> —
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

Table continues overleaf










<b>accessories for</b>	415653		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	550675	Ref. No. —
	O-ring Viton thickness 6mm ID ø 47mm Qty 1 pcs		




## quartz heating elements





<b>1</b>			
<b>GEV No.</b>	415309	<b>Ref. No.</b>	12050000 (14-01)
<b>description</b>	quartz heating element 400W 230V L 340mm ø 10mm connection plug-in connection		









## immersion heating elements

with round flange ø47.5mm

<b>1</b>			
<b>GEV No.</b>	415581	<b>Ref. No.</b>	105716
<b>description</b>	heating element 3000W 230V heating circuits 3 L 268mm W 36mm H 28mm tube ø 6.3mm connection cable cable length 300mm immersion heater mounting ø 47.5mm		
<b>accessories for</b>	415581		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No.	521012	Ref. No. —
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

<b>1</b>			
<b>GEV No.</b>	415263	<b>Ref. No.</b>	105724
<b>description</b>	heating element 4500W 230V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 46mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve not clinging		
<b>accessories for</b>	415263		
	GEV No.	510408	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		

<b>accessories for</b>	415263		
	GEV No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No.	521012	Ref. No. —
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

<b>1</b>			
<b>GEV No.</b>	415663	<b>Ref. No.</b>	105732
<b>description</b>	heating element 6000W 230V heating circuits 3 mounting ø 47.5mm L 400mm W 40mm H 28mm round flange connection M4 immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 2 length thermostat sleeves 150mm thermostat sleeve not clinging		
<b>spare parts for</b>	415663		
	GEV No.	510408	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
<b>accessories for</b>	415663		
	GEV No.	510408	Ref. No. —
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No.	520236	Ref. No. —
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

## hot plates


square & rectangular

with radiused edge

<b>1</b>			
<b>GEV No.</b>	490065	<b>Ref. No.</b>	161632
<b>description</b>	hot plate dimensions 220x220mm 2000W 230V with spill ring connection 4 screw clamps protector no square		



1



<b>GEV No.</b>	490067	<b>Ref. No.</b>	161634
<b>description</b>	hot plate dimensions 220x220mm 2000W 400V with spill ring connection 4 screw clamps protector no square		
<b>accessories for</b>	490067		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	sealing cord ø 10mm Qty supplied by meter		

1



<b>GEV No.</b>	490057 <sup>1</sup>	<b>Ref. No.</b>	117902
<b>description</b>	hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

1



<b>GEV No.</b>	490066 <sup>1</sup>	<b>Ref. No.</b>	161624
<b>description</b>	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector


1



<b>GEV No.</b>	490071 <sup>1</sup>	<b>Ref. No.</b>	117889
<b>description</b>	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

1



<b>GEV No.</b>	490068 <sup>1</sup>	<b>Ref. No.</b>	161635
<b>description</b>	hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

1



<b>GEV No.</b>	490074 <sup>1</sup>	<b>Ref. No.</b>	117890
<b>description</b>	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

<sup>1</sup>incl. protector

1



<b>GEV No.</b>	490056 <sup>1</sup>	<b>Ref. No.</b>	117897
<b>description</b>	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		


<sup>1</sup>incl. protector

round

with radiused edge


for domestic and commercial kitchens

1



<b>GEV No.</b>	490016	<b>Ref. No.</b>	117854
<b>description</b>	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		






1

<b>GEV No.</b>	490020	<b>Ref. No.</b>	117846
<b>description</b>	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring		
<b>accessories for</b>	490020		
	GEV No.	550796	Ref. No.
	fixing plate for hot plate ø220mm		

with cast brim

with screw connection



1

<b>GEV No.</b>	490106	<b>Ref. No.</b>	HR4067021
<b>description</b>	hot plate ø 400mm 5000W 400V connection 2x 3 screw clamps with cast edge screw bolt H 42mm		



1

<b>GEV No.</b>	375546	<b>Ref. No.</b>	105740
<b>description</b>	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 318°		



1

<b>GEV No.</b>	375709	<b>Ref. No.</b>	172146
<b>description</b>	thermostat t.max. 110°C temperature range 86-110°C 1-pole 1NO 16A probe ø 6mm probe L 265mm capillary pipe 860mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° with disc screw connection M14x1 disc ø 12.5mm		

55.13\_series



1

<b>GEV No.</b>	375710	<b>Ref. No.</b>	105767
<b>description</b>	thermostat t.max. 132°C temperature range fixed 132°C 1-pole 1CO 16A probe ø 6mm probe L 86mm capillary pipe 1150mm capillary pipe isolated 350mm gland nut shaft Lmm shaft position° shaft position rotation° switch-off temp. 132°C probe SS		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19\_series



1

<b>GEV No.</b>	375897	<b>Ref. No.</b>	172154
<b>description</b>	thermostat t.max. 110°C 1-pole 1NC 16A probe ø 6mm probe L 270mm capillary pipe 900mm capillary pipe isolated 750mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270°		



**E-G-O**



1

<b>GEV No.</b>	375012	<b>Ref. No.</b>	143702
<b>description</b>	thermostat t.max. 358°C temperature range 50-358°C 1-pole 1NO 16A probe ø 3.1mm probe L 147mm capillary pipe 1730mm capillary pipe isolated 1100mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>accessories for</b>	375012		
	<b>GEV No.</b>	110247	<b>Ref. No.</b> —
	knob thermostat t.max. 350°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-350°C		

**E-G-O**




1

<b>GEV No.</b>	375101	<b>Ref. No.</b>	105849
<b>description</b>	thermostat t.max. 360°C temperature range 140-360°C 3-pole 3NO 16A probe ø 4mm probe L 292mm capillary pipe 990mm capillary pipe isolated 500mm gland nut shaft L 23mm shaft position upper rotation 318°		

55.34\_ series

**E-G-O**



1


<b>GEV No.</b>	375188	<b>Ref. No.</b>	105813
<b>description</b>	thermostat t.max. 110°C temperature range 30-110°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 1160mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310°		

**E-G-O**



1

<b>GEV No.</b>	375225	<b>Ref. No.</b>	105847
<b>description</b>	thermostat t.max. 400°C temperature range 91-400°C 3-pole 3NO 16A probe ø 3.9mm probe L 308mm capillary pipe 920mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310°		




1

<b>GEV No.</b>	375685	<b>Ref. No.</b>	105783
<b>description</b>	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1180mm capillary pipe isolated 500mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		

safety thermostats

55.31\_ series

**E-G-O**



1

<b>GEV No.</b>	375686	<b>Ref. No.</b>	174963
<b>description</b>	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 219mm capillary pipe 1430mm capillary pipe isolated 1100mm gland nut probe SS		



## switches and momentary switches

## cam switches

## 4-position



1

<b>GEV No.</b>	300103	<b>Ref. No.</b>	106062
<b>description</b>	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection screw ceramic		

## 7-position



1

<b>GEV No.</b>	300025	<b>Ref. No.</b>	106070
<b>description</b>	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection screw 7-position ceramic		

## accessories for 300025




<b>GEV No.</b>	112172	<b>Ref. No.</b>	—
<b>description</b>	knob universal $\varnothing$ 70mm black without adaptor/dial plate		



<b>GEV No.</b>	112213	<b>Ref. No.</b>	—
<b>description</b>	knob dial plate silver switch 7-position t.max.°C ED $\varnothing$ 63mm ID $\varnothing$ 45.5mm		



<b>GEV No.</b>	112311	<b>Ref. No.</b>	—
<b>description</b>	knob adapter shaft $\varnothing$ 6x4.6mm L 0mm with spring		



1

<b>GEV No.</b>	300106	<b>Ref. No.</b>	106072
<b>description</b>	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

## operation switches



1

<b>GEV No.</b>	300006	<b>Ref. No.</b>	143774
<b>description</b>	cam switch changeover switch 16A sequence 0-1-2-3-4-5 shaft $\varnothing$ 6x4.6mm connection male faston 6.3mm 3-pole ambient temperature max. 150°C		

## lamps

## indicator lights

## indicator lights 3-piece (housing, lens and bulb)

## lamps

## neon light bulbs



1

<b>GEV No.</b>	359602	<b>Ref. No.</b>	105473
<b>description</b>	neon light bulb socket E14 230V clear $\varnothing$ 14mm L 30mm		

## screw-on/push-on fit

## neon light bulbs



1

<b>GEV No.</b>	359602	<b>Ref. No.</b>	105473
<b>description</b>	neon light bulb socket E14 230V clear $\varnothing$ 14mm L 30mm		





## solenoid valves

### solenoid valves (water)

metal

BÜRKERT

solenoid valves steam (water)

2-way

0407 series



1

<b>GEV No.</b>	370364	<b>Ref. No.</b>	161363 161373
<b>description</b>	solenoid valve 2-ways 230VAC connection 3/8" L 55mm DN 12mm slide-on receptacle DIN 180°C BÜRKERT type series 0407 membranes PTFE p max 10bar brass		

## pressure switches

### for steam control



1

<b>GEV No.</b>	541022	<b>Ref. No.</b>	161357
<b>description</b>	pressure control steam control pressure connection vertical pressure range adjustable 0.25-4.5bar connection 1/4" pressure connection 1/4" IT		


## gas taps

### PEL

23S/V series



1

<b>GEV No.</b>	101630	<b>Ref. No.</b>	112623
<b>description</b>	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat		
<b>spare parts for</b>	101630		
	<b>GEV No.</b>	100455	<b>Ref. No.</b> —
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5		

<b>spare parts for</b>	101630		
	<b>GEV No.</b>	101059	<b>Ref. No.</b> —
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1		
	<b>GEV No.</b>	102767	<b>Ref. No.</b> —
	gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S		
<b>accessories for</b>	101630		
	<b>GEV No.</b>	100908	<b>Ref. No.</b> —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	<b>GEV No.</b>	100909	<b>Ref. No.</b> —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	<b>GEV No.</b>	100945	<b>Ref. No.</b> —
	roll pin ø 3.2mm L 10mm		
	<b>GEV No.</b>	101218	<b>Ref. No.</b> —
	shaft extension JUNKERS		
	<b>GEV No.</b>	101219	<b>Ref. No.</b> —
	shaft extension L 25mm JUNKERS		
	<b>GEV No.</b>	101246	<b>Ref. No.</b> —
	olive for pipe ø 4mm Qty 1 pcs		
	<b>GEV No.</b>	101286	<b>Ref. No.</b> —
	olive ID ø 6mm Qty 1 pcs		
	<b>GEV No.</b>	110064	<b>Ref. No.</b> —
	knob		
	<b>GEV No.</b>	110066	<b>Ref. No.</b> —
	knob screw		
	<b>GEV No.</b>	550396	<b>Ref. No.</b> —
	shaft extension L 25mm JUNKERS		

## alternatives to EGA

GPEL22 series

with nozzle outlet



1



<b>GEV No.</b>	101662	<b>Ref. No.</b>	N/A
<b>description</b>	gas tap alternatives to EGA type GPEL22D with nozzle outlet (with nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ø 2.1mm internal nozzle ø 1mm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 6.5x9mm shaft L 34/15mm shaft flat upper and bottom		
<b>spare parts for</b>	101662		
	<b>GEV No.</b>	100259	<b>Ref. No.</b> —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		

Table continues overleaf

<b>spare parts for</b> 101662				
	GEV No.	100338	Ref. No.	—
gas injector thread M15x1 bore ø 2.10mm WS 17				
	GEV No.	100343	Ref. No.	—
internal nozzle bore ø 1mm type EGA/PEL22				
	GEV No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100927	Ref. No.	—
torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm				
	GEV No.	101058	Ref. No.	162589
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	GEV No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	GEV No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	GEV No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	GEV No.	101527	Ref. No.	—
O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs				
	GEV No.	101594	Ref. No.	—
adjusting screw for internal nozzle thread M10x0.75				
	GEV No.	101821	Ref. No.	—
gas tap front part shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper/ lower suitable for PEL22				
<b>accessories for</b> 101662				
	GEV No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	100944	Ref. No.	—
union nut thread M18x1.5 for pipe ø 12mm				
	GEV No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	GEV No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	GEV No.	110217	Ref. No.	179922
knob gas tap with ignition flame ø 64mm shaft ø 9x7mm shaft flat horizontal black				

				
1				
<b>GEV No.</b>	101764	<b>Ref. No.</b>	112721 112722	
<b>description</b>	gas tap alternatives to EGA type PEL22S with nozzle outlet (with nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ø 1.6mm internal nozzle ø 1mm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper and bottom			
<b>spare parts for</b> 101764				
	GEV No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	GEV No.	100337	Ref. No.	—
gas injector thread M15x1 bore ø 1.60mm WS 17				
	GEV No.	100343	Ref. No.	—
internal nozzle bore ø 1mm type EGA/PEL22				
	GEV No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100927	Ref. No.	—
torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm				
	GEV No.	101058	Ref. No.	162589
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	GEV No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	GEV No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	GEV No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	GEV No.	101527	Ref. No.	—
O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs				
	GEV No.	101594	Ref. No.	—
adjusting screw for internal nozzle thread M10x0.75				
	GEV No.	101821	Ref. No.	—
gas tap front part shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper/ lower suitable for PEL22				
<b>accessories for</b> 101764				
	GEV No.	100944	Ref. No.	—
union nut thread M18x1.5 for pipe ø 12mm				
	GEV No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	GEV No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				

Table continues overleaf


<b>accessories for</b> 101764			
	GEV No.	101909	Ref. No. —
gas tap type PEL22S			




<b>GEV No.</b>	101624	<b>Ref. No.</b>	112721 old version 112722 old version
----------------	--------	-----------------	--

<b>description</b>	gas tap alternatives to EGA type PEL22S with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper and bottom		
--------------------	---	--	--

<b>spare parts for</b>	101624		
------------------------	--------	--	--

	GEV No.	100259	Ref. No. —
---	---------	--------	------------


bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5

	GEV No.	100927	Ref. No. —
---	---------	--------	------------


torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm

	GEV No.	101058	Ref. No. 162589
--	---------	--------	-----------------


magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard

	GEV No.	101230	Ref. No. —
---	---------	--------	------------


thermocouple nut T1: M8x1 T2: M18x1 aluminium

	GEV No.	101460	Ref. No. —
---	---------	--------	------------


O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22

	GEV No.	101527	Ref. No. —
---	---------	--------	------------

O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs


	GEV No.	101594	Ref. No. —
---	---------	--------	------------

adjusting screw for internal nozzle thread M10x0.75

	GEV No.	101821	Ref. No. —
---	---------	--------	------------

gas tap front part shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper/ lower suitable for PEL22

<b>accessories for</b>	101624		
------------------------	--------	--	--

	GEV No.	100908	Ref. No. —
---	---------	--------	------------

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

	GEV No.	100909	Ref. No. —
---	---------	--------	------------


union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

	GEV No.	100944	Ref. No. —
---	---------	--------	------------


union nut thread M18x1.5 for pipe ø 12mm

	GEV No.	101246	Ref. No. —
---	---------	--------	------------


olive for pipe ø 4mm Qty 1 pcs

	GEV No.	101273	Ref. No. —
---	---------	--------	------------

olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal

	GEV No.	101286	Ref. No. —
---	---------	--------	------------

olive ID ø 6mm Qty 1 pcs

<b>accessories for</b> 101624			
	GEV No.	110217	Ref. No. 179922
knob gas tap with ignition flame ø 64mm shaft ø 9x7mm shaft flat horizontal black			


### alternatives to JUNKERS



<b>GEV No.</b>	101630	<b>Ref. No.</b>	112623
----------------	--------	-----------------	--------

<b>description</b>	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat		
--------------------	--	--	--


<b>spare parts for</b>	101630		
------------------------	--------	--	--

	GEV No.	100455	Ref. No. —
---	---------	--------	------------

bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5


	GEV No.	101059	Ref. No. —
---	---------	--------	------------

magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1


	GEV No.	102767	Ref. No. —
--	---------	--------	------------

gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S


<b>accessories for</b>	101630		
------------------------	--------	--	--

	GEV No.	100908	Ref. No. —
---	---------	--------	------------


union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

	GEV No.	100909	Ref. No. —
---	---------	--------	------------


union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

	GEV No.	100945	Ref. No. —
---	---------	--------	------------

roll pin ø 3.2mm L 10mm

	GEV No.	101218	Ref. No. —
---	---------	--------	------------

shaft extension JUNKERS

	GEV No.	101219	Ref. No. —
---	---------	--------	------------


shaft extension L 25mm JUNKERS

	GEV No.	101246	Ref. No. —
---	---------	--------	------------

olive for pipe ø 4mm Qty 1 pcs

	GEV No.	101286	Ref. No. —
---	---------	--------	------------

olive ID ø 6mm Qty 1 pcs

	GEV No.	110064	Ref. No. —
---	---------	--------	------------

knob

	GEV No.	110066	Ref. No. —
---	---------	--------	------------

knob screw

	GEV No.	550396	Ref. No. —
---	---------	--------	------------

shaft extension L 25mm JUNKERS




# ignition parts

## pilot burners

### JUNKERS

#### CB 502 series

##### pilot burners



<b>GEV No.</b>	100085	<b>Ref. No.</b>	112569
----------------	--------	-----------------	--------

**description** pilot burner JUNKERS type CB502031 natural gas nozzle no.6 gas connection 6mm with primary air

**For models:** GK8-40

**spare parts for** 100085

	GEV No.	100227	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_				
	GEV No.	100704	Ref. No.	112414
ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 17mm L2 17mm BL1 13mm BL2 4mm BL3 22mm				
	GEV No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	GEV No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	GEV No.	101292	Ref. No.	—
union screw for igniter suitable for CB 502/505 Qty 1 pcs				
	GEV No.	101295	Ref. No.	—
clamping collet for thermocouple suitable for CB 502/505 Qty 1 pcs				

**accessories for** 100085

	GEV No.	100220	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_				
	GEV No.	100221	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 29 Qty 1 pcs suitable for JUNKERS CB50203_				
	GEV No.	100222	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_				
	GEV No.	100223	Ref. No.	—
pilot burner nozzle natural gas gas pressure 20mbar code 3 Qty 1 pcs suitable for JUNKERS CB503_				
	GEV No.	100224	Ref. No.	—
pilot burner nozzle natural gas gas pressure 25mbar code 26 Qty 1 pcs suitable for JUNKERS CB503_				
	GEV No.	100225	Ref. No.	—
pilot burner nozzle LPG gas pressure 30mbar code 39 Qty 1 pcs suitable for JUNKERS CB503_				
	GEV No.	100226	Ref. No.	—
pilot burner nozzle LPG gas pressure 50mbar code 15 suitable for JUNKERS				

<b>accessories for</b>	100085			
	GEV No.	100228	Ref. No.	—
pilot burner nozzle town gas gas pressure 8mbar code 4 Qty 1 pcs suitable for JUNKERS CB50203_				
	GEV No.	101281	Ref. No.	—
olive for pipe ø 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503				
	GEV No.	101283	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				

### CB 505 series

#### pilot burners



<b>GEV No.</b>	100180	<b>Ref. No.</b>	172317
----------------	--------	-----------------	--------

**description** pilot burner JUNKERS type 7749505104



<b>GEV No.</b>	100134	<b>Ref. No.</b>	172316
----------------	--------	-----------------	--------

**description** pilot burner JUNKERS type CB505101 natural gas nozzle no.45 gas connection 4mm no primary air

**spare parts for** 100134





	GEV No.	100213	Ref. No.	—
pilot burner nozzle natural gas code 45 gas pressure 20mbar L 16mm Qty 1 pcs suitable for JUNKERS CB5051_				
	GEV No.	100702	Ref. No.	—
ignition electrode D1 ø 9mm D2 ø 11mm L1 13mm L2 4mm BL1 13mm BL2 4mm BL3 22mm to clip connection ø 4mm				
	GEV No.	100802	Ref. No.	—
gasket for pilot burner				
	GEV No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs				
	GEV No.	101283	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	101292	Ref. No.	—
union screw for igniter suitable for CB 502/505 Qty 1 pcs				
	GEV No.	101295	Ref. No.	—
clamping collet for thermocouple suitable for CB 502/505 Qty 1 pcs				

**accessories for** 100134

	GEV No.	100210	Ref. No.	—
pilot burner nozzle LPG code 46 gas pressure 30mbar L 16mm Qty 1 pcs suitable for JUNKERS CB5051_				

Table continues overleaf




accessories for		100134	
GEV No.	100211	Ref. No.	—
	pilot burner nozzle natural gas code 44 gas pressure 25mbar L 16mm Qty 1 pcs suitable for JUNKERS CB5051_		
GEV No.	100212	Ref. No.	—
	pilot burner nozzle LPG code 42 gas pressure 50mbar L 16mm Qty 1 pcs suitable for JUNKERS CB5051_		
GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
GEV No.	101288	Ref. No.	—
	olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm		


producer-specific pilot burners

MALAG

AG\_ / AGE\_ series


			
1			
GEV No.	107473	Ref. No.	-
description	pilot burner natural/liquid gas complete		

electrodes

			
1			
GEV No.	100704	Ref. No.	112414
description	ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 17mm L2 17mm BL1 13mm BL2 4mm BL3 22mm		

piezoelectric igniters

miscellaneous

			
1			
GEV No.	nla <sup>1</sup>	Ref. No.	112607
description	piezoelectric igniter body metal connection F6.3x0.8 2 hole fixing ø 22mm		

<sup>1</sup>no longer available


thermocouples

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1

type Junkers with aluminised tip

			
1			
GEV No.	102234	Ref. No.	112402
description	thermocouple M10x1 L 320mm M8x1		
For models:	GK8-40		


gas burners

hob burners

producer-specific hob burners

MALAG


universal


			
Image not available			
1			
GEV No.	105796	Ref. No.	112275
description	burner 3.8kW complete		








			
1			
<b>GEV No.</b>	105801	<b>Ref. No.</b>	112267
<b>description</b>	burner 5.8kW complete		
<b>spare parts for</b>	105801		
	<b>GEV No.</b>	105797	<b>Ref. No.</b> 112224
	burner cap ø 104mm 5.8kW with central hole hole ø 39mm		
	<b>GEV No.</b>	105798	<b>Ref. No.</b> 177776
	burner ring 5.8kW small		
	<b>GEV No.</b>	105799	<b>Ref. No.</b> 177806
	burner ring 5.8kW large		
	<b>GEV No.</b>	105801	<b>Ref. No.</b> 112267
	burner 5.8kW complete		


			
1			
<b>GEV No.</b>	106653	<b>Ref. No.</b>	112232
<b>description</b>	burner cap 3.7kW complete		


			
1			
<b>GEV No.</b>	105797	<b>Ref. No.</b>	112224
<b>description</b>	burner cap ø 104mm 5.8kW with central hole hole ø 39mm		


			
1			
<b>GEV No.</b>	105795	<b>Ref. No.</b>	199992
<b>description</b>	burner head 3.7kW		

			
1			
<b>GEV No.</b>	105800	<b>Ref. No.</b>	199992 old version
<b>description</b>	burner head 5.8kW		

			
1			
<b>GEV No.</b>	105794	<b>Ref. No.</b>	177792
<b>description</b>	burner ring 3.7kW large		

			
1			
<b>GEV No.</b>	105793	<b>Ref. No.</b>	177768
<b>description</b>	burner ring 3.7kW small		


			
1			
<b>GEV No.</b>	105799	<b>Ref. No.</b>	177806
<b>description</b>	burner ring 5.8kW large		


			
1			
<b>GEV No.</b>	105798	<b>Ref. No.</b>	177776
<b>description</b>	burner ring 5.8kW small		

## gas nozzles

### pilot burner nozzles

#### pilot burner nozzles EGA

			
1			
<b>GEV No.</b>	100214	<b>Ref. No.</b>	112534
<b>description</b>	pilot burner nozzle LPG bore ø 0.16mm Qty 1 pcs		




			
1			
<b>GEV No.</b>	100215	<b>Ref. No.</b>	162558
<b>description</b>	pilot burner nozzle natural gas bore ø 0.28mm Qty 1 pcs		

## auxiliary gas parts

### gas lines

#### pilot tubes

##### universal


			
1			
<b>GEV No.</b>	102110	<b>Ref. No.</b>	112488
<b>description</b>	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
<b>accessories for</b>	102110		
	<b>GEV No.</b>	100908	<b>Ref. No.</b> —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	<b>GEV No.</b>	101246	<b>Ref. No.</b> —
	olive for pipe ø 4mm Qty 1 pcs		



knobs


producer-specific knobs

MALAG




1

<b>GEV No.</b>	110217	<b>Ref. No.</b>	179922
<b>description</b>	knob gas tap with ignition flame ø 64mm shaft ø 9x7mm shaft flat horizontal black		




1

<b>GEV No.</b>	110218	<b>Ref. No.</b>	1004243,179930
<b>description</b>	knob gas thermostat 1-8 ø 64mm shaft ø 9x7mm shaft flat horizontal		




1

<b>GEV No.</b>	110210	<b>Ref. No.</b>	144216
<b>description</b>	knob switch 0-1-0-1 ø 64mm shaft ø 6x4.6mm shaft flat lower black		




1

<b>GEV No.</b>	110211	<b>Ref. No.</b>	144452
<b>description</b>	knob switch 4-position ø 64mm shaft ø 6x4.6mm shaft flat lower black		




1

<b>GEV No.</b>	110212	<b>Ref. No.</b>	143871
<b>description</b>	knob switch 7-position ø 64mm shaft ø 6x4.6mm shaft flat lower black		




1

<b>GEV No.</b>	110213	<b>Ref. No.</b>	106100
<b>description</b>	knob thermostat t.max. 110°C ø 64mm shaft ø 6x4.6mm shaft flat lower black temperature range 30-110°C		




1

<b>GEV No.</b>	110215	<b>Ref. No.</b>	106128
<b>description</b>	knob thermostat t.max. 250°C ø 64mm shaft ø 6x4.6mm shaft flat lower black temperature range 50-250°C rotation 270° thermostat		



1

<b>GEV No.</b>	110214	<b>Ref. No.</b>	106119 144208
<b>description</b>	knob thermostat t.max. 300°C ø 64mm shaft ø 6x4.6mm shaft flat lower black temperature range 50-300°C thermostat		



1

<b>GEV No.</b>	110216	<b>Ref. No.</b>	106135
<b>description</b>	knob thermostat t.max. 370°C ø 64mm shaft ø 6x4.6mm shaft flat lower black temperature range 130-370°C		

## hinges

### oven hinges




1

<b>GEV No.</b>	700898 <sup>1</sup>	<b>Ref. No.</b>	143928
<b>description</b>	oven hinge mounting distance 118mm lug mounting 12mm lever length 113mm groove distance 6mm spring thickness 3.5mm mounting ear position left/right spring length 55mm L 155mm W 22mm with opposite support		

<sup>1</sup>with opposite support

## fittings for catering equipment

### aerators and air bleeders



1

<b>GEV No.</b>	540013	<b>Ref. No.</b>	114405
<b>description</b>	aerator and air bleeder thread 3/8" ET WS 27 chrome-plated L 86mm		

**spare parts for** 540013

	<b>GEV No.</b>	112777	<b>Ref. No.</b>	—
	star handle shaft 6x6mm ø 50mm L 18mm black plastic			

	<b>GEV No.</b>	540365	<b>Ref. No.</b>	—
	star handle shaft 6x6mm ø 50mm L 18mm black thermoplastic			



1

<b>GEV No.</b>	540011	<b>Ref. No.</b>	113905
<b>description</b>	aerator and air bleeder thread 1/2" ET chrome-plated brass metal seated L 42mm ø 26mm		




1

<b>GEV No.</b>	540010	<b>Ref. No.</b>	113891
<b>description</b>	aerator and air bleeder thread 3/8" ET WS 22 chrome-plated metal seated L 22mm		

## test taps

### test taps



1

<b>GEV No.</b>	540079	<b>Ref. No.</b>	114227
<b>description</b>	funnel thread 1/2" IT W 90mm W1 60mm		

## baskets

### fryer baskets

#### MALAG



1

<b>GEV No.</b>	970436	<b>Ref. No.</b>	113123
<b>description</b>	fryer basket L1 320mm W1 160mm H1 165mm		



1

<b>GEV No.</b>	970437	<b>Ref. No.</b>	113131
<b>description</b>	fryer basket L1 380mm W1 320mm H1 180mm		



## springs

### tension springs



<b>GEV No.</b>	700897	<b>Ref. No.</b>	144517
<b>description</b>	tension spring $\varnothing$ 18mm total length 164mm wire gauge $\varnothing$ 2mm L1 17mm L2 130mm L3 17mm		





**C**

cam switches	8
control thermostats	6

**G**

gas burners	13
gas lines	14
gas nozzles	14
gas taps	9

**H**

heating elements	3
heating elements for bain maries	3
heating elements for fryers	3
heating elements for heated cabinets	3
heating elements for ovens	3
heating rods	3
hob burners	13
hot plates	4

**I**

immersion heating elements	4
indicator lights	8

**L**

lamps	8
-------	---

**N**

neon light bulbs	8, 8
------------------	------

**O**

oven hinges	16
-------------	----

**P**

piezoelectric igniters	13
pilot burners	12
pilot heating elements	3
pressure switches	9

**Q**

quartz heating elements	4
-------------------------	---

**S**

safety thermostats	7
solenoid valves	9
switches and momentary switches	8

**T**

thermocouples	13
thermostats	6