



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

MORICE

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com














- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




heating elements

heating elements for ovens

			
GEV No.	418453	Ref. No.	RS0889
description	heating element 1150W 230V heating circuits 1 L 735mm W 128mm L1 75mm L2 660mm thread M12x1 mounting distance 119mm tube ø 8.6mm connection length 36mm 2 hole fixing connection M4 dry heating element		
accessories for	418453		
	GEV No.	511508	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		
	GEV No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	GEV No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		
	GEV No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs		


			
GEV No.	420004	Ref. No.	RS0886
description	heating element 666W 230V heating circuits 1 L 345mm W 115mm L1 70mm L2 273mm thread M12x1 mounting distance 104mm tube ø 8.8mm 2 hole fixing connection M4 dry heating element		
accessories for	420004		
	GEV No.	511508	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		
	GEV No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	GEV No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		


			
GEV No.	420003	Ref. No.	RS0888
description	heating element 800W 230V heating circuits 1 L 545mm W 110mm L1 80mm L2 263mm thread M12x1 mounting distance 102mm tube ø 8.5mm 2 hole fixing connection grip connection dry heating element		

heating elements for bain maries

			
GEV No.	420012	Ref. No.	RS0905
description	heating element 850W 230V heating circuits 1 L 420mm W 40mm connection M5 tube ø 6.5mm 2 hole fixing thread M12x1 immersion heater mounting distance 34mm		
accessories for	420012		
	GEV No.	511508	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs		
	GEV No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		
	GEV No.	521110	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs		
	GEV No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		

heating elements for frying pans

			
GEV No.	419118	Ref. No.	RS0878
description	heating element 2400W 230V heating circuits 1 L 365mm W 200mm connection M4 tube ø 10mm dry heating element for frying pan H 98mm connection distance 70mm		

			
GEV No.	420258	Ref. No.	RS0960
description	heating element 5500W 230V heating circuits 1 L 560mm W 185mm connection M4 tube ø 10mm dry heating element for frying pan H 48mm connection distance 170mm		



heating elements for fryers



GEV No.	419123	Ref. No.	RS0863 RS0965 RS965
description	heating element 1100W 230V heating circuits 1 L 323mm W 9mm H 255mm rectangular flange connection M4 dry heating element H1 208mm H2 47mm tube ø 6.5mm		

heating elements for griddles



GEV No.	420010	Ref. No.	RS0911
description	heating element 1200W 230V heating circuits 1 L 400mm W 70mm tube ø 6.3mm 2 hole fixing connection M4 mounting distance 64mm gril dry heating element		



GEV No.	420008	Ref. No.	RS0856
description	heating element 2000W 230V heating circuits 1 L 535mm W 90mm H 74mm tube ø 10mm W1 13mm W2 56mm connection M4 griddle connection distance 46mm dry heating element		



GEV No.	420009	Ref. No.	RS0864
description	heating element 2250W 230V heating circuits 1 L 590mm W 110mm tube ø 6.5mm 2 hole fixing connection M4 thread M12x1 mounting distance 104mm gril dry heating element		

accessories for 420009

	GEV No.	511508	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 10 pcs			
	GEV No.	520229	Ref. No.	—
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs			
	GEV No.	521110	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs			
	GEV No.	521131	Ref. No.	—
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs			

heating elements for tilting bratt pan



GEV No.	420256	Ref. No.	RS0909
description	heating element 1000W 230V L 460mm W 100mm H 64mm connection M4 dry heating element heating circuits 1 tube ø 6.3mm 2 hole fixing connection distance 94mm		



GEV No.	420257	Ref. No.	RS0898
description	heating element 2000W 230V L 445mm W 100mm H 72mm connection M4 dry heating element tube ø 10mm W1 8mm W2 81mm 2 hole fixing connection distance 71mm		

heating elements for pasta cookers



GEV No.	420214	Ref. No.	RS0935
description	heating element 5000W 240V heating circuits 3 L 375mm W 57mm H 59mm flange tube ø 6.5mm thermostat sleeves ø 7mm length thermostat sleeves 200mm mounting ø 96mm number of thermostat sleeves 1 for pasta cooker thermostat sleeve eccentric, non clinging immersion heater		

heating elements for pizza ovens




GEV No.	420260	Ref. No.	RS0921
description	heating element 400W 230V L 640mm W 49mm thread M12x1 mounting distance 42mm connection M4 tube ø 6.5mm heating circuits 1 dry heating element 2 hole fixing for pizza oven		




GEV No.	418456	Ref. No.	RS0922
description	heating element 650W 230V L 707mm W 80mm thread 1/4" mounting distance 68mm connection length 22mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		





accessories for 418456


	GEV No.	361182	Ref. No.	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	GEV No.	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	GEV No.	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	GEV No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

GEV No.	419120	Ref. No.	RS0927
description	heating element 650W 400V L 700mm W 73mm thread M12x1 mounting distance 65mm connection M4 tube ø 8mm heating circuits 1 dry heating element pizza oven		








GEV No.	418455	Ref. No.	RS0923
description	heating element 750W 230V heating circuits 1 L 937mm W 80mm thread 1/4" mounting distance 72mm tube ø 8.5mm dry heating element 2 hole fixing connection length 34mm		
accessories for	418455		
	GEV No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		




GEV No.	419121	Ref. No.	RS0928
description	heating element 750W 400V L 930mm W 73mm thread M12x1 mounting distance 65mm connection M4 tube ø 8mm heating circuits 1 dry heating element 2 hole fixing pizza oven		

heating elements for salamanders/toast-




GEV No.	420011	Ref. No.	RS0867
description	heating element 2000W 230V L 385mm W 210mm 2 hole fixing thread M10x1 mounting distance 200mm connection M5 dry heating element tube ø 6.3mm heating circuits 1		
accessories for	420011		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521129	Ref. No. —
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		
	GEV No.	532049	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 10 pcs		




GEV No.	419126	Ref. No.	RS0920
description	heating element 2000W 400V heating circuits 1 L 340mm W 205mm H 45mm thread M12x1 mounting distance 197mm tube ø 8mm connection M4 2 hole fixing dry heating element salamander grill		

heating rods




GEV No.	418459	Ref. No.	RS0859
description	heating element 1000W 240V connection M5 L 630mm W 38mm H 8mm hole distance 650mm hole ø 8mm		

coil heating elements



GEV No.	418395	Ref. No.	RS0881 RS0969
description	heating element 1000W 230V L 513mm W 50mm H 25mm tube ø 8.5mm thread M14x1 connection M4 connection length 18mm dry heating element heating circuits 1 2 hole fixing		
accessories for	418395		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		










GEV No.	418396	Ref. No.	RS0892
description	heating element 1500W 230V L 765mm W 50mm H 25mm tube ø 8.5mm thread M14x1.5 connection 1/8" connection length 20mm dry heating element heating circuits 1 2 hole fixing		
accessories for	418396		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		


Table continues overleaf





accessories for	418396		
	GEV No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ϕ 20mm ID ϕ 14mm thickness 2mm		

1 	GEV No.	418393	Ref. No.	RS0880
description	heating element 500W 230V L 305mm W 50mm H 25mm tube ϕ 8.5mm thread M14x1.5 connection M4 dry heating element heating circuits 1 2 hole fixing			

spare parts for	418393		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ϕ 20mm ID ϕ 14mm thickness 2mm Qty 1 pcs		

accessories for	418393		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ϕ 15.3mm ED ϕ 24mm steel Qty 1 pcs for thread M14		


	GEV No.	520230	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs		


	GEV No.	521101	Ref. No. —
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs		


	GEV No.	550262	Ref. No. —
	flat gasket copper ED ϕ 20mm ID ϕ 14mm thickness 2mm		


immersion heating elements

3 hole flange ϕ 57.5mm


1 	GEV No.	415021	Ref. No.	RS0963
description	heating element 6000W 230V mounting ϕ 57.5mm heating circuits 3 L 343mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ϕ 7mm length thermostat sleeves 294mm thermostat sleeve not clinging tube ϕ 8.5mm hole distance 72mm hole ϕ 8mm connection M5 3 hole flange			


spare parts for	415021		
	GEV No.	510409	Ref. No. DM0578
	O-ring EPDM thickness 5.34mm ID ϕ 56.52mm Qty 1 pcs		


accessories for	415021		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ϕ 6.5mm for heating element		




1	GEV No.	419127	Ref. No.	RS0961
description	heating element 7000W 230/400V mounting ϕ 57.5mm heating circuits 3 L 340mm W 32mm H 53mm number of thermostat sleeves 1 thermostat sleeves ϕ 8.5mm length thermostat sleeves 268mm thermostat sleeve eccentric, non clinging tube ϕ 7.8mm hole distance 74mm hole ϕ 8mm connection M4 3 hole flange immersion heater			


1 	GEV No.	419119	Ref. No.	RS0890
description	heating element 1950W 230V heating circuits 1 L 460mm W 106mm thread M12x1 tube ϕ 6.5mm connection M4 dry heating element 2 hole fixing connection length 25mm thermostat sleeves ϕ 5.6mm length thermostat sleeves 255mm number of thermostat sleeves 1 thermostat sleeve clinging			


1 	GEV No.	418454	Ref. No.	RS0884
description	heating element 1950W 230V heating circuits 1 L 462mm W 107mm thread M12x1 tube ϕ 6.7mm connection M5 immersion heater 2 hole fixing connection length 27mm			

accessories for	418454		
	GEV No.	520229	Ref. No. —
	nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs		

	GEV No.	521110	Ref. No. —
	flat gasket fibre ED ϕ 20mm ID ϕ 13mm thickness 2mm Qty 1 pcs		


	GEV No.	521131	Ref. No. —
	nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs		

	GEV No.	528110	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ϕ 12.37mm Qty 1 pcs		





1	GEV No.	420255	Ref. No.	RS0908
description	heating element 2600W 230V heating circuits 1 L 435mm W 225mm H 23mm thread M12x1 mounting distance 219mm tube ϕ 6.3mm connection M4 immersion heater 2 hole fixing			




			
GEV No.	418446	Ref. No.	RS0905
description	heating element 900W 230V heating circuits 1 L 420mm W 45mm thread M12x1 mounting distance 36mm tube ø 8.5mm 2 hole fixing immersion heater		

heating elements for convection


 <p>Image not available</p>			
GEV No.	420006	Ref. No.	RS0933
description	heating element 6000W 230V ED ø 315mm		

			
GEV No.	420007	Ref. No.	RS0930
description	heating element 7500W 230V heating circuits 3 ID ø 300mm L 460mm H 57mm L1 148mm W1 32mm flange length 120mm flange width 72mm hole distance 100mm ED ø 312mm connection M4 tube ø 6.6mm convection heating element hole ø 7mm rectangular flange		

 <p>Image not available</p>			
GEV No.	420005	Ref. No.	RS0950
description	heating element 9000W 230V		

radiation heaters


square

			
GEV No.	490008	Ref. No.	DE0253
description	radiation heater L 300mm W 300mm 4000W 400V heating circuits 2 connections 3 square connection type male faston 6.3mm without pan detection EGO		
spare parts for	490008		
GEV No.	499157	Ref. No.	—
description	protection pipe for temperature probe ceramic L 297mm ED ø 7mm ID ø 5mm		

accessories

sealing washers

O-rings

			
GEV No.	510409	Ref. No.	DM0578
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

hot plates

square & rectangular

with radiused edge

			
GEV No.	490068 ¹	Ref. No.	PQ0887
description	hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector

			
GEV No.	490071 ¹	Ref. No.	052199
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector


			
GEV No.	490074 ¹	Ref. No.	PQ0786
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

¹incl. protector




with cast edge

with screw connection




GEV No.	490161	Ref. No.	PQ0889
description	hot plate dimensions 300x300mm 4000W 400V with cast edge H 42mm connection 4 screw clamps		

tiltable



GEV No.	490089	Ref. No.	PQ0839
description	hot plate dimensions 300x300mm 4000W 230V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		



GEV No.	490090	Ref. No.	PQ0840
description	hot plate dimensions 300x300mm 4000W 400V with cast edge tilt boiling plate connection 4 screw clamps H 43mm square		

round

with radiused edge

for domestic and commercial kitchens



GEV No.	490016	Ref. No.	PQ0781
description	hot plate ø 180mm 2000W 230V connection 4 screw clamps with 8mm spill ring		

1			
GEV No.	490017	Ref. No.	PQ0782
description	hot plate ø 180mm 2000W 400V connection 4 screw clamps with 8mm spill ring		

1				
GEV No.	490020	Ref. No.	PQ0783	
description	hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring			
accessories for	490020			
	GEV No.	550796	Ref. No.	—
	fixing plate for hot plate ø220mm			

1			
GEV No.	490021	Ref. No.	PQ0784
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		

energy regulators

EGO



1-circuit

1			
GEV No.	380015	Ref. No.	DE0952
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

1			
GEV No.	380013	Ref. No.	DE0953
description	energy regulator 400V 7A single-circuit turn direction right shaft ø 6x4.6mm mounting thread M4 no. 50.57031.010		



DIAMOND

			
1			
GEV No.	380039	Ref. No.	DE0426
description	energy regulator 400V 13.5A turn direction right shaft ø 6x4.6mm mounting thread 3/8"-24UNF equiv. no. 35ERE104400V		
accessories for	380039		
	GEV No.	361181	Ref. No. —
	nut thread 1/8" H 4.5mm nickel-plated brass WS 14 Qty 1 pcs		

accessories


knobs

			
1			
GEV No.	110075	Ref. No.	DE0951
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
accessories for	110075		
	GEV No.	110135	Ref. No. TH1067
	rosette knob up to ø 52mm		


thermostats

bi-metal thermostats

safety bi-metal thermostats

			
1			
GEV No.	375751	Ref. No.	DE0450
description	bi-metal safety thermostat hole distance 23.5mm switch-off temp. 85°C 1NC 1-pole 16A connection F6.3 2 hole fixing		

bi-metal thermostats

			
1			
GEV No.	390825	Ref. No.	DE0670
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 45°C 1NO 1-poleA 230V connection F6.3		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

			
1			
GEV No.	375001	Ref. No.	TH1081
description	thermostat t.max. 112°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolatedmm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		

			
1			
GEV No.	375468	Ref. No.	TH1112 TH112
description	thermostat t.max. 180°C temperature range 80-180°C 1-pole 1NO 16A probe ø 6mm probe L 135mm capillary pipe 900mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

			
1			
GEV No.	376054	Ref. No.	FT4040
description	thermostat t.max. 200°C temperature range 65-200°C 1CO 6.3A probe ø 6mm probe L 78mm capillary pipe 900mm capillary pipe isolatedmm gland nut M12 shaft ø 6x4.6mm shaft L 23mm rotation 270° probe material SS screw connection M9x1 disc ø 7.7mm		
accessories for	376054		
	GEV No.	110121	Ref. No. —
	knob thermostat t.max. 200°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 60-200°C rotation 270°		
	GEV No.	110135	Ref. No. TH1067
	rosette knob up to ø 52mm		



GEV No.	390824	Ref. No.	TH1123
description	thermostat t.max. 60°C temperature range fixed 60°C 1-pole 1NO 16A probe ø 6mm probe L 134mm capillary pipe 1800mm capillary pipe isolatedmm gland nut shaft Lmm shaft position° shaft position rotation°		

55.13_series




GEV No.	375705	Ref. No.	TH0117
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 1430mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	375460	Ref. No.	TH0111
description	thermostat t.max. 255°C temperature range 55-255°C 1-pole 1NO 16A probe ø 3.1mm probe L 201mm capillary pipe 1170mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper		

55.34_series



GEV No.	375143	Ref. No.	TH1084
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	390055	Ref. No.	TH1084
description	thermostat t.max. 160°C temperature range 66-160°C 3-pole 3NO 16A probe ø 8mm probe L 115mm capillary pipe 800mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° with disc probe thread M14x1 disc ø 12.5mm		



GEV No.	375043	Ref. No.	TH1079
description	thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 880mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	375417	Ref. No.	TH1079
description	thermostat t.max. 200°C temperature range 65-200°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 840mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm rotation 270°		



GEV No.	375038	Ref. No.	TH1086
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	GEV No.	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		



GEV No.	375026	Ref. No.	TH1088
description	thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 77mm capillary pipe 2430mm capillary pipe isolated 1100mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



GEV No.	390038	Ref. No.	DE1237
description	thermostat t.max. 90°C temperature range 30-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft Lmm		

safety thermostats

55.13_ series



GEV No.	375214	Ref. No.	TH1290
description	safety thermostat switch-off temp. 140°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 1540mm capillary pipe isolated 1350mm gland nut probe SS		




GEV No.	375619	Ref. No.	TH1120
description	safety thermostat switch-off temp. 220°C 1-pole 1NO 16A probe ø 6mm probe L 77mm capillary pipe 830mm capillary pipe isolatedmm gland nut M9x1 probe		

55.32_ series



GEV No.	375290	Ref. No.	TH1087
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut probe SS		



GEV No.	375704	Ref. No.	TH1087
description	safety thermostat switch-off temp. 240°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 600mm gland nut probe SS		



GEV No.	375706	Ref. No.	TH1122
description	safety thermostat switch-off temp. 400°C 3-pole 3NC 20A probe ø 3.9mm probe L 228mm capillary pipe 1190mm capillary pipe isolatedmm gland nut probe SS		

55.33_ series




GEV No.	375467	Ref. No.	TH0118
description	safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 75mm capillary pipe 1500mm capillary pipe isolatedmm gland nut M9x1 probe SS		




GEV No.	375985	Ref. No.	TH0108
description	safety thermostat switch-off temp. 230°C 3-pole 1NC probe ø 6mm probe L 75mm capillary pipe 1780mm capillary pipe isolatedmm gland nut M12x0.75 starting temperature 16°C probe screw connection M10x0.75		

control thermostats with operation switch


55.10/19_ series



GEV No.	390039	Ref. No.	DE0426
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		

accessories for	390039			
	GEV No.	111934	Ref. No.	—
	knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°			

55.34_ series



GEV No.	375246	Ref. No.	DE0254
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

accessories

connecting bows



GEV No.	550059	Ref. No.	DM0348
description	connecting bow short for switch Qty 1 pcs		



switches and momentary switches

rocker/momentary rocker switches

30x22mm



1			
GEV No.	347791	Ref. No.	DE3055
description	rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		

push/momentary push switches

miscellaneous



1			
GEV No.	347737	Ref. No.	DE0040 1
description	momentary push switch mounting ø 12mm black 1CO 250V 6A with protecting cover connection male faston 4.8mm ambient temperature max. 100/55°C protection IP54		

toggle switches

M12x0.75



1			
GEV No.	347595	Ref. No.	DE0257
description	toggle switch thread M12x0.75 2CO 250V 15A ON-ON screw		

M12x1



1			
GEV No.	347738	Ref. No.	DE0206
description	toggle switch thread M12x1 1NO 250V 15A connection male faston 6.3mm		

accessories



1			
GEV No.	346525	Ref. No.	DE0258
description	protection cap L 23.5mm W 17.3mm protection cap rubber thread M11		

position switches

TELEMECANIQUE (EFA)



1			
GEV No.	347736	Ref. No.	DE0663
description	position switch plastic 1NO/1NC 600V 10A L 63mm W 21mm H 59mm protection IP44 actuating force: 300g screw connection mounting distance 75mm type XC1-ZB21		


float switches



1			
GEV No.	403024	Ref. No.	DE0986
description	float switch thread 1" 2NO ø 25mm L 200mm mounting ø 1"mm 230V 0.5A cable cable length 2000mm		

cam switches

on/off



1			
GEV No.	300248	Ref. No.	DE0204
description	cam switch ON-OFF 16A shaft ø 6x4.6mm connection screw clamp 3-pole		

7-position









1			
GEV No.	300025	Ref. No.	DE0781
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		
	GEV No.	112172	Ref. No.
	knob universal ø 70mm black without adaptor/dial plate		

Table continues overleaf



accessories for 300025			
	GEV No.	112213	Ref. No. —
knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm			
	GEV No.	112311	Ref. No. —
knob adapter shaft ø 6x4.6mm L 0mm with spring			

			
1			
GEV No.	300106	Ref. No.	DE0785
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

4 operating positions			
			
1			
GEV No.	300360	Ref. No.	DE0205
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

operation switches			
			
1			
GEV No.	300091	Ref. No.	DE0197
description	operation switch EGO 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		



magnetic switches

32x15mm			
			
1			
			
GEV No.	345109	Ref. No.	DE0192
description	magnetic switch L 32mm W 15mm 1NO 250V 1A P max. 40W connection cable cable length 2000mm		

accessories			
magnets			
			
1			
GEV No.	347739	Ref. No.	DE0216
description	magnet ømm L 32mm H 7mm W 15mm hole distance 17mm M4 hole ø 4x6mm		

control equipment

SIEMENS

3SB series ø22mm new			
			
1			
GEV No.	346630	Ref. No.	DE1108
description	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black		
accessories for	346630		
	GEV No.	347520	Ref. No. —
push button mounting measurements ø22mm non-illuminated black			



rotary switches



GEV No.	346601	Ref. No.	DE1091
description	rotary selector mounting measurements ø22mm black latching sequence 0-1		
accessories for	346601		
	GEV No.	346602	Ref. No. —
	contact block SIEMENS 3SB3400-0D 2NO max 400V 10A black		
	GEV No.	346603	Ref. No. —
	contact block SIEMENS 3SB3400-0E 2NC max 400V 10A black		
	GEV No.	346630	Ref. No. DE1108
	contact block SIEMENS 3SB3400-0B 1NO max 400V 10A black		
	GEV No.	346631	Ref. No. —
	contact block SIEMENS 3SB3400-0C 1NC max 400V 10A black		
	GEV No.	346632	Ref. No. —
	contact block SIEMENS 3SB3400-0D 1NC/1NO max 400V 10A black		

lamps

indicator lights

indicator lights (complete)

ø12mm

with screw socket



GEV No.	359893	Ref. No.	DE0581
description	indicator light ø 12mm 400V green connection cable 200mm		



GEV No.	359895	Ref. No.	DE0584
description	indicator light ø 12mm 400V yellow connection cable 200mm		



GEV No.	359894	Ref. No.	DE0577
description	indicator light ø 12mm 400V red connection cable 200mm		

ø22mm



GEV No.	357000	Ref. No.	DE0582 1
description	indicator light ø 22.5mm 400V green connection screw clamp		

screw-on/push-on fit

light bulbs

for ovens



GEV No.	359610	Ref. No.	DE0016
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

oven lamps

universal oven lamps

mounting diameter 35.5mm



GEV No.	359720	Ref. No.	DE0576
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359720		
	GEV No.	359701	Ref. No. —
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	GEV No.	359705	Ref. No. DM0501
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	GEV No.	359721	Ref. No. DM0495
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	GEV No.	359740	Ref. No. —
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT		



1

GEV No.	359705	Ref. No.	DM0501
----------------	--------	-----------------	--------

description oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C

accessories for 359705



GEV No.	359610	Ref. No.	DE0016
----------------	--------	-----------------	--------

light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips



GEV No.	359700	Ref. No.	—
----------------	--------	-----------------	---

gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm



GEV No.	359721	Ref. No.	DM0495
----------------	--------	-----------------	--------

gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs



GEV No.	359837	Ref. No.	—
----------------	--------	-----------------	---

gasket ID ø 33mm ED ø 46mm thickness 1mm graphite



GEV No.	359838	Ref. No.	—
----------------	--------	-----------------	---

gasket ID ø 33mm ED ø 45mm



1

GEV No.	359721	Ref. No.	DM0495
----------------	--------	-----------------	--------

description gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs

lamps

light bulbs



1

GEV No.	359610	Ref. No.	DE0016
----------------	--------	-----------------	--------

description light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips

timers

mechanical timers



1

GEV No.	350094	Ref. No.	DE0657
----------------	--------	-----------------	--------

description timer C53 4-pole operation time 60min impulse mechanical 2NO/2NC at 250V 16A permanent position no shaft ømm shaftmm shaft L 24mm mounting distance 28mm connection lateral front measurements 72x72mm

audible timers



1

GEV No.	350014	Ref. No.	DE0659
----------------	--------	-----------------	--------

description audible timer operation time 15min ø 56mm shaft ø 6x4.6mm shaft L 24mm mounting distance 28mm



1

GEV No.	350036	Ref. No.	DE0656
----------------	--------	-----------------	--------

description audible timer operation time 60min ø 55mm shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm

contactors

ABB


power contactors



1

GEV No.	380108	Ref. No.	DE0210
----------------	--------	-----------------	--------

description power contactor resistive load 30A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A16-30-10



1

GEV No.	380112	Ref. No.	D02000
----------------	--------	-----------------	--------

description power contactor resistive load 45A 230VAC (AC3/400V) 26A/11kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A26-30-10

accessories for 380112



GEV No.	381031	Ref. No.	—
----------------	--------	-----------------	---

auxiliary contact contacts 1NO/1NC AC1 16A AC15 3A connection screw connection for contactors B6/B7/VB7



GENERAL ELECTRIC (AEG)

power contactors



1	GEV No.	380261	Ref. No.	DE0209
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310			



1	GEV No.	380264	Ref. No.	DE0110
description	power contactor resistive load 45A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS11K 00A type GE CL25A 300			

auxiliary contacts



1	GEV No.	380270	Ref. No.	DE0111
description	auxiliary contact contacts 1NO/1NC for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 11 type GE BCLL 11			

SIEMENS

power contactors



1	GEV No.	380526	Ref. No.	DE0140
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2			

relays

level relays

miscellaneous



1	GEV No.	380961	Ref. No.	DE0960
description	level controller 1-pole 230V voltage AC type CNRVA1 FLT			

probes

universal probes

temperature probes



1	GEV No.	375051	Ref. No.	DE0972
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø4x150mm cable length 1.5m 2-wire			

electronics

PCBs



1	GEV No.	403134	Ref. No.	DE3052
description	keypad PCB induction device L 85mm W 45mm with ribbon cable buttons 2			




1	GEV No.	403023	Ref. No.	DE3020 DE3105
description	PCB L 135mm W 85mm with screws for fryer			



pressure switches

for warewashing

ø 84mm with coded plug



1

GEV No.	541176	Ref. No.	RB0655
description	pressure control 2 pressure ranges pressure range 60/20 110/80mbar connection 6mm ø 84mm pressure connection horizontal warewashing suitable for ZANUSSI		

electrodes



1

GEV No.	403136	Ref. No.	DV0850 1
description	level electrode M4 total length 150mm probe L 145mm insulated probe length 130mm connection F6.3 ø 4mm		



1

GEV No.	403135	Ref. No.	DV0851 1
description	level electrode M4 total length 200mm probe L 12mm insulated probe length 180mm connection male faston 6.3mm ø 6/4mm		



fans

axial fans

ebm-papst




1

GEV No.	601030 ¹	Ref. No.	DE0669
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
accessories for	601030		
	GEV No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	GEV No.	692497	Ref. No. —
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		

¹with ball bearings



1

GEV No.	601038 ¹	Ref. No.	DE0710
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 12W bearing ball bearing manuf. no. 8556N metal connection cable 300mm ebm-papst fan wheel ø 75mm temp.-resist. 90°C airflow 50m ³ /h		
accessories for	601038		
	GEV No.	691102	Ref. No. —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

¹with ball bearings


cross flow fans

COPREL

with standard coil



1

GEV No.	601453	Ref. No.	DE0155
description	cross flow fan TFR 180 roller ø 60mm roller length 180mm laminated core thickness 16mm motor position right 230V/50-60Hz 17W universal bearing silicone connection male faston 6.3mm airflow 100m ³ /h -30 up to +100°C 230V 50Hz		
accessories for	601453		
	GEV No.	415114	Ref. No. —
	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 150mm L 192mm for cross flow fan		




hot air fans

ebm-papst



1



GEV No.	601014	Ref. No.	DE0684
description	hot air fan 230V 32W 0.27A L1 60mm L2 28mm L3 20mm L4 157mm fan wheel ø 150mm ebm-papst type R2K150-AC01-25 2000rpm		

condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365021	Ref. No.	DE0084
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

fuses

fine fuses



1

GEV No.	358608	Ref. No.	DE0839
description	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		

fine fuse holders



1

GEV No.	358113	Ref. No.	DE3051
description	fuse holder suitable fuse ø5x20mm ø 15mm thread M12x0.75 1-pole 10A rated 250V L 34mm connection male faston 2.8mm		

electric accessories

plugs - couplings - power sockets

appliance sockets/plugs

low temperature appliances 70°C



1

GEV No.	551133 ¹	Ref. No.	DE0836
description	appliance inlet C14 max 10A/250V T70 mounting distance 51mm hole ø 3.3mm plastic male faston 4.8mm with switch temp.-resist. 100°C		

¹incl. rocker switch

terminals and connectors

not insulated

female bullets



1

GEV No.	100112	Ref. No.	DE0092
description	female bullet size 2mm 0.25-1.0mm ² CuZn gal Sn t.max. 125°C Qty 20 pcs		

terminals

connection terminals with screw connection



1

GEV No.	550507	Ref. No.	DE0083
description	power terminal block 4-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C		



GEV No.	550355	Ref. No.	DE0082
description	power terminal block 6-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm ² hole distance 122mm		

gas taps

PEL

20S series



GEV No.	101491	Ref. No.	RB1213
----------------	--------	-----------------	--------

description gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower

spare parts for 101491

GEV No.	100408	Ref. No.	—
----------------	--------	-----------------	---

bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5

GEV No.	101060	Ref. No.	RB0661
----------------	--------	-----------------	--------

magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA

GEV No.	101205	Ref. No.	—
----------------	--------	-----------------	---

gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL20

GEV No.	101231	Ref. No.	—
----------------	--------	-----------------	---

thermocouple nut T1: M9x1 T2: M18x1

accessories for 101491

GEV No.	101287	Ref. No.	—
----------------	--------	-----------------	---

olive for pipe ø 6mm Qty 1 pcs

GEV No.	101300	Ref. No.	—
----------------	--------	-----------------	---

union nut thread M16x1.5 tube ø 10mm

GEV No.	101450	Ref. No.	—
----------------	--------	-----------------	---

olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm

GEV No.	101451	Ref. No.	—
----------------	--------	-----------------	---

union nut thread M16x1.5 tube ø 8mm

GEV No.	110081	Ref. No.	—
----------------	--------	-----------------	---

knob ø 70mm shaft ø 8x6.5mm shaft flat universal

GEV No.	110083	Ref. No.	—
----------------	--------	-----------------	---

knob dial plate gas tap without ignition flame silver

21S series



GEV No.	101397	Ref. No.	RB1214
----------------	--------	-----------------	--------

description gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower

spare parts for 101397

GEV No.	100408	Ref. No.	—
----------------	--------	-----------------	---

bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5

GEV No.	101060	Ref. No.	RB0661
----------------	--------	-----------------	--------

magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA

GEV No.	101206	Ref. No.	—
----------------	--------	-----------------	---

gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21

GEV No.	101231	Ref. No.	—
----------------	--------	-----------------	---

thermocouple nut T1: M9x1 T2: M18x1

accessories for 101397

GEV No.	100908	Ref. No.	—
----------------	--------	-----------------	---

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100909	Ref. No.	—
----------------	--------	-----------------	---

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

GEV No.	101246	Ref. No.	—
----------------	--------	-----------------	---

olive for pipe ø 4mm Qty 1 pcs

GEV No.	101278	Ref. No.	—
----------------	--------	-----------------	---

olive for pipe ø 10mm Qty 1 pcs

GEV No.	101286	Ref. No.	—
----------------	--------	-----------------	---

olive ID ø 6mm Qty 1 pcs

GEV No.	101300	Ref. No.	—
----------------	--------	-----------------	---

union nut thread M16x1.5 tube ø 10mm

GEV No.	101450	Ref. No.	—
----------------	--------	-----------------	---

olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm

GEV No.	101451	Ref. No.	—
----------------	--------	-----------------	---

union nut thread M16x1.5 tube ø 8mm

GEV No.	110081	Ref. No.	—
----------------	--------	-----------------	---



knob ø 70mm shaft ø 8x6.5mm shaft flat universal

GEV No.	112206	Ref. No.	—
----------------	--------	-----------------	---

knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm








22S/O series			
			
1			
GEV No.	101086	Ref. No.	RB1219
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		
spare parts for	101086		
	GEV No.	100259	Ref. No. —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	GEV No.	101058	Ref. No. RB0660
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	GEV No.	101201	Ref. No. —
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22		
	GEV No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		
	GEV No.	101240	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal		
	GEV No.	101460	Ref. No. —
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	GEV No.	101461	Ref. No. —
	screw kit suitable for PEL22 Qty 4 pcs		
accessories for	101086		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101241	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical		
	GEV No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101248	Ref. No. —
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL		
	GEV No.	101249	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No.	101250	Ref. No. —
	union nut thread M20x1.5 for pipe ø 10mm		
	GEV No.	101251	Ref. No. —
	union nut thread M20x1.5 for pipe ø 12mm		
	GEV No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		

accessories for 101086			
	GEV No.	110080	Ref. No. —
	knob ø 70mm shaft ø 10x8mm shaft flat universal		
	GEV No.	112206	Ref. No. —
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm		

			
1			
GEV No.	107201	Ref. No.	RB1003
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 7x7mm shaft L 16/7mm shaft flat diagonal		
spare parts for	107201		
	GEV No.	101058	Ref. No. RB0660
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	GEV No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		
	GEV No.	101366	Ref. No. —
	gas connection thread M20x1.5 tube ø 14mm for PEL gas taps horizontal		
	GEV No.	101460	Ref. No. —
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	GEV No.	101461	Ref. No. —
	screw kit suitable for PEL22 Qty 4 pcs		
	GEV No.	106162	Ref. No. —
	gas tap front part shaft ø 7x7mm shaft L 16/7mm shaft flat diagonal suitable for PEL22		
	GEV No.	106191	Ref. No. —
	bypass nozzle type PEL22 bore ø 0mm thread M6x0.5		
accessories for	107201		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101241	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical		
	GEV No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101248	Ref. No. —
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL		
	GEV No.	101249	Ref. No. —
	olive for pipe ø 10mm Qty 1 pcs		








Table continues overleaf

accessories for		107201		
	GEV No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	GEV No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	GEV No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	GEV No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				
	GEV No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				

22S/V series



1				
GEV No.	107200	Ref. No.	RB1005	
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 7x7mm shaft L 16/7mm shaft flat horizontal			
spare parts for	107200			
	GEV No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	GEV No.	101058	Ref. No.	RB0660
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	GEV No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	GEV No.	101241	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical				
	GEV No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	GEV No.	101461	Ref. No.	—
screw kit suitable for PEL22 Qty 4 pcs				
	GEV No.	106162	Ref. No.	—
gas tap front part shaft ø 7x7mm shaft L 16/7mm shaft flat diagonal suitable for PEL22				
accessories for	107200			
	GEV No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	GEV No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				

accessories for		107200		
	GEV No.	101240	Ref. No.	—
gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal				
	GEV No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	GEV No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	GEV No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	GEV No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	GEV No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	GEV No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				

23S/V series









1				
GEV No.	101093	Ref. No.	RB1217	
description	gas tap PEL type 23S/V gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
spare parts for	101093			
	GEV No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	GEV No.	101059	Ref. No.	—
magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1				
	GEV No.	101204	Ref. No.	—
gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL23S				
	GEV No.	101245	Ref. No.	—
gas connection thread M24x1.5 tube ø 12/16mm vertical for PEL gas taps				
	GEV No.	101463	Ref. No.	—
screw suitable for PEL23S Qty 4 pcs				
	GEV No.	528455	Ref. No.	—
O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs				
accessories for	101093			
	GEV No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				

Table continues overleaf



accessories for		101093		
GEV No.		100909	Ref. No.	—
	union screw	thread M10x1 for pipe ø 6mm	Qty 1 pcs	
GEV No.		101246	Ref. No.	—
	olive	for pipe ø 4mm	Qty 1 pcs	
GEV No.		101252	Ref. No.	—
	union nut	thread M24x1.5 for pipe ø 12mm		
GEV No.		101253	Ref. No.	—
	union nut	thread M24x1.5 PEL for pipe ø 16mm		
GEV No.		101254	Ref. No.	—
	union nut	thread M28x1.5 tube ø 20mm		
GEV No.		101255	Ref. No.	—
	olive	for pipe ø 12mm	Qty 1 pcs	
GEV No.		101256	Ref. No.	—
	olive	for pipe ø 16mm	Qty 1 pcs	
GEV No.		101257	Ref. No.	—
	olive	for pipe ø 20mm	Qty 1 pcs	
GEV No.		101286	Ref. No.	—
	olive	ID ø 6mm	Qty 1 pcs	
GEV No.		110080	Ref. No.	—
	knob	ø 70mm shaft ø 10x8mm shaft flat universal		
GEV No.		112206	Ref. No.	—
	knob dial plate	silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm		

STN3R

	1		
GEV No.	106176	Ref. No.	RB0927
description	gas tap STN3R gas inlet 3/8" (tube ø 10/8mm) bypass nozzle ø 0mm gas outlet 3/8" (tube ø 10/8mm) thermocouple connection pilot connection M10x1 shaft ø 7x7mm shaft L 18.5/7mm shaft flat diagonal suitable for MORICE pilot connection M10x1		

miscellaneous

	1		
GEV No.	103106	Ref. No.	RB0935
description	gas tap shaft ø 6x7mm shaft L 21mm gas outlet 1/4"		

gas thermostats

SIT

710 Minisit series














	1			
GEV No.	101132	Ref. No.	RB0657	
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no			
spare parts for	101132			
	GEV No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	GEV No.	102102	Ref. No.	—
	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132			
	GEV No.	100809	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	GEV No.	101136	Ref. No.	—
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	GEV No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	GEV No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			




Table continues overleaf

accessories for		101132	
	GEV No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	GEV No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	GEV No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	GEV No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	GEV No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No. RB0652
knob suitable for Minisit ø 37mm			



GEV No.	101131	Ref. No.	RB0666
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulator or bar gland nut		

spare parts for		101131	
	GEV No.	101053	Ref. No. —
magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	GEV No.	102103	Ref. No. —
probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710			

accessories for		101131	
	GEV No.	100809	Ref. No. —
O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	GEV No.	100820	Ref. No. —
gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22			
	GEV No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for		101131	
	GEV No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101054	Ref. No. —
magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	GEV No.	101136	Ref. No. —
piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	GEV No.	101137	Ref. No. —
cover cap without piezoelectric igniter			
	GEV No.	101267	Ref. No. —
reducer IT 3/8" ET 1/2" L 21mm			
	GEV No.	101268	Ref. No. —
gas connection thread 3/8" angled with O-ring MINISIT 710			
	GEV No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	GEV No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	GEV No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	GEV No.	101273	Ref. No. —
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No. RB0652
knob suitable for Minisit ø 37mm			

PEL

25ST series




GEV No.	101172	Ref. No.	RB1216
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
spare parts for	101172		
	GEV No.	100259	Ref. No. —
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			

Table continues overleaf




spare parts for		101172		
GEV No.		Ref. No.		
	101060	RB0661	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA	
	106200	—	nut thread M9x1 suitable for PEL 24/25S	
accessories for		101172		
GEV No.		Ref. No.		
	100908	—	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs	
	100909	—	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs	
	101246	—	olive for pipe ø 4mm Qty 1 pcs	
	101278	—	olive for pipe ø 10mm Qty 1 pcs	
	101286	—	olive ID ø 6mm Qty 1 pcs	
	101300	—	union nut thread M16x1.5 tube ø 10mm	
	101450	—	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm	
	101451	—	union nut thread M16x1.5 tube ø 8mm	
	110079	—	knob dial plate gas thermostat 1-8 silver	
	110081	—	knob ø 70mm shaft ø 8x6.5mm shaft flat universal	

gas valves and ignition boxes

gas control valves











SIT



NOVASIT






1


GEV No.	101162	Ref. No.	RB1200	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010			
spare parts for		101162		
GEV No.		Ref. No.		
	101065	—	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT	
	101313	RB1197	solenoid coil 230V 50Hz	
accessories for		101162		
GEV No.		Ref. No.		
	100006	—	piezoelectric igniter suitable for ELETTRISIT body plastic blowing connection ø2.4mm ø 14mm	
	101305	—	gas connection straight 1/2" flange 45x45mm ELETTRISIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm	
	101306	RB1224	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTRISIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL	
	101307	RB1225	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTRISIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL	
	101308	—	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTRISIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL	
	101312	RB1199	microswitch	
	101314	—	solenoid coil 24V 50Hz	
	101317	RB1201	plug with cable L 1000mm suitable for NOVASIT	
	101318	—	cover cap for solenoid coil suitable for NOVASIT	


 <p>1</p>			
GEV No.	101540	Ref. No.	RB0983
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.822.113		
spare parts for	101540		
	GEV No.	101313	Ref. No. RB1197
	solenoid coil 230V 50Hz		
	GEV No.	101542	Ref. No. RB1196
	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V		
accessories for	101540		
	GEV No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No.	101306	Ref. No. RB1224
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101307	Ref. No. RB1225
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101317	Ref. No. RB1201
	plug with cable L 1000mm suitable for NOVASIT		
	GEV No.	101503	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs		
	GEV No.	101924	Ref. No. —
	plug with cable L 1090mm suitable for NOVA 822/826/827		


accessories			
 <p>1</p>			
GEV No.	101306	Ref. No.	RB1224
description	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
spare parts for	101306		
	GEV No.	517104	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs		



 <p>1</p>			
GEV No.	101307	Ref. No.	RB1225
description	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
spare parts for	101307		
	GEV No.	101503	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs		

 <p>1</p>			
GEV No.	101312	Ref. No.	RB1199
description	microswitch		


 <p>1</p>			
GEV No.	101317	Ref. No.	RB1201
description	plug with cable L 1000mm suitable for NOVASIT		

 <p>1</p>			
GEV No.	101776	Ref. No.	RB0984
description	plug with cable L 905mm suitable for NOVA 822/826/827		

 <p>1</p>			
GEV No.	109128	Ref. No.	RB0600
description	pressure controller brass L 25mm ø 11.5mm thread M13x1 for gas valve suitable for gas valves Qty 1 pcs		














 <p>1</p>			
GEV No.	101313	Ref. No.	RB1197
description	solenoid coil 230V 50Hz		
accessories for	101313		
	GEV No.	550896	Ref. No. —
	gasket with screw gas valves NOVASIT		








			
1			
GEV No.	101542	Ref. No.	RB1196
description	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V		

ignition parts

pilot burners

SIT			
100 series			
			
1			
GEV No.	106904	Ref. No.	RB1004
description	pilot burner SIT type 100 series 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	106904		
	GEV No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100855	Ref. No. —
	pilot burner bracket triple		
	GEV No.	100885	Ref. No. RB0704
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
	GEV No.	107160	Ref. No. RB0675
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		
	GEV No.	107166	Ref. No. —
	pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs		
	GEV No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106904		
	GEV No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

accessories for	106904		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No.	107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	GEV No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	GEV No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		














			
1			
GEV No.	106907	Ref. No.	RB0664
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for	106907		
	GEV No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100855	Ref. No. —
	pilot burner bracket triple		
	GEV No.	100885	Ref. No. RB0704
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
	GEV No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	GEV No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		
accessories for	106907		
	GEV No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		


Table continues overleaf



accessories for		106907	
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No.	107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	GEV No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	GEV No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		

accessories			
pilot burner caps			
	1		
GEV No.	107160	Ref. No.	RB0675
description	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		

ignition electrodes			
	1		
GEV No.	100707	Ref. No.	DM0092
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø 2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		


miscellaneous			
	1		
GEV No.	100885	Ref. No.	RB0704
description	air mixing sleeve for pilot burner Qty 1 pcs		

ROBERTSHAW

pilot burners

universal series - type 6

Width of caps:
 6CH10 = 1" (25,4mm)
 6CH14 = 1½" (38,1mm)
 6CH24 = 2½" (63,5mm)
 6CH30 = 3" (76,2mm)

	1		
GEV No.	106346	Ref. No.	DM1164
description	pilot burner ROBERTSHAW type 6CH14-10 3 flames natural gas code 22 for pipe ø 1/4" CCT gas connection 1/4" CCTmm		

producer-specific pilot burners

ILLICO












	1		
GEV No.	107518	Ref. No.	RB0664-10
description	pilot burner 1 flame nozzle ø 0.2mm burner bearing upper		
spare parts for	107518		
	GEV No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	107518		
	GEV No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		


Table continues overleaf




accessories for	107518		
	GEV No.	102742	Ref. No. —
	pilot burner nozzle LPG code 25 bore \varnothing 0.25mm Qty 1 pcs		


1			
GEV No.	104450	Ref. No.	DM1158
description	pilot burner 1 natural gas nozzle \varnothing 0.25mm		

1			
GEV No.	104623	Ref. No.	DM1159
description	pilot burner 2 LPG nozzle \varnothing 0.148mm		

1			
GEV No.	104449	Ref. No.	DE0005 DM0298
description	ignition electrode flange length 64mm flange width 30mm D1 \varnothing 8mm		


electrodes

1			
GEV No.	100707	Ref. No.	DM0092
description	ignition electrode D1 \varnothing 7mm D2 \varnothing 9mm connection \varnothing 2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		


1			
GEV No.	102330	Ref. No.	DM5092
description	ignition electrode D1 \varnothing 7mm D2 \varnothing 9mm L1 16mm BL1 18mm BL2 3mm BL3 23mm to clip connection \varnothing 2.4mm		

ignition cables

terminals and connectors


1			
GEV No.	100112	Ref. No.	DE0092
description	female bullet size 2mm 0.25-1.0mm ² CuZn gal Sn t.max. 125°C Qty 20 pcs		

ignition units

1			
GEV No.	102388	Ref. No.	DE0264
description	ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz		

thermocouples

thermocouple sets universal

1			
GEV No.	107647	Ref. No.	RB0710
description	thermocouple set SIT 11-piece L 900mm		




GEV No.	102003	Ref. No.	RB0710
description	thermocouple set 10-piece L 900mm		

plug-in thermocouples


plug-in thermocouples standard

with barrel socket $\phi 6(6.5)$ mm


thermocouples SIT



GEV No.	107612	Ref. No.	RB0714
description	thermocouple SIT M9x1 L 1000mm plug connection $\phi 6.0(6.5)$ mm		




GEV No.	107614	Ref. No.	RB0713
description	thermocouple SIT M9x1 L 1500mm plug connection $\phi 6.0(6.5)$ mm		



GEV No.	107609	Ref. No.	RB0712
description	thermocouple SIT M9x1 L 600mm plug connection $\phi 6.0(6.5)$ mm		

plug-in thermocouples with interruption




GEV No.	102238	Ref. No.	RB0715
description	thermocouple with interrupter M9x1 L 600mm M10x1 F 6.3mm		

extensions




GEV No.	102241	Ref. No.	RB1223
description	thermocouple extension flexible thread M9x1 - M9x1 L 500mm		




GEV No.	102013	Ref. No.	RB0711
description	thermocouple extension thread M9x1 L 500mm		

accessories for 102013

	GEV No.	101261	Ref. No.	—
	description	thermocouple fitting thread M9x1 Qty 1 pcs		

accessories

interrupters



GEV No.	101265	Ref. No.	RB0658
description	interrupter thread M9x1		



gas burners

hob burners

producer-specific hob burners

MORICE

859 series



GEV No.	107058	Ref. No.	N/A
description	burner type 859 ø 80mm L 175mm complete		



GEV No.	108002	Ref. No.	N/A
description	burner head ø 79mm seat ø 32mm H 50mm		



GEV No.	108001	Ref. No.	BR0182 1
description	burner ring ø 73mm		

universal



GEV No.	107033	Ref. No.	BR0107 BR0107 1
description	burner ø 115mm complete		



GEV No.	107031	Ref. No.	BR0101 BR0101 1
description	burner ø 60mm complete		



GEV No.	107032	Ref. No.	BR0095 BR0095 1
description	burner ø 88mm complete		

spare parts for 107032



GEV No.	108029	Ref. No.	BR0097
description	burner cap ø 88mm with ring		



GEV No.	108122	Ref. No.	BR0095.100 N/A
description	burner head for burner cap ø 88mm		

accessories for 107032



GEV No.	106535	Ref. No.	—
description	gas injector thread 3/8" WS 17 bore ø 1.3mm		



GEV No.	106540	Ref. No.	—
description	gas injector thread 3/8" WS 17 bore ø 1.8mm		



GEV No.	108030	Ref. No.	BR0109
description	burner cap ø 115mm with ring		



GEV No.	108028	Ref. No.	BR0103
description	burner cap ø 60mm with ring		



GEV No.	108029	Ref. No.	BR0097
description	burner cap ø 88mm with ring		




GEV No.	108123	Ref. No.	N/A
description	burner head for burner cap ø 115mm		




			
1			
GEV No.	108121	Ref. No.	N/A
description	burner head for burner cap ø 60mm		

			
1			
GEV No.	108122	Ref. No.	BR0095.100 N/A
description	burner head for burner cap ø 88mm		


			
1			
GEV No.	107034	Ref. No.	BR0079
description	burner ø 145mm complete		

			
1			
GEV No.	107192	Ref. No.	DM1249
description	burner cap ø 145mm		

pan supports			
			
1			
GEV No.	107100	Ref. No.	GI9037 PQ8755
description	pan support W 290mm L 320mm		

			
1			
GEV No.	107101	Ref. No.	5756 1 GI9036
description	pan support W 330mm L 440mm		


			
1			
GEV No.	107102	Ref. No.	5757 1 PQ0757
description	pan support W 330mm L 440mm		

reducers for pan supports			
			
1			
GEV No.	107035	Ref. No.	PQ0758 PQ0758 1
description	reducer for pan support L 170mm W 170mm		


spillage trays			
			
1			
GEV No.	109127	Ref. No.	DV8241 1
description	drain tray L 430mm W 318mm H 42mm ø 140mm hole ø 6mm hole distance 303mm		

accessories			
reducers for pan supports			
			
1			
GEV No.	107035	Ref. No.	PQ0758 PQ0758 1
description	reducer for pan support L 170mm W 170mm		



			
1			
GEV No.	210057	Ref. No.	GI9035
description	reducer for pan support L 188mm W 188mm		

pan supports			
			
1			
GEV No.	107100	Ref. No.	GI9037 PQ8755
description	pan support W 290mm L 320mm		

			
1			
GEV No.	107101	Ref. No.	5756 1 GI9036
description	pan support W 330mm L 440mm		


			
1			
GEV No.	107102	Ref. No.	5757 1 PQ0757
description	pan support W 330mm L 440mm		


spillage trays			
			
1			
GEV No.	109127	Ref. No.	DV8241 1
description	drain tray L 430mm W 318mm H 42mm ø 140mm hole ø 6mm hole distance 303mm		


gas nozzles

main nozzles


gas nozzles 3/8"


			
1			
GEV No.	106529	Ref. No.	IN0483
description	gas injector thread 3/8" WS 17 bore ø 0.9mm		

			
1			
GEV No.	106533	Ref. No.	IN0488
description	gas injector thread 3/8" WS 17 bore ø 1.15mm		

			
1			
GEV No.	106538	Ref. No.	IN0514
description	gas injector thread 3/8" WS 17 bore ø 1.6mm		

burner nozzles

			
1			
GEV No.	102899	Ref. No.	DM1186
description	burner nozzle LPG code BP148 type F111		

			
1			
GEV No.	102898	Ref. No.	DM1185
description	burner nozzle natural gas type F111		



auxiliary gas parts

gas pressure regulators

Standard pressure according to country:

Germany 50mbar

France 37mbar

Italy 30mbar

Spain 37/50mbar

UK 20mbar



1

GEV No.	250010	Ref. No.	RB1303
description	gas pressure regulator 8kg/h output pressure 37mbar		

gas hoses


NF D36-123



1

GEV No.	250025	Ref. No.	DM0383
description	gas hose L 1000mm 3/4" ET - 3/4" ET flex hose plastic-coated NF D36-123 with Viton gasket p max 2bar DN20		


accessories for 250025



GEV No.	104663	Ref. No.	—
description	snap-on connection thread 3/4" - 3/4" 3/4" - 3/4"		




GEV No.	250122	Ref. No.	—
description	screw connection thread 3/4" DN15 Qty 1 pcs		




1

GEV No.	250020	Ref. No.	DM0411
description	gas hose L 1250mm 1/2" IT - 1/2" IT flex hose plastic-coated NF D36-123 with Viton gasket p max 2bar DN15		

accessories for 250020



GEV No.	104662	Ref. No.	—
description	snap-on connection thread 1/2" - 1/2" 1/2" - 1/2"		



GEV No.	250097	Ref. No.	—
description	connection set with gasket thread 1/2" AG - 1/2" IG & 1/2" AG - M20x1,5 IG adaptor 1/2" ET - M20x1.5 IT angle piece 1/2" IT - 1/2" ET 2 gaskets		

equipment-specific units

for espresso machines

brewing units

filter holder gaskets

O-rings



1

GEV No.	510409	Ref. No.	DM0578
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

for deep fryers

miscellaneous



1

GEV No.	696488	Ref. No.	DV0890 1
description	connecting piece for fryer L 250mm W 20mm H 1mm		

for convection ovens/combi-steamers

doors



1

GEV No.	696430	Ref. No.	DM0933
description	bush L 11mm H 11mm D1 ø 11mm D2 ø 16mm ID ø 6.5mm		



1

GEV No.	696431	Ref. No.	DM0334
description	suppressor for glass plate H 10mm ø 20mm ID ø 8.5mm		



door mechanics

miscellaneous



1			
GEV No.	696430	Ref. No.	DM0933
description	bush L 11mm H 11mm D1 ø 11mm D2 ø 16mm ID ø 6.5mm		



1			
GEV No.	696431	Ref. No.	DM0334
description	suppressor for glass plate H 10mm ø 20mm ID ø 8.5mm		

for ovens

level glasses



1			
GEV No.	696486	Ref. No.	DV1113 1 DV113 1
description	level glass ø 50mm chrome-plated for oven		

for pizza ovens

miscellaneous




1			
GEV No.	696487	Ref. No.	DV2002 DV2002 1
description	fixing plate for door spring L 90mm W 25mm H 3mm		

knobs


universal knobs



1			
GEV No.	110253	Ref. No.	DE0203
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		




1			
GEV No.	110245	Ref. No.	TH1075
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		



1			
GEV No.	110247	Ref. No.	TH1077
description	knob thermostat t.max. 350°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-350°C		




1			
GEV No.	110075	Ref. No.	DE0951
description	knob energy regulator 1-3 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		


accessories for	110075		
	GEV No.	110135	Ref. No.
			TH1067
	rosette knob up to ø 52mm		


producer-specific knobs


MORICE


			
1			
GEV No.	110075	Ref. No.	DE0951
description	knob energy regulator 1-3 t.max.°C° 50mm shaft ø 6x4.6mm shaft flat upper black		
accessories for	110075		
	GEV No.	110135	Ref. No. TH1067
	rosette knob up to ø 52mm		


			
1			
GEV No.	112202	Ref. No.	DM1155 2
description	knob gas tap without ignition flame ø 52mm shaft ø 7x7mm black		


			
1			
GEV No.	112203	Ref. No.	DM2111 DM2111 1
description	knob gas tap without ignition flame ø 72mm shaft ø 8x6.5mm shaft flat lower black		


			
1			
GEV No.	112632	Ref. No.	DM2111 DM2111 1
description	knob gas tap without ignition flame ø 73mm shaft ø 8x6.5mm shaft flat lower black/red		

			
1			
GEV No.	112204	Ref. No.	DM2119
description	knob gas tap without ignition flame t.max.°C° ø 72mm shaft ø 10x8mm shaft flat right black		

			
1			
GEV No.	110253	Ref. No.	DE0203
description	knob switch zero mark t.max.°C° 50mm shaft ø 6x4.6mm shaft flat upper black		

			
1			
GEV No.	112631	Ref. No.	DM1152 DM1152 1
description	knob t.max.°C° ø 73mm shaft ø 7x7mm black/red		

			
1			
GEV No.	110245	Ref. No.	TH1075
description	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C		

			
1			
GEV No.	110247	Ref. No.	TH1077
description	knob thermostat t.max. 350°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 100-350°C		



accessories

knob adaptors



GEV No.	696432	Ref. No.	DM9555
description	knob adaptor shaft ø 6.3x7.7mm		

rosettes



GEV No.	110135	Ref. No.	TH1067
description	rosette knob up to ø 52mm		

locks

turning lever locks

universal

RAHRBACH



GEV No.	690027	Ref. No.	DM0792
description	handle latch left L 150mm H 59mm		

accessories for 690027

	GEV No.	690045	Ref. No.	—
	description	door catch mounting pos. left off-set 20mm L 110mm H 56mm W 33mm mounting distance 68/68mm zinc die cast series 6300		

	GEV No.	690135	Ref. No.	DM0803
	description	door catch mounting pos. left off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm zinc die cast series 1750		

	GEV No.	690137	Ref. No.	—
	description	sliding plate mounting pos. left L 28mm H 3mm W 21mm H2 12.5mm		



GEV No.	690044	Ref. No.	DM0791
description	handle latch right L 185mm H 59mm handle material plastic type 6300 series		

accessories for 690044

	GEV No.	690136	Ref. No.	—
	description	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm		

accessories for 690044

	GEV No.	700091	Ref. No.	—
	description	door catch mounting pos. right off-set 20mm L 110mm H 56mm W 33mm mounting distance 68/68mm zinc die cast series 6300		

	GEV No.	700098	Ref. No.	DM0802
	description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750		



GEV No.	690135	Ref. No.	DM0803
description	door catch mounting pos. left off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm zinc die cast series 1750		

spare parts for 690135

	GEV No.	690137	Ref. No.	—
	description	sliding plate mounting pos. left L 28mm H 3mm W 21mm H2 12.5mm		



GEV No.	700098	Ref. No.	DM0802
----------------	--------	-----------------	--------

description door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750

spare parts for 700098

	GEV No.	690136	Ref. No.	—
	description	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm		

accessories for 700098

	GEV No.	514281	Ref. No.	—
	description	base plate L 110mm W 35mm for door catch thickness 10mm		

STUV



GEV No.	700098	Ref. No.	DM0802
description	door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750		

spare parts for 700098

	GEV No.	690136	Ref. No.	—
	description	sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm		


accessories for 700098



	GEV No.	514281	Ref. No.	—
	description	base plate L 110mm W 35mm for door catch thickness 10mm		

edgemount latches

handle latches

CAFF/FERMOD



GEV No.	700060	Ref. No.	DM3460
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
accessories for	700060		
	GEV No.	700061	Ref. No. —
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	GEV No.	700062	Ref. No. —
	handle protection heated units		

baskets

fryer baskets

MORICE



GEV No.	970495	Ref. No.	DM0824
description	fryer basket L1 285mm W1 235mm H1 140mm L2 470mm H2 250mm SS		



GEV No.	970783	Ref. No.	DM0825
description	fryer basket W1 235mm L1 370mm H1 140mm chrome-plated steel		

equipment feet and end caps

equipment feet

with screw mounting



GEV No.	701097	Ref. No.	TP8001 1
description	equipment foot tube ø 50mm thread M8 H 164-220mm stainless steel Qty 1 pcs WS 30		

DERBY RUOTE

with bolt hole

stainless steel



GEV No.	700223 ¹	Ref. No.	RL0978
description	swivel castor with swivel brake ø 125mm bolt hole bolt hole ø 12mm housing SS capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 159mm wheel width 30mm Qty 1 pcs		

¹with swivel brake

pasta baskets

various




GEV No.	970750	Ref. No.	DM0833
description	pasta basket H1 195mm W1 90mm L1 110mm H2 200mm		




shelves and shelf rails

chargrill grids



1

GEV No.	210043	Ref. No.	D10401 GI0401
description	chargrill grid L 430mm W 365mm H 42mm chargrill		




1

GEV No.	210031	Ref. No.	PQ8795 1
description	chargrill grid L 470mm W 365mm H 26mm cast iron grill		




grates


universal

without upstand







1

GEV No.	970120	Ref. No.	GI0414
description	grate W 325mm D 530mm GN 1/1 chrome-plated steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1		
accessories for	970120		
	GEV No.	Ref. No.	—
	690330		
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	Ref. No.	—
	694700		
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	Ref. No.	—
	694701		
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		







1




GEV No.	970122	Ref. No.	GI0399
description	grate W 325mm D 530mm GN 1/1 H 8mm stainless steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1		
accessories for	970122		
	GEV No.	Ref. No.	—
	690330		
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	Ref. No.	—
	694700		
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	Ref. No.	—
	694701		
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		



1

GEV No.	970121	Ref. No.	GI0408
description	grate W 650mm D 530mm GN 2/1 chrome-plated steel crossing wires 2		
accessories for	970121		
	GEV No.	Ref. No.	—
	690330		
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	Ref. No.	—
	694700		
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	Ref. No.	—
	694701		
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		



GEV No.	970123	Ref. No.	GI0404
description	grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2 suitable for refrigerator		
accessories for	970123		
	GEV No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		


gaskets

refrigeration gaskets

screw-in gaskets

profile 9031

We offer custom-made gaskets for this profile



GEV No.	901433	Ref. No.	DM0562
description	gasket profile 9031 W 185mm L 555mm external size suitable for ILLICO		


gaskets for heated units

window seals




GEV No.	901563	Ref. No.	DM0549 DM0549 1
description	window gasket profile 1881 L 1400mm suitable for MORICE Qty 1		


door seals



GEV No.	901564	Ref. No.	DM1065
description	door seal profile 2060 W 464mm L 620mm external size Qty 1		



GEV No.	901565	Ref. No.	DM1066
description	door seal profile 2060 W 624mm L 724mm external size Qty 1		



GEV No.	901566	Ref. No.	DM0566
description	door seal profile 2200 W 510mm L 650mm external size Qty 1		

O-rings

EPDM



GEV No.	510409	Ref. No.	DM0578
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		



sealing washers

silicone gaskets



1

GEV No.	359721	Ref. No.	DM0495
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

special gaskets

miscellaneous



1

GEV No.	694498	Ref. No.	DV2015 1 DV2015 2
description	gasket for pizza oven L 1600mm W 40mm external height 16mm		

springs

tension springs



1

GEV No.	700891	Ref. No.	DM0922
description	tension spring ø 16mm total length 287mm wire gauge ø 2.2mm L1 50mm L2 187mm L3 50mm		

valves and tank inlets

ball valves

universal

ball valves with lever handle



1

GEV No.	520282	Ref. No.	RB0938
description	ball valve connection 1" IT - 1" IT DN25 total length 67mm with lever handle		



1

GEV No.	520281	Ref. No.	RB0966
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 56mm with lever handle handle length 87mm		

consumables

fuses

fine fuses



1

GEV No.	358608	Ref. No.	DE0839
description	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		

A			
appliance sockets/plugs	19	heating elements for fryers	4
audible timers	16	heating elements for frying pans	3
axial fans	18	heating elements for griddles	4
B		heating elements for ovens	3
ball valves	41	heating elements for pasta cookers	4
bi-metal thermostats	9, 9	heating elements for pizza ovens	4
C		heating elements for salamanders/toasters	5
cam switches	13	heating elements for tilting bratt pan	4
castors and bumper angles	38	heating rods	5
coil heating elements	5	hob burners	31
condensators & interference suppression filters	19	hot air fans	19
consumables	41	hot plates	7
contactors	16	I	
control equipment	14	ignition cables	29
control thermostats	9	ignition units	29
cross flow fans	18	immersion heating elements	6
D		indicator lights	15
door seals	40	indicator lights (complete)	15
E		L	
edgemount latches	38	lamps	15
electric accessories	19	light bulbs	15
electrodes	18	M	
energy regulators	8	magnetic switches	14
F		mechanical timers	16
fans	18	O	
female bullets	19	operating capacitors	19
fine fuses	41	O-rings	40
float switches	13	oven lamps	15
fuses	19, 41	P	
G		pilot burners	27
gas burners	31	plugs - couplings - power sockets	19
gas control valves	25	position switches	13
gas hoses	34	pressure switches	18
gas nozzles	33	probes	17
gas pressure regulators	34	push/momentary push switches	13
gas taps	20	R	
gas thermostats	23	radiation heaters	7
gaskets for heated units	40	refrigeration gaskets	40
grates	39	relays	17
H		rocker/momentary rocker switches	13
handle latches	38	S	
heating elements	3	safety bi-metal thermostats	9
heating elements for bain maries	3	safety thermostats	11
heating elements for convection	7	screw-in gaskets	40
		sealing washers	41
		shelves and shelf rails	39

switches and momentary switches 13

T

temperature probes 17

terminals 19

terminals and connectors 19

thermocouples 29

thermostats 9

timers 16

toggle switches 13

turning lever locks 37

U

universal probes 17

V

valves and tank inlets 41

W

window seals 40