



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

QUAMAR

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



switches and momentary switches

rocker/momentary rocker switches

30x22mm

blank



1

GEV No. 346144 **Ref. No.** 210018

description push switch mounting measurements 30x22mm white 2CO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65

accessories for 346144



GEV No. 301036 **Ref. No.** —
protective cover internal size 30x22mm for rocker switch mounting measurementsmm

labelled



1

GEV No. 301164 **Ref. No.** 210018

description rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap

accessories for 301164



GEV No. 301036 **Ref. No.** —
protective cover internal size 30x22mm for rocker switch mounting measurementsmm

microswitches

lever actuated



1

GEV No. 347291 **Ref. No.** 210021

description microswitch 250V 3A 1NC connection with cable ambient temperature max. 85°C cable length 380mm lever length 15mm

pin-plunger actuated



1

GEV No. 346145 **Ref. No.** 210031

description microswitch with plunger 250V 10A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm black

M10



1

GEV No. 347288 **Ref. No.** 210014

description microswitch with plunger thread M10x0.75 thread L 10mm 250V 16A 1NO connection male faston 6.3mm stroke 6mm mounting distance 22mm ambient temperature max. 125°C type VRSRB1AA1 actuating force: 160g

accessories for 347288



GEV No. 100779 **Ref. No.** —
nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs

accessories



1

GEV No. 525067 **Ref. No.** 130067

description extension for microswitch thread M10x0.75 ø 12mm H 45mm aluminium

rotary switches

GIOVENZANA

rotary switches



1

GEV No. 347287¹ **Ref. No.** 210105

description rotary switch 2 0-1 sets of contacts 2 type PO16 690V 16A shaft ø 6x6mm shaft L 20mm shaft 5x5 with knob connection screw

¹incl. knob and dial plate

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket



1

GEV No. 359791 **Ref. No.** 210032

description indicator light ø 10mm 230V green cable length 250mm

contactors

ABB

power contactors



1

GEV No.	380100	Ref. No.	210034
description	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type B6-30-10 / B7-30-10		



1

GEV No.	380110	Ref. No.	210035
description	power contactor resistive load 20A 400VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type B6-30-10 / B7-30-10		

electronics

PCBs



1

GEV No.	403203	Ref. No.	130142
description	display coffee grinder QUAMAR 4 buttons		



1

GEV No.	403202	Ref. No.	130140
description	electronics coffee grinder M80 suitable for QUAMAR 230V		



1

GEV No.	402431	Ref. No.	130140 old
description	PCB for coffee grinder 230V with display		

motors

motors

for coffee grinders

components



1

GEV No.	500239	Ref. No.	270012
description	motor 230V 50Hz 1 phase ø 100mm ID ø 65mm H 195mm shaft ø 16mm type T48		



1

GEV No.	500238	Ref. No.	270003
description	motor 230V 50Hz 1 phase ø 110mm ID ø 65mm H 160mm shaft ø 14mm type T80		

condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365014	Ref. No.	150064
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		



			
1			
GEV No.	365021	Ref. No.	150063
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

			
1			
GEV No.	365013	Ref. No.	150070
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		

equipment-specific units

for coffee grinders

grinding burrs


grinding burrs straight


standard

			
1			
GEV No.	527227	Ref. No.	260001 260003
description	grinding burrs pair turn direction right D1 ø 63mm ID ø 38mm H 9.5mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 48 straight suitable for FIORENZATO		

			
1			
GEV No.	527228	Ref. No.	260001 260003
description	grinding burrs pair turn direction right D1 ø 83mm ID ø 45mm H 10mm tooth spacing 4mm hole ø 5.4mm bore ø 10mm mounting ø 64.5 straight suitable for FIORENZATO		

grinding burrs holders


			
1			
GEV No.	527260	Ref. No.	170090
description	grinding burr holder D1 ø 63mm D2 ø 80mm H 31mm type T80 suitable for FIORENZATO		


			
1			
GEV No.	527261	Ref. No.	170106
description	grinding burr holder D1 ø 83mm D2 ø 90mm H 34mm type T45 suitable for FIORENZATO		

containers

			
1			
GEV No.	525064	Ref. No.	180044
description	container for coffee powder ø 100mm H 180mm SS		

miscellaneous

			
1			
GEV No.	802047	Ref. No.	160097
description	equipment foot rubber ømm H 22mm mounting measurements 31x18mm T80 Qty 1 pcs		

			
1			
GEV No.	525063	Ref. No.	230030
description	spring L 35mm spring steel for container		

dosing containers

dosing containers (complete)



GEV No.	525070	Ref. No.	RMT800003
description	dosing unit complete lever right ø 125mm H 170mm		



GEV No.	525088	Ref. No.	RMT480006
description	dosing unit complete ø 136mm H 210mm suitable for T48		



GEV No.	527508	Ref. No.	RMT480006 RMT800003 RMUNI0007
description	dosing unit ø 120mm suitable for T80		

dosing container lids



GEV No.	527320	Ref. No.	160064
description	lid for dosing container mounting ø 114mm ø 122mm H 22mm suitable for M80		



GEV No.	527323	Ref. No.	160078
description	lid for dosing container mounting ø 130mm ø 135mm H 24mm		



dosing units



1			
GEV No.	527529	Ref. No.	RMT800010
description	dosing unit		

adjusting screws



1			
GEV No.	527500	Ref. No.	RMT800013
description	adjusting screw for dosing container thread M8 L 40mm plastic		


springs

group 1




1			
GEV No.	525075	Ref. No.	230027
description	tension spring ø 10mm total length 40mm wire gauge ø 1mm		

glass cylinders



1			
GEV No.	525071	Ref. No.	160008
description	glass cylinder ø 115mm H 49mm plexiglas		



1			
GEV No.	527322	Ref. No.	160083
description	glass cylinder ø 122mm H 10mm plexiglas		



1			
GEV No.	527326	Ref. No.	160079
description	glass cylinder ø 132mm H 75mm plexiglas		

levers

levers



1			
GEV No.	525074	Ref. No.	RMUNI0001
description	lever complete for dosing unit L 110mm SS		



1			
GEV No.	527507	Ref. No.	RMUNI0007
description	lever complete L 110mm shaft ø 8mm plastic		



1			
GEV No.	525073	Ref. No.	160075
description	lever for dosing unit hole ø 18.8mm L 110mm plastic		

coffee presses

coffee presses



1			
GEV No.	525077	Ref. No.	RMM100009
description	coffee press ø 56mm L 70mm H 40mm		



1			
GEV No.	527506	Ref. No.	160061 RMT800014
description	coffee press ø 57mm L 83mm H 41mm plastic		

bodies



1

GEV No.	525072	Ref. No.	170174
----------------	--------	-----------------	--------

description	body for dosing container ø 120mm H 60mm aluminium		
--------------------	--	--	--



1

GEV No.	527325	Ref. No.	170111
----------------	--------	-----------------	--------

description	body ø 135mm H 65mm aluminium		
--------------------	-------------------------------	--	--

automatic grinding

automatic grinding



1

GEV No.	525060	Ref. No.	RMT800002
----------------	--------	-----------------	-----------

description	housing with microswitch H 35mm plastic for model T80-M80-M1		
--------------------	--	--	--



1

GEV No.	525061	Ref. No.	RMT480003
----------------	--------	-----------------	-----------

description	housing with microswitch H 36mm plastic for model T48		
--------------------	---	--	--

return spring



1

GEV No.	525081	Ref. No.	160074
----------------	--------	-----------------	--------

description	cover plate mounting pos. lower ø 117mm plastic		
--------------------	---	--	--

sector plates



1

GEV No.	527502	Ref. No.	160073
----------------	--------	-----------------	--------

description	sector plates plastic		
--------------------	-----------------------	--	--

ratches

pins



1

GEV No.	525066	Ref. No.	130060
----------------	--------	-----------------	--------

description	pin for stop ø 2.6mm D2 ø 4mm L 17mm		
--------------------	--------------------------------------	--	--



1

GEV No.	525065	Ref. No.	130059
----------------	--------	-----------------	--------

description	pressure pin for lever ø 4mm D2 ø 6mm L 16mm		
--------------------	--	--	--

stars

central



1

GEV No.	525080	Ref. No.	160071
----------------	--------	-----------------	--------

description	star mounting pos. centre ø 109mm hole ø 12mm H 31mm		
--------------------	--	--	--

upper



1

GEV No.	527501	Ref. No.	160072
----------------	--------	-----------------	--------

description	star mounting pos. upper ø 107mm hole ø 8mm H 39mm		
--------------------	--	--	--

bottom



1

GEV No.	525079	Ref. No.	160070
----------------	--------	-----------------	--------

description	star mounting pos. lower ø 109mm		
--------------------	----------------------------------	--	--

accessories




1

GEV No.	525062	Ref. No.	130095
----------------	--------	-----------------	--------


description	bar ø 2mm L 118mm SS		
--------------------	----------------------	--	--




			
1			
GEV No.	525078	Ref. No.	160065
description	spacer ring ø 42mm ID ø 25mm H 4mm plastic		


adjustment mechanism


lockable adjustment

			
1			
GEV No.	525068	Ref. No.	160062
description	push button for setting ring L 36mm W 22mm shaft ø 6.2mm shaft length 23mm		


setting rings

			
1			
GEV No.	525084	Ref. No.	RMT480005
description	adjusting screw set ø 30mm H 250mm		

			
1			
GEV No.	527412	Ref. No.	170108
description	setting ring mounting ø 95mm ø 111mm ID ø 68mm H 41mm suitable for FIORENZATO for T45 equiv. no. 340181		


			
1			
GEV No.	527410	Ref. No.	170091
description	setting ring ø 106mm ID ø 68mm H 30mm suitable for FIORENZATO for T80		

springs

			
1			
GEV No.	525069	Ref. No.	230013
description	compression spring ø 5mm L 28mm wire gauge ø 0.5mm		

accessories

stickers

			
1			
GEV No.	525083	Ref. No.	240022
description	sticker for setting ring ø 95mm		

coffee powder dispenser

coffee powder dispenser

			
1			
GEV No.	525085	Ref. No.	RMT80D001
description	coffee discharge chute L 90mm aluminium ø 45mm		

coffee beans containers

container lids

			
1			
GEV No.	527313	Ref. No.	160149
description	lid for coffee beans container mounting ø 174mm ø 178mm		

			
1			
GEV No.	527315	Ref. No.	160081
description	lid for coffee beans container mounting ø 200mm ø 204mm		

coffee beans containers



1

GEV No.	527312	Ref. No.	RMT480001
----------------	--------	-----------------	-----------

description	coffee beans container 3-piece seat ø 68mm
--------------------	--



1

GEV No.	525086	Ref. No.	RMT800012 RMT800015
----------------	--------	-----------------	------------------------

description	coffee beans container complete ø 175mm H 220mm seat ø 68mm container capacity 1.2kg M80
--------------------	--



1

GEV No.	527311	Ref. No.	RMT800001 RMT800012
description	coffee beans container complete ø 175mm H 220mm seat ø 68mm container capacity 1.2kg T80		



1

GEV No.	525089	Ref. No.	RMT480001
----------------	--------	-----------------	-----------

description	coffee beans container complete ø 200mm H 255mm seat ø 67mm T48
--------------------	---





1

GEV No.	525087	Ref. No.	RMM100001
description	coffee beans container complete ø 200mm H 255mm seat ø 68mm container capacity 1.5kg M1		






1


GEV No.	527314	Ref. No.	160080	
description	coffee beans container ø 172mm H 222mm seat ø 67mm M80			
accessories for	527314			
	GEV No.	527313	Ref. No.	160149
	lid for coffee beans container mounting ø 174mm ø 178mm			
	GEV No.	527318	Ref. No.	160063
	catch L 86mm W 48mm thickness 2mm plastic			
	GEV No.	527319	Ref. No.	160067
	protection cap ø 60mm suitable for FIORENZATO plexiglas			



1


GEV No.	527316	Ref. No.	160076	
description	coffee beans container ø 200mm H 255mm seat ø 67mm M1-T48			
spare parts for	527316			
	GEV No.	527315	Ref. No.	160081
	lid for coffee beans container mounting ø 200mm ø 204mm			
	GEV No.	527318	Ref. No.	160063
	catch L 86mm W 48mm thickness 2mm plastic			
	GEV No.	527319	Ref. No.	160067
	protection cap ø 60mm suitable for FIORENZATO plexiglas			

protection caps



1


GEV No.	527319	Ref. No.	160067
description	protection cap ø 60mm suitable for FIORENZATO plexiglas		



1

GEV No.	527411	Ref. No.	160091
description	protection cap ø 68mm plastic		

locks



1

GEV No.	527318	Ref. No.	160063
description	catch L 86mm W 48mm thickness 2mm plastic		

accessories



GEV No.	525082	Ref. No.	160066
description	ring for coffee beans container ø 96mm ID ø 69mm H 50mm plexiglas		

support for filter holder



GEV No.	527518	Ref. No.	170044
description	bracket for filter holder L 105mm W 57mm H 15mm aluminium		

counters

counters



GEV No.	527505	Ref. No.	210033
description	counter ø 20mm lever length 35mm for dosing unit		

for tilting bratt pans

miscellaneous



GEV No.	523510	Ref. No.	260005
description	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		

equipment feet and end caps

equipment feet with stem



GEV No.	802047	Ref. No.	160097
description	equipment foot rubber ømm H 22mm mounting measurements 31x18mm T80 Qty 1 pcs		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



GEV No.	523510	Ref. No.	260005
description	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		



GEV No.	523511	Ref. No.	260006
description	deep-groove ball bearing type 6203-2RS shaft ø 17mm ED ø 40mm W 12mm with sealing discs deep-groove ball bearing DIN 625-1		

springs

compression springs



GEV No.	527504	Ref. No.	230023
description	compression spring ø 10.3mm L 60mm wire gauge ø 1.3mm		



GEV No.	525069	Ref. No.	230013
description	compression spring ø 5mm L 28mm wire gauge ø 0.5mm		

tension springs



GEV No.	525075	Ref. No.	230027
description	tension spring ø 10mm total length 40mm wire gauge ø 1mm		

C

condensators & interference suppression filters	4
contactors	4

I

indicator lights	3
indicator lights (complete)	3

L

lamps	3
-------	---

M

microswitches	3
motors	4

O

operating capacitors	4
----------------------	---

R

rocker/momentary rocker switches	3
rotary switches	3

S

switches and momentary switches	3
---------------------------------	---