



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**RENEKA**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)





- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed





# heating elements


## heating elements for coffee machine


			
1			
<b>GEV No.</b>	417460	<b>Ref. No.</b>	9005365
<b>description</b>	heating element 2100W 230V heating circuits 2 mounting $\phi$ 46mm hole distance 57mm L 180mm W 37mm H 48mm L1 30mm L2 45mm L3 105mm H1 30mm H2 18mm hole $\phi$ 8.3mm tube $\phi$ 8.3mm thermostat sleeves $\phi$ 7mm length thermostat sleeves 160mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 3 hole flange suitable for RENEKA		
<b>For models:</b>	LC, Pilot, Tempo, Viva, Viva-S, XL-Basic, XL-PALLAS		


			
1			
<b>GEV No.</b>	417449	<b>Ref. No.</b>	9005365
<b>description</b>	heating element 2100W 230V heating circuits 2 mounting $\phi$ 46mm hole distance 57mm L 185mm W 28mm H 36mm connection male faston 6.3mm immersion heater		


			
1			
<b>GEV No.</b>	417136	<b>Ref. No.</b>	N/A
<b>description</b>	heating element 2100W 230V heating circuits 3 mounting $\phi$ 46mm hole distance 56mm L 172mm W 35mm H 34mm hole $\phi$ 8.5mm tube $\phi$ 8mm connection male faston 6.3mm immersion heater 3 hole flange suitable for RENEKA		



			
1			
<b>GEV No.</b>	417298	<b>Ref. No.</b>	9215366
<b>description</b>	heating element 3100W 230V heating circuits 2 thread 1/4" L 325mm W 24mm H 36mm tube $\phi$ 8.3mm thermostat sleeves $\phi$ 6mm length thermostat sleeves 156mm number of thermostat sleeves 1 thermostat sleeve centre not clinging connection male faston 6.3mm immersion heater connection length 25mm flange with thread coffee machine WS 37		
<b>For models:</b>	Mosaic		


			
1			
<b>GEV No.</b>	417137	<b>Ref. No.</b>	9005366
<b>description</b>	heating element 3100W 230V heating circuits 3 mounting $\phi$ 46mm hole distance 56mm L 230mm W 37mm H 42mm hole $\phi$ 8mm tube $\phi$ 8.2mm connection male faston 6.3mm immersion heater 3 hole flange suitable for RENEKA		
<b>For models:</b>	Concept, LC, Tempo, Viva, Viva-e, Viva-S, XL-PALLAS		

			
1			
<b>GEV No.</b>	417299	<b>Ref. No.</b>	9215367
<b>description</b>	heating element 3130/4700W 230/400V heating circuits 3 thread 1/4" L 400mm W 36mm H 27mm tube $\phi$ 8.3mm connection male faston 6.3mm immersion heater connection length 25mm flange with thread coffee machine WS 37		
<b>For models:</b>	Mosaic		

			
1			
<b>GEV No.</b>	417450	<b>Ref. No.</b>	9005367
<b>description</b>	heating element 3800W 230V heating circuits 3 mounting $\phi$ 46mm hole distance 57mm L 325mm W 35mm H 34mm L1 35mm L2 50mm L3 240mm thermostat sleeves $\phi$ 7mm length thermostat sleeves 156mm thermostat sleeve eccentric, clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 3 hole flange		
<b>For models:</b>	Concept, Plus, Prestige, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		


			
1			
<b>GEV No.</b>	417438	<b>Ref. No.</b>	9005378
<b>description</b>	heating element 4000W 230V heating circuits 3 mounting $\phi$ 46mm hole distance 57mm L 550mm W 37mm H 50mm L1 30mm L2 60mm L3 460mm H1 40mm H2 10mm hole $\phi$ 8.3mm tube $\phi$ 8.3mm thermostat sleeves $\phi$ 7mm length thermostat sleeves 160mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 3 hole flange		
<b>For models:</b>	LC, Viva-S, XL-PALLAS		


			
1			
<b>GEV No.</b>	417317	<b>Ref. No.</b>	9101012
<b>description</b>	heating element 4600/5450W 220/240V heating circuits 2 mounting $\phi$ 42mm hole distance 39mm L 540mm W 28mm H 55mm L1 45mm L2 35mm L3 460mm H1 35mm H2 20mm hole $\phi$ 9mm tube $\phi$ 8.5mm thermostat sleeves $\phi$ 7.5mm length thermostat sleeves 268mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 4 hole flange stainless steel		
<b>For models:</b>	Streamline-710, Streamline-940		
<b>accessories for</b>	417317		
		<b>GEV No.</b>	526448
		<b>Ref. No.</b>	9220013
	gasket D1 $\phi$ 76mm D2 $\phi$ 39mm thickness 2mm hole distance 39mm FIBER		

			
1			
<b>GEV No.</b>	417316	<b>Ref. No.</b>	9220017 9220017 3 Phase
<b>description</b>	heating element 4650W 230/400V heating circuits 3 mounting $\phi$ 41mm hole distance 39mm L 338mm W 33mm H 58mm L1 50mm L2 58mm L3 230mm H1 33mm H2 25mm hole $\phi$ 9mm tube $\phi$ 8mm thermostat sleeves $\phi$ 6.5mm length thermostat sleeves 168mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 4 hole flange		
<b>For models:</b>	Streamline-710, Streamline-940		


electric components



			
1			
<b>GEV No.</b>	417138	<b>Ref. No.</b>	N/A
<b>description</b>	heating element 5500W 230V heating circuits 3 mounting $\varnothing$ 46mm hole distance 56mm L 463mm W 36mm H 34mm hole $\varnothing$ 8mm tube $\varnothing$ 8mm connection male faston 6.3mm immersion heater 3 hole flange suitable for RENEKA		

			
1			
<b>GEV No.</b>	417451	<b>Ref. No.</b>	9005354
<b>description</b>	heating element 5500W 230V heating circuits 3 mounting $\varnothing$ 48mm hole distance 57mm L 550mm W 35mm H 34mm L1 45mm L2 50mm L3 465mm tube $\varnothing$ 8.3mm thermostat sleeves $\varnothing$ 7mm length thermostat sleeves 160mm thermostat sleeve eccentric, non clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater		
<b>For models:</b>	Concept, LC, Plus, Prestige, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		


## heating cartridges


			
1			
<b>GEV No.</b>	417318	<b>Ref. No.</b>	9213475
<b>description</b>	heating cartridge 35W 230V $\varnothing$ 6mm L 70mm connection male faston 6.3mm cable length 260mm dry heating element		
<b>For models:</b>	Mosaic		

## accessories

### sealing washers

#### PTFE gaskets

			
1			
<b>GEV No.</b>	526460	<b>Ref. No.</b>	9001720
<b>description</b>	flat gasket PTFE ED $\varnothing$ 50mm ID $\varnothing$ 36mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	LC, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

			
1			
<b>GEV No.</b>	526459	<b>Ref. No.</b>	9001824
<b>description</b>	flat gasket PTFE ED $\varnothing$ 62mm ID $\varnothing$ 42mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Mosaic		

## thermostats


### control and safety thermostats

#### EGO

#### safety thermostats

#### 55.32\_ series




			
1			
<b>GEV No.</b>	375454	<b>Ref. No.</b>	9101000
<b>description</b>	safety thermostat switch-off temp. 154°C 3-pole 20A probe $\varnothing$ 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 800mm gland nut probe		
<b>For models:</b>	Streamline-710, Streamline-940		

## switches and momentary switches


### push/momentary push switches

#### $\varnothing$ 30mm



			
1			
<b>GEV No.</b>	346923	<b>Ref. No.</b>	9209001 9209031
<b>description</b>	push switch mounting measurements $\varnothing$ 30mm clear 2NO 230V connection screw 10A protection IP40 ambient temperature max. 85/125°C		
<b>For models:</b>	Streamline-710, Streamline-940		



			
1			
<b>GEV No.</b>	346922	<b>Ref. No.</b>	9209008 9209038
<b>description</b>	push switch mounting measurements $\varnothing$ 30mm green 2NO/indicator light 230V connection screw 10A protection IP40 ambient temperature max. 85°C		
<b>For models:</b>	Viva-e		



## control equipment

### SCHLEGEL

ø22mm

switches (complete)



1

<b>GEV No.</b>	347081	<b>Ref. No.</b>	9003763
<b>description</b>	switch mounting measurements ø22mm silver latching 1NO rotation 90° sequence 0-1		
<b>For models:</b>	LC, Mosaic		

### LEGRAND

lamp elements



1

<b>GEV No.</b>	347087	<b>Ref. No.</b>	9209003 9209017
<b>description</b>	lamp element 230V voltage AC blue		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		

switches (complete)



1

<b>GEV No.</b>	346923	<b>Ref. No.</b>	9209001 9209031
<b>description</b>	push switch mounting measurements ø30mm clear 2NO 230V connection screw 10A protection IP40 ambient temperature max. 85/125°C		
<b>For models:</b>	Streamline-710, Streamline-940		



1

<b>GEV No.</b>	346922	<b>Ref. No.</b>	9209008 9209038
<b>description</b>	push switch mounting measurements ø30mm green 2NO/indicator light 230V connection screw 10A protection IP40 ambient temperature max. 85°C		
<b>For models:</b>	Viva-e		



1

<b>GEV No.</b>	347290	<b>Ref. No.</b>	9003756
<b>description</b>	switch mounting measurements ø22mm 1NO sequence 0-1		
<b>For models:</b>	Concept, Tempo, Viva, XL-Basic, XL-PALLAS		



1

<b>GEV No.</b>	347289	<b>Ref. No.</b>	9209031 9209042
<b>description</b>	switch mounting measurements ø22mm black 2NO sequence 0-1 complete		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		

### lamps



1

<b>GEV No.</b>	359896	<b>Ref. No.</b>	9003754
<b>description</b>	neon light bulb socket Ba9s 230V green ø 10mm L 28mm		
<b>For models:</b>	Concept, Plus, Prestige, Tempo, Viva, Viva-e, XL-Basic, XL-PALLAS		

### lamps

#### indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs



1

<b>GEV No.</b>	359896	<b>Ref. No.</b>	9003754
<b>description</b>	neon light bulb socket Ba9s 230V green ø 10mm L 28mm		
<b>For models:</b>	Concept, Plus, Prestige, Tempo, Viva, Viva-e, XL-Basic, XL-PALLAS		





## screw-on/push-on fit

## neon light bulbs



1

<b>GEV No.</b>	359896	<b>Ref. No.</b>	9003754
<b>description</b>	neon light bulb socket Ba9s 230V green ø 10mm L 28mm		
<b>For models:</b>	Concept, Plus, Prestige, Tempo, Viva, Viva-e, XL-Basic, XL-PALLAS		

## solid state relays

## CELDUC



1

<b>GEV No.</b>	401643	<b>Ref. No.</b>	9209000
<b>description</b>	solid state relay CELDUC 1 phase 50A 12-280V 3-32VDC L 58mm W 45mm screw type SO945460		
<b>For models:</b>	Mosaic, Streamline-710, Streamline-940, Viva-S		

## relays

## power relays

## with bracket mounting



1

<b>GEV No.</b>	380687	<b>Ref. No.</b>	9006578
<b>description</b>	power relays FINDER 230VAC 30A 2NO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0300		
<b>For models:</b>	Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

## probes

## producer-specific probes

## probes



1

<b>GEV No.</b>	401656	<b>Ref. No.</b>	9209004
<b>description</b>	temperature probe NTC 47kOhm cable PTFE probe -40 up to +125°C cable -40 up to +250°C connection plug thread 1/8" probe ø7x28mm cable length 0.2m		
<b>For models:</b>	Mosaic, Streamline-710, Streamline-940, Viva-S		

## electronics

## PCBs



1

<b>GEV No.</b>	401650	<b>Ref. No.</b>	9005447
<b>description</b>	display L 117mm W 45mm blue		
<b>For models:</b>	Streamline-710, Streamline-940, Tempo, Viva-S		



1

<b>GEV No.</b>	401647	<b>Ref. No.</b>	9209037
<b>description</b>	keypad PCB L 135mm W 43mm with housing buttons 6		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-e, Viva-S		




1

<b>GEV No.</b>	401646	<b>Ref. No.</b>	9209036 9509036
<b>description</b>	keypad PCB L 135mm W 44mm with housing buttons 5		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		




central units



1

<b>GEV No.</b>	402434	<b>Ref. No.</b>	9213963
<b>description</b>	central unit 240V 50/60Hz type 3d5 3GRCT XLC (SC) voltage AC		
<b>For models:</b>	Mosaic		




1

<b>GEV No.</b>	402433	<b>Ref. No.</b>	9213964
<b>description</b>	central unit 240V 50/60Hz type 3d5 3GRCTZ XLC (SC) „H16A“ NT-C+SSR voltage AC		
<b>For models:</b>	Mosaic		



1

<b>GEV No.</b>	401653	<b>Ref. No.</b>	9209010
<b>description</b>	central unit 4-group 230V 50/60Hz type Viva S		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		




1

<b>GEV No.</b>	402435	<b>Ref. No.</b>	4209010
<b>description</b>	central unit 4-group 230V 50/60Hz type Viva S „Triac“		



1

<b>GEV No.</b>	402436	<b>Ref. No.</b>	9003155 9003675 9003678
<b>description</b>	central unit complete incl. fastening plate type 3d5 3GRCTZ XLC (SC)		
<b>For models:</b>	Viva, Viva-S, XL-Basic, XL-PALLAS		
<b>spare parts for</b>	402436		
	<b>GEV No.</b>	402434	<b>Ref. No.</b>
			9213963
	central unit 240V 50/60Hz type 3d5 3GRCT XLC (SC) voltage AC		



1

<b>GEV No.</b>	401651	<b>Ref. No.</b>	9003678
<b>description</b>	control box 2-group for coffee machine 230V type 3d5 2GRCTZ LC		



1

<b>GEV No.</b>	401652	<b>Ref. No.</b>	9003679
<b>description</b>	control box 3-group for coffee machine 230V type 3d5 3GRCTZ XLC (SC)		
<b>For models:</b>	LC, Streamline-710, Streamline-940, Viva-e, Viva-S		

keypads

front foils



1

<b>GEV No.</b>	401644	<b>Ref. No.</b>	9006858
<b>description</b>	front foil		



1			
<b>GEV No.</b>	401645	<b>Ref. No.</b>	9209040 9209041
<b>description</b>	keypad foil black L 110mm W 16.5mm buttons 6		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		

1			
<b>GEV No.</b>	402439	<b>Ref. No.</b>	9006860
<b>description</b>	keypad foil ON-OFF grey/white L 104mm W 27mm buttons 2		
<b>For models:</b>	LC		

1			
<b>GEV No.</b>	402440	<b>Ref. No.</b>	9006806
<b>description</b>	keypad foil RENEKA black/silver L 130mm W 40mm buttons 5		
<b>For models:</b>	LC, Viva		

1			
<b>GEV No.</b>	531118	<b>Ref. No.</b>	9006807
<b>description</b>	keypad foil suitable for RENEKA L 130mm W 40mm buttons 6		
<b>For models:</b>	Viva		

## membrane keypads

1				
<b>GEV No.</b>	400487	<b>Ref. No.</b>	9006824	
<b>description</b>	membrane keypad			
<b>For models:</b>	Viva			
<b>accessories for</b>	400487			
	<b>GEV No.</b>	401673	<b>Ref. No.</b>	9005012
	connecting cable for membrane keypad 2x4-pole suitable for RENEKA			

1			
<b>GEV No.</b>	402847	<b>Ref. No.</b>	9213706
<b>description</b>	membrane keypad coffee machine RENEKA		
<b>For models:</b>	Mosaic		

## keypad units

1			
<b>GEV No.</b>	402437	<b>Ref. No.</b>	9003549
<b>description</b>	keypad unit buttons 2 grey/white ON-OFF L 116mm W 44mm		
<b>For models:</b>	LC		

1			
<b>GEV No.</b>	402438	<b>Ref. No.</b>	9006778
<b>description</b>	keypad unit buttons 5 black RENEKA		
<b>For models:</b>	LC, Viva		

1			
<b>GEV No.</b>	402444	<b>Ref. No.</b>	9213707
<b>description</b>	keypad unit buttons 5 chrome-plated set		


1			
<b>GEV No.</b>	401648	<b>Ref. No.</b>	9209028
<b>description</b>	keypad unit buttons 6		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		

1			
<b>GEV No.</b>	402887	<b>Ref. No.</b>	9006779
<b>description</b>	keypad unit buttons 6 suitable for RENEKA lighting LED L 137mm W 46mm		
<b>For models:</b>	Viva		





accessories

			
<b>GEV No.</b>	401673	<b>Ref. No.</b>	9005012
<b>description</b>	connecting cable for membrane keypad 2x4-pole suitable for RENEKA		

solenoid valves


solenoid valves (water)

metal


ODE

solenoid valves steam (water)

21A1 series

			
<b>GEV No.</b>	370474	<b>Ref. No.</b>	9003435
<b>description</b>	solenoid valve brass 2-ways 230VAC with flange plate body 25-I28 DN 2.5mm slide-on receptacle DIN -10 up to 140°C ODE type series 5005 coil type BDA membranes FKM p max 14bar 50/60Hz silicone flange 32x32mm		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Techno, Viva-e, Viva-S		

5005A series

			
<b>GEV No.</b>	370541	<b>Ref. No.</b>	9008257
<b>description</b>	solenoid valve brass 3-ways 230VAC DN 1.5mm slide-on receptacle DIN -10 up to 140°C ODE coil type BDA membranes FKM (water/steam) p max 15bar p min 0bar outer cone		
<b>For models:</b>	Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

PARKER


2-way


VE-140 series

			
<b>GEV No.</b>	370473 <sup>1</sup>	<b>Ref. No.</b>	9003344 AT7702308
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/8" L 30mm -10 up to 140°C coil type ZB09 membranes ruby nickel-plated brass		
<b>For models:</b>	Atalante, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

<sup>1</sup>nickel-plated

electrodes

			
<b>GEV No.</b>	401655	<b>Ref. No.</b>	9010491
<b>description</b>	level electrode 1/4" IT total length 155mm probe L 131mm insulated probe length 31mm connection angled, male faston 6.3mm ø 3mm		
<b>For models:</b>	LC, Mosaic, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

			
<b>GEV No.</b>	401654	<b>Ref. No.</b>	9010490
<b>description</b>	level electrode 1/4" IT total length 95mm probe L 65mm insulated probe length 31mm connection angled, male faston 6.3mm ø 3mm		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

flow meters and flow sensors

flow meters

GICAR

			
<b>GEV No.</b>	400778	<b>Ref. No.</b>	9008954
<b>description</b>	flow meter thread 1/4" stainless steel with LED plug-in connection approval NSF		
<b>For models:</b>	Concept, LC, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		



pumps

booster pumps II

pump motors

clip connection



1	<b>GEV No.</b>	500072	<b>Ref. No.</b>	9007902
<b>description</b>	pump motor RPM type C013726 120W 230V 50/60Hz connection clip L 145mm W 125mm H 110mm capacitor 6.3µF at 50Hz 1320rpm at 60Hz 1570rpm flange ø1 47.5mm flange ø2 38.3mm shaft diameter 5x11.5mm			
<b>For models:</b>	LC, Tempo, Viva, Viva-S			
<b>accessories for</b>	500072			
	<b>GEV No.</b>	365012	<b>Ref. No.</b>	—
<b>description</b>	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection			

pump heads

FLUID-O-TECH



1	<b>GEV No.</b>	501517	<b>Ref. No.</b>	9007907
<b>description</b>	pump head FLUID-O-TECH 200l/h connection 3/8" NPT with filter and bypass brass clip connection for coffee machine			
<b>For models:</b>	Plus, Prestige, Streamline-710, Streamline-940, Viva-S, XL-PALLAS			



1	<b>GEV No.</b>	500177	<b>Ref. No.</b>	N/A
<b>description</b>	pump head PA204X FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with filter and bypass brass clip connection for coffee machine shaft ø 4.8x11mm			

1				
<b>GEV No.</b>	500064	<b>Ref. No.</b>	N/A	
<b>description</b>	pump head PO204 FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm			
<b>accessories for</b>	500064			
	<b>GEV No.</b>	520126	<b>Ref. No.</b>	—
<b>description</b>	clamp for pump/motor			

equipment-specific units for espresso machines

filter holders

filter holders standard

filter holders (complete)

1			
<b>GEV No.</b>	529214	<b>Ref. No.</b>	9204510
<b>description</b>	filter holder		

1			
<b>GEV No.</b>	529215	<b>Ref. No.</b>	9204511
<b>description</b>	filter holder		

1			
<b>GEV No.</b>	529217	<b>Ref. No.</b>	9204501
<b>description</b>	filter holder		
<b>For models:</b>	Viva-e, Viva-S		



filter holder without spout

			
1			
<b>GEV No.</b>	525990	<b>Ref. No.</b>	N/A
<b>description</b>	filter holder suitable for RENEKA without outlet mounting ø 77mm outlet 3/8" ID ø 60.5mm wedge height 11.5mm wedge position horizontal number of wedges 2 lever straight		


			
1			
<b>GEV No.</b>	526466	<b>Ref. No.</b>	9215312 9216151
<b>description</b>	filter holder suitable for RENEKA without outlet mounting ø 83mm ID ø 62mm		
<b>For models:</b>	Mosaic		

filter holders short


			
1			
<b>GEV No.</b>	529033	<b>Ref. No.</b>	9004934
<b>description</b>	filter holder mounting ø 77mm outlet 3/8" ID ø 60.5mm handle M10x1.5 wedge height 11.5mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		
<b>For models:</b>	LC, Plus, Streamline-710, Streamline-940, Viva-e, Viva-S, XL-PALLAS		
<b>accessories for</b>	529033		
	<b>GEV No.</b>	<b>Ref. No.</b>	N/A
		529053	
<b>description</b>	handle ø 35mm thread M10x1.5 thread L 15mm L 125mm black		

handles

with external thread

			
1			
<b>GEV No.</b>	529053	<b>Ref. No.</b>	N/A
<b>description</b>	handle ø 35mm thread M10x1.5 thread L 15mm L 125mm black		

with bore

			
1			
<b>GEV No.</b>	529207	<b>Ref. No.</b>	N/A
<b>description</b>	handle dimensions 28/33mm ID ø 11mm L 130mm black		

filters

for 1 cup

			
1			
<b>GEV No.</b>	526496	<b>Ref. No.</b>	9003947 9003957
<b>description</b>	coffee filter ø 67.5mm mounting ø 60mm H 20.1mm cups 1 amount of coffee 7g perforation ø 0.4mm		
<b>For models:</b>	Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

			
1			
<b>GEV No.</b>	526495	<b>Ref. No.</b>	9003961
<b>description</b>	coffee filter ø 67.7mm mounting ø 60mm H 20mm cups 1 amount of coffee 6g perforation ø 0.4mm		
<b>For models:</b>	Concept, LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

for 2 cups

			
1			
<b>GEV No.</b>	526497	<b>Ref. No.</b>	9003944 9003958
<b>description</b>	coffee filter ø 67.5mm mounting ø 60mm H 22.1mm cups 2 amount of coffee 14g perforation ø 0.4mm		
<b>For models:</b>	Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

for 3 and more cups

			
1			
<b>GEV No.</b>	526477	<b>Ref. No.</b>	9003939
<b>description</b>	coffee filter ø 67.6mm mounting ø 60mm H 30mm cups 3 amount of coffee 21g		
<b>For models:</b>	LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

brewing units

shower screens

flat



1			
<b>GEV No.</b>	529084	<b>Ref. No.</b>	9003470
<b>description</b>	shower screen ø 52mm hole ø 6.4mm		
<b>For models:</b>	Concept, LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

filter holder gaskets

flat

with internal notch



1			
<b>GEV No.</b>	526270	<b>Ref. No.</b>	9101145
<b>description</b>	filter holder gasket D1 ø 72mm D2 ø 56mm H 8mm with inside notch Qty 1 pcs		
<b>For models:</b>	Mosaic		



1			
<b>GEV No.</b>	528037	<b>Ref. No.</b>	9003203
<b>description</b>	filter holder gasket D1 ø 73.8mm D2 ø 57.2mm H 9mm with inside notch Qty 1 pcs		
<b>For models:</b>	Concept, LC, Plus, Prestige, Streamline-710, Streamline-940, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

brewing units manual

components

gaskets



1			
<b>GEV No.</b>	529795	<b>Ref. No.</b>	9005074
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		

components


nozzles

with thread



1			
<b>GEV No.</b>	531162	<b>Ref. No.</b>	9004176
<b>description</b>	nozzle bore ø 0.8mm thread M10x1 L 8mm		
<b>For models:</b>	Concept, Plus, Prestige, Viva, XL-Basic, XL-PALLAS		

gaskets



1			
<b>GEV No.</b>	526448	<b>Ref. No.</b>	9220013
<b>description</b>	gasket D1 ø 76mm D2 ø 39mm thickness 2mm hole distance 39mm FIBER		
<b>For models:</b>	Streamline-710, Streamline-940		

water dispersions

water dispersions

group 3



1			
<b>GEV No.</b>	528855	<b>Ref. No.</b>	9003471
<b>description</b>	water distributor ø 39.5mm H 4.3mm 6 holes hole ø 2mm mounting ø 6.6mm brass		
<b>For models:</b>	Concept, LC, Plus, Prestige, Streamline-710, Streamline-940, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

safety valves

safety valves

1/2"



1			
<b>GEV No.</b>	529827	<b>Ref. No.</b>	9005001
<b>description</b>	safety valve connection 1/2" triggering pressure 1.5bar		
<b>For models:</b>	Atalante, LC, Plus, Prestige, Streamline-710, Streamline-940, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		



drain pans

covers



1

<b>GEV No.</b>	529899	<b>Ref. No.</b>	9003996
<b>description</b>	cover for drain pan L 100mm W 75mm H 92mm hose ø 19mm ABS plastic		
<b>For models:</b>	Mosaic, Plus, Prestige, Viva, Viva-e, XL-Basic, XL-PALLAS		



1

<b>GEV No.</b>	526454	<b>Ref. No.</b>	9003913
<b>description</b>	cover for drain pan with hole L 100mm W 75mm H 92mm hole ø 10mm hose ø 19mm ABS plastic		
<b>For models:</b>	LC		



1


<b>GEV No.</b>	526455	<b>Ref. No.</b>	9202501 9202502
<b>description</b>	cover for drain pan with hole L 100mm W 75mm H 92mm hole ø 10mm hose ø 19mm ABS plastic		
<b>For models:</b>	Streamline-710, Streamline-940, Viva-S		

drain pans



1

<b>GEV No.</b>	526456	<b>Ref. No.</b>	9003994
<b>description</b>	drain pan L 205mm W 68mm H 50mm connection 3/8" thread L 10mm		
<b>For models:</b>	LC, Tempo, Viva		



1

<b>GEV No.</b>	526457	<b>Ref. No.</b>	9004004
<b>description</b>	drain pan L 205mm W 68mm H 50mm connection 3/8" thread L 22mm		
<b>For models:</b>	Plus, Prestige, XL-Basic, XL-PALLAS		



1

<b>GEV No.</b>	526458	<b>Ref. No.</b>	9202499 9202500
<b>description</b>	drain pan with hole L 205mm W 68mm H 50mm connection 3/8" thread L 10mm		
<b>For models:</b>	Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		

hose couplings



1

<b>GEV No.</b>	526476	<b>Ref. No.</b>	9003995
<b>description</b>	hose connector connection 15mm thread 3/8" brass with mounting thread		
<b>For models:</b>	LC, Plus, Prestige, Tempo, Viva, XL-Basic, XL-PALLAS		





1

<b>GEV No.</b>	526463	<b>Ref. No.</b>	9201503
<b>description</b>	hose connector connection 15mm thread M16x1.5 chrome-plated brass		
<b>For models:</b>	Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		

## steam/water taps


## steam/water taps

## steam/water taps





1

<b>GEV No.</b>	529830	<b>Ref. No.</b>	9007699 9007702
<b>description</b>	steam/water tap		
<b>For models:</b>	Concept, LC, Plus, Prestige, Tempo, Viva, XL-Basic, XL-PALLAS		




1

<b>GEV No.</b>	528974	<b>Ref. No.</b>	9208020	
<b>description</b>	steam/water tap complete			
<b>For models:</b>	Viva-e, Viva-S			
<b>accessories for</b>	528974			
	<b>GEV No.</b>	532557	<b>Ref. No.</b>	9001834
	O-ring NBR thickness 2.62mm ID ø 12.37mm Qty 1 pcs			



1

<b>GEV No.</b>	531072	<b>Ref. No.</b>	9217703
<b>description</b>	steam/water tap mounting pos. left inlet 3/8" outlet 3/8" shaft M8 shaft L 25mm chrome-plated brass		
<b>For models:</b>	Streamline-710, Streamline-940		



1

<b>GEV No.</b>	526446	<b>Ref. No.</b>	9217702
<b>description</b>	steam/water tap mounting pos. left/right swing lever inlet 3/8" outlet 3/8" shaft M8 shaft L 25mm chrome-plated brass		
<b>For models:</b>	Mosaic		

## steam taps

## steam taps (complete)




1


<b>GEV No.</b>	525367	<b>Ref. No.</b>	9217713
<b>description</b>	steam tap with pipe swing lever		
<b>For models:</b>	Mosaic		

## components


## bushes



1


<b>GEV No.</b>	526010	<b>Ref. No.</b>	9007706	
<b>description</b>	bush steam/water tap D1 ø 10.5mm D2 ø 9mm ID ø 6.3mm H 4.6mm brass			
<b>For models:</b>	LC, Plus, Prestige, Tempo, Viva-e, Viva-S, XL-PALLAS			
<b>accessories for</b>	526010			
	<b>GEV No.</b>	526005	<b>Ref. No.</b>	—
	shaft steam tap ø 14.8mm L 92.5mm thread M6 brass			

## gaskets



1

<b>GEV No.</b>	526258	<b>Ref. No.</b>	9007703
<b>description</b>	gasket D1 ø 12.5mm thickness 5.5mm silicone		
<b>For models:</b>	LC, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva-e, Viva-S, XL-PALLAS		



1

<b>GEV No.</b>	529795	<b>Ref. No.</b>	9005074
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		



union nuts



1

<b>GEV No.</b>	526464	<b>Ref. No.</b>	9220019
<b>description</b>	union nut thread TR20 for swing lever ID ø 13.5mm L 33mm		
<b>For models:</b>	Streamline-710, Streamline-940		

miscellaneous



1

<b>GEV No.</b>	525358	<b>Ref. No.</b>	9007708
<b>description</b>	stop for steam-/water-tap ø 14.5mm ID ø 6.3mm L 7.7mm		
<b>For models:</b>	LC, Plus, Prestige, Tempo, Viva-e, Viva-S, XL-PALLAS		

steam/water pipes

steam pipes



1

<b>GEV No.</b>	526450	<b>Ref. No.</b>	9213696
<b>description</b>	steam pipe with handle thread 3/8" H 170mm ø 14.5mm tube ø 8mm		
<b>For models:</b>	Mosaic		
<b>accessories for</b>	526450		

	<b>GEV No.</b>	528291	<b>Ref. No.</b>	9208015 9211741
	O-ring Viton thickness 2.62mm ID ø 11.91mm Qty 1 pcs			

	<b>GEV No.</b>	528396	<b>Ref. No.</b>	9211739
	O-ring EPDM thickness 2mm ID ø 7.2mm Qty 1 pcs			



1

<b>GEV No.</b>	526475	<b>Ref. No.</b>	9003696 9003700
<b>description</b>	steam pipe with tube handle thread M18x1 H 160mm ø 14.2mm tube ø 10mm stainless steel		
<b>For models:</b>	LC, Plus, Prestige, Tempo, Viva, Viva-e, Viva-S, XL-Basic		

nozzles for water pipes

tap aerators



1

<b>GEV No.</b>	548385	<b>Ref. No.</b>	9001890
<b>description</b>	tap aerator thread M22x1 with plastic insert at 3bar ca.44l/min		
<b>For models:</b>	LC, Mosaic, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

water pipes



1

<b>GEV No.</b>	528976	<b>Ref. No.</b>	9003687
<b>description</b>	water pipe thread M18x1 L 84mm		
<b>For models:</b>	LC, Streamline-710, Streamline-940, Viva-e, Viva-S, XL-PALLAS		



1

<b>GEV No.</b>	526449	<b>Ref. No.</b>	9003697
<b>description</b>	water pipe thread M18x1 ø 22.3mm L 65mm		
<b>For models:</b>	LC, Streamline-710, Streamline-940, Techno, Viva, Viva-e, Viva-S, XL-Basic		



1

<b>GEV No.</b>	528975	<b>Ref. No.</b>	9003699
<b>description</b>	water pipe thread M18x1 ø 23.5mm L 35mm		
<b>For models:</b>	Plus, Prestige, Tempo, Viva-e, Viva-S, XL-PALLAS		

accessories

bushes



1

<b>GEV No.</b>	526467	<b>Ref. No.</b>	9001887
<b>description</b>	bush D1 ø 14.2mm H 6mm with O-ring ID ø 7.1mm		
<b>For models:</b>	LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

tube handles



1

<b>GEV No.</b>	527844	<b>Ref. No.</b>	9001810
<b>description</b>	tube handle for pipe ø 10mm		
<b>For models:</b>	Concept, LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		



1

<b>GEV No.</b>	528625	<b>Ref. No.</b>	9211810
<b>description</b>	tube handle L 35mm rubber ID ø 8mm		
<b>For models:</b>	Mosaic		

fine filters

fine filters



1

<b>GEV No.</b>	528853	<b>Ref. No.</b>	9004176
<b>description</b>	fine filter with housing with thread H 8mm thread M10x1		

non-return valves

complete



1

<b>GEV No.</b>	526465	<b>Ref. No.</b>	9008340
<b>description</b>	non-return valve EPDM inlet 1/8" outlet 1/8" L 20mm suitable for RENEKA		
<b>For models:</b>	Viva-S		



1

<b>GEV No.</b>	526447	<b>Ref. No.</b>	9008336 9008339
<b>description</b>	non-return valve inlet 1/8" outlet 1/8" L 40.5mm		
<b>For models:</b>	Concept, LC, Mosaic, Pilot, Plus, Prestige, Tempo, XL-Basic, XL-PALLAS		

EQUIPMENT-SPECIFIC UNITS/KNOBS RENEKA

screw connections

miscellaneous



1

<b>GEV No.</b>	531119	<b>Ref. No.</b>	9201505
<b>description</b>	grub screw for boiler T1: 1/8" L 8mm SS Qty 1 pcs		
<b>For models:</b>	Mosaic, Viva-e, Viva-S		

for coffee grinders

grinding burrs

grinding burrs straight

standard



1

<b>GEV No.</b>	527202	<b>Ref. No.</b>	9009822
<b>description</b>	grinding burrs pair turn direction left D1 ø 63.3mm ID ø 38mm H 9mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 straight suitable for BRASILIA, ROSSI equiv. no. 00058/BRASILIA, 4433/ROSSI		

knobs

steam/water taps

steam/water taps



1

<b>GEV No.</b>	111323	<b>Ref. No.</b>	9208030
<b>description</b>	knob ø 45mm thread Tr18x2 black		
<b>For models:</b>	Viva-e, Viva-S		



1

<b>GEV No.</b>	111324	<b>Ref. No.</b>	9004475
<b>description</b>	knob ø 48mm shaft ø 7.5mm chrome-plated		
<b>For models:</b>	Plus, Prestige, Tempo, XL-PALLAS		





1

<b>GEV No.</b>	111170	<b>Ref. No.</b>	9004469
<b>description</b>	knob ø 55mm black		
<b>For models:</b>	Concept, LC, Tempo, Viva, XL-Basic		




knob dial plates


 <p>1</p>			
<b>GEV No.</b>	111321	<b>Ref. No.</b>	9208031
<b>description</b>	knob dial plate tail +/- ø 32.5mm chrome-plated		
<b>For models:</b>	Viva-S		

 <p>1</p>			
<b>GEV No.</b>	111322	<b>Ref. No.</b>	9208032
<b>description</b>	knob dial plate tail +/- ø 32.5mm chrome-plated		
<b>For models:</b>	Viva-e		

handles and hand wheels

lever handles


 <p>1</p>			
<b>GEV No.</b>	111326	<b>Ref. No.</b>	9217707 9218030
<b>description</b>	lever handle ø 16-19mm L 40mm thread M18x1.25 black		
<b>For models:</b>	Mosaic		


 <p>1</p>			
<b>GEV No.</b>	111325	<b>Ref. No.</b>	9220016
<b>description</b>	lever handle ø 22mm L 50mm thread M8x1.25 black/chrome		
<b>For models:</b>	Streamline-710, Streamline-940		


gaskets


O-rings


EPDM


 <p>1</p>			
<b>GEV No.</b>	526471	<b>Ref. No.</b>	9005073
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 8.9mm Qty 1 pcs		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		


 <p>1</p>			
<b>GEV No.</b>	504574	<b>Ref. No.</b>	9001838
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs		
<b>For models:</b>	Concept, Plus, Prestige, Viva, XL-Basic, XL-PALLAS		


 <p>1</p>			
<b>GEV No.</b>	526470	<b>Ref. No.</b>	9001825 9001900
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 3.68mm Qty 1 pcs		
<b>For models:</b>	Concept, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-S, XL-PALLAS		

 <p>1</p>			
<b>GEV No.</b>	532572	<b>Ref. No.</b>	9001827
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 48.89mm Qty 1 pcs		
<b>For models:</b>	Mosaic		


 <p>1</p>			
<b>GEV No.</b>	532074	<b>Ref. No.</b>	9001827
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 48.89mm Qty 10 pcs		

 <p>1</p>			
<b>GEV No.</b>	528813	<b>Ref. No.</b>	9005075
<b>description</b>	O-ring EPDM thickness 2mm ID ø 17mm Qty 1 pcs		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		

 <p>1</p>			
<b>GEV No.</b>	526469	<b>Ref. No.</b>	9007707
<b>description</b>	O-ring EPDM thickness 2mm ID ø 5.5mm Qty 1 pcs		
<b>For models:</b>	LC, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva-e, Viva-S, XL-PALLAS		




<b>GEV No.</b>	528396	<b>Ref. No.</b>	9211739
<b>description</b>	O-ring EPDM thickness 2mm ID ø 7.2mm Qty 1 pcs		
<b>For models:</b>	Mosaic		




<b>GEV No.</b>	528852	<b>Ref. No.</b>	9001842
<b>description</b>	O-ring EPDM thickness 3mm ID ø 39.8mm Qty 1 pcs		
<b>For models:</b>	Concept, LC, Pilot, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

**Viton**




<b>GEV No.</b>	528291	<b>Ref. No.</b>	9208015 9211741
<b>description</b>	O-ring Viton thickness 2.62mm ID ø 11.91mm Qty 1 pcs		
<b>For models:</b>	Mosaic, Streamline-710, Streamline-940, Viva-S		




<b>GEV No.</b>	526468	<b>Ref. No.</b>	9001859
<b>description</b>	O-ring Viton thickness 3.6mm ID ø 35.6mm Qty 1 pcs		
<b>For models:</b>	Plus, Prestige, Tempo, XL-PALLAS		

**NBR**



<b>GEV No.</b>	532557	<b>Ref. No.</b>	9001834
<b>description</b>	O-ring NBR thickness 2.62mm ID ø 12.37mm Qty 1 pcs		
<b>For models:</b>	Concept, Plus, Prestige, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-PALLAS		

**miscellaneous**




<b>GEV No.</b>	526473	<b>Ref. No.</b>	9001883
<b>description</b>	O-ring thickness 2.5mm ID ø 12.5mm Qty 1 pcs		
<b>For models:</b>	LC, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

**sealing washers**


**copper gaskets**

**DIN-7603-A**




<b>GEV No.</b>	526461	<b>Ref. No.</b>	9007701
<b>description</b>	flat gasket copper ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	LC		


**PTFE gaskets**



<b>GEV No.</b>	527638	<b>Ref. No.</b>	9211740
<b>description</b>	flat gasket PTFE ED ø 12mm ID ø 10mm thickness 1mm Qty 1 pcs		
<b>For models:</b>	Mosaic		




<b>GEV No.</b>	526013	<b>Ref. No.</b>	9005072
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	LC, Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S		



<b>GEV No.</b>	526460	<b>Ref. No.</b>	9001720
<b>description</b>	flat gasket PTFE ED ø 50mm ID ø 36mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	LC, Streamline-710, Streamline-940, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		






			
1			
<b>GEV No.</b>	526459	<b>Ref. No.</b>	9001824
<b>description</b>	flat gasket PTFE ED ø 62mm ID ø 42mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Mosaic		

### special gaskets

#### group gaskets


			
1			
<b>GEV No.</b>	526448	<b>Ref. No.</b>	9220013
<b>description</b>	gasket D1 ø 76mm D2 ø 39mm thickness 2mm hole distance 39mm FIBER		
<b>For models:</b>	Streamline-710, Streamline-940		


### springs


#### compression springs

			
1			
<b>GEV No.</b>	526462	<b>Ref. No.</b>	9007705
<b>description</b>	compression spring ø 10.5mm L 31.5mm wire gauge ø 1.25mm		
<b>For models:</b>	LC, Plus, Prestige, Tempo, Viva-e, Viva-S, XL-PALLAS		

### manometers

			
1			
<b>GEV No.</b>	541722	<b>Ref. No.</b>	9004720
<b>description</b>	manometer double scale ø 63mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8" silver		
<b>For models:</b>	Mosaic, Streamline-710, Streamline-940, Viva-e, Viva-S, XL-PALLAS		


			
1			
<b>GEV No.</b>	541290	<b>Ref. No.</b>	541.290
<b>description</b>	manometer ø 51mm pressure range 0 up to 16bar thread 1/8" marking 9 connection on the backside		

			
1			
<b>GEV No.</b>	541289	<b>Ref. No.</b>	N/A
<b>description</b>	manometer ø 51mm pressure range 0 up to 3bar thread 1/8" marking 2.5 connection on the backside		

### fastening material


#### screws

##### countersunk screws

			
1			
<b>GEV No.</b>	560215	<b>Ref. No.</b>	9001091 9211091
<b>description</b>	countersunk screw thread M5 L 14mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 9.2mm		
<b>For models:</b>	LC, Mosaic, Plus, Prestige, Streamline-710, Streamline-940, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		


#### cylinder head bolts

##### DIN 912/ISO 4762

			
1			
<b>GEV No.</b>	560025	<b>Ref. No.</b>	9001173
<b>description</b>	cylinder head bolt thread M4 thread L 10mm WS 3 SS Qty 20 pcs DIN 912/ISO 4762		
<b>For models:</b>	LC, Mosaic, Pilot, Plus, Prestige, Streamline-710, Streamline-940, Techno, Tempo, Viva, Viva-e, Viva-S, XL-Basic, XL-PALLAS		

#### grub screws

##### miscellaneous

			
1			
<b>GEV No.</b>	531119	<b>Ref. No.</b>	9201505
<b>description</b>	grub screw for boiler T1: 1/8" L 8mm SS Qty 1 pcs		
<b>For models:</b>	Mosaic, Viva-e, Viva-S		



**B**

booster pumps II 10

**C**

control equipment 5

countersunk screws 19

cylinder head bolts 19

**E**

electrodes 9

**F**

fastening material 19

flow meters 9

**G**

grub screws 19

**H**

heating cartridges 4

heating elements 3

heating elements for coffee machine 3

**I**

indicator lights 5

**L**

lamps 5

**N**

neon light bulbs 5,6

**O**

O-rings 17

**P**

probes 6

pumps 10

push/momentary push switches 4

**R**

relays 6

**S**

safety thermostats 4

screws 19

sealing washers 18

solenoid valves 9

solid state relays 6

switches and momentary switches 4

**T**

thermostats 4