



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**TEFCOLD**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



## thermostats

## refrigeration thermostats

## RANCO

## K22 series

RANCO



<b>GEV No.</b>	390876	<b>Ref. No.</b>	2922600038
----------------	--------	-----------------	------------

**description** thermostat RANCO type K22L8100 capillary pipe 2060mm temperature range°C probe ø9.5x130mm

## K50 series

RANCO



<b>GEV No.</b>	390983	<b>Ref. No.</b>	1022600059
----------------	--------	-----------------	------------

**description** thermostat RANCO type K50-L3420 probe ø 2mm probe Lmm capillary pipe 500mm refrigeration

RANCO



<b>GEV No.</b>	390872	<b>Ref. No.</b>	1022600019
----------------	--------	-----------------	------------

**description** thermostat RANCO type K50-L3421 probe ø 2mm probe Lmm capillary pipe 1200mm refrigeration

RANCO



<b>GEV No.</b>	390984	<b>Ref. No.</b>	6000013181 6062100120
----------------	--------	-----------------	--------------------------

**description** thermostat RANCO type K50-Q4964 probe ø 9mm probe L 40mm capillary pipe 1200mm

## switches and momentary switches

## rocker/momentary rocker switches

## 19x13mm



1

<b>GEV No.</b>	301318	<b>Ref. No.</b>	9200013118
----------------	--------	-----------------	------------

**description** rocker switch mounting measurements 19x13mm red 1NO 250V 10A illuminated 0-I connection male faston 4.8mm

## 30x11mm



1

<b>GEV No.</b>	347350	<b>Ref. No.</b>	1013916016
----------------	--------	-----------------	------------

**description** rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 90°C protection IP40

## 30x22mm

## labelled



1

<b>GEV No.</b>	300125	<b>Ref. No.</b>	7110002401
----------------	--------	-----------------	------------

**description** rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap

**accessories for** 300125



<b>GEV No.</b>	301036	<b>Ref. No.</b>	—
----------------	--------	-----------------	---

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

## microswitches

## with push button

## switches with snap-fit



1

<b>GEV No.</b>	346772	<b>Ref. No.</b>	7110002402
----------------	--------	-----------------	------------

**description** microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g



## lamps

## indicator lights

## indicator lights (complete)

30x11mm



1

<b>GEV No.</b>	359160	<b>Ref. No.</b>	1013916017
<b>description</b>	indicator light mounting measurements 30x11mm 230V green connection male faston 6.3mm rectangular temp.-resist. 125°C		

## electronic controllers

## DIXELL

## refrigeration controllers

## built-in version



1

<b>GEV No.</b>	378363	<b>Ref. No.</b>	7110000399
<b>description</b>	electronic controller DIXELL XR06CX-5R0C1 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 NO-20A(8) CO-8A(3) NO-5A(2) NTC NTC DI protection IP54 -40 up to +110°C display 3½ digits		
<b>accessories for</b>	378363		
	<b>GEV No.</b>	381249	<b>Ref. No.</b> —
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m		

## EKTRON

## refrigeration controllers

## built-in version



1

<b>GEV No.</b>	378034	<b>Ref. No.</b>	7110000401 7110000402
<b>description</b>	electronic controller EKTRON type REK31ED-0021 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-8A(4) NTC/PTC NTC/PTC built-in depth 71mm defr. funct. yes -50 up to +95°C display 3 digits		
<b>accessories for</b>	378034		
	<b>GEV No.</b>	379053	<b>Ref. No.</b> —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		

<b>accessories for</b>	378034		
	<b>GEV No.</b>	379782	<b>Ref. No.</b> —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		



1

<b>GEV No.</b>	378118	<b>Ref. No.</b>	7110000400
<b>description</b>	electronic controller EKTRON type REK33-1021 mounting measurements 71x29mm 230V voltage AC PTC relay outputs 3 NO-16A NO-8A(4) NO-8A(4) PTC PTC built-in depth 71mm -50 up to +95°C display 3½ digits		
<b>accessories for</b>	378118		
	<b>GEV No.</b>	379052	<b>Ref. No.</b> —
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		

## miscellaneous

## refrigeration controllers



1

<b>GEV No.</b>	378496	<b>Ref. No.</b>	50EB-2.1 BULB 2006 6868100108 TFW360-2
<b>description</b>	electronic controller TEFCOLD type TFW360-2 240V voltage AC 5-18°C display 2x 2 digit relay outputs 3 compressor relay NO-12A DEF Relay fan relay NO-5A NO-5A 3 RoomTempIN yes DEF Probe yes DigiIN 1 yes protection IPx0		



1

<b>GEV No.</b>	378497	<b>Ref. No.</b>	50EB-2.3 LED 2007 6868100140 TFW360-2
<b>description</b>	electronic controller TEFCOLD type TFW360-2 240V voltage AC 5-18°C display 2x 2 digit relay outputs 3 compressor relay NO-12A DEF Relay fan relay NO-5A NO-5A 3 RoomTempIN yes DEF Probe yes DigiIN 1 yes protection IPx0		

## probes

## universal probes

## temperature probes



1

<b>GEV No.</b>	379306	<b>Ref. No.</b>	7110001602
<b>description</b>	temperature probe PTC cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x35mm cable length 2m cable colours brown/blue 2-wire resistor 1kOhm		



## compressors

### ACC/ZEL

R134A

LBP monophase

Lower evaporation temperature below -20°C



1

<b>GEV No.</b>	605126	<b>Ref. No.</b>	7200002102 OF1350A
<b>description</b>	compressor coolant R134a type OF1350A 220-240V 50Hz LBPkg 1/4HP power input 158W cylinder capacity 7.5cm <sup>3</sup> RSIR H 183mm WWWWWWWWW ZEL		

### SECOF DANFOSS

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

<b>GEV No.</b>	605123	<b>Ref. No.</b>	2910800068 9999150007
<b>description</b>	compressor coolant R134a type TL4G 220-240V 50Hz HMBP 7.5kg 1/8HP power input 118W cylinder capacity 3.86cm <sup>3</sup> CSIR H 173mm 50W 72W 99W 133W 173W 222W 280W 347W 425W test method ASHRAE ambient temperature max. 43°C		
<b>spare parts for</b>	605123		
	<b>GEV No.</b>	380077	<b>Ref. No.</b> —
	start relay DANFOSS 117U6004/F097 HST		

## fans

### axial fans

ebm-papst



1

<b>GEV No.</b>	601030 <sup>1</sup>	<b>Ref. No.</b>	7130001902
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
<b>accessories for</b>	601030		
	<b>GEV No.</b>	550898	<b>Ref. No.</b> —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	<b>GEV No.</b>	692497	<b>Ref. No.</b> —
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		

<sup>1</sup>with ball bearings

### refrigeration fans

refrigeration motors universal

ebm-papst

standard motors



1

<b>GEV No.</b>	601287	<b>Ref. No.</b>	7200002200 Ø170
<b>description</b>	fan motor 10W 230V 50Hz L1 43mm L3 81mm W 83mm cable length 450mm		
<b>spare parts for</b>	601287		
	<b>GEV No.</b>	601413	<b>Ref. No.</b> —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		





cross flow fans

IMPORT




1			
<b>GEV No.</b>	601847	<b>Ref. No.</b>	1013700228
<b>description</b>	cross flow fan YJ61-16A-HZ03 roller ø 60mm roller length 180mm laminated core thickness 15mm motor position right 220-240V/50-60Hz 27W refrigeration bearing rubber connection male faston 6.3mm -10 up to +60°C 230V 50/60Hz		

gaskets


refrigeration gaskets

plug-in gaskets

profile 9052




1			
<b>GEV No.</b>	902112	<b>Ref. No.</b>	9200009104
<b>description</b>	refrigeration gasket profile 9052 W 410mm L 770mm plug size		



1			
<b>GEV No.</b>	901681	<b>Ref. No.</b>	9208501196
<b>description</b>	refrigeration gasket profile 9052 W 475mm L 665mm plug size		


profile 9042



1			
<b>GEV No.</b>	901656	<b>Ref. No.</b>	1014690014
<b>description</b>	refrigeration gasket profile 9042 W 575mm L 1610mm plug size		

profile 9010

We offer custom-made gaskets for this profile



1			
<b>GEV No.</b>	901501	<b>Ref. No.</b>	1014690454
<b>description</b>	refrigeration gasket profile 9010 W 573mm L 1605mm plug size		

equipment-specific units

for fridges

housing and bezels

handles



1			
<b>GEV No.</b>	701484	<b>Ref. No.</b>	1013208009 1016208009
<b>description</b>	door handle for fridge L 200mm W 73mm H 4mm aluminium		

shelves and shelf rails

shelf rails and supports

producer-specific



1			
<b>GEV No.</b>	700705	<b>Ref. No.</b>	7110005601 7200001500 PTP920
<b>description</b>	pair of setting bar L 550mm W 20mm H 30mm		

<b>GEV No.</b>	902251	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9010 Wmm L 2500mm		

<b>GEV No.</b>	902113	<b>Ref. No.</b>	7300010007
<b>description</b>	refrigeration gasket profile 9150 W 735mm L 1675mm plug size		

profile 9150			
<b>GEV No.</b>	901493	<b>Ref. No.</b>	7200000805
<b>description</b>	refrigeration gasket profile 9150 W 396mm L 494mm plug size		

<b>GEV No.</b>	901653	<b>Ref. No.</b>	7140000805
<b>description</b>	refrigeration gasket profile 9150 W 460mm L 595mm plug size		

<b>GEV No.</b>	902140	<b>Ref. No.</b>	7300010027
<b>description</b>	refrigeration gasket profile 9150 W 568mm L 1640mm plug size		

<b>GEV No.</b>	901682	<b>Ref. No.</b>	7110000805
<b>description</b>	refrigeration gasket profile 9150 W 680mm L 1475mm plug size		

## evaporators

for fridges

producer-specific

<b>GEV No.</b>	750626	<b>Ref. No.</b>	7110000201
<b>description</b>	evaporator L 300mm W 150mm H 220mm for fridge suitable for TEFCOLD		

<b>GEV No.</b>	750273	<b>Ref. No.</b>	9200005049
<b>description</b>	evaporator L 375mm W 50mm H 330mm		

<b>GEV No.</b>	750625	<b>Ref. No.</b>	7130000201
<b>description</b>	evaporator L 470mm W 94mm H 269mm mounting distance 8mm mounting distance 1 42mm mounting distance 2 44.5mm		

## evaporation and condensing trays

### unheated condensing trays



1

<b>GEV No.</b>	750622	<b>Ref. No.</b>	9110102235
<b>description</b>	condensing tray L 248mm W 164mm H 162mm		

## fastening material

### nuts

#### cap nuts



1

<b>GEV No.</b>	560136	<b>Ref. No.</b>	7200000528
<b>description</b>	cap nuts thread M5 WS 8 SS Qty 20 pcs DIN/ISO DIN 1587		



**A**

axial fans 5

**C**

cap nuts 8

compressors 5

cross flow fans 6

**E**

electronic controllers 4

evaporators 7

**F**

fans 5

fastening material 8

**I**

indicator lights 4

indicator lights (complete) 4

**L**

lamps 4

**M**

microswitches 3

**N**

nuts 8

**P**

plug-in gaskets 6

probes 4

**R**

refrigeration fans 5

refrigeration gaskets 6

refrigeration motors universal 5

refrigeration thermostats 3

rocker/momentary rocker switches 3

**S**

shelves and shelf rails 6

switches and momentary switches 3

**T**

temperature probes 4

thermostats 3

**U**

universal probes 4