



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**VIBIEMME**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)







- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed






# heating elements

## heating elements for coffee machine



 <p>1</p>			
<b>GEV No.</b>	417081	<b>Ref. No.</b>	ELETRESD1422
<b>description</b>	heating element 1350W 230V heating circuits 1 thread 1" L 140mm W 22mm H 23mm tube ø 8.5mm connection 6.3 immersion heater flange with thread		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso		
<b>accessories for</b>	417081		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	510404		
	flat gasket fibre ED ø 44mm ID ø 34mm thickness 2mm Qty 1 pcs		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	528018		
	flat gasket PTFE ED ø 41mm ID ø 33mm thickness 3mm size 1" Qty 1 pcs		



 <p>1</p>			
<b>GEV No.</b>	417498	<b>Ref. No.</b>	ELETRESSM1822 UNK30335220
<b>description</b>	heating element 1800W 230V heating circuits 1 thread 1¼" L 140mm W 26mm H 26mm tube ø 8.5mm connection male faston 6.3mm immersion heater connection length 15mm coffee machine parts WS 37 copper		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		

 <p>1</p>			
<b>GEV No.</b>	417030	<b>Ref. No.</b>	ELETRES1G1822
<b>description</b>	heating element 1800W 230V heating circuits 2 mounting ø 40mm hole distance 57mm L 177mm W 26mm H 53mm L1 35mm L2 60mm L3 74mm H1 24mm H2 29mm hole ø 10mm tube ø 8.5mm connection M6 immersion heater 3 hole flange suitable for BRASILIA, VIBIEMME		

 <p>1</p>			
<b>GEV No.</b>	417150	<b>Ref. No.</b>	ELETRES2G2722 ELETRES2G2724
<b>description</b>	heating element 2700W 230V heating circuits 2 mounting ø 38.5mm hole distance 57mm L 252mm W 26mm H 65mm L1 30mm L2 42mm L3 180mm H1 24mm H2 40mm windings 3 hole ø 11mm connection M6x1 immersion heater 3 hole flange		
<b>For models:</b>	Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica		
<b>accessories for</b>	417150		
	<b>GEV No.</b>	<b>Ref. No.</b>	N/A
	528012		
	gasket suitable for VIBIEMME for heating element		

 <p>1</p>			
<b>GEV No.</b>	417348	<b>Ref. No.</b>	ELETRES2G3522 ELETRES2G4023
<b>description</b>	heating element 4000W 230V heating circuits 2 mounting ø 38.5mm hole distance 57mm L 330mm W 28mm H 55mm L1 25mm L2 70mm L3 235mm H1 25mm H2 30mm windings 2 hole ø 11mm tube ø 8.5mm connection M6 immersion heater 3 hole flange		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Evolution-2gr-elettronica-e-puls, Lollo-2gruppi, Replica-elettronica-2gr, Replica-manuale-2gr, Replica-pulsante-2gr, Revolution-2gr-elettronica-epuls		
<b>accessories for</b>	417348		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	528013		
	gasket ID ø 40mm fibre thickness 4mm hole ø 11mm hole distance 57mm for heating element coffee machine parts		


 <p>1</p>			
<b>GEV No.</b>	417159	<b>Ref. No.</b>	N/A
<b>description</b>	heating element 4000W 380V heating circuits 2 mounting ø 40mm hole distance 57mm L 492mm W 26mm H 72mm L1 35mm L2 60mm L3 397mm H1 24mm H2 48mm windings 2 hole ø 10mm tube ø 6.3mm connection M5 immersion heater 3 hole flange suitable for VIBIEMME		
<b>accessories for</b>	417159		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	528013		
	gasket ID ø 40mm fibre thickness 4mm hole ø 11mm hole distance 57mm for heating element coffee machine parts		

 <p>1</p>			
<b>GEV No.</b>	417439	<b>Ref. No.</b>	ELETRES3G4522 ELETRES3G5023
<b>description</b>	heating element 5000W 230V heating circuits 2 mounting ø 39mm hole distance 57mm L 455mm W 25mm H 51mm L1 35mm L2 65mm L3 335mm H1 25mm H2 26mm windings 2		
<b>For models:</b>	Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Evolution-3gr-elettronica-e-puls, Lollo-3gruppi, Replica-elettronica-3gr, Replica-manuale-3gr, Replica-pulsante-3gr, Revolution-3gr-elettronica-epuls		
<b>accessories for</b>	417439		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	528013		
	gasket ID ø 40mm fibre thickness 4mm hole ø 11mm hole distance 57mm for heating element coffee machine parts		


### accessories

#### sealing washers

#### fibre gaskets

 <p>1</p>			
<b>GEV No.</b>	510405	<b>Ref. No.</b>	N/A
<b>description</b>	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		

PTFE gaskets



<b>GEV No.</b>	528021	<b>Ref. No.</b>	GUARRESPICTEF
<b>description</b>	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Lollo-1gruppo		

flange gaskets



<b>GEV No.</b>	528740	<b>Ref. No.</b>	GUARRESTR UNK70406620
<b>description</b>	gasket ID ø 44mm PTFE thickness 3.5mm hole ø 9.5mm hole distance 58mm suitable for ITALCREM, VISACREM for heating element coffee machine parts		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



<b>GEV No.</b>	528012	<b>Ref. No.</b>	N/A
<b>description</b>	gasket suitable for VIBIEMME for heating element		

thermostats

bi-metal thermostats

safety bi-metal thermostats



<b>GEV No.</b>	390688	<b>Ref. No.</b>	ELETSALRESUL UNK6264978
<b>description</b>	bi-metal safety thermostat hole distance 39mm switch-off temp. 130°C 2NC 2-pole 10A connection male faston 3.2mm mounting ø 31mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



<b>GEV No.</b>	390740	<b>Ref. No.</b>	ELETGLDOMM165
<b>description</b>	bi-metal thermostat hole distance 16mm switch-off temp. 165°C 1NC 16A connection F6.3		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale		

bi-metal thermostats



<b>GEV No.</b>	390739	<b>Ref. No.</b>	ELETGLDOM128
<b>description</b>	bi-metal thermostat hole distance 23.5mm switch-off temp. 130°C 1NC 1-pole 16A 250V connection F6.3		
<b>For models:</b>	Chimaera, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler		


control and safety thermostats

PRODIGY / FIRT

control thermostats



<b>GEV No.</b>	390716	<b>Ref. No.</b>	ELETEDOMJU2B
<b>description</b>	thermostat t.max. 55°C temperature range°C 1-pole 1CO 16A probe ø 6.5mm probe L 90mm capillary pipe 1700mm capillary pipe isolated 1500mm gland nut M14x1 shaft ø 6x4.6mm shaft L 6mm shaft position lower rotation 315° probe material copper		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B		



<b>GEV No.</b>	390626	<b>Ref. No.</b>	ELETEDOM
<b>description</b>	thermostat t.max. 55°C temperature range°C 1-pole 1CO 16A probe ø 6mm probe L 72mm capillary pipe 700mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 6mm shaft position upper rotation 270° probe material copper		



## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



<b>GEV No.</b>	346896 <sup>1</sup>	<b>Ref. No.</b>	ELETINTBIPSIN
<b>description</b>	rocker switch mounting measurements 30x22mm black 2NO 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		

<sup>1</sup>non-illuminated



<b>GEV No.</b>	347343	<b>Ref. No.</b>	ELETPULINTKOR UNK32276239
<b>description</b>	rocker switch mounting measurements 30x22mm white/white 1NO/NO 250V 16A cup warmer/0 connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		

### push/momentary push switches

28.5x28.5mm



<b>GEV No.</b>	345142	<b>Ref. No.</b>	ELETPULCMDOMT
<b>description</b>	push switch mounting measurements 28.5x28.5mm red/green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator		
<b>For models:</b>	Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante		



<b>GEV No.</b>	346502	<b>Ref. No.</b>	ELETPULCMDOM
<b>description</b>	push switch mounting measurements 28.5x28.5mm red/green 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

ø25mm



<b>GEV No.</b>	346496	<b>Ref. No.</b>	ELETINTNLST
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



<b>GEV No.</b>	345160 <sup>1</sup>	<b>Ref. No.</b>	ELETINTGLUSE
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Domobar-Interruttore-Luminoso		

<sup>1</sup>illuminated



<b>GEV No.</b>	346497	<b>Ref. No.</b>	ELETINTVLUSE
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A illuminated steam connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Domobar-Interruttore-Luminoso		



<b>GEV No.</b>	346504	<b>Ref. No.</b>	ELETINTALUSE
<b>description</b>	push switch mounting ø 25mm red 2NO 250V 16A illuminated water connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Domobar-Interruttore-Luminoso		

### miscellaneous



<b>GEV No.</b>	347349	<b>Ref. No.</b>	ELETPULBIPDOR
<b>description</b>	push switch black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

### toggle switches

M12x0.75



<b>GEV No.</b>	347462	<b>Ref. No.</b>	ELETINTLEVMET
<b>description</b>	toggle switch thread M12x0.75 2CO 250V 15A ON-ON		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Junior-2B, Domobar-Junior-HX		





## microswitches

## lever actuated



1

<b>GEV No.</b>	345044	<b>Ref. No.</b>	ELETMICP1
<b>description</b>	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 25mm type C99ZP3 actuating force: 25g lever length 71mm		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		

## pin-plunger actuated

M10



1

<b>GEV No.</b>	345156	<b>Ref. No.</b>	ELETMICRE
<b>description</b>	microswitch with plunger thread M10x1 thread L 13mm 250V 16A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 46mm L1 13mm ambient temperature max. 85°C type C4A-ZN3 actuating force: 340g		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr		

## non-standard



1

<b>GEV No.</b>	347463	<b>Ref. No.</b>	ELETMICREKIRI
<b>description</b>	microswitch type NR6X5		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX		

## system switches (ROLD)




1

<b>GEV No.</b>	347182	<b>Ref. No.</b>	ELETPULSUPOVD UNK80981726
<b>description</b>	element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	347181	<b>Ref. No.</b>	ELETPULTASCRD UNK85036766	
<b>description</b>	push button size 13x17mm chrome-plated			
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls			
<b>accessories for</b>	347181			
	<b>GEV No.</b>	347182	<b>Ref. No.</b>	ELETPULSU- POVD UNK80981726
	element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm			

## rotary switches

## BREMAS

A1600 series



1

<b>GEV No.</b>	345145	<b>Ref. No.</b>	ELETCOM
<b>description</b>	rotary switch 0-1-2 20A shaft L 23mm connection screw clamp 3 operating positions 6-pole shaft 5x5mm		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica		


## miscellaneous



1


<b>GEV No.</b>	347464	<b>Ref. No.</b>	ELETCOMDOMSUP
<b>description</b>	rotary switch		
<b>For models:</b>	Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale		





			
1			
<b>GEV No.</b>	347453	<b>Ref. No.</b>	ELETCOM4STADI
<b>description</b>	rotary switch 4 0-1-2-3		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


accessories			
knobs			
			
1			
<b>GEV No.</b>	525172	<b>Ref. No.</b>	MANCOMREPLCA MANCOMREPLICA
<b>description</b>	knob ø 39mm L 19mm W 13mm aperture 5x5mm polished		
<b>For models:</b>	Chimaera, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


**lamps**


indicator lights			
indicator lights 2-piece (lens and indicator lamp)			
indicator light lenses			
ø 6mm (type SQ-20)			
			
1			
<b>GEV No.</b>	359806	<b>Ref. No.</b>	ELETGEMMATRAS
<b>description</b>	indicator light lens clear Qty 1 pcs ø 6mm		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		


indicator lamps for socket type SQ			
			
1			
<b>GEV No.</b>	359748	<b>Ref. No.</b>	ELETLAMNEONRO
<b>description</b>	indicator lamp 110-250V red connection screw ø 8.5mm		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		

			
1			
<b>GEV No.</b>	359747	<b>Ref. No.</b>	ELETLAMNEONVE
<b>description</b>	indicator lamp 250V green connection grip connection ø 8.5mm		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		

indicator lights (complete)			
ø10mm			
with screw socket			
			
1			
<b>GEV No.</b>	359380	<b>Ref. No.</b>	ELETLAMSP22CP
<b>description</b>	indicator light ø 10mm 230V red connection male faston 6.3mm socket screw base		

			
1			
<b>GEV No.</b>	359476	<b>Ref. No.</b>	ELETLAMSP22GC
<b>description</b>	indicator light ø 10mm 110/250V red connection male faston 6.3mm		
<b>For models:</b>	Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica		

with plug-in socket			
			
1			
<b>GEV No.</b>	359138	<b>Ref. No.</b>	ELETLAMSP22CF
<b>description</b>	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		

			
1			
<b>GEV No.</b>	360489	<b>Ref. No.</b>	ELETLAMSP22EV
<b>description</b>	indicator light ø 10mm 110/250V red connection with cable cable length 1400mm temp.-resist. 120°C		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



## LED

## indicator lamps

## miscellaneous



1

<b>GEV No.</b>	360490	<b>Ref. No.</b>	ELELEEDBIACU
<b>description</b>	LED		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale		


## contactors

## LOVATO

## power contactors



1

<b>GEV No.</b>	380705	<b>Ref. No.</b>	TELERUTTOREKW
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 11BG0910A230		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		
<b>accessories for</b>	380705		
	<b>GEV No.</b>	380057	<b>Ref. No.</b>
	auxiliary contact contacts 1NO/1NC AC1 10A for contactors BG series connection screw type BGX1011		

## solid state relays

## miscellaneous



1

<b>GEV No.</b>	402566	<b>Ref. No.</b>	RELESTATICODS
<b>description</b>	solid state relay HFS 1 phase 25A 240V 4-32VDC L 58mm W 45mm with LED screw type D-24Z25-L		
<b>For models:</b>	Domobar-Super-2b-Pid-Elettronica		

## relays

## level relays

## GICAR



1

<b>GEV No.</b>	402557	<b>Ref. No.</b>	ELETREGLIV
<b>description</b>	level controller 230V 50/60Hz 5A connection plug type RL30/1E/2C/C		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Ko-meta-Pulsante, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		



Image not available

1

<b>GEV No.</b>	402875	<b>Ref. No.</b>	ELETDOSPIDREG
<b>description</b>	level controller 230V voltage AC 50/60Hz		
<b>For models:</b>	Domobar-Super-2b-Pid-Manuale		

## transformers

## toroidal core transformers




1

<b>GEV No.</b>	402565	<b>Ref. No.</b>	UNK20636123
<b>description</b>	transformer primary 2x115V secondary 24V 75VA secondary 0.5A 50/60Hz type T075.E.003		
<b>For models:</b>	Chimaera		




## probes


### producer-specific probes


 <p>1</p>			
<b>GEV No.</b>	379452	<b>Ref. No.</b>	ELETSONTEMPII UNK60538522
<b>description</b>	temperature probe NTC cable glass fibre probe -40 up to +125°C cable -50 up to +350°C connection plug thread 1/4" probe ø3.5x20mm cable length 0.24m		
<b>For models:</b>	Chimaera, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler		


## electronics


### PCBs

 <p>Image not available</p> <p>1</p>			
<b>GEV No.</b>	402857	<b>Ref. No.</b>	ELETDOSPIDREP
<b>description</b>	display		
<b>For models:</b>	Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler		

 <p>Image not available</p> <p>1</p>			
<b>GEV No.</b>	402858	<b>Ref. No.</b>	ELETPULDISPID
<b>description</b>	display		
<b>For models:</b>	Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler		

 <p>Image not available</p> <p>1</p>			
<b>GEV No.</b>	402860	<b>Ref. No.</b>	ELETPULDISREP
<b>description</b>	display		
<b>For models:</b>	Chimaera		

 <p>1</p>			
<b>GEV No.</b>	402873	<b>Ref. No.</b>	ELETDOSPIDELE ELETDOSPIDELE
<b>description</b>	display		
<b>For models:</b>	Domobar-Super-2b-Pid-Elettronica		

 <p>1</p>			
<b>GEV No.</b>	402442	<b>Ref. No.</b>	ELETPULLIDDIGK UNK69209608
<b>description</b>	display level ø 40mm		
<b>For models:</b>	Lollo-2gruppi, Lollo-3gruppi		

### central units

 <p>1</p>			
<b>GEV No.</b>	402859	<b>Ref. No.</b>	ELETDOSRECUMP
<b>description</b>	central unit		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

 <p>1</p>			
<b>GEV No.</b>	403634	<b>Ref. No.</b>	ELETDOSKORINE
<b>description</b>	central unit 230V 50/60Hz L 127mm W 105mm for VIBIEMME		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi		


dosing electronics

miscellaneous



1

<b>GEV No.</b>	402161	<b>Ref. No.</b>	ELETDOS3D2G
<b>description</b>	control box 3-group 230V		



1

<b>GEV No.</b>	402101	<b>Ref. No.</b>	ELETDOS3D2GSI
<b>description</b>	control box 3-group for coffee machine 230V type 3d 3GRCT XLC		




1

<b>GEV No.</b>	400776	<b>Ref. No.</b>	ELETDOS30
<b>description</b>	control box for coffee machine 230/240V 50/60Hz type 30 MICRO ST./C NO SIC		
<b>For models:</b>	Domobar-Super-2b-Pid-Elettronica		




1

<b>GEV No.</b>	402590	<b>Ref. No.</b>	ELETDOS30DOM
<b>description</b>	control box for coffee machine 230/240V 50/60Hz type 30 MICRO ST./C NO SIC		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		




1

<b>GEV No.</b>	402868	<b>Ref. No.</b>	ELETDOSKORINE
<b>description</b>	dosing electronics 1-2 group 230V		




1  
Image not available

<b>GEV No.</b>	402852	<b>Ref. No.</b>	ELETDOS3GRCTT
<b>description</b>	dosing electronics 230V		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		




1  
Image not available

<b>GEV No.</b>	402855	<b>Ref. No.</b>	ELETDOSKIMREP
<b>description</b>	dosing electronics 230V		
<b>For models:</b>	Chimaera, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler		



1  
Image not available

<b>GEV No.</b>	402856	<b>Ref. No.</b>	ELETDOSPID23G
<b>description</b>	dosing electronics 230V		
<b>For models:</b>	Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler		




1  
Image not available

<b>GEV No.</b>	402869	<b>Ref. No.</b>	ELETDOS3GKONE
<b>description</b>	dosing electronics 3-group 230V		
<b>For models:</b>	Lollo-3gruppi		


## keypads

### keypad units




1  
Image not available

<b>GEV No.</b>	402861	<b>Ref. No.</b>	ELETPUL1LEDNE
<b>description</b>	keypad unit		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		




1

<b>GEV No.</b>	402872	<b>Ref. No.</b>	ELETPULACKORN
<b>description</b>	keypad unit buttons 1		
<b>For models:</b>	Lollo-2gruppi, Lollo-3gruppi		




1  
Image not available

<b>GEV No.</b>	402871	<b>Ref. No.</b>	ELETPUL1LED2T
<b>description</b>	keypad unit buttons 2		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		




1

<b>GEV No.</b>	402870	<b>Ref. No.</b>	ELETPUL5LED5T
<b>description</b>	keypad unit buttons 5		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		




1

<b>GEV No.</b>	401455	<b>Ref. No.</b>	ELETPUL1LEDAL
<b>description</b>	keypad unit buttons 5 L 116mm W 43mm with buttons aluminium		
<b>For models:</b>	Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Kometa-Elettronica		




1

<b>GEV No.</b>	401457	<b>Ref. No.</b>	ELETPUL1LEDKO
<b>description</b>	keypad unit buttons 5 L 87mm W 59mm		



1

<b>GEV No.</b>	402853	<b>Ref. No.</b>	ELETPUL6T1LDT
<b>description</b>	keypad unit buttons 6		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr		



1

<b>GEV No.</b>	402854	<b>Ref. No.</b>	ELETPUL6T1LTD
<b>description</b>	keypad unit buttons 6 with LED		
<b>For models:</b>	Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler		

## solenooid valves


### solenooid valves (water)

metal

ASCO

spare parts and accessories


O-rings








1


<b>GEV No.</b>	371095	<b>Ref. No.</b>	GUARSASTRUEV
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

<b>PARKER</b>			
2-way			
E-146 series			
			
<b>GEV No.</b>	370521	<b>Ref. No.</b>	ELETELE2VAU22
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/8" DN 1.5mm t.max. 370206°C slide-on receptacle DIN -20° up to 130°C type series VE-146 coil type ZB09 membranes FKM (water) p max 40bar brass		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		
<b>spare parts for</b>	370521		
	<b>GEV No.</b>	371029	<b>Ref. No.</b> —
solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm			

			
<b>GEV No.</b>	370303	<b>Ref. No.</b>	ELETELE2AU22
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/8" DN 3mm slide-on receptacle DIN -20° up to 130°C PARKER type series VE-146 coil type ZB09 membranes FKM (water) p max 10bar		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		

3-way			
VE-128 series			
			
<b>GEV No.</b>	370060	<b>Ref. No.</b>	ELETELE3VCAB
<b>description</b>	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type YB09 with cable membranes Viton p max 10bar brass flange 32x32mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Elettronico, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Elettronica, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		
<b>spare parts for</b>	370060		
	<b>GEV No.</b>	370062	<b>Ref. No.</b> —
solenoid valve body PARKER 3-ways outer cone			
	<b>GEV No.</b>	371033	<b>Ref. No.</b> —
solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm			
<b>accessories for</b>	370060		
	<b>GEV No.</b>	101527	<b>Ref. No.</b> —
O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	<b>GEV No.</b>	532193	<b>Ref. No.</b> —
O-ring silicone thickness 1.78mm ID ø 6.75mm Qty 10 pcs			

Solenoid valve - accessories

			
<b>GEV No.</b>	371095	<b>Ref. No.</b>	GUARSASTRUEV
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



## pressure switches

### for coffee machines

ø 38mm



1

<b>GEV No.</b>	541783	<b>Ref. No.</b>	ELETPREDSUKIR XP110
<b>description</b>	pressure control pressure range 0.5-1.5bar connection 1/4" 21A 250V ø 38mm preset at 1.1bar		

### miscellaneous



1

<b>GEV No.</b>	541724	<b>Ref. No.</b>	ELETPREDOMSU
<b>description</b>	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 20A 3-pole type P303 coffee machine parts SIRAI		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		



1

<b>GEV No.</b>	541021	<b>Ref. No.</b>	ELETPRE
<b>description</b>	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		
<b>accessories for</b>	541021		
	<b>GEV No.</b>	550262	<b>Ref. No.</b> —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	<b>GEV No.</b>	890100	<b>Ref. No.</b> —
	PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm		

## flow meters and flow sensors

### flow meters

GICAR



1

<b>GEV No.</b>	400775	<b>Ref. No.</b>	ELETCONTVOLOT
<b>description</b>	flow meter thread 1/4" brass with LED nominal-ø 1.15mm plug-in connection		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	541750	<b>Ref. No.</b>	ELETCONTVODOS
<b>description</b>	flow meter hose ø 7mm plastic approval NSF		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		






## pumps

### booster pumps II


#### pump motors

#### clip connection



1			
<b>GEV No.</b>	500458	<b>Ref. No.</b>	ELETMOT22V
<b>description</b>	pump motor RPM type 11002778 165W 230V 50Hz connection clip L 165mm W 130mm H 140mm capacitor 10µF		
<b>spare parts for</b>	500458		
	<b>GEV No.</b>	365015	<b>Ref. No.</b> ELETCOND
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1			
<b>GEV No.</b>	500452	<b>Ref. No.</b>	ELETMOTRPM304
<b>description</b>	pump motor RPM type C004311 100W 230V 50/60Hz connection clip L 160mm W 95mm H 140mm capacitor 5µF		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		
<b>spare parts for</b>	500452		
	<b>GEV No.</b>	365066	<b>Ref. No.</b> ELETCONDRPM
	operating capacitor capacity 7µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 55mm M8 plastic connection male faston 2.8mm protection		

#### pump heads

#### FLUID-O-TECH



1			
<b>GEV No.</b>	499088	<b>Ref. No.</b>	POMPPRONOSETN
<b>description</b>	pump head PA074 FLUID-O-TECH L 82mm 70l/h connection 3/8" GAS with bypass brass clip connection shaft ø 10.8x4.8mm approval NSF		



1			
<b>GEV No.</b>	499056	<b>Ref. No.</b>	POMPPRONO UNK21572132
<b>description</b>	pump head PA1504 FLUID-O-TECH L 82mm 150l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 10.8x4.8mm approval NSF		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1			
<b>GEV No.</b>	500454	<b>Ref. No.</b>	POMPROCFL
<b>description</b>	pump head PA1504 FLUID-O-TECH L 82mm 150l/h connection 3/8" NPT with bypass brass clip connection for coffee machine shaft ø 4.8x11mm approval NSF		



**PROCON**



1


<b>GEV No.</b>	500453	<b>Ref. No.</b>	POMPPRONOSETN
<b>description</b>	pump head T6495 PROCON L 82mm 100l/h connection 3/8" NPT with bypass brass clip connection for coffee machine shaft ø 4.8x11mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

**accessories**



1


<b>GEV No.</b>	500456	<b>Ref. No.</b>	TUBIP415
<b>description</b>	by-pass for PROCON pump		



1


<b>GEV No.</b>	365015	<b>Ref. No.</b>	ELETCOND
<b>description</b>	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		

**vibration pumps**





1

<b>GEV No.</b>	390698	<b>Ref. No.</b>	TERMPROTDOMSU
<b>description</b>	thermal fuse switch-off temp. 110°C suitable for ULKA pump		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		



1

<b>GEV No.</b>	500124	<b>Ref. No.</b>	POMPVIDDOM UNK46491381
<b>description</b>	vibration pump type EX 5 230V 48W 50/60Hz inlet ø 6 outlet ø 1/8" IT flat seal ULKA brass L 123mm		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		
<b>accessories for</b>	500124		
	<b>GEV No.</b>	520152	<b>Ref. No.</b> —
	hose connector Santoprene grommet ø 7mm grommet length 14mm		
	<b>GEV No.</b>	520330	<b>Ref. No.</b> —
	bracket rubber dimensions 69x44x4mm		

**condensators & interference suppression filters**

**operating capacitors**

**plastic**



1

<b>GEV No.</b>	365015	<b>Ref. No.</b>	ELETCOND
<b>description</b>	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

<b>GEV No.</b>	365066	<b>Ref. No.</b>	ELETCOND RPM
<b>description</b>	operating capacitor capacity 7µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 55mm M8 plastic connection male faston 2.8mm protection		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## equipment-specific units

## for espresso machines


## filter holders

## filter holders standard

## filter holders short



1

<b>GEV No.</b>	529232	<b>Ref. No.</b>	PORTTN
<b>description</b>	filter holder mounting $\varnothing$ 82.5mm outlet 3/8" ID $\varnothing$ 62mm handle M10x1.5 wedge height 9.2mm wedge position horizontal number of wedges 2 lever straight chrome-plated brass		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		
<b>accessories for</b>	529232		
	<b>GEV No.</b>	529233	<b>Ref. No.</b> PORTIMPPF
	handle $\varnothing$ 30mm thread M10x1.5 L1 115mm black		

## handles

## with external thread



1

<b>GEV No.</b>	529233	<b>Ref. No.</b>	PORTIMPPF
<b>description</b>	handle $\varnothing$ 30mm thread M10x1.5 L1 115mm black		



1

<b>GEV No.</b>	525203	<b>Ref. No.</b>	PORTIMPPFNEW
<b>description</b>	handle $\varnothing$ 35mm thread M10x1.5 thread L 14mm L 126mm black		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## spouts

## with thread 3/8"



1

<b>GEV No.</b>	529005	<b>Ref. No.</b>	FILTBE1TDOM
<b>description</b>	filter holder spout thread 3/8" 1-way curved/short outlet distance 33mm		



1

<b>GEV No.</b>	529008	<b>Ref. No.</b>	FILTBE2TDOM
<b>description</b>	filter holder spout thread 3/8" 2-way curved outlet distance 33mm		

## filters


## for 1 cup



1


<b>GEV No.</b>	529011	<b>Ref. No.</b>	FILT1TA
<b>description</b>	coffee filter $\varnothing$ 70mm mounting $\varnothing$ 60mm H 24.5mm cups 1 amount of coffee 7g perforation $\varnothing$ 0.4mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


for 2 cups			
			
1			
GEV No.	529013	Ref. No.	FILT2TA
description	coffee filter ø 70mm mounting ø 60.5mm H 25.5mm cups 2 amount of coffee 14g perforation ø 0.3x0.3mm square		
For models:	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

filter holder springs			
			
1			
GEV No.	531243	Ref. No.	N/A
description	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder Qty 20 pcs		

brewing units			
shower screens			
with upstand			
			
1			
GEV No.	528417	Ref. No.	FILTDCREGR
description	shower screen ø 58mm H 19mm		
For models:	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

filter holder gaskets			
flat			
standard			
			
1			
GEV No.	526254	Ref. No.	GUARSOT
description	filter holder gasket D1 ø 73.6mm D2 ø 58mm H 8mm Qty 1 pcs		
For models:	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

brewing units with solenoid valve			
components			
			
1			
GEV No.	525170	Ref. No.	ASSTASCAUT
description	drain pipe 1/8" L 42mm WS 22		
For models:	Chimaera, Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Elettronico, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Elettronica, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
GEV No.	528959	Ref. No.	RACCTASC28AUT
description	screw T1: 1/4" L 28mm		



## brewing units manual

## components

## bushes



1

<b>GEV No.</b>	525177	<b>Ref. No.</b>	RACCBUPRGO
<b>description</b>	bush D1 ø 15mm D2 ø 10mm ID ø 8mm H 28mm brass		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## gaskets



1

<b>GEV No.</b>	529795	<b>Ref. No.</b>	GUARPI
<b>description</b>	gasket D1 ø 13mm D2 ø 4mm thickness 4mm coffee machine		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## springs



1

<b>GEV No.</b>	527934	<b>Ref. No.</b>	MOLLVAER
<b>description</b>	compression spring ø 14.2mm L 45mm wire gauge ø 1.5mm SS		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## camshafts





1

<b>GEV No.</b>	525171	<b>Ref. No.</b>	RACCALCAGR
<b>description</b>	camshaft shaft ø 8mm shaft intake ø 6.2mm L 86.5mm W 20mm H 17mm thread M6 chrome-plated brass		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## valves



1

<b>GEV No.</b>	526008	<b>Ref. No.</b>	ASSVALVEROG	
<b>description</b>	valve group outflow L 54.3mm ED ø 16mm shaft ø 4.5mm brass			
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr			
<b>accessories for</b>	526008			
	<b>GEV No.</b>	526003	<b>Ref. No.</b>	—
	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 10 drain valve			
	<b>GEV No.</b>	532550	<b>Ref. No.</b>	—
	O-ring NBR 787/70 thickness 2.62mm ID ø 9.13mm Qty 10 pcs			



1

<b>GEV No.</b>	525180	<b>Ref. No.</b>	ASSVALVSCAR
<b>description</b>	valve L 27mm ED ø 16mm shaft triangular brass		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		



1

<b>GEV No.</b>	525181	<b>Ref. No.</b>	ASSVALVINF
<b>description</b>	valve L 61mm ED ø 16mm shaft triangular brass		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## screw connections





1

<b>GEV No.</b>	527942	<b>Ref. No.</b>	RACCTAPRGO
<b>description</b>	screw connection thread 1/2" int. ø 1 10.8mm int. ø 2 15mm L 17mm WS 22		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		






components			
nozzles			
with thread			
			
1			
<b>GEV No.</b>	528486	<b>Ref. No.</b>	RACCGIES7
<b>description</b>	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

springs			
			
1			
<b>GEV No.</b>	526561	<b>Ref. No.</b>	MOLLPRGO
<b>description</b>	compression spring ø 14.3mm L 21mm wire gauge ø 1.8mm		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

screws			
			
1			
<b>GEV No.</b>	560373	<b>Ref. No.</b>	VITEVITBR
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Elettronico, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Elettronica, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

water dispersions			
water dispersions			
group 2			
			
1			
<b>GEV No.</b>	525169	<b>Ref. No.</b>	RACCSPGRKO
<b>description</b>	water distributor ø 21mm hole ø 1.5mm H 12mm ET M6 grooves 6 1.3mm brass 2 holes perforation ø 1.7mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante		

			
1			
<b>GEV No.</b>	529081	<b>Ref. No.</b>	RACCSPGR
<b>description</b>	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 2.5mm brass		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

safety valves			
safety valves			
1/2"			
			
1			
<b>GEV No.</b>	529306	<b>Ref. No.</b>	VALVMO
<b>description</b>	safety valve connection 1/2" triggering pressure 1.8bar		
<b>For models:</b>	Chimaera, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## expansion valves

## with hose connection



1

<b>GEV No.</b>	526587	<b>Ref. No.</b>	ASSVALVESPEVO
<b>description</b>	expansion valve T1: 1/4" ET hose ø 9.5mm L 42mm		
<b>For models:</b>	Chimaera, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## gaskets



1

<b>GEV No.</b>	698775	<b>Ref. No.</b>	GUARSILRUDOST
<b>description</b>	gasket ED ø 9.5mm H 5mm PTFE for espresso machine		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		



1

<b>GEV No.</b>	525182	<b>Ref. No.</b>	GUARSILRUDOMSU
<b>description</b>	sealing disc ø 9mm thickness 5mm silicone Qty 1 pcs		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		

## compression springs



1

<b>GEV No.</b>	526474	<b>Ref. No.</b>	MOLLCOVANORIT MOLLCOVATNORIT UNK1479865
<b>description</b>	compression spring ø 8mm L 31.5mm wire gauge ø 0.4mm for expansion valve		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

## drain pans

## drain pans



1

<b>GEV No.</b>	525168	<b>Ref. No.</b>	MATECSCSCEVOL
<b>description</b>	drain pan ø 76mm H 36mm hole ø 12mm hose ø 18mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	531083	<b>Ref. No.</b>	MATECSCSC
<b>description</b>	drain pan ø 76mm H 36mm hose ø 18mm		
<b>For models:</b>	Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

## boilers

## gaskets

## unperforated



1


<b>GEV No.</b>	528137	<b>Ref. No.</b>	N/A
<b>description</b>	boiler gasket D1 ø 163mm D2 ø 150mm thickness 4mm PTFE suitable for VIBIEMME		

steam/water taps

steam/water taps

steam/water taps


			
1			
<b>GEV No.</b>	531260	<b>Ref. No.</b>	RACCRUBVAACEV
<b>description</b>	steam/water tap inlet 1/4" outlet 3/8" shaft ø6mm shaft L 15mm brass		


			
1			
<b>GEV No.</b>	529560	<b>Ref. No.</b>	N/A
<b>description</b>	steam/water tap inlet 1/4" outlet 3/8" suitable for MERCURY		

			
1			
<b>GEV No.</b>	525191	<b>Ref. No.</b>	ASSRACCRUBLOLLO+RACCDAFISSRLO RACCRUBVAKRIN UNK1660283
<b>description</b>	steam/water tap mounting pos. left/right inlet 3/8" outlet 3/8" shaft M8 shaft L 25mm chrome-plated brass		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		


steam taps

steam taps (complete)

			
1			
<b>GEV No.</b>	525187	<b>Ref. No.</b>	RACCRUBVAKNEW
<b>description</b>	steam tap inlet 1/4" pipe length 150mm tube ø 8mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
<b>GEV No.</b>	525186	<b>Ref. No.</b>	RACCRUBVASXKN UNK24830165
<b>description</b>	steam tap mounting pos. left inlet 3/8" chrome-plated brass pipe length 250mm tube ø 8mm		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		

			
1			
<b>GEV No.</b>	525185	<b>Ref. No.</b>	ASSRACCRUBLOLLO+TUBIVALFDKONW RACCRUBVADXKN UNK54712463
<b>description</b>	steam tap mounting pos. right with steam pipe inlet 3/8" chrome-plated brass pipe length 250mm tube ø 8mm		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		

			
1			
<b>GEV No.</b>	529891	<b>Ref. No.</b>	RACCRUBVAMEIN RACCRUBVAMER
<b>description</b>	steam tap with steam pipe		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		
<b>spare parts for</b>	529891		
	<b>GEV No.</b>	529893	<b>Ref. No.</b>
			TUBIVALF TUBIVALFINOX
	steam pipe IT 3/8"		

## bodies



1

<b>GEV No.</b>	525198	<b>Ref. No.</b>	RACCCORUVA UNK83890755
<b>description</b>	tap body T1: 3/8" T2: 1/2" L 76mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## components

## shafts



1

<b>GEV No.</b>	525173	<b>Ref. No.</b>	RACCASTRUBEVO
<b>description</b>	shaft $\varnothing$ 6mm D2 $\varnothing$ 14.5mm L 100mm brass		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	525176	<b>Ref. No.</b>	RACCASRUREP UNK71704633
<b>description</b>	shaft $\varnothing$ 8mm L 76mm SS		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## gaskets



1


<b>GEV No.</b>	527960	<b>Ref. No.</b>	GUARSILRUBEVO
<b>description</b>	gasket D1 $\varnothing$ 12mm thickness 6mm for steam-/water-tap		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	529795	<b>Ref. No.</b>	GUARPI
<b>description</b>	gasket D1 $\varnothing$ 13mm D2 $\varnothing$ 4mm thickness 4mm coffee machine		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## gasket supports



1

<b>GEV No.</b>	525175	<b>Ref. No.</b>	RACCVARU UNK60394520
<b>description</b>	valve $\varnothing$ hexagon 16mm L 14mm brass		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

## springs



1

<b>GEV No.</b>	527958	<b>Ref. No.</b>	MOLLAASTAREVO
<b>description</b>	compression spring $\varnothing$ 10.5mm L 32mm wire gauge $\varnothing$ 1.3mm for steam-/water-tap		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## tap bodies



1


<b>GEV No.</b>	527962	<b>Ref. No.</b>	CORPORUACVAEV
<b>description</b>	body T1: M16x1 T2: 3/8" T3: 1/4" L 49mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	529898	<b>Ref. No.</b>	RACCCORUACVA
<b>description</b>	tap body L 63mm		
<b>For models:</b>	Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

washers



1

<b>GEV No.</b>	560382	<b>Ref. No.</b>	RACCRBLMAEVO
<b>description</b>	washer D1 ø 6mm D2 ø 20mm thickness 1.5mm steam/water tap		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

screw connections



1

<b>GEV No.</b>	525174	<b>Ref. No.</b>	RACCGUIASTEVO
<b>description</b>	screw connection T1: M16x1 T2: 1/2" L 62mm ID ø 11mm WS 26 brass		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

water taps


knobs




1

<b>GEV No.</b>	111055	<b>Ref. No.</b>	MANPRUACVP
<b>description</b>	knob ø 50mm shaft ø 8x7mm black		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

water taps



1

<b>GEV No.</b>	529897	<b>Ref. No.</b>	RACCRUBACREP	
<b>description</b>	water tap inlet 1/4" outlet 3/8" thread 3/8" shaft 6.6mm			
<b>For models:</b>	Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr			
<b>accessories for</b>	529897			
	<b>GEV No.</b>	111028	<b>Ref. No.</b>	MANPRUVAACRE UNK90878825
	star handle shaft 7x7mm ø 64mm L 24mm black			



1

<b>GEV No.</b>	525188	<b>Ref. No.</b>	RACCRUBACKNEW
<b>description</b>	water tap inlet 1/4" pipe length 80mm tube ø 8mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		





1

<b>GEV No.</b>	525189	<b>Ref. No.</b>	RACCRUBDOACCR
<b>description</b>	water tap inlet 1/4" pipe length 80mm tube ø 8mm		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		





1

<b>GEV No.</b>	529890	<b>Ref. No.</b>	RACCRUBACMEIN RACCRUBACMER
<b>description</b>	water tap with water pipe		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		
<b>spare parts for</b>	529890		
	<b>GEV No.</b>	529892	<b>Ref. No.</b>
			TUBIACSF
	water pipe thread 3/8"		
<b>accessories for</b>	529890		
	<b>GEV No.</b>	111055	<b>Ref. No.</b>
			MANPRUACVP
	knob ø 50mm shaft ø 8x7mm black		

## steam/water pipes

## steam pipes



1

<b>GEV No.</b>	529893	<b>Ref. No.</b>	TUBIVALF TUBIVALFINOX
<b>description</b>	steam pipe IT 3/8"		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		



1

<b>GEV No.</b>	525192	<b>Ref. No.</b>	TUBILADOMSU
<b>description</b>	steam pipe mounting pos. left thread 3/8" H 180mm tube ø 8mm chrome-plated brass		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		



1

<b>GEV No.</b>	529819	<b>Ref. No.</b>	TUBILANCVASX UNK88470801
<b>description</b>	steam pipe mounting pos. left thread 3/8" H 200mm tube ø 8mm chrome-plated brass		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		



1

<b>GEV No.</b>	525195	<b>Ref. No.</b>	TUBILANVASXKI
<b>description</b>	steam pipe mounting pos. left thread 3/8" H 250mm tube ø 8mm chrome-plated brass		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		



1


<b>GEV No.</b>	529818	<b>Ref. No.</b>	TUBILANCVADX UNK88470801
<b>description</b>	steam pipe mounting pos. right thread 3/8" H 200mm tube ø 8mm chrome-plated brass		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		




1

<b>GEV No.</b>	525196	<b>Ref. No.</b>	TUBILANVADXKI
<b>description</b>	steam pipe mounting pos. right thread 3/8" H 250mm tube ø 8mm chrome-plated brass		
<b>For models:</b>	Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi		




			
1			
<b>GEV No.</b>	531082	<b>Ref. No.</b>	TUBILAVACOMEV TUBIVALFREVEV
<b>description</b>	steam pipe thread 3/8" H 190mm L 80mm tube ø 8mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
<b>GEV No.</b>	529705	<b>Ref. No.</b>	RACCRUSASREVO
<b>description</b>	bush D1 ø 8.3mm D2 ø 12mm H 6mm brass ID ø 7mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


water pipes			
			
1			
<b>GEV No.</b>	529892	<b>Ref. No.</b>	TUBIACSF
<b>description</b>	water pipe thread 3/8"		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


tube handles			
			
1			
<b>GEV No.</b>	528625	<b>Ref. No.</b>	GOMMALANCIAVA UNK60613522
<b>description</b>	tube handle L 35mm rubber ID ø 8mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


			
1			
<b>GEV No.</b>	525194	<b>Ref. No.</b>	TUBIP727
<b>description</b>	water pipe thread 3/8" L 90mm tube ø 8mm WS 24 chrome-plated brass		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

fine filters			
			
1			
<b>GEV No.</b>	529979	<b>Ref. No.</b>	FILTGIGLEUR
<b>description</b>	fine filter ø 8.8mm H 22mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Elettronico, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Elettronica, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

accessories			
bushes			
			
1			
<b>GEV No.</b>	527971	<b>Ref. No.</b>	RACCBUIASF RACCBULASF
<b>description</b>	bush D1 ø 7.8mm D2 ø 15mm H 21.5mm brass ID ø 6mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

intake valves			
			
1			
<b>GEV No.</b>	529533	<b>Ref. No.</b>	ASSRUBCAAMER
<b>description</b>	intake valve brass L 105mm		

			
1			
<b>GEV No.</b>	525197	<b>Ref. No.</b>	RACCRUBCARNEW
<b>description</b>	intake valve with expansion valve inlet 3/8" conical seal outlet 3/8"		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
<b>GEV No.</b>	525184	<b>Ref. No.</b>	RACCRUBCARLOL
<b>description</b>	intake valve with expansion valve inlet 3/8" outlet 3/8"-1/8"		
<b>For models:</b>	Chimaera, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Revolution-2gr-elettronica-epuls		

## accessories


## gaskets

			
1			
<b>GEV No.</b>	531096	<b>Ref. No.</b>	GUARASRUMER
<b>description</b>	gasket		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

## miscellaneous

			
1			
<b>GEV No.</b>	531097	<b>Ref. No.</b>	VITERON31MER VITERON3IMER
<b>description</b>	plain washer		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


## valves

			
1			
<b>GEV No.</b>	531100	<b>Ref. No.</b>	ASSVALVNONRIT
<b>description</b>	valve for filling valve		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		






## level glasses

## level glasses





## pressure rings


			
1			
<b>GEV No.</b>	525201	<b>Ref. No.</b>	RACCP224
<b>description</b>	press ring D1 ø 14.5mm D2 ø 11.5mm thickness 3.5mm inner cone brass		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


## level glasses (complete)


				
1				
<b>GEV No.</b>	529235	<b>Ref. No.</b>	ASSLIVUNIFMN	
<b>description</b>	water level tube L 200mm W 55mm complete thread 3/8"			
<b>accessories for</b>	529235			
	<b>GEV No.</b>	529393	<b>Ref. No.</b>	MATECVELI140
	water level tube ø 11mm H 140mm ID ø 8mm marking Min/Max			
	<b>GEV No.</b>	529396	<b>Ref. No.</b>	—
	press ring D1 ø 11.3mm D2 ø 14.6mm thickness 3mm			
	<b>GEV No.</b>	529397	<b>Ref. No.</b>	—
	union screw thread 3/8" hole ø 12.5mm H 12mm WS 17 brass			
	<b>GEV No.</b>	529412	<b>Ref. No.</b>	GUAROR113
	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs			





 <p>1</p>			
<b>GEV No.</b>	529236	<b>Ref. No.</b>	ASSLIVUNIF
<b>description</b>	water level tube L 200mm W 55mm complete thread 3/8"		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		
<b>accessories for</b>	529236		
	<b>GEV No.</b>	529393	<b>Ref. No.</b> MATECVELI140
	water level tube ø 11mm H 140mm ID ø 8mm marking Min/Max		
	<b>GEV No.</b>	529396	<b>Ref. No.</b> —
	press ring D1 ø 11.3mm D2 ø 14.6mm thickness 3mm		
	<b>GEV No.</b>	529397	<b>Ref. No.</b> —
	union screw thread 3/8" hole ø 12.5mm H 12mm WS 17 brass		
	<b>GEV No.</b>	529412	<b>Ref. No.</b> GUAROR113
	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		


<p>level glass pipes</p>  <p>1</p>			
<b>GEV No.</b>	529393	<b>Ref. No.</b>	MATECVELI140
<b>description</b>	water level tube ø 11mm H 140mm ID ø 8mm marking Min/Max		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

<p>screw connections</p>  <p>1</p>			
<b>GEV No.</b>	526676	<b>Ref. No.</b>	RACCP227
<b>description</b>	union screw thread 3/8" hole ø 12mm H 12mm WS 17 chrome-plated brass		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

<p>knobs</p> <p>steam/water taps</p> <p>steam/water taps</p>  <p>1</p>			
<b>GEV No.</b>	111055	<b>Ref. No.</b>	MANPRUACVP
<b>description</b>	knob ø 50mm shaft ø 8x7mm black		
<b>For models:</b>	Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

 <p>1</p>			
<b>GEV No.</b>	111351	<b>Ref. No.</b>	MANPRSC MANPRUSC
<b>description</b>	turning handle ø 40mm shaft 6x6mm black		
<b>For models:</b>	Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		

 <p>1</p>			
<b>GEV No.</b>	111355	<b>Ref. No.</b>	MANPRUACUPEVO
<b>description</b>	turning handle ø 42mm L 49mm black		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

 <p>1</p>			
<b>GEV No.</b>	111352	<b>Ref. No.</b>	MANPRUSCDOMSA UNK57161488
<b>description</b>	turning handle ø 50mm shaft 6x6mm black		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale		

accessories



<b>GEV No.</b>	111028	<b>Ref. No.</b>	MANPRUVAACRE UNK90878825
<b>description</b>	star handle shaft 7x7mm ø 64mm L 24mm black		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		



<b>GEV No.</b>	530293	<b>Ref. No.</b>	GUAROR108 UNK43672353
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 8.73mm Qty 1 pcs		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

handles and hand wheels

cone handles



<b>GEV No.</b>	111092	<b>Ref. No.</b>	MANPPOLE
<b>description</b>	cone handle thread M8 ø 25mm L 41mm black		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		



<b>GEV No.</b>	529412	<b>Ref. No.</b>	GUAROR113
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


gaskets

O-rings

EPDM




<b>GEV No.</b>	510177	<b>Ref. No.</b>	GUARR6
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 7.66mm Qty 1 pcs		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



<b>GEV No.</b>	505073	<b>Ref. No.</b>	GUAROR128
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 20.63mm Qty 1 pcs		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

Viton




<b>GEV No.</b>	371095	<b>Ref. No.</b>	GUARASTRUEV
<b>description</b>	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		




sealing washers


fibre gaskets


			
1			
<b>GEV No.</b>	510405	<b>Ref. No.</b>	N/A
<b>description</b>	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		


copper gaskets

DIN-7603-A			
			
1			
<b>GEV No.</b>	526461	<b>Ref. No.</b>	RACCRONRARVEV
<b>description</b>	flat gasket copper ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

PTFE gaskets


			
1			
<b>GEV No.</b>	526554	<b>Ref. No.</b>	VITERON6TEFLO
<b>description</b>	flat gasket PTFE ED ø 10mm ID ø 6mm thickness 1mm Qty 1 pcs		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


			
1			
<b>GEV No.</b>	526661	<b>Ref. No.</b>	VITERONTPP189
<b>description</b>	flat gasket PTFE ED ø 17mm ID ø 13mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
<b>GEV No.</b>	525611	<b>Ref. No.</b>	GUARTE
<b>description</b>	flat gasket PTFE ED ø 22mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

			
1			
<b>GEV No.</b>	525199	<b>Ref. No.</b>	GUARCASUTEPI
<b>description</b>	flat gasket PTFE ED ø 25.5mm ID ø 21mm thickness 5.5mm Qty 1 pcs		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


			
1			
<b>GEV No.</b>	528683	<b>Ref. No.</b>	GUARTACHGR
<b>description</b>	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
<b>1</b>			
<b>GEV No.</b>	526014	<b>Ref. No.</b>	GUARCAINGRTE
<b>description</b>	flat gasket PTFE ED ø 35mm ID ø 30mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


			
<b>2</b>			
<b>GEV No.</b>	528021	<b>Ref. No.</b>	GUARRESPICTEF
<b>description</b>	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale, Lollo-1gruppo		


## special gaskets

### sealing discs

			
<b>1</b>			
<b>GEV No.</b>	525182	<b>Ref. No.</b>	GUARSILRUDOMSU
<b>description</b>	sealing disc ø 9mm thickness 5mm silicone Qty 1 pcs		
<b>For models:</b>	Domobar-Super-Elettronica, Domobar-Super-Manuale		

### group gaskets


			
<b>1</b>			
<b>GEV No.</b>	528165	<b>Ref. No.</b>	GUARGR
<b>description</b>	group gasket L 76mm W 72mm thickness 2.5mm aperture 26x64mm hole distance 55mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		


			
<b>1</b>			
<b>GEV No.</b>	525183	<b>Ref. No.</b>	GUARGRKO
<b>description</b>	group gasket L 72mm W 64mm thickness 2mm hole distance 56mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante		

## springs


### compression springs


			
Image not available			
<b>1</b>			
<b>GEV No.</b>	531094	<b>Ref. No.</b>	MOLLSF
<b>description</b>	compression spring		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


			
Image not available			
<b>1</b>			
<b>GEV No.</b>	531095	<b>Ref. No.</b>	MOLLASRUBMER
<b>description</b>	compression spring		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


			
<b>1</b>			
<b>GEV No.</b>	527958	<b>Ref. No.</b>	MOLLAASTAREVO
<b>description</b>	compression spring ø 10.5mm L 32mm wire gauge ø 1.3mm for steam-/water-tap		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		





			
1			
<b>GEV No.</b>	528916	<b>Ref. No.</b>	MOLTUVARUBEVO
<b>description</b>	compression spring ø 10.9mm L 26mm wire gauge ø 1.5mm		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
<b>GEV No.</b>	525202	<b>Ref. No.</b>	MOLLVAIN
<b>description</b>	compression spring ø 13.8mm L 54.5mm wire gauge ø 1.5mm windings 16		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

			
1			
<b>GEV No.</b>	527934	<b>Ref. No.</b>	MOLLVAER
<b>description</b>	compression spring ø 14.2mm L 45mm wire gauge ø 1.5mm SS		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

			
1			
<b>GEV No.</b>	526561	<b>Ref. No.</b>	MOLLPRGO
<b>description</b>	compression spring ø 14.3mm L 21mm wire gauge ø 1.8mm		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

			
1			
<b>GEV No.</b>	528475	<b>Ref. No.</b>	MOLLSC
<b>description</b>	compression spring ø 14.7mm L 33mm wire gauge ø 2mm		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		


			
1			
<b>GEV No.</b>	526474	<b>Ref. No.</b>	MOLLCOVANORIT MOLLCOVATNORIT UNK1479865
<b>description</b>	compression spring ø 8mm L 31.5mm wire gauge ø 0.4mm for expansion valve		
<b>For models:</b>	Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr		

## coffee accessories


### measuring spoons

			
1			
<b>GEV No.</b>	802103	<b>Ref. No.</b>	MISURINO
<b>description</b>	coffee spoon amount of coffee 7g plastic		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1 gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

### coffee tampers


			
1			
<b>GEV No.</b>	802104	<b>Ref. No.</b>	PRESSINO
<b>description</b>	coffee press plastic ø 49/53mm		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1 gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

manometers




1

<b>GEV No.</b>	541233	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		




1

<b>GEV No.</b>	541287	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		




1

<b>GEV No.</b>	541410	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		




1

<b>GEV No.</b>	541512	<b>Ref. No.</b>	MANMDOENVBM
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		
<b>For models:</b>	Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante		




1

<b>GEV No.</b>	541222	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		




1

<b>GEV No.</b>	541226	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		




1

<b>GEV No.</b>	541227	<b>Ref. No.</b>	N/A
<b>description</b>	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		



1

<b>GEV No.</b>	541513	<b>Ref. No.</b>	MANMKO UNK35164268
<b>description</b>	manometer double scale ø 63mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



1

<b>GEV No.</b>	541752	<b>Ref. No.</b>	MANMDOE40016
<b>description</b>	manometer ø 40mm pressure range 0-16bar thread 1/8" connection on the backside with capillary pipe		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Replica-Elettronica		





1

<b>GEV No.</b>	541751	<b>Ref. No.</b>	MANMDOE40025
<b>description</b>	manometer ø 40mm pressure range 0-4bar thread 1/8" connection on the backside with capillary pipe		
<b>For models:</b>	Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Replica-Elettronica		







 <p>1</p>			
<b>GEV No.</b>	541511	<b>Ref. No.</b>	MANMSEM MANMSEM42025
<b>description</b>	manometer ø 41mm pressure range 0 up to 2.5bar thread 1/8" marking 1.1		

 <p>1</p>			
<b>GEV No.</b>	541753	<b>Ref. No.</b>	MANM49016GHIR UNK1204937
<b>description</b>	manometer ø 50mm pressure range 0-16bar thread 1/8" marking 8-10 connection on the backside with capillary pipe		
<b>For models:</b>	Lollo-2gruppi, Lollo-3gruppi		

 <p>1</p>			
<b>GEV No.</b>	541756	<b>Ref. No.</b>	MANM49016GHI UNK55184468
<b>description</b>	manometer ø 50mm pressure range 0-16bar thread 1/8" marking 8-10 connection on the backside with capillary pipe		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

 <p>1</p>			
<b>GEV No.</b>	541755	<b>Ref. No.</b>	MANM49025GHIR UNK41655333
<b>description</b>	manometer ø 50mm pressure range 0-2.5bar thread 1/8" marking 1.3-1.6 connection on the backside with capillary pipe		
<b>For models:</b>	Lollo-2gruppi, Lollo-3gruppi		

 <p>1</p>			
<b>GEV No.</b>	541757	<b>Ref. No.</b>	MANM49025GHI UNK29708214
<b>description</b>	manometer ø 50mm pressure range 0-2.5bar thread 1/8" marking 1.3-1.6 connection on the backside with capillary pipe		
<b>For models:</b>	Chimaera, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## fastening material

### screws

#### hexagonal screws


 <p>1</p>			
<b>GEV No.</b>	506175	<b>Ref. No.</b>	UNK79513711 VITETEM8X14
<b>description</b>	hexagonal screw thread M8 thread L 14mm SS WS 13 Qty 20 pcs head thickness 3mm DIN 933 / ISO 4017		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1 gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

#### cylinder head bolts

#### DIN 912/ISO 4762

 <p>1</p>			
<b>GEV No.</b>	560373	<b>Ref. No.</b>	VITEVITBR
<b>description</b>	cylinder head bolt thread M4 thread L 12mm WS 3 SS Qty 1 pcs intake internal hexagon DIN 912/ISO 4762		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-3gr-Elettronico, Cubo-4gr-Elettronico, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-Elettronica, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1 gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		



			
1			
<b>GEV No.</b>	560031	<b>Ref. No.</b>	VITEBR6MA
<b>description</b>	cylinder head bolt thread M6 thread L 10mm WS 5 SS Qty 20 pcs DIN 912/ISO 4762		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

			
1			
<b>GEV No.</b>	527170	<b>Ref. No.</b>	VITEBR6MACO
<b>description</b>	cylinder head bolt thread M6 thread L 8mm WS 5 SS Qty 1 pcs DIN 912/ISO 4762		
<b>For models:</b>	Chimaera, Cubo-2gr-Elettronico, Cubo-2gr-Manuale, Cubo-3gr-Elettronico, Cubo-3gr-Manuale, Cubo-4gr-Elettronico, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Elettronica, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Elettronica, Domobar-Super-Manuale, Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Lollo-1gruppo, Lollo-2gruppi, Lollo-3gruppi, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Minimax-Replica-Elettronica, Replica-2gr-elettronica-multiboiler, Replica-2gr-manuale-multiboiler, Replica-3gr-elettronica-multiboiler, Replica-3gr-manuale-multiboiler, Replica-elettronica-2gr, Replica-elettronica-3gr, Replica-elettronica-4gr, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr, Replica-pulsante-2gr, Replica-pulsante-3gr, Replica-pulsante-4gr, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

## nuts

## cap nuts

			
1			
<b>GEV No.</b>	560137	<b>Ref. No.</b>	VITEDACE6MAIN
<b>description</b>	cap nuts thread M6 WS 10 SS Qty 20 pcs DIN/ISO DIN 1587		
<b>For models:</b>	Cubo-2gr-Manuale, Cubo-3gr-Manuale, Cubo-4gr-Manuale, Domobar-Interruttore-Levetta, Domobar-Interruttore-Luminoso, Domobar-Junior-2B, Domobar-Junior-HX, Domobar-Super-2b-Pid-Manuale, Domobar-Super-Manuale, Replica-2gr-manuale-multiboiler, Replica-3gr-manuale-multiboiler, Replica-manuale-2gr, Replica-manuale-3gr, Replica-manuale-4gr		

## fasteners

## cotter pins

			
1			
<b>GEV No.</b>	695209	<b>Ref. No.</b>	COPPASTRUBEVO
<b>description</b>	cotter pin ø 2mm L 20mm SS		
<b>For models:</b>	Evolution-2gr-elettronica-e-puls, Evolution-3gr-elettronica-e-puls, Minimax-Kometa-Elettronica, Minimax-Kometa-Pulsante, Revolution-2gr-elettronica-epuls, Revolution-3gr-elettronica-epuls		

<b>B</b>		<b>S</b>	
bi-metal thermostats	4, 4	safety bi-metal thermostats	4
booster pumps II	14	screws	33
<b>C</b>		sealing discs	30
cap nuts	34	sealing washers	29
coffee tampers	31	solenoid valves	11
condensators & interference suppression filters	15	solid state relays	8
contactors	8	switches and momentary switches	5
cotter pins	34	system switches (ROLD)	6
cylinder head bolts	33	<b>T</b>	
<b>F</b>		thermostats	4
fasteners	34	toggle switches	5
fastening material	33	transformers	8
flow meters	13	<b>V</b>	
<b>H</b>		vibration pumps	15
heating elements	3		
heating elements for coffee machine	3		
hexagonal screws	33		
<b>I</b>			
indicator lights	7		
indicator lights (complete)	7		
<b>L</b>			
lamps	7		
LED	8		
<b>M</b>			
measuring spoons	31		
microswitches	6		
<b>N</b>			
nuts	34		
<b>O</b>			
operating capacitors	15		
O-rings	28		
<b>P</b>			
pressure switches	13		
probes	9		
pumps	14		
push/momentary push switches	5		
<b>R</b>			
relays	8		
rocker/momentary rocker switches	5		
rotary switches	6		