



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

WEGA-CMA

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com









- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed







heating elements


heating elements for coffee machine


 <p>1</p>			
GEV No.	417459	Ref. No.	17202 WY17202
description	heating element 1300W 230V heating circuits 1 thread 1¼" L 107mm W 26mm H 26mm connection male faston 6.3mm immersion heater flange with thread coffee machine		
For models:	Mininova		
accessories for	417459		
	GEV No.	510405	Ref. No. —
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	GEV No.	528021	Ref. No. N/A
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		

 <p>1</p>			
GEV No.	417006	Ref. No.	17201 W17201 WY17201
description	heating element 1300W 230V heating circuits 1 thread 1¼" L 110mm W 27mm H 30mm tube ø 6.4mm connection male faston 6.3mm immersion heater connection length 30mm flange with thread WS 37 with thread for safety thermostat		
For models:	Mininova		
accessories for	417006		
	GEV No.	510405	Ref. No. —
	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs		
	GEV No.	528021	Ref. No. N/A
	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		


 <p>1</p>			
GEV No.	417090	Ref. No.	N/A
description	heating element 1450W 230V heating circuits 1 mounting ø 42mm hole distance 74mm L 132mm W 36mm H 40mm windings 3 hole ø 10mm tube ø 6.3mm connection M6 immersion heater 2 hole flange		
accessories for	417090		
	GEV No.	527156	Ref. No. 12001 WY12001
	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs		
	GEV No.	528002	Ref. No. W10470
	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		



 <p>1</p>			
GEV No.	417041	Ref. No.	N/A
description	heating element 1800W 230V 2 hole fixing immersion heater		

 <p>1</p>			
GEV No.	417458	Ref. No.	17022 WY17022
description	heating element 200W 230V L 500mm W 160mm tube ø 6.4mm cable length 600mm H 15mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		






 <p>1</p>			
GEV No.	417703	Ref. No.	WY4617054
description	heating element 2600/2831W 230/240V heating circuits 3 mounting ø 42mm hole distance 74mm L 320mm W 30mm H 56mm L1 45mm L2 45mm L3 230mm H1 15mm H2 41mm hole ø 9mm tube ø 8.5mm thermostat sleeves ø 7mm length thermostat sleeves 140mm thermostat sleeve centre not clinging number of thermostat sleeves 1 immersion heater 2 hole flange		


 <p>1</p>			
GEV No.	417107	Ref. No.	17051 W10454 WY17051
description	heating element 2600W 230V heating circuits 2 mounting ø 42mm hole distance 74mm L 295mm W 36mm H 41mm L1 22mm L2 38mm L3 235mm H1 30mm H2 11mm hole ø 10mm tube ø 8.5mm thermostat sleeves ø 6mm length thermostat sleeves 186mm thermostat sleeve not clinging number of thermostat sleeves 1 connection M6x1 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		





 <p>1</p>			
GEV No.	417294	Ref. No.	17012 WY17012 WY4617012
description	heating element 2700/2950W 230/240V heating circuits 3 mounting ø 42mm hole distance 74mm L 180mm W 34mm H 47mm L1 35mm L2 50mm L3 85mm H1 31mm H2 16mm hole ø 10mm tube ø 8mm thermostat sleeves ø 6mm length thermostat sleeves 158mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
GEV No.	417154	Ref. No.	N/A
description	heating element 2700W 230V heating circuits 3 mounting ø 42mm hole distance 74mm L 175mm W 32mm H 50mm L1 16mm L2 44mm L3 129mm H1 32mm H2 18mm hole ø 10mm tube ø 8mm connection M4 immersion heater 2 hole flange		
accessories for	417154		
	GEV No.	528001	Ref. No. N/A
	flat gasket fibre ED ø 56.5mm ID ø 41.8mm thickness 3.2mm Qty 1 pcs		



			
GEV No.	417155	Ref. No.	W05152
description	heating element 3000W 230V heating circuits 3 mounting ø 43mm hole distance 74mm L 315mm W 32mm H 45mm L1 35mm L2 60mm L3 220mm H1 33mm H2 12mm hole ø 10mm tube ø 8mm connection M3 immersion heater 2 hole flange		
For models:	Sphera		
accessories for	417155		
	GEV No.	527169	Ref. No. 23050 WY23050
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	GEV No.	560110	Ref. No. —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	GEV No.	560130	Ref. No. —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

			
GEV No.	417000	Ref. No.	17059 WY17059 WY4617059 WY4717059
description	heating element 3400W 230V heating circuits 3 mounting ø 43mm hole distance 74mm L 315mm W 35mm H 38mm L1 35mm L2 65mm L3 205mm H1 31mm H2 7mm hole ø 9.2mm tube ø 8.3mm thermostat sleeves ø 6mm length thermostat sleeves 155mm thermostat sleeve centre number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance, Venere		
accessories for	417000		
	GEV No.	527156	Ref. No. 12001 WY12001
	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs		
	GEV No.	527169	Ref. No. 23050 WY23050
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	GEV No.	560110	Ref. No. —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	GEV No.	560130	Ref. No. —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


			
GEV No.	417463	Ref. No.	17017 WY17017
description	heating element 3400W 230V heating circuits 3 mounting ø 43mm hole distance 75mm L 215mm W 34mm H 45mm L1 35mm L2 65mm L3 115mm H1 31mm H2 14mm hole ø 9.5mm tube ø 8.2mm thermostat sleeves ø 6mm length thermostat sleeves 157mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Gemini		


			
GEV No.	417156	Ref. No.	W10461
description	heating element 3700W 230V heating circuits 2 mounting ø 42.5mm hole distance 74mm L 565mm W 32mm H 40mm L1 35mm L2 60mm L3 470mm H1 30mm H2 14mm hole ø 12mm tube ø 8.5mm connection M3 immersion heater 2 hole flange		
For models:	Sphera		
accessories for	417156		
	GEV No.	527169	Ref. No. 23050 WY23050
	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
	GEV No.	560110	Ref. No. —
	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm SS Qty 20 pcs DIN 125A for thread M3		
	GEV No.	560130	Ref. No. —
	hexagonal nut thread M3 H 2.4mm WS 5.5 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		


			
GEV No.	417064	Ref. No.	W10461 WY17101
description	heating element 3700W 230V heating circuits 2 mounting ø 42mm hole distance 75mm L 575mm W 34mm H 47mm L1 27mm L2 38mm L3 510mm H1 20mm H2 27mm hole ø 10mm connection M4 immersion heater 2 hole fixing		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		


			
GEV No.	419174	Ref. No.	17057 WY17057 WY4617057
description	heating element 4000/4355W 230/240V heating circuits 3 mounting ø 42mm hole distance 75mm L 315mm W 38mm H 45mm L1 33mm L2 62mm L3 220mm H1 31mm H2 14mm hole ø 9.5mm tube ø 8.5mm thermostat sleeves ø 6mm length thermostat sleeves 157mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		
accessories for	419174		
	GEV No.	528002	Ref. No. W10470
	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		





			
GEV No.	527771	Ref. No.	17060 WY17060
description	heating element 4500W 230V heating circuits 3 mounting \varnothing 42mm hole distance 74mm L 325mm W 32mm H 50mm L1 35mm L2 55mm L3 225mm H1 32mm H2 18mm hole \varnothing 10mm tube \varnothing 8mm thermostat sleeves \varnothing 6mm length thermostat sleeves 148mm		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

			
GEV No.	417112	Ref. No.	N/A
description	heating element 4500W 230V heating circuits 3 mounting \varnothing 42mm hole distance 74mm L 390mm W 35mm H 70mm L1 30mm L2 50mm L3 300mm H1 33mm H2 37mm hole \varnothing 9mm tube \varnothing 8mm thermostat sleeves \varnothing 6.5mm length thermostat sleeves 200mm thermostat sleeve not clinging number of thermostat sleeves 1 connection male faston 6.3mm immersion heater 2 hole flange		

			
GEV No.	527770	Ref. No.	17107 WY17107
description	heating element 5000W 230V heating circuits 3 mounting \varnothing 42mm hole distance 74mm L 570mm W 32mm H 50mm L1 35mm L2 60mm L3 475mm H1 35mm H2 18mm hole \varnothing 9mm tube \varnothing 8mm thermostat sleeves \varnothing 6mm length thermostat sleeves 148mm		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance, Venere		




			
GEV No.	417157	Ref. No.	W10466
description	heating element 5000W 230V heating circuits 3 mounting \varnothing 42mm hole distance 75mm L 478mm W 38mm H 55mm L1 17mm L2 41mm L3 420mm H1 32mm H2 23mm hole \varnothing 10mm tube \varnothing 8mm connection M4 immersion heater 2 hole flange		
For models:	Sphera		

			
GEV No.	417706	Ref. No.	17153 WY17153
description	heating element 6000W 230V heating circuits 3 mounting \varnothing 42.5mm hole distance 75mm L 775mm W 33mm H 45mm L1 30mm L2 45mm L3 700mm H1 35mm H2 10mm hole \varnothing 9.5mm tube \varnothing 8mm thermostat sleeves \varnothing 8.5mm length thermostat sleeves 145mm thermostat sleeve centre not clinging number of thermostat sleeves 1 connection M3 immersion heater 2 hole flange		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		



			
GEV No.	417574	Ref. No.	17000 WY17000
description	heating element coffee machine 1700W 120V		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

immersion heating elements



3 hole flange \varnothing 38.5mm

 			
GEV No.	416277	Ref. No.	3DD18206D WY3DD18206D
description	heating element 2800W 230V mounting \varnothing 38.5mm heating circuits 1 L 302mm W 37mm H 28mm number of thermostat sleeves 1 thermostat sleeves \varnothing 7mm length thermostat sleeves 199mm thermostat sleeve not clinging tube \varnothing 6.4mm hole distance 57mm hole \varnothing 10mm cable length 114mm 3 hole flange connection 26 immersion heater		
For models:	Wega-wash-370, Wega-wash-400		
accessories for	416277		
	GEV No.	532577	Ref. No. —
	 O-ring EPDM thickness 5.34mm ID \varnothing 40.65mm Qty 1 pcs		


with compression flange 62 x 26mm

 			
GEV No.	415268	Ref. No.	3DD16035A WY3DD16035A
description	heating element 1850-2020W 230-240V heating circuits 1 expansion flange flange 62x26mm L 245mm W 40mm H 25mm tube \varnothing 6.5mm connection male faston 6.3mm immersion heater		
For models:	Wega-wash-370, Wega-wash-400, Wega-wash-500		

with round flange \varnothing 47.5mm

			
GEV No.	420056	Ref. No.	3DD15089D WY3DD15089D
description	heating element 2800W 230V heating circuits 1 L 380mm W 34mm H 33mm tube \varnothing 6mm thermostat sleeves \varnothing 8.5mm number of thermostat sleeves 1 length thermostat sleeves 230mm		
For models:	Wega-wash-500		
accessories for	420056		
	GEV No.	510408	Ref. No. —
	 O-ring EPDM thickness 5.34mm ID \varnothing 47mm Qty 1 pcs		





			
GEV No.	419040	Ref. No.	3DD15089E WY3DD15089E
description	heating element 6000/6530W 230/240V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 39mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve eccentric, non clinging		
For models:	Wega-wash-500		

thermostats

bi-metal thermostats

safety bi-metal thermostats

			
GEV No.	390370	Ref. No.	20304 WY20304
description	bi-metal safety thermostat hole distancemm switch-off temp. 145°C 1NC 1-pole 16A connection F6.3 M4		
For models:	Mininova		

			
GEV No.	390432	Ref. No.	20300008 WY20300008
description	bi-metal safety thermostat switch-off temp. 120°C 3NC 3-pole 25A connection M5		

control and safety thermostats

EGO


safety thermostats

55.33_ series

			
GEV No.	390883	Ref. No.	20300019 WY20300019
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 4mm probe L 155mm capillary pipe 880mm capillary pipe isolated 350mm gland nut probe SS		


IMIT / TEMPOMATIC / ARTERMO

control thermostats

			
GEV No.	390460	Ref. No.	3DD107071 WY3DD107071
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

rod thermostats


safety rod thermostats

			
GEV No.	390433	Ref. No.	20302 W10785 WY20302
description	safety rod thermostat switch-off temp. 145°C temperature range 0-145°C 2-pole 2NC 20A probe ø 8mm probe L 187mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm thermostat sleeves ø 16mm length thermostat sleeves 200mm		
For models:	Antares		

refrigeration thermostats

RANCO

K61 series

			
GEV No.	379516	Ref. No.	3IF62026416 WY3IF62026416
description	thermostat RANCO type K61L1508 probe ø 2mm probe Lmm capil- lary pipe 1800mm		
For models:	Cubetti-22, Cubetti-32		



switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

GEV No.	301020	Ref. No.	18268 WY18268
description	momentary rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	301060	Ref. No.	18263 WY18263
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Starlet, Vela, VelaCompatta, VelaElegance		



1

GEV No.	301036	Ref. No.	19049 WY19049
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	301249	Ref. No.	18135 WY18135
description	rocker switch mounting measurements 30x22mm red 2CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	345056	Ref. No.	28165003 WY28165003
description	rocker switch mounting measurements 30x22mm orange 2NO 250V 8A illuminated cup connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	Macinadosatore		

push/momentary push switches

30x22mm



1

GEV No.	301036	Ref. No.	19049 WY19049
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

ø25mm



1

GEV No.	345037	Ref. No.	W10963
description	push switch mounting ø 25mm red 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


accessories

push buttons



1

GEV No.	347183	Ref. No.	15373060 WY15373060
description	push button mounting ø 14.3mm chrome-plated		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		

accessories for	347183		
	GEV No.	347192	Ref. No.
			18371057 WY18371057
	switch 2NO 250V 16A connection male faston 6.3mm		

microswitches

pin-plunger actuated



1

GEV No.	345759	Ref. No.	28165001 WY28165001
description	microswitch 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 125°C mounting distance 22mm type B actuating force: 280g black		
For models:	Macinadosatore		


1 electric components



M12



1

GEV No.	345350	Ref. No.	18250004 WY18250004
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
For models:	Gemini		
accessories for	345350		
	GEV No.	345351	Ref. No. —
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs			

roller actuated

roller 0°



1

GEV No.	346370	Ref. No.	18251 WY18251
description	microswitch with roller plunger 230V 16A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14mm thread M10 mounting distance 25mm actuating force: 300g type MV15-2		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	346055	Ref. No.	18251 WY18251
description	microswitch with roller plunger 250V 16A 1CO connection screw ambient temperature max. 85°C thread L 14mm thread M12 mounting distance 25mm type C7BZN		

system switches (ROLD)



1

GEV No.	347182	Ref. No.	15373058 WY15373058
description	element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm		
For models:	Venere		




1

GEV No.	345606	Ref. No.	3DD15811A WY3DD15811A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	Wega-wash-500		




1

GEV No.	347181	Ref. No.	15373057 WY15373057
description	push button size 13x17mmmm chrome-plated		
For models:	Venere		
accessories for	347181		
	GEV No.	347182	Ref. No. 15373058 WY15373058
element holder mounting measurements 20.6x16.4mm chrome-plated arched for push buttons 13x17mm			



1

GEV No.	347192	Ref. No.	18371057 WY18371057
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Vela, VelaCompatta, VelaElegance, Venere		
accessories for	347192		
	GEV No.	347183	Ref. No. 15373060 WY15373060
push button mounting ø 14.3mm chrome-plated			


key lock switches




1

GEV No.	402219	Ref. No.	22723003 WY22723003
description	key lock switch 1 group thread M12x1 1NO mounting ø 12mm cable length 500mm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		





			
1			
GEV No.	346029	Ref. No.	Anfrage l?ft
description	key lock switch 2NO 240V 3A mounting ø 22.5mm connection screw		


			
1			
GEV No.	346062	Ref. No.	22715820 WY22715820
description	key lock switch set		

rotary switches


BREMAS

A1700 series

			
1			
GEV No.	346104	Ref. No.	W10734
description	rotary switch 2 0-1 sets of contacts 3 type CA0170003 400V 20A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
accessories for	346104		
	GEV No.	111012	Ref. No. —
	knob switch zero mark t.max.°C ø 34/60mm shaft ø 5x5mm shaft flat black H 22mm L 50mm		

			
1			
GEV No.	346100	Ref. No.	10735 18104 WY10735 WY18104
description	rotary switch 3 1-0-2 sets of contacts 8 type CS0177412 400V 20A shaft ø 5x5mm shaft L 21mm shaft square connection screw		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


A2500 series

			
1			
GEV No.	346101	Ref. No.	18103 WY18103
description	rotary switch 3 1-0-2 sets of contacts 8 type CS0257412 600V 32A shaft ø 5x5mm shaft L 21mm shaft square connection screw		

accessories


			
1			
GEV No.	527259	Ref. No.	15271 WY15271
description	knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

miscellaneous

			
1			
GEV No.	527808	Ref. No.	22937001 WY22937001
description	rotary switch with cable SPHERA/TRON		

accessories

symbol labels


			
1			
GEV No.	345793	Ref. No.	29068 WY29068
description	symbol label 0 up to 1 L 58.5mm W 58.5mm bore ø 10mm mounting distance 20mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	345794	Ref. No.	29067 WY29067
description	symbol label 1-0-2 L 58.5mm W 58.5mm bore ø 10mm mounting distance 20mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		



magnetic switches

23x14mm



1

GEV No.	346106	Ref. No.	18255000 WY18255000
description	magnetic switch L 23mm W 13.9mm 1NO 90V 0.5A P max. 10W cable length 500mm mounting distance 14mm		
For models:	Mininova		

lamps

indicator lights

indicator lights (complete)

ø10mm

with screw socket



1

GEV No.	359400	Ref. No.	21011 WY21011 WY83210010R
description	indicator light ø 10mm 230V green		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

with plug-in socket



1

GEV No.	359139	Ref. No.	3DD10711B WY3DD10711B
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		



1

GEV No.	359333	Ref. No.	21021 WY21021
description	indicator light ø 10mm 12V green cable length 200mm		
For models:	Gemini		

LED

indicator lamps

miscellaneous



1


GEV No.	400538	Ref. No.	21024 22625 WY21024 WY22625
description	indicator light LED red mounting thread M8x0.75 ø 5mm		
For models:	Pegaso, Venere		

timers

programme timers





1

GEV No.	360291	Ref. No.	3DD10708E WY3DD10708E
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 115V shaft ømm shaft Lmm manuf. no. 11803F1 / 10708E motor type M48R ATS /60Hz connection F4.8 supply at 60Hz 115V		
For models:	Wega-wash-500		
spare parts for	360291		
	GEV No.	360118	Ref. No. —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		




1

GEV No.	360273	Ref. No.	3DD16064A WY3DD16064A
description	timer CDC 11803 engines 1 chambers 3 operation time 18min 230V shaft ømm shaft Lmm manuf. no. 11803F1 / 16064/A motor type M48R ATS		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400		
spare parts for	360273		
	GEV No.	360118	Ref. No. —
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		





1

GEV No.	360290	Ref. No.	3DD10708T WY3DD10708T
description	timer CDC 11804F engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 11804F1 / 10708T motor type M48R ATS connection F4.8		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		
spare parts for	360290		
	GEV No.	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		


solid state relays

miscellaneous



1

GEV No.	381202	Ref. No.	WY18460005
description	power relays CARLO GAVAZZI 1 phase 50A 600V 22-48VDC L 58mm W 45mm screw type RM1A60A50		




1

GEV No.	360289	Ref. No.	3DD10708L WY3DD10708L
description	timer CROUZET engines 1 chambers 2 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 627/5309 motor type 600		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

relays

power relays

with bracket mounting



1

GEV No.	380139	Ref. No.	28286002 WY28286002
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	Macinadosatore		

contactors


miscellaneous

power contactors



1

GEV No.	527825	Ref. No.	22980001 WY22980001
description	power contactor 230V resistive load 25A (AC3/400V) 4kW with cable		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1



GEV No.	380368	Ref. No.	18460001 WY18460001
description	power relays ZETTLER ELECTRONICS 230VAC 30A 1NO/1NC connection male faston 6.3mm bracket mounting manuf. no. AZ 2280-1A-240AF AZ2280-1C-240AF		
For models:	Mininova		

with male contacts

female contact 2.0mm




1


GEV No.	380494	Ref. No.	18460003 WY18460003
description	power relays FINDER 230VAC 7A 4CO connection F2 plug-in connection manuf. no. 55.34.8.230.0054 94.74/ZMD4 250V connection 2mm		
For models:	Pegaso		
accessories for	380494		
	GEV No.	380341	Ref. No. —
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4		
	GEV No.	380399	Ref. No. —
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3		

relay sockets



1



GEV No.	380802	Ref. No.	18454101 WY18454101
description	relay socket 4-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.74		
For models:	Pegaso		
accessories for	380802		
	GEV No.	380804	Ref. No. —
	support bracket		

level relays

GICAR



1

GEV No.	402103	Ref. No.	W10769
description	level controller 230/240V voltage AC 50/60Hz connection F6.3 type NRL30/1E-2C/F		
For models:	Sphera		



1


GEV No.	400230	Ref. No.	18402 WY18402
description	level relay 230V voltage AC 50/60Hz 11-pole 10A connection plug-in connection round 11-pole type RL40/1E/11		
For models:	Antares		

GIEMME




1

GEV No.	402216	Ref. No.	18081001 WY18081001
description	level relay 115V voltage AC 50/60Hz 8A connection male faston 6.3mm type RL1E/2C/F		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

1

GEV No.	400537	Ref. No.	18080001 W10738 WY18080001
description	level relay 230V voltage AC 50/60Hz 8A connection F6.3 type RL1E/2C/F		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		




1

GEV No.	400786	Ref. No.	18045 WY18045
description	level relay 230V voltage AC 5A connection F6.3 type MFC 2S		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

probes


producer-specific probes

probes



1


GEV No.	379556	Ref. No.	20306 WY20306
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread 1/8" probe ø6x11mm cable length 0.1m		
For models:	Gemini		



1

GEV No.	527772	Ref. No.	20255 WY20255
description	temperature probe NTC 200kOhm cable silicone probe -40 up to +150°C cable -50 up to +180°C connection coded plug thread 1/4" probe ø8x20mm cable length 1.5m		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

sensors



1

GEV No.	379556	Ref. No.	20306 WY20306
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection plug thread 1/8" probe ø6x11mm cable length 0.1m		
For models:	Gemini		

electronics

electronics accessories




1

GEV No.	527612	Ref. No.	15182997 WY15182997
description	gasket for display L 110mm W 55mm thickness 2mm Neoprene		
For models:	Vela, VelaCompatta, VelaElegance		




1

GEV No.	527765	Ref. No.	15373050 WY15373050
description	housing L 119mm W 51mm plastic		
For models:	Sphera		




1

GEV No.	527820	Ref. No.	15373104 WY15373104
description	spacer piece for display L 10mm ø 4.8mm ID ø 3.1mm		
For models:	Vela, VelaCompatta, VelaElegance		



1

GEV No.	527821	Ref. No.	15373105 WY15373105
description	spacer piece for keypad L 11.1mm ø 4.8mm ID ø 3.1mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		


1

GEV No.	527819	Ref. No.	15373106 WY15373106
description	spacer piece for keypad L 22.5mm ø 4.8mm ID ø 3.1mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527823	Ref. No.	15373107 WY15373107
description	spacer piece for keypad with internal and external thread thread M3 L 6mm		
For models:	Vela, VelaCompatta, VelaElegance		



1


GEV No.	527822	Ref. No.	15373108 WY15373108
description	spacer piece with thread thread M3 L 5mm		
For models:	Gemini, Vela, VelaCompatta, VelaElegance		

PCBs




1

GEV No.	400787	Ref. No.	26020 WY26020
description	display espresso machine Pegaso		
For models:	Pegaso		




1

GEV No.	527760	Ref. No.	18371077 WY18371077
description	display for coffee machine L 84mm W 44mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		





1

GEV No.	527793	Ref. No.	18371078 WY18371078
description	display L 122mm W 44mm		
For models:	Vela, VelaCompatta, VelaElegance		




1

GEV No.	401711	Ref. No.	18090024 WY18090024	
description	display PCB suitable for WEGA			
For models:	Gemini			
accessories for	401711			
	GEV No.	401712	Ref. No.	20127001 WY20127001
	keypad foil suitable for WEGA L 135mm W 60mm buttons 5			




1

GEV No.	527759	Ref. No.	18371089 18371090 WY18371089 WY18371090
description	keypad PCB L 130mm W 40mm		
For models:	Vela, VelaCompatta, VelaElegance		



1

GEV No.	527792	Ref. No.	18371079 WY18371079
description	keypad unit L 131mm W 35mm mounting pos. horizontal buttons 7		


1

GEV No.	401802	Ref. No.	18090023 WY18090023
description	PCB		
For models:	Gemini		



1

GEV No.	402213	Ref. No.	18090030 WY18090030
description	control box 3-group coffee machine 115V type 3GR+LIV+TEA		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527761	Ref. No.	18371085 18371086 WY18371085 WY18371086
description	PCB L 65mm W 43mm with flattening		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		



1

GEV No.	527811	Ref. No.	18090013 WY18090013
description	control box 3-group for coffee machine 115V type 3GR+LIV+TEA C/W		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

central units




1

GEV No.	400530	Ref. No.	W1018044
description	central unit for coffee machine 230V type MFC-2SN		



1

GEV No.	402214	Ref. No.	18090017 WY18090017
description	control box 3-group for coffee machine 115V type 3GR+LIV+TEA DE		
For models:	Pegaso, Venere		



1

GEV No.	400539	Ref. No.	18090016 WY18090016
description	control box 1-3-group for coffee machine 230V type 3GR+LIV+TEA DE		
For models:	Pegaso, Venere		



1

GEV No.	400796	Ref. No.	18090031 WY18090031
description	control box 3-group for coffee machine 230V type 3GR+LIV+TEA		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	400516	Ref. No.	18090012 WY18090012
description	control box 3-group for coffee machine 230V type 3GR+LIV+TEA C/W		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	402217	Ref. No.	18090048 WY18090048
description	control box for coffee machine 230V		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		



1

GEV No.	402215	Ref. No.	18043001 WY18043001
description	control box for coffee machine 115V		
For models:	Mininova		



1

GEV No.	527737	Ref. No.	18082 WY18082
description	control box for coffee machine 230V type 30 MICRO ST		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527809	Ref. No.	18083 WY18083
description	control box for coffee machine 115V type 30 MICRO ST		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527741	Ref. No.	18090018 WY18090018
description	control box for coffee machine 230V type CONTROL d - CAL		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527810	Ref. No.	18090019 WY18090019
description	control box for coffee machine 115V type CONTROL d-30		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

keypads


front foils





1


GEV No.	527747	Ref. No.	29169102 WY29169102
description	keypad foil L 100mm W 50mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		





			
1			
GEV No.	527745	Ref. No.	29169118 WY29169118
description	keypad foil L 137mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		


			
1			
GEV No.	527746	Ref. No.	29169117 WY29169117
description	keypad foil L 137mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	527764	Ref. No.	29169115 WY29169115
description	keypad foil L 137mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		


			
1			
GEV No.	527748	Ref. No.	29169101 WY29169101
description	keypad foil L 173mm W 50mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		


			
1			
GEV No.	527752	Ref. No.	29169119 WY29169119
description	keypad foil L 212mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		


			
1			
GEV No.	527763	Ref. No.	29169116 WY29169116
description	keypad foil L 213mm W 50mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	401712	Ref. No.	20127001 WY20127001
description	keypad foil suitable for WEGA L 135mm W 60mm buttons 5		
For models:	Gemini		


membrane keypads

			
1			
GEV No.	401713	Ref. No.	20127005 WY20127005
description	membrane keypad buttons 10 L 135mm W 60mm		
For models:	Gemini		


			
1			
GEV No.	401715	Ref. No.	20127007 WY20127007
description	membrane keypad buttons 10 suitable for WEGA L 135mm W 60mm		
For models:	Gemini		

			
1			
GEV No.	401714	Ref. No.	20127006 WY20127006
description	membrane keypad cappuccino buttons 14 suitable for WEGA L 190mm W 60mm		
For models:	Gemini		

			
1			
GEV No.	527754	Ref. No.	20126014 WY20126014
description	membrane keypad coffee machine ATLAS L 100mm W 50mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta		


			
1			
GEV No.	527758	Ref. No.	18349 WY18349
description	membrane keypad for coffee machine L 50mm W 50mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

keypad units




1

GEV No.	400510	Ref. No.	18371043 W5092 WY18371043
description	keypad unit		
For models:	Sphera		



1

GEV No.	400511	Ref. No.	18371042 W5093 WY18371042
description	keypad unit		
For models:	Sphera		




1

GEV No.	400512	Ref. No.	18371044 W5094 WY18371044
description	keypad unit		
For models:	Sphera		




1

GEV No.	400513	Ref. No.	18371046 W5249 WY18371046
description	keypad unit		
For models:	Sphera		




1

GEV No.	400514	Ref. No.	18371045 W5250 WY18371045
description	keypad unit		
For models:	Sphera		




1

GEV No.	402209	Ref. No.	18371054 WY18371054
description	keypad unit buttons 1 suitable for Astoria / Wega L 125mm W 75mm		
For models:	Venere		




1

GEV No.	527812	Ref. No.	18363 WY18363
description	keypad unit buttons 5 115V L 92mm W 44mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		



1


GEV No.	400355	Ref. No.	10772 W10772 WY10772
description	keypad unit buttons 6		




1


GEV No.	400506	Ref. No.	11100 W11100 W18357 WY11100
description	keypad unit buttons 6		





			
1			
GEV No.	527753	Ref. No.	83180014R WY83180014R
description	keypad unit buttons 7 L 136mm W 46mm		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	527776	Ref. No.	83180011R WY83180011R
description	keypad unit coffee machine Gloria buttons 7 L 136mm W 45mm		

			
1			
GEV No.	402211	Ref. No.	18371055 WY18371055
description	keypad unit buttons 7 suitable for Astoria / Wega L 120mm W 75mm		
For models:	Venere		


			
1			
GEV No.	400789	Ref. No.	18371027 WY18371027
description	keypad unit coffee machine/espresso maker MININOVA/EPUMINIV buttons 5 L 66mm W 43mm		
For models:	Mininova		

			
1			
GEV No.	400354	Ref. No.	10839 18362 W10839 WY10839 WY18362
description	keypad unit coffee machine AIRY/ATLAS/COMBI NOVA/JUNIOR buttons 5		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	400515	Ref. No.	18371048 W7000 WY18371048
description	keypad unit SPHERA/TRON buttons 4 chrome-plated L 119mm W 51mm		
For models:	Sphera		

			
1			
GEV No.	400795	Ref. No.	18371049 WY18371049
description	keypad unit coffee machine Atlas/OrionEco/EPU1PG buttons 5 L 89mm W 42mm		
For models:	Atlas, OrionEco, Pegaso		


control panel			
			
1			
GEV No.	527749	Ref. No.	15373043 WY15373043
description	control panel L 120mm W 58mm plastic		
For models:	Sphera		

			
1			
GEV No.	527766	Ref. No.	15373042 WY15373042
description	control panel L 120mm W 58mm plastic		
For models:	Sphera		





			
1			
GEV No.	527767	Ref. No.	15373044 WY15373044
description	control panel L 120mm W 58mm plastic		
For models:	Sphera		


			
1			
GEV No.	527751	Ref. No.	15373045 WY15373045
description	control panel L 121mm W 58mm plastic		
For models:	Sphera		


			
1			
GEV No.	527755	Ref. No.	15373041 WY15373041
description	control panel L 121mm W 58mm plastic		
For models:	Sphera		


accessories


			
1			
GEV No.	527824	Ref. No.	15373048 WY15373048
description	button L 22mm W 19.2mm chrome-plated		

			
1			
GEV No.	527743	Ref. No.	15373051 WY15373051
description	cover L 121mm W 58mm H 20mm plastic		
For models:	Sphera		


			
1			
GEV No.	527750	Ref. No.	15373046 WY15373046
description	cover L 121mm W 58mm H 23mm plastic		
For models:	Sphera		


			
1			
GEV No.	527611	Ref. No.	15182996 WY15182996
description	gasket for keypad L 144mm W 55mm thickness 2mm Neoprene		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	527762	Ref. No.	15373017 WY15373017
description	housing L 119mm W 51mm H 34mm plastic		
For models:	Sphera		


			
1			
GEV No.	527742	Ref. No.	18371041 WY18371041
description	housing L 119mm W 52mm H 50mm plastic		
For models:	Sphera		


			
1			
GEV No.	527744	Ref. No.	15373111 15373116 WY15373111 WY15373116
description	housing L 136mm W 45mm H 20mm plastic		
For models:	Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	527791	Ref. No.	18371061 WY18371061
description	keypad unit horizontal L 105mm W 70mm buttons 1		
For models:	Venere		

			
1			
GEV No.	527781	Ref. No.	18371059 WY18371059
description	keypad unit mounting pos. horizontal W 70mm L 105mm buttons 1		
For models:	Venere		



 <p>1</p>			
GEV No.	511564	Ref. No.	18371062 WY18371062
description	keypad unit mounting pos. horizontal W 71mm L 157mm buttons 1		
For models:	Venere		


 <p>1</p>			
GEV No.	402212	Ref. No.	18371053 WY18371053
description	switch panel complete L 158mm W 70mm buttons 3 for Astoria / Wega		
For models:	Venere		

 <p>1</p>			
GEV No.	527816	Ref. No.	77595000 WY77595000
description	switch panel L 86mm W 40mm		
For models:	Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		

solenoid valves

solenoid valves (water)

various

 <p>1</p>			
GEV No.	370498	Ref. No.	18173002 WY18173002
description	solenoid valve 3-way 230VAC plastic DN 3.4mm		
For models:	Gemini		

metal

ASCO

spare parts and accessories


O-rings

 <p>1</p>			
GEV No.	371095	Ref. No.	12305 WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Starlet, Vela, VelaCompatta, VelaElegance, Venere		

OLAB

solenoid valves


2-way

 <p>1</p>			
GEV No.	370484	Ref. No.	18161988 WY18161988
description	solenoid valve brass 2-ways 230VAC connection 2x 1/8" IT L 64mm controllable duty cycle 100%		
For models:	Gemini, Venere		


PARKER

2-way

VE-140 series

 <p>1</p>			
GEV No.	370141 ¹	Ref. No.	18161990 WY18161990
description	solenoid valve 2-ways 208-240 inlet 1/4" outlet 1/4" connection 1/4" L 40mm DN 3mm slide-on receptacle DIN -10 up to 140°C type series VE-140 coil type ZB09 membranes ruby p max 8bar SS		
For models:	Gemini, Mininova		

¹SS housing

 <p>1</p>			
GEV No.	370140	Ref. No.	18162002 WY18162002 WY18162004 WY4618162005
description	solenoid valve 2-way-ways 230VAC connection 1/8" L 30mm DN 2.5mm slide-on receptacle DIN -10 up to 140°C coil type DZ0656 membranes ruby p max 14bar brass		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		








3-way

VE-128 series



1

GEV No.	370057	Ref. No.	18151 WY18151
description	solenoid valve 3-ways 230VAC body outer cone DN 1.2mm slide-on receptacle DIN -20° up to 140°C PARKER type series VE-128 coil type ZB09 membranes ruby p max 10bar brass flange 32x32mm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		
spare parts for	370057		
	GEV No.	370062	Ref. No. —
	solenoid valve body PARKER 3-ways outer cone		
	GEV No.	371029	Ref. No. —
	solenoid coil PARKER 230VAC 9VA coil type ZB09 seat ø 14mm H 33mm W 34mm D 43mm		
accessories for	370057		
	GEV No.	371090	Ref. No. —
	power socket plug type DIN 43650A screw		
	GEV No.	371095	Ref. No. 12305 WY12305
	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
	GEV No.	371100	Ref. No. —
	O-ring silicone thickness 1.78mm ID ø 6.07mm Qty 1 pcs		

solenoid valves (various)



1

GEV No.	370497	Ref. No.	18180001 WY18180001
description	solenoid valve 2-ways 230VAC connection 1/8" L 30mm DN 1.5mm PARKER brass		
For models:	Gemini, Starlet		



1

GEV No.	370525	Ref. No.	18150 WY18150 WY834718151R
description	solenoid valve 3-ways 110VAC body outer cone DN 1.5mm slide-on receptacle DIN -20 up to +140°C PARKER type series E131F membranes ruby p max 10bar p min 0bar with flange plate 110V brass voltage AC flange 32x32mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

Solenoid valve - accessories



1

GEV No.	371095	Ref. No.	12305 WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Starlet, Vela, VelaCompatta, VelaElegance, Venere		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



1

GEV No.	541314	Ref. No.	3DD10706A
description	pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		




1

GEV No.	541140	Ref. No.	WY3DD10706A
description	pressure control pressure range 55/30mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		






for coffee machines


ø 38mm

 <p>1</p>			
GEV No.	541089	Ref. No.	20155 WY20155
description	pressure control ø 38mm pressure range 0.5-1.2bar pressure connection vertical 16A 250V coffee machine parts connection 1/8" ambient temperature max. 125°C pressure connection 1/8"		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		


miscellaneous

 <p>1</p>			
GEV No.	541021	Ref. No.	20150 W10440 WY20150
description	pressure control pressure range adjustable 0.5-1.4bar connection 1/4" 30A 3-pole type P302 coffee machine parts SIRAI		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		
accessories for	541021		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	GEV No.	890100	Ref. No. —
	PTFE tape reel L 12m W 12mm -200 up to +260°C approval DIN-DVGW, KTW temperature-resistant, elastic for fine thread thickness 0.1mm		

electrodes

 <p>1</p>			
GEV No.	401872	Ref. No.	20261 WY20261
description	level electrode 1/4" total length 100mm probe L 64mm insulated probe length 17mm connection male faston 6.3mm stainless steel ø 2.5mm		
For models:	Venere		

 <p>1</p>			
GEV No.	400790	Ref. No.	20251 WY20251
description	level electrode 1/4" total length 125mm probe L 98mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 3mm rubber		
For models:	Airy, Antares, Atlas, Gemini, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 <p>1</p>			
GEV No.	400020	Ref. No.	ELETSON
description	level electrode 1/4" total length 150mm probe L 124mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		

flow meters and flow sensors

flow meters

<p>GICAR</p>			
 <p>1</p>			
GEV No.	400004	Ref. No.	18126 W10785 WY18126
description	flow meter thread 1/4" stainless steel with LED plug connection approval NSF		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		
accessories for	400004		
	GEV No.	400256	Ref. No. —
	plug GICAR for flow meter		



accessories



1

GEV No.	400257	Ref. No.	W10718
description	impellor GICAR H 15mm D1 ø 26.7mm D2 ø 9.8mm for flow meter		



1

GEV No.	400258	Ref. No.	W10717
description	O-ring for flow meter		

motors

motors

for coffee grinders

complete



1

GEV No.	500949	Ref. No.	28247001 WY28247001
description	motor 250W 230V 50Hz 1 phase 1.9A shaft ø 15mm shaft length 54mm thread M10L 1300rpm type 11004007 RPM 0.25kW		
For models:	Macinadosatore		

pumps

wash and rinse pumps

FIR

pumps



1

GEV No.	500527	Ref. No.	3DD15908A WY3DD15908A
description	pump inlet ø 60mm outlet ø 50/30mm type 2233.B140 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF FIR inlet ø 60mm		
For models:	Wega-wash-500		
spare parts for	500527		
	GEV No.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	GEV No.	510552	Ref. No. 3DD15079D WY3DD15079D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	GEV No.	510608	Ref. No. 3DD15079B WY3DD15079B
	impellor ø 93mm H 32mm shaft intake ø 9/8mm blades 6 inner height 11mm		
	GEV No.	510692	Ref. No. —
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	GEV No.	521511	Ref. No. 3DD15031E WY3DD15031E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		



1






GEV No.	500528	Ref. No.	3DD15908D WY3DD15908D
description	pump inlet ø 60mm outlet ø 50mm type 4233.1500 230V 50Hz 1 phase 0.74kW 1HP L 220mm rotation direction right capacitor 16µF FIR		
For models:	Wega-wash-500		
spare parts for	500528		
	GEV No.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	GEV No.	510552	Ref. No. 3DD15079D WY3DD15079D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	GEV No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No.	517319	Ref. No. —
	hose connector T1: M12x1.75 hose ø 11mm brass		
	GEV No.	521177	Ref. No. —
	impellor ø 93mm H 23mm thread M10L suitable for FIR		
	GEV No.	521511	Ref. No. 3DD15031E WY3DD15031E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		

OLYMPIA

pumps



1

GEV No.	499318	Ref. No.	3DD10501A WY3DD10501A
description	pump inlet ø 28mm outlet ø 28mm type L63.T19 230V 50Hz 1 phase 0.19kW L 185mm rotation direction right capacitor 5µF OLYMPIA inlet ø 28mm outlet ø 28mm		
For models:	Wega-wash-350, Wega-wash-370		
spare parts for	499318		
	GEV No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	GEV No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No.	521163	Ref. No. —
	pump cover OLYMPIA inlet ø 28mm outlet ø 26mm pump type L63.T19		
	GEV No.	521164	Ref. No. —
	impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm		
	GEV No.	521724	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		


booster pumps II

pump motors

clip connection



1


GEV No.	500950	Ref. No.	18303 WY18303
description	pump motor RPM type C013728 120W 230V 50Hz connection clip ø 100mm L 145mm capacitor 8µF		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
accessories for	500950		
	GEV No.	527146	Ref. No. 26310002 83260016R WY26310002 WY83260016R
coupling set with clip			


pump heads

FLUID-O-TECH








1

GEV No.	500174	Ref. No.	26303001 WY26303001
description	pump head PA104 FLUID-O-TECH L 82mm 100l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm NSF		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
accessories for	500174		
	GEV No.	520126	Ref. No. —
clamp for pump/motor			




1

GEV No.	500520	Ref. No.	3DD18242B WY3DD18242B
description	pump inlet ø 33mm outlet ø 30/28mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5µF OLYMPIA		
For models:	Wega-wash-370, Wega-wash-400		
spare parts for	500520		
	GEV No.	365017	Ref. No. —
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	GEV No.	510693	Ref. No. —
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	GEV No.	521151	Ref. No. —
impellor ø 71mm H 19mm pump type OLYMPIA thread M10R shaft ø 12mm shaft length 8mm			
	GEV No.	521551	Ref. No. —
pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner high 30mm			
	GEV No.	521723	Ref. No. —
pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs			

booster pumps I



1

GEV No.	499294	Ref. No.	3DD15100D WY3DD15100D
description	pump inlet ø 3/8" outlet ø 3/8" type B299.2351 230V 50Hz 1 phase 0.15kW 2800rpm L 170mm capacitor 6.3µF FIR		
For models:	Wega-wash-400, Wega-wash-500		
accessories for	499294		
	GEV No.	365017	Ref. No. —
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			



1			
GEV No.	500064	Ref. No.	26303 WY26303
description	pump head PO204 FLUID-O-TECH L 82mm 200l/h connection 3/8" GAS with bypass brass clip connection for coffee machine shaft ø 4.8x11mm		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
accessories for	500064		
	GEV No.	520126	Ref. No. —
	 clamp for pump/motor		

1			
GEV No.	527190	Ref. No.	56116 WY56116
description	filter with integrated fine filter brass T1: 3/8" T2: 3/8" pump inlet		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

PROCON			
1			
GEV No.	500230	Ref. No.	26302 WY26302
description	pump head V6105 PROCON L 82mm 180l/h connection 3/8" NPT with bypass brass clip connection for coffee machine shaft ø 4.8x11mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
accessories for	500230		
	GEV No.	520126	Ref. No. —
	 clamp for pump/motor		

1			
GEV No.	365015	Ref. No.	19050 WY19050
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Macinadosatore, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

vibration pumps

1			
GEV No.	500438	Ref. No.	26304 WY26304
description	vibration pump type 1106PAILM1N 208/240V 50/60Hz 50W inlet ø 1/8" IT outlet ø 1/8" IT outlet conical L 128mm FLUID-O-TECH		
For models:	Mininova		

accessories			
1			
GEV No.	527146	Ref. No.	26310002 83260016R WY26310002 WY83260016R
description	coupling set with clip		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

condensators & interference suppression filters

operating capacitors

plastic



1

GEV No.	365015	Ref. No.	19050 WY19050
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Macinadosatore, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

fuses

fine fuses

fine fuse holders



1

GEV No.	550558	Ref. No.	19122 WY19122
description	fuse holder suitable fuse ø5x20mm ø 12.5mm 10A rated 250V connection F4.8		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

electric accessories

cables

ribbon cables

group 3



1

GEV No.	400705	Ref. No.	22628 WY22628
description	ribbon cable 10-pole L 1400mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Sphera, Vela, VelaCompatta, VelaElegance		

connection cables



1

GEV No.	527813	Ref. No.	22558 WY22558
description	connection cable L 1500mm 4-pole for coffee machine connection plug		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera, Vela, VelaCompatta, VelaElegance		

ignition parts

ignition cables

pre-assembled cables



1

GEV No.	100140	Ref. No.	22001 WY22001
description	ignition cable cable length 400mm connection ø2.4mm / ø4mm		
For models:	Airy, Antares, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Sphera		

equipment-specific units

for espresso machines

filter holders

filter holders standard

filter holders (complete)



1

GEV No.	528088	Ref. No.	27311055 WY27311055
description	filter holder with outlet, 2-fold suitable for WEGA 2-way ID ømm outlet distancemm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		





 <p>1</p>			
GEV No.	528000	Ref. No.	27311054 WY27311054
description	filter holder with outlet, single suitable for WEGA 1-way ID ø 62mm outlet distance mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

<p>filter holder without spout</p>  <p>1</p>			
GEV No.	525977	Ref. No.	N/A
description	filter holder suitable for CREM-EXPOBAR/WEGA/GRIMAC/SANRAMO without outlet mounting ø 83mm outlet 3/8" ID ø 61.5mm wedge height 10mm wedge position horizontal number of wedges 2 lever inclined		

 <p>1</p>			
GEV No.	528085	Ref. No.	27311010 WY27311010
description	filter holder suitable for WEGA without outlet mounting ø 82mm outlet 3/8" ID ø 61mm wedge height 9.6mm wedge position horizontal number of wedges 2 lever inclined		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


<p>filter holders short</p>  <p>1</p>			
GEV No.	529933	Ref. No.	W11775
description	filter holder mounting ø 82.4mm outlet 3/8" ID ø 61.5mm handle M12x1.75 wedge height 9.5mm wedge position horizontal number of wedges 2 lever inclined chrome-plated, polished		


<p>handles</p> <p>with external thread</p>  <p>1</p>			
GEV No.	529208	Ref. No.	N/A
description	handle ø 35mm thread M12x1.75 thread L 15mm L 125mm black		


 <p>1</p>			
GEV No.	529068	Ref. No.	W10329
description	handle ø 35mm thread M12x1.75 thread L 15mm L 126mm black		
For models:	Sphera		


 <p>1</p>			
GEV No.	111150	Ref. No.	15263010 WY15263010
description	handle ø 39mm thread M12x1.75 thread L 17mm L 128mm black		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


<p>end caps</p>  <p>1</p>			
GEV No.	527179	Ref. No.	15486006 WY15486006
description	end cap ø 24.3mm chrome-plated		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

<p>spouts</p> <p>with thread 3/8"</p>  <p>1</p>			
GEV No.	529000	Ref. No.	27032001 WY27032001
description	filter holder spout thread 3/8" 1-way curved/long outlet distance mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
GEV No.	529004	Ref. No.	W10670
description	filter holder spout thread 3/8" 1-way curved/long outlet distance		
For models:	Sphera		

			
1			
GEV No.	529032	Ref. No.	27042001 WY27042001
description	filter holder spout thread 3/8" 2-way curved outlet distance 48mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

			
1			
GEV No.	529007	Ref. No.	W10671
description	filter holder spout thread 3/8" 2-way curved/short outlet distance 45mm		
For models:	Sphera		

			
1			
GEV No.	529894	Ref. No.	27050 WY27050
description	filter holder spout thread 3/8" 3-way curved outlet distance		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

accessories

			
1			
GEV No.	529063	Ref. No.	27060201 WY27060201
description	extension thread 3/8" for filter holder outlet		
For models:	Mininova, Pegaso		

filters			
for 1 cup			
			
1			
GEV No.	527631	Ref. No.	N/A
description	coffee filter ø 70mm mounting ø 60.7mm H 17mm cups 1 amount of coffee 8g		

			
1			
GEV No.	529011	Ref. No.	10325 27142 WY10325 WY27142
description	coffee filter ø 70mm mounting ø 60mm H 24.5mm cups 1 amount of coffee 7g perforation ø 0.4mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

for 2 cups			
			
1			
GEV No.	529013	Ref. No.	10326 27171 WY10326 WY27171
description	coffee filter ø 70mm mounting ø 60.5mm H 25.5mm cups 2 amount of coffee 14g perforation ø 0.3x0.3mm square		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

for 3 and more cups			
			
1			
GEV No.	529229	Ref. No.	27190 WY27190
description	coffee filter ø 70mm mounting ø 60mm H 28mm cups 3 amount of coffee 21g		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		





blind filters

 <p>1</p>			
GEV No.	529023	Ref. No.	27173 WY27173
description	blind filter ø 70mm mounting ø 60mm H 18mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

 <p>1</p>			
GEV No.	528417	Ref. No.	10324 27104 WY10324 WY27104
description	shower screen ø 58mm H 19mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

filter holder springs

 <p>1</p>			
GEV No.	529079	Ref. No.	27255 W10327 WY27255
description	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

 <p>1</p>			
GEV No.	531243	Ref. No.	N/A
description	filter holder spring L 70mm W 60mm wire gauge ø 1.3mm for espresso filter holder Qty 20 pcs		

brewing units

shower screens

with upstand

 <p>1</p>			
GEV No.	529293	Ref. No.	27101 WY27101
description	shower screen ø 57mm H 6mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

filter holder gaskets

flat

with internal notch

 <p>1</p>			
GEV No.	526269	Ref. No.	12215 WY12215
description	filter holder gasket D1 ø 71mm D2 ø 56mm H 8.5mm with inside notch Qty 1 pcs		
For models:	Venere		

 <p>1</p>			
GEV No.	526270	Ref. No.	12217 WY12217
description	filter holder gasket D1 ø 72mm D2 ø 56mm H 8mm with inside notch Qty 1 pcs		
For models:	Venere		

standard

 <p>1</p>			
GEV No.	528098	Ref. No.	12216 WY12216
description	filter holder gasket D1 ø 66mm D2 ø 56mm H 5.5mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	528043	Ref. No.	12219 WY12219
description	filter holder gasket D1 ø 66mm D2 ø 56mm H 6mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	528030	Ref. No.	W10321
description	filter holder gasket D1 ø 72.7mm D2 ø 57.2mm H 8mm Qty 1 pcs		
For models:	Sphera		



1

GEV No.	528031	Ref. No.	W10323
description	filter holder gasket D1 ø 73mm D2 ø 57mm H 8.5mm rubber Qty 1 pcs		
For models:	Sphera		



1


GEV No.	528032	Ref. No.	W10322
description	filter holder gasket D1 ø 73mm D2 ø 57mm H 9mm Qty 1 pcs		

with bevel 45x2



1


GEV No.	528969	Ref. No.	12228 WY12228
description	filter holder gasket with bevel 45x2 D1 ø 73.5mm D2 ø 57.5mm H 8.5mm with inside notch		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	528970	Ref. No.	12225 12227 WY12225 WY12227
description	filter holder gasket with bevel 45x2 D1 ø 73.5mm D2 ø 57.5mm H 8mm with inside notch		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

shim gaskets



1

GEV No.	531250	Ref. No.	—
description	shim gasket D1 ø 73mm D2 ø 59mm thickness 0.5mm paper Qty 20 pcs		

brewing units with solenoid valve
producer-specific brewing units



1

GEV No.	527779	Ref. No.	56080002 56082106 WY56080002 WY56082106
description	brewing unit complete suitable for Astoria / Wega		



1

GEV No.	527780	Ref. No.	56082011 56082104 WY56082011 WY56082104
description	brewing unit complete suitable for Astoria / Wega		
For models:	Venere		

nozzles



1

GEV No.	528947	Ref. No.	W10308
description	nozzle hole ø 0.6mm L 4mm thread M6x0.75 thread L 5mm		
For models:	Sphera		

pipes



1

GEV No.	527804	Ref. No.	52000122 WY52000122
description	aspiration tube group ø 12mm L 180mm T1: 1/4" copper		



1

GEV No.	527619	Ref. No.	15451025 WY15451025
description	aspiration tube ø 8mm L 150mm T1: M8x1.25 PTFE		
For models:	Venere		

brewing units manual

components

drain units

drain pipes



1

GEV No.	527790	Ref. No.	10352 WY10352
description	drain pipe thread 1/2" int. ø 18mm int. ø 215mm L 37mm chrome-plated brass		



1

GEV No.	526371	Ref. No.	27421016 WY27421016
description	drain pipe thread M30x1.5 T1: 1/2" L 72mm WS 36 L1 25mm L2 35mm		



1

GEV No.	528534	Ref. No.	27421016 WY27421016
description	drain pipe thread M30x1.5 T1: 1/2" L 73mm WS 36 L1 21.5mm L2 36.5mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

shafts



1

GEV No.	527795	Ref. No.	27421006 WY27421006
description	shaft thread M4 triangle L 34.6mm W 6.6mm brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

brewing units



1

GEV No.	527607	Ref. No.	56353 WY56353
description	brewing unit L 133mm H 121mm chrome-plated brass int. ø 166.2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



bushes



GEV No.	528541	Ref. No.	W10335
description	bush D1 ø 15mm D2 ø 10.8mm ID ø 8mm H 30mm brass		
For models:	Sphera		

gaskets



GEV No.	528494	Ref. No.	W10343
description	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Sphera		



GEV No.	527803	Ref. No.	27421008 WY27421008
description	gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

gasket supports



GEV No.	528528	Ref. No.	27421010 W10344 WY27421010
description	gasket support ED ø 16mm ID ø 13mm H 13mm for gasket thread M3 brass L 13mm int. ø 1 13mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		

miscellaneous



GEV No.	528530	Ref. No.	10341 WY10341
description	bolt square brass thread M3 L 11mm W 6mm H 6mm thread L 10mm		



GEV No.	528531	Ref. No.	27421012 WY27421012
description	bolt square brass thread M3 L 12mm W 6mm H 6mm thread L 10mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		



GEV No.	527794	Ref. No.	56354 56354001 WY56354 WY56354001
description	cam W 30mm H 84mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		



GEV No.	527614	Ref. No.	56352 WY56352
description	cylinder int. ø 1 51mm H 102mm ED ø 66mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, Polaris-Compatta, Sphera, Vela, VelaCompatta, VelaElegance		



GEV No.	527873	Ref. No.	10342 WY10342
description	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm brass		




GEV No.	528941	Ref. No.	10340 WY10340
description	thread bolt chrome-plated steel thread M8 L 50mm for handle ED ø 10mm		




nozzle holders

 <p>1</p>			
GEV No.	527253	Ref. No.	27119 WY27119
description	nozzle holder thread M30x1.5 IT M16x1.5 IT 1 M6 ø 25mm int. ø 10mm L 66mm total length 82mm WS 36 chrome-plated brass		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

springs

 <p>1</p>			
GEV No.	528526	Ref. No.	10312 27421001 WY10312 WY27421001
description	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 <p>1</p>			
GEV No.	528536	Ref. No.	27250 WY27250
description	spring ø 48mm L 133mm wire gauge ø 8.5mm for coffee machine		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

levers


 <p>1</p>			
GEV No.	528940	Ref. No.	27421024 WY27421024
description	lever L 36mm thread M8 H 28mm W 14mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

complete

 <p>1</p>			
GEV No.	527620	Ref. No.	27220 WY27220
description	lever complete L 250mm thread M16x1.5 for Astoria / Wega		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


camshafts


 <p>1</p>			
GEV No.	528939	Ref. No.	27078008 WY27078008
description	camshaft shaft ø 8mm shaft intake ø 6.6mm L 87.3mm W 22mm H 17mm thread M6 brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


 <p>1</p>			
GEV No.	528527	Ref. No.	27421005 W10313 WY27421005
description	spindle shaft ø 4mm L 40mm thread M4 brass for cam shaft		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

screw connections

 <p>1</p>			
GEV No.	527801	Ref. No.	27421020 WY27421020
description	fitting support ø 35mm int. ø 18mm total length 39mm brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 <p>1</p>			
GEV No.	527876	Ref. No.	10339 WY10339
description	nut IT M6 L 22.8mm WS 13 chrome-plated brass		

			
1			
GEV No.	527802	Ref. No.	27421023 WY27421023
description	screw connection thread 1/2" int. ø 1 11mm int. ø 2 15mm L 9mm WS 24 chrome-plated brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	527875	Ref. No.	10333 WY10333
description	stop bolt thread M6 L 16mm SS		

complete

producer-specific brewing units


			
1			
GEV No.	527608	Ref. No.	26104 WY26104
description	brewing unit complete suitable for Astoria / Wega		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		
spare parts for	527608		
	GEV No.	111092	Ref. No. W10518
cone handle thread M8 ø 25mm L 41mm black			

brewing units with lever			
levers			
handles			
			
1			
GEV No.	529269	Ref. No.	15261 WY15261
description	handle ø 35mm ID ø 16.5mm L 112mm black plastic		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

components

drain units

screw connections

			
1			
GEV No.	527208	Ref. No.	23055 WY23055
description	drain connection thread 1/8" L 22mm chrome-plated WS 20		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

nozzles

with thread

			
1			
GEV No.	528486	Ref. No.	10300C WY10300C
description	nozzle bore ø 0.7mm thread M6x0.75 L 9mm WS 7		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		




screw connections

 <p>1</p>			
GEV No.	527270	Ref. No.	27118 W10306 WY27118
description	end cap thread M16x1.5 ID ø 8.9mm L 21mm chrome-plated WS 22		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 <p>2</p>			
GEV No.	520707	Ref. No.	25785 WY25785
description	screw cap thread 3/8" thread L 8mm brass WS 21 head thickness 6mm		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		


 <p>1</p>			
GEV No.	520471	Ref. No.	257891 WY257891
description	screw cap thread M18x1.5 L 18mm chrome-plated brass key number 17		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 <p>1</p>			
GEV No.	527177	Ref. No.	27120 WY27120
description	screw cap thread M30x1.5 L 36mm chrome-plated key number 26		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

gaskets

 <p>1</p>			
GEV No.	528186	Ref. No.	12013 WY12013
description	base plate L 34mm H 4.6mm W 34mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

water dispersions

<p>water dispersions</p>			
<p>group 2</p>			
 <p>1</p>			
GEV No.	529081	Ref. No.	W10320
description	water distributor ø 30mm hole ø 1.5mm H 15mm ET M10x1 grooves 6 2.5mm brass		

 <p>1</p>			
GEV No.	529230	Ref. No.	27105 WY27105
description	water distributor ø 30mm hole ø 2mm H 14mm ET M10x1 grooves 6 2mm brass 2 holes perforation ø 1.7mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 <p>1</p>			
GEV No.	527203	Ref. No.	27105000 WY27105000
description	water distributor ø 30mm with central hole hole ø 4.4mm H 15mm ET M10x1 IT M5 grooves 6 2mm brass		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

group 3



1

GEV No.	527609	Ref. No.	25627 WY25627
description	water distributor ø 56.5-59mm conical H 10mm 8 holes hole ø 1.3mm mounting ø 5.6mm brass		
For models:	Venere		

safety valves

safety valves

1/8"



1

GEV No.	529331	Ref. No.	20357 WY20357
description	safety valve connection 1/8" triggering pressure 1.8bar		
For models:	Mininova		

3/8"



1

GEV No.	529332	Ref. No.	20352 WY20352
description	safety valve connection 3/8" triggering pressure 1.9bar approval CE 0036 sealed		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

expansion valves



1

GEV No.	529337	Ref. No.	56152 WY56152
description	expansion valve T1: 3/8" ET T2: 1/4" ET L 48mm		
For models:	Antares, CombiNova, Junior		

brass 3-way



1

GEV No.	529224	Ref. No.	56200 WY56200
description	expansion valve		
For models:	Mininova		



1

GEV No.	529336	Ref. No.	56210 WY56210
description	expansion valve		
For models:	Mininova		



1

GEV No.	527252	Ref. No.	20366 WY20366
description	expansion valve connection 1/8"		
For models:	Mininova		



1

GEV No.	529333	Ref. No.	20361 WY20361
description	expansion valve connection 3/8"		
For models:	Airy, Atlas, Gemini, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



drain pans

drain pans



1

GEV No.	528600	Ref. No.	15502 W10795 WY15502
description	drain pan connection 3/8"		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

aerators and air bleeders



1

GEV No.	529304	Ref. No.	56150 WY56150
description	aerator and air bleeder screw connection 1/4"		
For models:	Airy, Atlas, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

boilers

heat exchangers

injector tubes



1

GEV No.	527774	Ref. No.	52001612 WY52001612
description	injector pipe boiler tube ø 10mm pipe length 108mm T1: 3/8" T2: 3/8" copper		
For models:	OrionEco, Pegaso		



1

GEV No.	527800	Ref. No.	52000119 WY52000119
description	injector pipe boiler tube ø 10mm pipe length 109mm T1: 3/8" T2: 3/8" copper		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		



1

GEV No.	527773	Ref. No.	52000184 WY52000184
description	injector pipe boiler tube ø 10mm pipe length 112mm T1: 3/8" T2: 3/8" copper		
For models:	Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		



1

GEV No.	527775	Ref. No.	52000118 WY52000118
description	injector pipe boiler tube ø 10mm pipe length 123mm T1: 3/8" T2: 3/8" copper		
For models:	Airy, Atlas, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527799	Ref. No.	52000360 WY52000360
description	injector pipe boiler tube ø 10mm pipe length 75mm T1: 3/8" T2: 3/8" copper		
For models:	Venere		



1

GEV No.	527798	Ref. No.	25686001 WY25686001
description	injector pipe boiler tube ø 6mm pipe length 79mm T1: 1/4" T2: 1/4" copper		



1

GEV No.	527796	Ref. No.	52002788 WY52002788
description	injector pipe boiler tube ø 6mm pipe length 80mm T1: 1/4" T2: 1/4" copper		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

accessories



GEV No.	531076	Ref. No.	23135 23135001 WY23135 WY23135001
description	thread bolt		
For models:	Airy, Antares, Atlas, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

steam/water taps

steam/water taps

steam/water taps



GEV No.	529621	Ref. No.	W10565 W10582+
description	steam/water tap		
For models:	Sphera		

steam taps

knobs



GEV No.	527756	Ref. No.	15278012 WY15278012
description	knob steam ø 45mm shaft ø 8mm shaft flat 9.5 black		
For models:	Vela, VelaCompatta, VelaElegance		



GEV No.	527182	Ref. No.	15272 WY15272
description	knob steam ø 46mm shaft ø 6x6mm		
For models:	Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, Pegaso, Polaris, PolarisAvandGarde		

components

shafts



GEV No.	529110	Ref. No.	25311 WY25311
description	shaft for coffee machine tap L 110mm		
For models:	Gemini, Mininova, Sphera, Venere		



GEV No.	529218	Ref. No.	25309 WY25309
description	shaft for coffee machine tap L 145mm		
For models:	Airy, Antares, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso		

bushes



GEV No.	529718	Ref. No.	25657 W10574 WY25657
description	bush for steam tap D1 ø 14.7mm ID ø 7.2mm H 3.5mm brass		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Venere		

gaskets



GEV No.	528313	Ref. No.	12204 W10653 WY12204
description	shaft sealing D1 ø 12.5mm D2 ø 7.9mm thickness 8.8mm rubber for steam tap		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



gasket supports



1			
GEV No.	527195	Ref. No.	25616 WY25616
description	piston for tap ø 17.6mm L 13.1mm thread M3/M16 SS		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

tap bodies



1			
GEV No.	529670	Ref. No.	53003 WY53003
description	tap body		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

union nuts



1			
GEV No.	527198	Ref. No.	25385 25385001 WY25385 WY25385001
description	union nut thread 3/8" ID ø 8.3mm L 19mm WS 20		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

union screws



1			
GEV No.	527196	Ref. No.	25461 WY25461
description	union screw thread M16x1 outer ID ø 10.6mm brass		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

valve bodies



1			
GEV No.	529073	Ref. No.	561021 WY561021
description	front part for coffee machine tap		
For models:	Gemini		



1			
GEV No.	529658	Ref. No.	561001 561001R WY561001 WY561001R WY56100R
description	front part for coffee machine tap		
For models:	Pegaso		

screw connections



1			
GEV No.	527250	Ref. No.	25691003 WY25691003
description	connecting fitting L 29mm ID ø 8mm WS 22 brass thread 3/8" IT - 3/8" ET		
For models:	Mininova		



1			
GEV No.	527199	Ref. No.	25678001 WY25678001
description	screw connection for tap L 36mm ID ø 8.6mm WS 20 brass thread 3/8" ET - 1/2" ET		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

water taps

knobs




1

GEV No.	527757	Ref. No.	15278013 WY15278013
description	knob water ø 45mm shaft ø 8mm black		
For models:	Vela, VelaCompatta, VelaElegance		



1

GEV No.	111157	Ref. No.	W10571
description	knob water ø 46mm black		
accessories for	111157		
	GEV No.	112494	Ref. No. —
	knob spring L 10.5mm W 9mm Qty 1 pcs		



1

GEV No.	111156	Ref. No.	W10568
description	knob water ø 54mm black		



1

GEV No.	527183	Ref. No.	15273 WY15273
description	knob water ø 6x6mm		
For models:	Atlas, CombiNova, Junior, Nova, NovaAle, Pegaso, Polaris, PolarisA-vandGarde		

steam/water pipes

steam pipes



1

GEV No.	529777	Ref. No.	W10439
description	steam pipe complete SS		



1

GEV No.	529778	Ref. No.	25763009 WY25763009
description	steam pipe complete SS		
For models:	Sphera		



1

GEV No.	527787	Ref. No.	25763300 56119160 WY25763300 WY56119160
description	steam pipe L 210mm W 140mm tube ø 10mm SS		



1

GEV No.	527783	Ref. No.	25763304 56106100 WY25763304 WY56106100
description	steam pipe L 265mm W 140mm tube ø 8mm SS		
For models:	Gemini		



1

GEV No.	527784	Ref. No.	25763317 56119000 WY25763317 WY56119000
description	steam pipe L 270mm W 150mm tube ø 8mm SS		



<p>1</p>			
GEV No.	527782	Ref. No.	56119107 WY56119107
description	steam pipe L 275mm W 150mm tube ø 8mm nickel-plated copper		

<p>1</p>			
GEV No.	527786	Ref. No.	25763310 56115100 WY25763310 WY56115100
description	steam pipe L 280mm W 170mm tube ø 8mm SS		

<p>1</p>			
GEV No.	527785	Ref. No.	25763308 56114100 WY25763308 WY56114100
description	steam pipe L 310mm W 140mm tube ø 8mm SS		

<p>1</p>			
GEV No.	561000	Ref. No.	56119108 WY56119108
description	steam pipe L 345mm W 150mm tube ø 8mm nickel-plated copper		

<p>1</p>			
GEV No.	527777	Ref. No.	25763014 WY25763014
description	steam pipe mounting pos. left with tube handle thread 3/8" H 235mm W 60mm tube ø 10mm SS		
For models:	Venere		

<p>1</p>			
GEV No.	527778	Ref. No.	25763013 WY25763013
description	steam pipe mounting pos. right with tube handle thread 3/8" H 235mm W 60mm tube ø 10mm SS		
For models:	Venere		

<p>1</p>			
GEV No.	525200	Ref. No.	25763009 WY25763009
description	steam pipe thread 3/8" H 200mm tube ø 10mm SS		

<p>1</p>			
GEV No.	529231	Ref. No.	56119023 WY56119023
description	steam pipe with handle L 180mm IT 3/8"		
For models:	Mininova		


<p>1</p>			
GEV No.	527769	Ref. No.	25763027 561181 WY25763027 WY561181
description	steam pipe with tube handle thread 3/8" H 245mm W 110mm tube ø 8mm SS		


<p>1</p>			
GEV No.	527254	Ref. No.	56119001 WY56119001
description	steam tap with tube handle thread 3/8" IT H 205mm W 135mm tube ø 8mm chrome-plated		
For models:	Airy, Atlas, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta		


nozzles for steam pipes


<p>1</p>			
GEV No.	527788	Ref. No.	25763003 WY25763003
description	steam nozzle ø 16mm L 28mm 5 holes SS		
For models:	Venere		



			
1			
GEV No.	527789	Ref. No.	25763007 WY25763007
description	steam nozzle ø 16mm L 72mm 4 holes SS		


			
1			
GEV No.	527209	Ref. No.	25762 WY25762
description	steam nozzle thread M10x1.25 IT L 16mm 5 holes bore ø 1.5mm chrome-plated		
For models:	Airy, Antares, Atlas, Mininova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta		

			
1			
GEV No.	527797	Ref. No.	25762A WY25762A
description	steam nozzle thread M8x0.75 ø 14mm L 25mm 5 holes SS		
For models:	CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp		


			
1			
GEV No.	527212	Ref. No.	30250 WY30250
description	water nozzle thread M10x1.25 IT ø 18mm L 47mm holes chrome-plated		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance, Venere		


nozzles for water pipes


components

			
1			
GEV No.	527205	Ref. No.	25761 WY25761
description	internal nozzle thread M10 for water pipe L 22mm bore ø 3mm WS 10		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance, Venere		

water pipes


			
1			
GEV No.	529860	Ref. No.	56119005 WY56119005
description	water pipe		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta		

			
1			
GEV No.	529771	Ref. No.	56119024 WY56119024
description	water pipe complete		
For models:	Mininova		

			
1			
GEV No.	527194	Ref. No.	56119003 WY56119003
description	water pipe thread 3/8" IT		
For models:	Pegaso		

accessories


bushes


			
1			
GEV No.	529738	Ref. No.	W05157
description	bush PTFE		
For models:	Sphera		


tube handles


			
1			
GEV No.	527251	Ref. No.	15296000 WY15296000
description	tube handle for pipe ø 8mm rubber		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Vela, VelaCompatta, VelaElegance		





			
1			
GEV No.	529627	Ref. No.	WY15295
description	tube handle ø 8mm L 30mm plastic		
For models:	Gemini		


union nuts			
			
1			
GEV No.	527258	Ref. No.	25391 WY25391
description	union nut thread 3/8" IT L 31.5mm hole ø 12.8mm chrome-plated brass		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Venere		


fine filters			
			
1			
GEV No.	529911	Ref. No.	10251002 WY10251002
description	fine filter flat ø 11mm H 0.25mm		
For models:	Gemini		


			
1			
GEV No.	527173	Ref. No.	10254 WY10254
description	fine filter ø 11.1mm H 7.4mm for expansion valve		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


			
1			
GEV No.	528357	Ref. No.	10253 W10307 WY10253
description	fine filter ø 8.5mm H 22mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


intake valves			
			
1			
GEV No.	529631	Ref. No.	N/A
description	intake valve		

			
1			
GEV No.	529632	Ref. No.	W.5166 W05166
description	intake valve		
For models:	Sphera		

			
1			
GEV No.	529074	Ref. No.	61006 61013 WY61006 WY61013
description	intake valve for coffee makers		
For models:	Pegaso		

			
1			
GEV No.	529107	Ref. No.	61015 WY61015
description	intake valve for coffee makers		
For models:	Pegaso		

			
1			
GEV No.	529108	Ref. No.	65134001 WY65134001
description	intake valve for coffee makers		

accessories			
bolts			
			
1			
GEV No.	527171	Ref. No.	25315 WY25315
description	pressure bolt ø 8mm L 35.7mm stainless steel for filling valve		
For models:	Antares, Pegaso		

gaskets



GEV No.	528309	Ref. No.	12205 W10527 WY12205
description	shaft sealing ED ø 13mm ID ø 7.5mm U-shape		
For models:	Antares, Pegaso, Sphera		

levers



GEV No.	529222	Ref. No.	25201 WY25201
description	handle for intake tap		
For models:	Pegaso		



GEV No.	529223	Ref. No.	25202 WY25202
description	lever for intake tap thread M8 ø 8mm L 80mm chrome-plated steel		
For models:	Pegaso		

miscellaneous



GEV No.	528310	Ref. No.	25615 W10546 WY25615
description	piston		
For models:	Antares, Pegaso, Sphera		

screw connections



GEV No.	527186	Ref. No.	23202 WY23202
description	angle piece thread 1/4" ET conical - 3/8" ET for filling valve ID ø 7mm		
For models:	Gemini, Pegaso		



GEV No.	527814	Ref. No.	25736001 WY25736001
description	angle piece thread 3/8" for steam pipe WS 20 brass		
For models:	Vela, VelaCompatta, VelaElegance		



GEV No.	527197	Ref. No.	25744 WY25744
description	reducer thread 3/8" IT - 1/8" IT brass WS 20 L 26mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



GEV No.	527187	Ref. No.	25680 WY25680
description	screw connection thread 3/8" ET - M18x1.5 ET for filling valve brass		
For models:	Antares, Pegaso		



GEV No.	527204	Ref. No.	43030001 WY43030001
description	T-piece thread 3/8" ET - 3/8" IT - 1/4" IT L 31mm for filling valve WS 23 W 40mm brass		
For models:	NovaComp, Pegaso, PolarisAvandGardeCompatta, PolarisCompatta		



GEV No.	527189	Ref. No.	43020 WY43020
description	T-piece thread 3/8" for pump brass		
For models:	Antares, Mininova, Pegaso		

level glasses


level glasses


gaskets




GEV No.	529408	Ref. No.	12200 WY12200
description	gasket D1 ø 16mm D2 ø 10mm H 8mm water level glass		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		




balls			
			
1			
GEV No.	529355	Ref. No.	15300 WY15300
description	ball ø 6mm plastic for level glass		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		


level glasses			
			
1			
GEV No.	528091	Ref. No.	21202 WY21202
description	level glass L 83mm W 32mm thickness 8mm		
For models:	Airy, Antares, Atlas, Junior, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera		

level glasses (complete)			
			
1			
GEV No.	527184	Ref. No.	56001 WY56001
description	water level tube		
For models:	Airy, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

level glass holders			
			
1			
GEV No.	529221	Ref. No.	53002 WY53002
description	bracket for level glass T1: 3/8" T2: M20x1.5 mounting pos. upper		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		


level glass pipes			
			
1			
GEV No.	531177	Ref. No.	21300 WY21300
description	water level tube ø 11mm H 170mm ID ø 8mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

screw connections			
			
1			
GEV No.	527191	Ref. No.	25383 WY25383
description	union nut thread M20x1.5 hole ø 12.6mm H 16.6mm WS 24 brass		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

screw connections			
			
1			
GEV No.	527180	Ref. No.	15486 WY15486
description	hole cover mounting ømm ø 34.6mm H 18mm plastic Qty 1 pcs		
For models:	Junior, Nova, NovaAle, OrionEco, Pegaso		

T-pieces			
			
1			
GEV No.	527831	Ref. No.	23215 WY23215
description	T-piece thread 1/4" T1: 1/2" T2: 1/2" ID ø 12.2mm int. ø 1 12.6mm L 50mm brass for boiler		
For models:	Airy, Antares, Atlas, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



angle pieces			
 <p>1</p>			
GEV No.	527830	Ref. No.	23214 WY23214
description	angle piece T1: 1/2" T2: 1/2" int. ø 1 12.3mm int. ø 2 12.6mm L 50mm brass for boiler		
For models:	Airy, Antares, Atlas, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

for coffee grinders

grinding burrs

grinding burrs straight

standard


 <p>1</p>			
GEV No.	527240	Ref. No.	28217006 WY28217006
description	grinding burrs pair turn direction right D1 ø 60mm ID ø 36mm H 8mm tooth spacing 4mm hole ø 5.5mm bore ø 8.3mm mounting ø 48 straight suitable for WEGA, COMPAK		

 <p>1</p>			
GEV No.	527241	Ref. No.	28217000 WY28217000
description	grinding burrs pair turn direction right D1 ø 63.3mm ID ø 38mm H 9mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 straight suitable for WEGA, COMPAK, ASTORIA		
For models:	Macinadosatore		

 <p>1</p>			
GEV No.	527242	Ref. No.	28217005 WY28217005
description	grinding burrs pair turn direction right D1 ø 80mm ID ø 41mm H 10.3mm tooth spacing 4mm hole ø 6mm bore ø 10mm mounting ø 60.5 straight suitable for WEGA, COMPAK, ASTORIA		
For models:	Macinadosatore		

TITAN			
 <p>1</p>			
GEV No.	527036	Ref. No.	28217004 WY28217004
description	grinding burrs pair turn direction right D1 ø 63.5mm ID ø 38mm H 9.2mm tooth spacing 3.8mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 titanium		
For models:	Macinadosatore		

grinding burrs holders

 <p>1</p>			
GEV No.	527379	Ref. No.	28326018 WY28326018
description	grinding burr holder suitable for WEGA		
For models:	Macinadosatore		

 <p>1</p>			
GEV No.	527573	Ref. No.	28360009 WY28360009
description	grinding burr holder suitable for WEGA		
For models:	Macinadosatore		

spillage trays

 <p>1</p>			
GEV No.	527038	Ref. No.	28400010 WY28400010
description	drain tray for coffee grinder		
For models:	Macinadosatore		



dosing containers

dosing container lids

 <p>1</p>			
GEV No.	526173	Ref. No.	28054012 WY28054012
description	lid for dosing container L 199mm W 168mm H 50mm		
For models:	Macinadosatore		

adjusting screws


 <p>1</p>			
GEV No.	527178	Ref. No.	28286003 WY28286003
description	adjusting screw for coffee grinders thread M6		
For models:	Macinadosatore		

springs

group 1


 <p>1</p>			
GEV No.	527150	Ref. No.	28360027 WY28360027
description	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
For models:	Macinadosatore		

glass cylinders

 <p>1</p>			
GEV No.	527094	Ref. No.	28286001 WY28286001
description	cylinder for dosing container ø 125mm H 72mm plexiglas		
For models:	Macinadosatore		

levers

levers

 <p>1</p>			
GEV No.	527043	Ref. No.	28196004 28196005 WY28196004 WY28196005
description	lever dosing pump plastic		
For models:	Macinadosatore		


coffee powder dispenser

 <p>1</p>			
GEV No.	527143	Ref. No.	28022001 WY28022001
description	coffee discharge chute rubber for coffee grinder		
For models:	Macinadosatore		


coffee presses

components


bolts

 <p>1</p>			
GEV No.	527206	Ref. No.	28360019 WY28360019
description	pressure pin L 70.2mm T1: M8 T2: M8 chrome-plated ø 10mm		
For models:	Macinadosatore		

springs

 <p>1</p>			
GEV No.	527147	Ref. No.	28360003 WY28360003
description	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
For models:	Macinadosatore		

pressers

 <p>1</p>			
GEV No.	527047	Ref. No.	28360021 WY28360021
description	coffee press ø 57mm thread M8 plastic for coffee grinder		
For models:	Macinadosatore		

buttons



1

GEV No.	527099	Ref. No.	28360022 WY28360022
description	frame for push-button plastic		
For models:	Macinadosatore		



1

GEV No.	527091	Ref. No.	28360001 WY28360001
description	push button		
For models:	Macinadosatore		

bodies



1

GEV No.	527093	Ref. No.	28070006 WY28070006
description	container body polished for coffee grinder ø 127.5mm aluminium		
For models:	Macinadosatore		



1

GEV No.	527042	Ref. No.	28002012 WY28002012
description	retaining ring polished ø 130mm		
For models:	Macinadosatore		

automatic grinding

automatic grinding



1

GEV No.	527139	Ref. No.	28002007 WY28002007
description	housing for microswitch with switch mechanism H 68mm for model K5/K6/K8		
For models:	Macinadosatore		

return spring



1

GEV No.	527138	Ref. No.	28360026 WY28360026
description	cover plate mounting pos. lower plastic for coffee grinder		
For models:	Macinadosatore		



1

GEV No.	527095	Ref. No.	28360020 WY28360020
description	return spring set with spring for coffee grinder		
For models:	Macinadosatore		

sector plates



1

GEV No.	527141	Ref. No.	28190001 WY28190001
description	sector plates stainless steel suitable for WEGA, COMPAK for coffee grinder		
For models:	Macinadosatore		


ratches


ratches





1


GEV No.	527092	Ref. No.	28159306 WY28159306
description	ratchet for coffee grinder ø 39.5mm plastic		
For models:	Macinadosatore		


stars			
complete			
			
1			
GEV No.	527045	Ref. No.	28326017 WY28326017
description	star for coffee grinder complete		
For models:	Macinadosatore		


			
1			
GEV No.	527046	Ref. No.	28002015 WY28002015
description	star for dosing unit complete		
For models:	Macinadosatore		


			
1			
GEV No.	527041	Ref. No.	28326014 WY28326014
description	star mounting pos. lower		
For models:	Macinadosatore		


bottom			
			
1			
GEV No.	527044	Ref. No.	28326015 WY28326015
description	star mounting pos. lower		
For models:	Macinadosatore		

accessories			
			
1			
GEV No.	527192	Ref. No.	28002014 WY28002014
description	shaft L 46mm thread M6 brass for coffee grinder		
For models:	Macinadosatore		

adjustment mechanism			
lockable adjustment			
			
1			
GEV No.	527048	Ref. No.	28126012 WY28126012
description	pressure pin for setting ring		
For models:	Macinadosatore		

setting rings			
			
1			
GEV No.	527137	Ref. No.	28286006 WY28286006
description	setting ring for coffee grinder ø 140mm ID ø 47.7mm H 38mm suitable for WEGA, COMPAK plastic		
For models:	Macinadosatore		

			
1			
GEV No.	527000	Ref. No.	28360024 WY28360024
description	setting ring for grind stone ID ø 80mm H 50mm thread M9x1.5		
For models:	Macinadosatore		

accessories			
handles			
			
1			
GEV No.	527142	Ref. No.	28126013 WY28126013
description	handle for coffee grinder rubber		
For models:	Macinadosatore		

coffee beans containers

container lids



1

GEV No.	527039	Ref. No.	28054002 WY28054002
description	lid for coffee beans container ø 182mm		
For models:	Gemini, Macinadosatore		

coffee beans containers



1

GEV No.	527144	Ref. No.	28357001 WY28357001
description	coffee beans container complete incl. lid and funnel magnet ø 187mm H 255mm seat ø 47mm K392		
For models:	Gemini, Macinadosatore		



1

GEV No.	527894	Ref. No.	WY28351002	
description	coffee beans container complete ø 208mm H 260mm seat ø 61mm RUBOR-MAJOR			
spare parts for	527894			
	GEV No.	527327	Ref. No.	—
	lid for coffee beans container ø 210mm			



1

GEV No.	527145	Ref. No.	28357 WY28357
description	coffee beans container without magnet ø 187mm H 255mm K003 A.		
For models:	Gemini, Macinadosatore		

protection caps



1

GEV No.	527097	Ref. No.	28360013 WY28360013
description	protection cap for coffee grinder ø 75mm plastic		
For models:	Gemini, Macinadosatore		



hopper magnets



1

GEV No.	347058	Ref. No.	28206000 WY28206000
description	magnet L 23.5mm W 13.3mm H 5mm hole ø 4.9mm		
For models:	Gemini, Macinadosatore		

locks



1

GEV No.	527088	Ref. No.	28326016 WY28326016
description	catch for coffee beans container L 51mm W 42.5mm thickness 3mm plastic		
For models:	Gemini, Macinadosatore		

support for filter holder



1

GEV No.	527037	Ref. No.	28126011 WY28126011
description	bracket for filter holder short L 125mm W 82mm H 24mm plastic		
For models:	Macinadosatore		



1

GEV No.	527098	Ref. No.	28126006 WY28126006
description	filter holder support long L 175mm aluminium		
For models:	Macinadosatore		

counters

counters



1

GEV No.	527096	Ref. No.	28070005 WY28070005
description	counter for dosing unit		
For models:	Macinadosatore		

for milk foamers



1

GEV No.	527397	Ref. No.	30513 WY30513
description	milk foamer		

for dishwashers

containers

salt tanks



1

GEV No.	517398	Ref. No.	3DD16067B WY3DD16067B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		



1

GEV No.	517396	Ref. No.	3DD16067D WY3DD16067D
description	lid ø 69mm H 19mm for salt tank ID ø 50.5mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		



1

GEV No.	517397	Ref. No.	3DD16067C WY3DD16067C
description	nut ø 93mm H 13mm for salt tank ID ø 64mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

boilers

accessories





1			
GEV No.	527207	Ref. No.	25743 WY25743
description	reducer thread 1/4" IT - 1/8" ET brass WS 17		
For models:	Mininova, Venere		

air traps

air traps





1			
GEV No.	517168	Ref. No.	3DD135911D WY3DD135911D
description	air trap H 56mm		
For models:	Wega-wash-370		
accessories for	517168		
	GEV No.	517173	Ref. No. —
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
	GEV No.	517174	Ref. No. —
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1			
GEV No.	517308	Ref. No.	3DD135911C WY3DD135911C
description	air trap H 65mm		
For models:	Wega-wash-350		



1			
GEV No.	517170	Ref. No.	3DD135911B WY3DD135911B
description	air trap H 75mm		
For models:	Wega-wash-400, Wega-wash-500		
accessories for	517170		
	GEV No.	517173	Ref. No. —
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
	GEV No.	517174	Ref. No. —
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

door mechanics

hinges



1			
GEV No.	517268	Ref. No.	3DD11835A WY3DD11835A
description	bush ID ø 8mm H 9mm bush thread M11x1 WS 13		
For models:	Wega-wash-500		

locks



1			
GEV No.	517278	Ref. No.	3DD150402D WY3DD150402D
description	counterpart door catch		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400		

washing and rinsing systems



1			
GEV No.	520702	Ref. No.	25782 WY25782
description	end cap thread 1/4" brass WS 16		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1			
GEV No.	511944	Ref. No.	3DD13306A WY3DD13306A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	Wega-wash-370, Wega-wash-400		




knobs

steam/water taps

steam/water taps



1

GEV No.	111158	Ref. No.	W10572
description	knob ø 46mm		
accessories for	111158		
	GEV No.	112494	Ref. No. —
knob spring L 10.5mm W 9mm Qty 1 pcs			



1

GEV No.	527768	Ref. No.	15278014 WY15278014
description	knob ø 46mm shaft ø 8mm black		
For models:	Vela, VelaCompatta, VelaElegance		



1

GEV No.	111090	Ref. No.	W10569
description	knob ø 55mm shaft ø 10x8mm shaft flat upper black		




1

GEV No.	527182	Ref. No.	15272 WY15272
description	knob steam ø 46mm shaft ø 6x6mm		
For models:	Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, Pegaso, Polaris, PolarisAvandGarde		



1

GEV No.	111157	Ref. No.	W10571
description	knob water ø 46mm black		
accessories for	111157		
	GEV No.	112494	Ref. No. —
knob spring L 10.5mm W 9mm Qty 1 pcs			



1

GEV No.	111156	Ref. No.	W10568
description	knob water ø 54mm black		



1

GEV No.	527183	Ref. No.	15273 WY15273
description	knob water ø 6x6mm		
For models:	Atlas, CombiNova, Junior, Nova, NovaAle, Pegaso, Polaris, PolarisAvandGarde		



1

GEV No.	111256	Ref. No.	15029050 WY15029050
description	turning handle ø 47mm shaft ø 8mm black		
For models:	Venere		
accessories for	111256		



GEV No.	111257	Ref. No.	15029051 WY15029051
lid for handle			

knob dial plates



1

GEV No.	111257	Ref. No.	15029051 WY15029051
description	lid for handle		
For models:	Venere		

miscellaneous



1

GEV No.	110205	Ref. No.	W10744
description	knob ø 27mm shaft ø 5x5mm		



1

GEV No.	527259	Ref. No.	15271 WY15271
description	knob push-in ø 34/60mm shaft ø 5x5mm black H 21.4mm L 49mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

handles and hand wheels

cone handles



1

GEV No.	111092	Ref. No.	W10518
description	cone handle thread M8 ø 25mm L 41mm black		

equipment feet and end caps

equipment feet

with screw mounting

universal



1

GEV No.	527176	Ref. No.	15321 WY15321
description	equipment foot tube ø 50mm thread M10 thread L 9mm H 88-100mm SS size 2" Qty 1 pcs		
For models:	Pegaso		



1

GEV No.	802132	Ref. No.	15318 WY15318
description	equipment foot tube ø 52mm thread M10 thread L 10mm H 60-75mm SS size 2" Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaCom-patta, VelaElegance, Venere		

screw-in feet



1

GEV No.	527255	Ref. No.	15314001 WY15314001
description	equipment foot thread M8 thread L 11mm ø 47mm H 45mm rubber Qty 1 pcs		
For models:	Mininova		

bolting feet



1

GEV No.	527181	Ref. No.	28360015 WY28360015
description	equipment foot ø 28mm H 14mm rubber bore ø 6.5mm Qty 1 pcs		
For models:	Macinadosatore		

end caps and plugs

for circular pipes



1

GEV No.	527160	Ref. No.	15483 WY15483
description	hole cover mounting ø 12.5mm ø 14.6mm plastic Qty 1 pcs		
For models:	Airy, Atlas, OrionEco, Pegaso		



1

GEV No.	527185	Ref. No.	15482 WY15482
description	hole cover mounting ø 22mm ø 28.5mm H 11mm plastic Qty 1 pcs		
For models:	Airy, Atlas, OrionEco, Pegaso		



1


GEV No.	527180	Ref. No.	15486 WY15486
description	hole cover mounting ø 34.6mm H 18mm plastic Qty 1 pcs		
For models:	Junior, Nova, NovaAle, OrionEco, Pegaso		




gaskets

O-rings


EPDM




GEV No.	527166	Ref. No.	28159305 WY28159305
description	O-ring EPDM thickness 1.6mm ID ø 27mm Qty 1 pcs		
For models:	Macinadosatore		




GEV No.	529545	Ref. No.	W05156
description	O-ring EPDM thickness 1.78mm ID ø 10.82mm Qty 1 pcs		
For models:	Sphera		



GEV No.	529412	Ref. No.	12300 W10675 WY12300
description	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		
For models:	Addolcitori, Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Venere		




GEV No.	516026	Ref. No.	12300026 WY12300026
description	O-ring EPDM thickness 2.62mm ID ø 17.86mm Qty 1 pcs		
For models:	Venere		




GEV No.	505192	Ref. No.	12300000 WY12300000
description	O-ring EPDM thickness 2.62mm ID ø 39.34mm Qty 1 pcs		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



GEV No.	527158	Ref. No.	12312 WY12312
description	O-ring EPDM thickness 2mm ID ø 10mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		




GEV No.	517056	Ref. No.	3DD13002 WY3DD13002
description	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		




GEV No.	506015	Ref. No.	3DD16067A WY3DD16067A
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		


silicone



GEV No.	532190	Ref. No.	WY12300029
description	O-ring silicone thickness 1.78mm ID ø 4.48mm Qty 10 pcs		
For models:	Gemini		




GEV No.	528516	Ref. No.	12300013 WY12300013
description	O-ring silicone thickness 1mm ID ø 6mm Qty 1 pcs		
For models:	CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp		




GEV No.	532606	Ref. No.	12316 WY12316
description	O-ring silicone thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	Gemini		

Viton




GEV No.	371095	Ref. No.	12305 WY12305
description	O-ring Viton thickness 1.78mm ID ø 6.07mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Starlet, Vela, VelaCompatta, VelaElegance, Venere		




GEV No.	528525	Ref. No.	12024 W10311 WY12024
description	O-ring Viton thickness 3.53mm ID ø 18.64mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

sealing washers


fibre gaskets



GEV No.	528210	Ref. No.	W10650
description	flat gasket FIBER ED ø 21mm ID ø 16.5mm thickness 2mm Qty 1 pcs		
For models:	Sphera		




GEV No.	528312	Ref. No.	W10649
description	flat gasket FIBER ED ø 26mm ID ø 20mm thickness 2.5mm Qty 1 pcs		
For models:	Sphera		




GEV No.	528001	Ref. No.	N/A
description	flat gasket fibre ED ø 56.5mm ID ø 41.8mm thickness 3.2mm Qty 1 pcs		


rubber gaskets




GEV No.	528308	Ref. No.	12203 W10652 WY12203
description	flat gasket rubber ED ø 15mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		




GEV No.	517398	Ref. No.	3DD16067B WY3DD16067B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		




GEV No.	528494	Ref. No.	W10343
description	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Sphera		





GEV No.	528495	Ref. No.	WY27421017
description	gasket rubber ED ø 16mm ID ø 8mm thickness 4mm Qty 1 pcs		




GEV No.	527163	Ref. No.	28360004 WY28360004
description	suppressor rubber ED ø 16mm ID ø 10.5mm thickness 5mm Qty 1 pcs		
For models:	Macinadosatore		


copper gaskets			
DIN-7603-A			
 1			
GEV No.	528660	Ref. No.	12154 WY12154
description	flat gasket copper ED ø 21mm ID ø 17mm thickness 1.5mm suitable for 3/8"		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


 1			
GEV No.	527161	Ref. No.	12158 WY12158
description	flat gasket copper ED ø 25.8mm ID ø 20.4mm thickness 2mm		
For models:	Airy, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


 1			
GEV No.	527157	Ref. No.	12150 WY12150
description	flat gasket copper ED ø 25mm ID ø 18mm thickness 2mm		
For models:	Antares, Pegaso		


DIN-7603-C			
 1			
GEV No.	527815	Ref. No.	12100 WY12100
description	gasket copper ED ø 18.7mm ID ø 13.2mm thickness 2.5mm for coffee makers		
For models:	Airy, Antares, Atlas, Gemini, Nova, NovaAle, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaElegance		

 1			
GEV No.	527164	Ref. No.	12101 WY12101
description	gasket copper ED ø 23mm ID ø 17mm thickness 3mm for thread 3/8"		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


 1			
GEV No.	527167	Ref. No.	12103 WY12103
description	gasket copper ED ø 9.8mm ID ø 6.5mm thickness 1.7mm		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


PTFE gaskets			
 1			
GEV No.	528314	Ref. No.	12010 WY12010
description	flat gasket PTFE ED ø 20mm ID ø 17mm thickness 2mm Qty 1 pcs suitable for Astoria/Azkoyen/Espresso/Wega		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

 1			
GEV No.	527154	Ref. No.	12025 WY12025
description	flat gasket PTFE ED ø 22mm ID ø 16.8mm thickness 2mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

 1			
GEV No.	528945	Ref. No.	W10309
description	flat gasket PTFE ED ø 22mm ID ø 16mm thickness 1.5mm Qty 1 pcs equiv. no. W10309 suitable for ESPRESSA, WEGA		


 1			
GEV No.	528683	Ref. No.	10348 WY10348
description	flat gasket PTFE ED ø 26mm ID ø 21mm thickness 2mm Qty 1 pcs suitable for GAGGIA, SPAZIALE		

 1			
GEV No.	528524	Ref. No.	W10643
description	flat gasket PTFE ED ø 36.5mm ID ø 30.5mm thickness 2mm Qty 1 pcs		
For models:	Sphera		




1

GEV No.	527162	Ref. No.	12023 WY12023
description	flat gasket PTFE ED ø 36mm ID ø 30mm thickness 3mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		




1

GEV No.	528021	Ref. No.	N/A
description	flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega		



1


GEV No.	527156	Ref. No.	12001 WY12001
description	flat gasket PTFE ED ø 57.8mm ID ø 43.3mm thickness 2mm Qty 1 pcs		
For models:	Airy, Antares, Atlas, Gemini, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		



1


GEV No.	528002	Ref. No.	W10470
description	flat gasket PTFE ED ø 57mm ID ø 42mm thickness 3mm Qty 1 pcs equiv. no. 12001/W10470 suitable for		
For models:	Sphera		

Viton gaskets



1

GEV No.	528476	Ref. No.	27421008 WY27421008
description	flat gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1

GEV No.	527803	Ref. No.	27421008 WY27421008
description	gasket Viton ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs		

special gaskets


sealing discs



1


GEV No.	511945	Ref. No.	3DD13316A WY3DD13316A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	Wega-wash-370, Wega-wash-400, Wega-wash-500		

group gaskets



1

GEV No.	528943	Ref. No.	N/A
description	group gasket L 77mm W 74mm thickness 2mm aperture 27x66mm hole distance 56mm fibre		



1


GEV No.	528138	Ref. No.	N/A
description	group gasket L 79mm W 71mm thickness 2mm hole distance 55mm suitable for ESPRESSA		



1

GEV No.	528102	Ref. No.	12002 WY12002
description	gasket D1 ø 40mm D2 ø 88mm thickness 2mm hole distance 68mm PTFE		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


miscellaneous

			
1			
GEV No.	511944	Ref. No.	3DD13306A WY3DD13306A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	Wega-wash-370, Wega-wash-400		


			
1			
GEV No.	511945	Ref. No.	3DD13316A WY3DD13316A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	Wega-wash-370, Wega-wash-400, Wega-wash-500		


springs


torsion springs


			
1			
GEV No.	527150	Ref. No.	28360027 WY28360027
description	torsion spring ø 38mm L2 18mm wire gauge ø 1.8mm L1 9mm L3 57mm for dosing pump lever right		
For models:	Macinadosatore		

compression springs


			
1			
GEV No.	529719	Ref. No.	10452 W10648 WY10452
description	compression spring ø 11.3mm L 16mm wire gauge ø 1.5mm for steam-/water-tap for espresso machine		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


			
1			
GEV No.	529735	Ref. No.	W05158
description	compression spring ø 11.3mm L 18mm wire gauge ø 1.5mm		
For models:	Sphera		

			
1			
GEV No.	528526	Ref. No.	10312 27421001 WY10312 WY27421001
description	compression spring ø 12.9mm L 41mm wire gauge ø 1.2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


			
1			
GEV No.	528533	Ref. No.	10346 27421002 WY10346 WY27421002
description	compression spring ø 14.6mm L 43mm wire gauge ø 1.4mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	528475	Ref. No.	27421003 WY27421003
description	compression spring ø 14.7mm L 33mm wire gauge ø 2mm		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	528311	Ref. No.	10451 WY10451
description	compression spring ø 14mm L 39mm wire gauge ø 2.8mm		
For models:	Antares, Pegaso		

			
1			
GEV No.	527147	Ref. No.	28360003 WY28360003
description	compression spring ø 15.1mm L 85mm wire gauge ø 1.3mm		
For models:	Macinadosatore		

			
1			
GEV No.	527149	Ref. No.	28219008 WY28219008
description	compression spring ø 44.3mm L 39mm wire gauge ø 2.5mm for star for coffee grinder		
For models:	Macinadosatore		


			
1			
GEV No.	528542	Ref. No.	10336 27421004 WY10336 WY27421004
description	compression spring ø 15mm L 27mm wire gauge ø 1.8mm windings 5		
For models:	Airy, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


			
1			
GEV No.	528536	Ref. No.	27250 WY27250
description	spring ø 48mm L 133mm wire gauge ø 8.5mm for coffee machine		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


coffee accessories


milk foamers

milk foamers

			
1			
GEV No.	802137	Ref. No.	83300012R WY83300012R
description	milk foamer connection 3/8" plastic		


			
1			
GEV No.	802100	Ref. No.	WY30515003
description	milk foamer connection 6mm angle 60° plastic		


			
1			
GEV No.	527151	Ref. No.	28219012 WY28219012
description	compression spring ø 4.5mm L 23mm wire gauge ø 0.4mm for coffee grinder		
For models:	Macinadosatore		


			
1			
GEV No.	527152	Ref. No.	28219006 WY28219006
description	compression spring ø 4.9mm L 22mm wire gauge ø 0.7mm for push-button for coffee grinder		
For models:	Macinadosatore		





manometers


			
1			
GEV No.	541233	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		


			
1			
GEV No.	541287	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		


			
1			
GEV No.	541410	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-15bar connection on the backside thread 1/8"		


			
1			
GEV No.	541222	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
GEV No.	541223	Ref. No.	21107 W10790 WY21107
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
GEV No.	541226	Ref. No.	21107 W10790 WY21107
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
For models:	Airy, CombiNova, Junior, Nova, NovaAle, NovaComp, OrionEco, Sphera		

			
1			
GEV No.	541227	Ref. No.	N/A
description	manometer double scale ø 60mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		

			
1			
GEV No.	541266	Ref. No.	21109 WY21109
description	manometer double scale ø 63mm pressure range 0-2.5 / 0-16bar connection on the backside thread 1/8"		
For models:	Gemini		

			
1			
GEV No.	541262	Ref. No.	21112 21115 21115001 21116 21117 WY21112 WY21115 WY21115001 WY21116 WY21117
description	manometer double scale ø 63mm pressure range 0-3 / 0-15bar connection on the backside thread 1/8"		
For models:	Atlas, Pegaso, Polaris, PolarisAvandGarde, Vela, VelaCompatta, Vela-Elegance, Venere		



membrane dosing pumps

self-priming

LANG





GEV No.	361221	Ref. No.	3DD15108L WY3DD15108L
----------------	--------	-----------------	--------------------------


description	dosing pump type N6 rinse aid pressure connection ø 4x6mm suction connection ø 6x8mm LANG		
--------------------	---	--	--


For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		
--------------------	--	--	--


spare parts for	361221		
------------------------	--------	--	--


	GEV No.	361079	Ref. No.	—
spring for type N5/N6 for ball				


	GEV No.	361080	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs				


	GEV No.	361085	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs				


	GEV No.	361309	Ref. No.	—
ball for type N5/N6				

	GEV No.	361310	Ref. No.	—
bracket for type N6 ball guide				


	GEV No.	361311	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6				


	GEV No.	361314	Ref. No.	—
valve ring for type N6 holder for O-ring				

	GEV No.	361317	Ref. No.	—
sealing disc for type N6				

	GEV No.	361886	Ref. No.	—
non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm				

	GEV No.	505228	Ref. No.	—
spacer bush ID ø 4.5mm ED ø 10mm L 16mm for dosing pump				

	GEV No.	541261	Ref. No.	21105 WY21105
description	manometer ø 44mm pressure range 0 up to 2.5bar thread 1/8" connection on the backside			
For models:	Mininova			


	GEV No.	541225	Ref. No.	21101 WY21101
description	manometer ø 51mm pressure range 0 up to 3bar thread 1/4" marking 2 connection on the backside			
For models:	Antares, Junior, Nova, NovaAle			

dosing pumps

peristaltic dosing pumps


GERMAC

spare parts

	GEV No.	361060	Ref. No.	3DD15108E WY3DD15108E
description	pump hose GERMAC rinse aid hose type silicone hose ø 4x6mm for model G80/G82/G600			
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500			


piston pumps

spare parts

	GEV No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5			
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500			




various





1


GEV No.	361731	Ref. No.	3DD107996 WY3DD107996
description	dosing pump without auxiliary pressure connection rinse aid inlet 4mm outlet 8mm pressure connection ø 8mm suction connection ø 4mm		



1

GEV No.	361744	Ref. No.	0010799 3DD10799 WY0010799 WY3DD10799
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4mm outlet 8mm suction connection ø 4mm auxiliary pressure connection 10mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		
spare parts for	361744		
	GEV No.	520026	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent		
	GEV No.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		


spare parts



1

GEV No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

ELETTROBAR




1

GEV No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

self-priming with supporting pressure

DIHR




1

GEV No.	361912	Ref. No.	3DD10799G WY3DD10799G
description	dosing pump kit inlet 5mm outlet 8mm suction connection ø 5mm auxiliary pressure connection 10mm		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

GERMAC

spare parts



1

GEV No.	510298	Ref. No.	3DD10705D WY3DD10705D
description	lip valve dosing pump suitable for DB2/DS5		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400, Wega-wash-500		

hoses

supply hoses

stainless steel flexi hoses

universal hoses



1



GEV No.	520148	Ref. No.	30405 WY30405
description	flex hose SS braid straight-straight DN6 connections 1/8" L 200mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



GEV No.	520149	Ref. No.	30401 WY30401
description	flex hose SS braid straight-straight DN6 connections 1/4" L 280mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1




GEV No.	520601	Ref. No.	30407 WY30407
description	flex hose SS braid straight-straight DN8 connections 3/8" L 1000mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Mininova		



1




GEV No.	520602	Ref. No.	30408 WY30408
description	flex hose SS braid straight-straight DN8 connections 3/8" L 1500mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



GEV No.	520256	Ref. No.	30403 WY30403
description	flex hose SS braid straight-straight DN8 connections 3/8" L 330mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



1



GEV No.	520299	Ref. No.	30404 WY30404
description	flex hose SS braid straight-straight DN8 connections 3/8" L 450mm conical seal approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		



formed hoses

form S



1

GEV No.	517226	Ref. No.	3DD25032A WY3DD25032A
description	formed hose S-shape warewashing equiv. no. 25032/A		
For models:	Wega-wash-500		

miscellaneous



1

GEV No.	517256	Ref. No.	3DD150048A WY3DD150048A
description	formed hose warewashing equiv. no. 150048/A mounting pos. upper		
For models:	Wega-wash-500		

fittings, hose and pipe connectors

fittings

double nipples



1

GEV No.	527193	Ref. No.	23210 WY23210
description	double nipple brass thread 1/8" - 1/8"		
For models:	Atlas, Gemini, Mininova, Pegaso, Polaris, PolarisAvandGarde, Starlet		

reducers



1

GEV No.	527207	Ref. No.	25743 WY25743
description	reducer thread 1/4" IT - 1/8" ET brass WS 17		
For models:	Mininova, Venero		



1

GEV No.	527197	Ref. No.	25744 WY25744
description	reducer thread 3/8" IT - 1/8" IT brass WS 20 L 26mm		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

T-pieces

miscellaneous



1

GEV No.	527204	Ref. No.	43030001 WY43030001
description	T-piece thread 3/8" ET - 3/8" IT - 1/4" IT L 31mm for filling valve WS 23 W 40mm brass		
For models:	NovaComp, Pegaso, PolarisAvandGardeCompatta, PolarisCompatta		

miscellaneous




1

GEV No.	527250	Ref. No.	25691003 WY25691003
description	connecting fitting L 29mm ID ø 8mm WS 22 brass thread 3/8" IT - 3/8" ET		
For models:	Mininova		

water softeners

manual softener

	1	GEV No.	530807	Ref. No.	WY28205001
description container lid suitable for type LT/BP					
For models: Addolcitori, Pegaso					
spare parts for 530807					
		GEV No.	530803	Ref. No.	—
description lid handle					
		GEV No.	530804	Ref. No.	—
description catch body suitable for type IV					
		GEV No.	530805	Ref. No.	—
description catch body					
		GEV No.	530806	Ref. No.	—
description O-ring ID ø 72mm thickness 7mm suitable for type LT/BP					


	1	GEV No.	530328	Ref. No.	WY10320500
description nozzle connection M6x1 suitable for type LT					
For models: Addolcitori, Pegaso					

water cycle components

pressure reduction valves

pressure reduction valves


producer-specific

	1	GEV No.	520335	Ref. No.	26330 WY26330
description pressure reduction valve RB series expo connection 3/8" default setting 3bar setting range 1-6bar p max 40bar t.max. 85°C brass					

fastening material


screws


countersunk screws


	1	GEV No.	560215	Ref. No.	23510 WY23510
description countersunk screw thread M5 L 14mm SS DIN 963/ISO 2009 Qty 20 pcs intake slotted head ø 9.2mm					
For models: Pegaso					

cylinder head bolts


DIN 912/ISO 4762


	1	GEV No.	527168	Ref. No.	23556 WY23556
description cylinder head bolt thread M10 thread L 16mm L 30mm WS 8 SS Qty 1 pcs DIN 912/ISO 4762					
For models: Airy, Atlas, Nova, NovaAle, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance					


	1	GEV No.	560026	Ref. No.	23560 WY23560
description cylinder head bolt thread M4 thread L 16mm WS 3 SS Qty 20 pcs DIN 912/ISO 4762					
For models: Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere					


	1	GEV No.	527170	Ref. No.	23558 WY23558
description cylinder head bolt thread M6 thread L 8mm WS 5 SS Qty 1 pcs DIN 912/ISO 4762					
For models: Airy, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGarde-Compatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance					





threaded rods			
miscellaneous			
			
1			
GEV No.	527174	Ref. No.	10405004 23134 WY10405004 WY23134
description	thread bolt thread M8 L 25mm SS		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


			
1			
GEV No.	527172	Ref. No.	28360005 WY28360005
description	thread bolt thread M8 L 40mm steel WS 4 intake hexagonal		
For models:	Macinadosatore		


knurled screws			
			
1			
GEV No.	517039	Ref. No.	3DD111011 WY3DD111011
description	Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower		
For models:	Wega-wash-500		


nuts			
hexagonal nuts			
DIN 934 / ISO 4032/8673			
			
1			
GEV No.	560199	Ref. No.	23052 WY23052
description	hexagonal nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 10 pcs		
For models:	Airy, Antares, Atlas, Nova, NovaAle, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		


hexagonal nuts metric (without norm)			
			
1			
GEV No.	527169	Ref. No.	23050 WY23050
description	hexagonal nut thread M3 H 2.8mm WS 5.5 brass Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		


			
1			
GEV No.	527269	Ref. No.	25384 WY25384
description	nut thread M26x1.5 H 5.7mm WS 32 brass Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		


hexagonal nuts inch thread			
			
1			
GEV No.	517180	Ref. No.	3DD11701A WY3DD11701A
description	nut thread 1" H 5mm WS 36 SS Qty 1 pcs		
For models:	Wega-wash-350, Wega-wash-370, Wega-wash-400		

			
1			
GEV No.	503042	Ref. No.	25356 WY25356
description	nut thread 3/8" H 6mm brass WS 22 Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

washers			
washers			
miscellaneous			
			
1			
GEV No.	529862	Ref. No.	25652 WY25652
description	flat washer ID ø 12.3mm ED ø 18mm thickness 1mm brass Qty 1 pcs		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

			
1			
GEV No.	527159	Ref. No.	25653 WY25653
description	flat washer ID ø 9mm ED ø 15.4mm thickness 1mm brass Qty 1 pcs		
For models:	Antares, Pegaso		

			
1			
GEV No.	527873	Ref. No.	10342 WY10342
description	plain washer ID ø 3.2mm ED ø 7mm thickness 0.5mm brass		


			
1			
GEV No.	527148	Ref. No.	25651 WY25651
description	washer ID ø 17mm ED ø 28mm thickness 2mm brass Qty 1 pcs beveled		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

fasteners

retaining rings

DIN 472

			
1			
GEV No.	528099	Ref. No.	10005 WY10005
description	retaining ring bore ø 11mm thickness 1mm DIN 472		
For models:	Airy, Antares, Atlas, CombiNova, Junior, Mininova, Nova, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

			
1			
GEV No.	527257	Ref. No.	10002 WY10002
description	retaining ring bore ø 16mm thickness 1mm SS DIN 472		
For models:	Antares, Pegaso		


DIN 6799


			
1			
GEV No.	516198	Ref. No.	10001 WY10001
description	retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Mininova, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance, Venere		

roll pins

			
1			
GEV No.	690968	Ref. No.	10701 WY10701
description	roll pin ø 5mm L 20mm		
For models:	Antares, GS40, Pegaso		

screw caps

			
1			
GEV No.	520707	Ref. No.	25785 WY25785
description	screw cap thread 3/8" thread L 8mm brass WS 21 head thickness 6mm		
For models:	Airy, Atlas, Gemini, Nova, NovaAle, OrionEco, Pegaso, Polaris, PolarisAvandGarde, Sphera, Vela, VelaElegance		

			
1			
GEV No.	520702	Ref. No.	25782 WY25782
description	end cap thread 1/4" brass WS 16		
For models:	Airy, Antares, Atlas, CombiNova, Gemini, Junior, Nova, NovaAle, NovaComp, OrionEco, Pegaso, Polaris, PolarisAvandGarde, PolarisAvandGardeCompatta, PolarisCompatta, Sphera, Vela, VelaCompatta, VelaElegance		

B			
bi-metal thermostats	6	magnetic switches	10
booster pumps I	26	manual softener	68
booster pumps II	26	microswitches	7
C		milk foamers	62
cables	28	motors	24
condensators & interference suppression filters	28	N	
connection cables	28	nuts	69
contactors	11	O	
control thermostats	6	operating capacitors	28
countersunk screws	68	O-rings	57
cylinder head bolts	68	P	
D		pressure reduction valves	68, 68
dosing pumps	64	pressure switches	22
double nipples	67	probes	13
E		programme timers	10
electric accessories	28	pumps	24
electrodes	23	push/momentary push switches	7
end caps and plugs	56	R	
F		reducers	67
fasteners	70	refrigeration thermostats	6
fastening material	68	relays	11
fittings	67	retaining rings	70
flow meters	23	ribbon cables	28
formed hoses	67	rocker/momentary rocker switches	7
fuses	28	rod thermostats	6
H		roll pins	70
heating elements	3	rotary switches	9
heating elements for coffee machine	3	S	
hexagonal nuts	69	safety bi-metal thermostats	6
hoses	66	safety rod thermostats	6
I		safety thermostats	6
ignition cables	28	screw caps	70
immersion heating elements	5	screws	68
indicator lights	10	sealing discs	60
indicator lights (complete)	10	sealing washers	58
K		solenoid valves	21
key lock switches	8	solid state relays	11
knurled screws	69	stainless steel flexi hoses	66
L		supply hoses	66
lamps	10	switches and momentary switches	7
LED	10	system switches (ROLD)	8
		T	
		thermostats	6
		threaded rods	69
		timers	10

U

universal hoses 66

V

vibration pumps 27

W

wash and rinse pumps 24

washers 69

water cycle components 68

water softeners 68