GAS COMPONENTS

ELECTRIC COMPONENTS

WATER TECHNOLOGY

MECHANICAL COMPONENTS

TOOLS

Spare parts suitable for

ZANUSSI

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ **Complete product range and all appliance data always up to date in the GEV Webshop**
- ✓ **Alphabetical index at the end of the catalogue**

GEV Webshop

www.gev-online.co.uk
www.gev-online.com

- Add to Favourites
- Sign in with email address and usual password
- Easy-order – place several items in your basket at the same time
- Quick item search – no login needed

induction

induction coils

1

GEV No.	404001	**Ref. No.**	0C0027
description	induction coils 5000W 400V for induction device		

heating elements

heating elements for ovens



1

GEV No.	418078	**Ref. No.**	005218
description	heating element 1000W 230V heating circuits 1 L 335mm W 345mm L1 55mm L2 280mm W1 154mm W2 36mm flange length 80mm flange width 16mm hole distance 60mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm connection length 60mm rectangular flange dry heating element		

1

GEV No.	416977	**Ref. No.**	0C0310
description	heating element 1500W 230V L 530mm W 148mm H 24mm flange length 162mm flange width 18mm hole distance 72mm connection length 29mm tube ø 6.5mm connection M4 heating circuits 1 rectangular flange hole ø 6.5mm dry heating element		

1

GEV No.	415078	**Ref. No.**	054147
description	heating element 1500W 240V L 540mm W 150mm H 28mm 2 hole fixing mounting distance 145mm connection M4 tube ø 6.25mm dry heating element thread M10x1 heating circuits 1		
accessories for	415078		
	GEV No.	510416	Ref. No. —
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	GEV No.	510893	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No.	520231	Ref. No. —
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No.	521103	Ref. No. —
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		

accessories for	415078		
	GEV No.	521104	Ref. No. —
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	GEV No.	560111	Ref. No. —
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	GEV No.	560131	Ref. No. —
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



1

GEV No.	418081	**Ref. No.**	054326
description	heating element 2000W 230V L 314mm W 290mm L1 11mm L2 213mm W1 126mm W2 33mm connection plug-in connection heating circuits 1 tube ø 6.5mm plug-in connection dry heating element		
accessories for	418081		
	GEV No.	550404	Ref. No. —
	power socket I-II phase 240V max. 16A countries I with screw connection for heating element		
	GEV No.	550405	Ref. No. —
	power socket male faston 6.3mm for heating element 2-pole + earthing		



1

GEV No.	418082	**Ref. No.**	005205
description	heating element 2550W 230V heating circuits 2 L 333mm W 347mm L1 48mm L2 285mm W1 120mm W2 107mm flange length 120mm flange width 25mm bridge length 368mm hole ø M4mm tube ø 6.3mm connection male faston 6.3mm rectangular flange dry heating element hot air		

1

GEV No.	415378	**Ref. No.**	059237
description	heating element 950W 230V L 550mm W 63mm flange length 90mm flange width 25mm tube ø 8.5mm connection length 64mm heating circuits 1 hole ø 6mm connection male faston 6.3mm rectangular flange dry heating element oven		

heating elements for bain maries



1

GEV No.	415293	**Ref. No.**	004910
description	heating element 1300W 230V heating circuits 1 L 330mm W 184mm tube ø 8.5mm lug length 40mm lug width 18mm connection male faston 6.3mm hole ø 5mm dry heating element bracket mounting		



1

GEV No.	415596	**Ref. No.**	0G2290
description	heating element 1500W 230V heating circuits 1 L 395mm W 198mm tube ø 6.5mm lug length 31mm lug width 16mm connection length 30mm connection male faston 6.3mm dry heating element bracket mounting hole distance 160mm mounting thread M4		

1

GEV No.	415353	**Ref. No.**	050933
description	heating element 1500W 230V heating circuits 1 L 395mm W 205mm H 25mm L1 50mm L2 345mm connection M4 connection distance 198mm tube ø 8.5mm connection length 20mm dry heating element		

1

GEV No.	415074	**Ref. No.**	051998
description	heating element 2300W 230V heating circuits 1 L 641mm W 180mm tube ø 8.5mm lug length 40mm lug width 18mm mounting thread M5 connection length 50mm connection male faston 6.3mm dry heating element rectangular flange		



1

GEV No.	415383	**Ref. No.**	052416
description	heating element 300W 230V heating circuits 1 L 532mm W 54mm flange length 72mm flange width 20mm connection length 45mm connection M5 tube ø 8.5mm rectangular flange hole ø 5mm dry heating element		

1

GEV No.	415096	**Ref. No.**	0A2197
description	heating element 550W 230V heating circuits 1 L 438mm W 44mm flange length 60mm flange width 40mm connection length 38mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 6mm dry heating element		

1

GEV No.	415097	**Ref. No.**	0A2137
description	heating element 800W 230V heating circuits 1 L 630mm W 44mm flange length 60mm flange width 40mm connection length 32mm connection male faston 6.3mm tube ø 6.3mm rectangular flange hole ø 6mm dry heating element		

heating elements for frying pans

1

GEV No.	420137	**Ref. No.**	0K6869
description	heating element 1000W 380V heating circuits 1 L 395mm W 50mm connection length 9mm connection M4 tube ø 8.3mm 2 hole fixing thread M14x1.5 dry heating element W1 6mm W2 44mm H 27mm mounting distance 36mm		

1

GEV No.	420123	**Ref. No.**	051358
description	heating element 1300W 240V heating circuits 1 L 535mm W 82mm connection cable tube ø 14mm cable length 1000mm dry heating element for tilting bratt pan L1 55mm W1 11mm W2 60mm H 100mm Qty 1 connection distance 50mm		

1

GEV No.	415184	**Ref. No.**	059401
description	heating element 2000W 230V heating circuits 1 L 570mm W 86mm connection length 24mm connection M5 tube ø 8.5mm dry heating element griddle H 87mm		



1

GEV No.	420139	**Ref. No.**	0K4747
description	heating element 2000W 230V heating circuits 1 L 585mm W 105mm connection cable tube ø 8.3mm cable length 1050mm dry heating element L1 55mm L2 20mm L3 510mm H 49mm connection distance 97mm		

1

GEV No.	420129	**Ref. No.**	0K4748
description	heating element 2500W 230V heating circuits 1 L 580mm W 115mm connection cable tube ø 8.3mm cable length 1000mm dry heating element for tilting bratt pan L1 55mm L2 20mm L3 505mm H 48mm connection distance 107mm		

Find the complete and up-to-date range of products in our GEV Webshop

heating elements for fryers



1

GEV No.	420124	**Ref. No.**	004628
description	heating element 2900W 230V heating circuits 1 L 233mm W 77mm H 245mm rectangular flange connection male faston 6.3mm horizontal immersion heater H1 208mm H2 37mm hole distance 68mm hole ø 6mm flange length 84mm flange width 31mm tube ø 8.5mm connection length 27mm		



1

GEV No.	416996	**Ref. No.**	004767
description	heating element 2900W 230V heating circuits 1 L 285mm W 76mm H 245mm rectangular flange connection male faston 6.3mm immersion heater H1 208mm H2 37mm hole distance 68mm hole ø 6.2mm flange length 84mm flange width 31mm tube ø 8.5mm		



1

GEV No.	415377	**Ref. No.**	006698 059563
description	heating element 5500W 230V heating circuits 1 L 320mm W 86mm H 248mm rectangular flange connection M5 immersion heater W1 19mm W2 48mm H1 213mm H2 38mm hole distance 40mm hole ø 6mm flange length 60mm flange width 30mm tube ø 8.5mm connection length 26mm		



1

GEV No.	418002	**Ref. No.**	006571
description	heating element 5500W 400V heating circuits 1 L 320mm W 86mm H 248mm rectangular flange connection M5 immersion heater W1 19mm W2 48mm H1 213mm H2 35mm hole distance 40mm hole ø 6mm flange length 60mm flange width 30mm		



1

GEV No.	416993	**Ref. No.**	004752
description	heating element 1500W 230V heating circuits 1 L 320mm W 25mm H 215mm rectangular flange connection male faston 6.3mm immersion heater L1 30mm L2 290mm H1 62mm H2 115mm H3 38mm windings 2 hole distance 18mm hole ø 6mm flange length 33mm flange width 33mm tube ø 8.5mm		



1

GEV No.	416995	**Ref. No.**	0A5565
description	heating element 2900W 230V heating circuits 1 L 270mm W 60mm H 248mm rectangular flange connection male faston 6.3mm immersion heater L1 8mm L2 262mm H1 30mm H2 178mm H3 39mm windings 4 hole distance 53mm hole ø 6mm flange length 67mm flange width 32mm tube ø 8.5mm		



1

GEV No.	416994	**Ref. No.**	005964
description	heating element 2900W 230V heating circuits 1 L 310mm W 60mm H 195mm rectangular flange connection male faston 6.3mm immersion heater L1 5mm L2 305mm H1 30mm H2 125mm H3 40mm windings 4 hole distance 51mm hole ø 6mm flange length 66mm flange width 31mm tube ø 8.5mm		



1

GEV No.	415354	**Ref. No.**	058612
description	heating element 1500W 230V heating circuits 1 L 375mm W 26mm H 275mm rectangular flange connection M4 fryer heaters L1 20mm L2 75mm L3 280mm H1 118mm H2 115mm H3 42mm hole distance 22mm hole ø 6mm flange length 33mm flange width 41mm tube ø 8.5mm		



1

GEV No.	415274	**Ref. No.**	058615
description	heating element 3000W 230V heating circuits 1 L 400mm W 70mm H 270mm rectangular flange connection clamp immersion heater L1 20mm L2 65mm L3 315mm H1 120mm H2 110mm H3 40mm hole distance 34mm hole ø 6.3mm flange length 67mm flange width 40mm tube ø 8.5mm		

2 hole fixing



1

GEV No.	415291	**Ref. No.**	004926
description	heating element 2000W 230V heating circuits 1 L 250mm W 45mm H 190mm H1 154mm H2 36mm thread 1/4" tube ø 8.5mm mounting distance 30mm windings 3 2 hole fixing connection male faston 6.3mm immersion heater		
spare parts for	415291		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
accessories for	415291		
	GEV No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



1

GEV No.	416997	**Ref. No.**	052326
description	heating element 4000W 230V heating circuits 1 L 415mm W 95mm H 340mm 2 hole fixing connection M5 immersion heater L1 28mm L2 57mm L3 330mm H1 60mm H2 220mm H3 60mm tube ø 8.5mm thread 1/4"		
accessories for	416997		
	GEV No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	GEV No.	560112	Ref. No. —
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	416997		
	GEV No.	560132	Ref. No. —
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

heating elements for griddles

1

GEV No.	415380	Ref. No.	052919
description	heating element 1000W 230V heating circuits 1 L 600mm W 54mm H 82mm tube ø 8.5mm connection M5 connection length 16mm connection distance 46mm dry heating element		

1

GEV No.	415079	Ref. No.	053614
description	heating element 1250W 230V heating circuits 1 L 473mm W 52mm H 43mm tube ø 8.5mm griddle connection distance 44mm dry heating element		

1

GEV No.	416985	Ref. No.	004649
description	heating element 1250W 230V heating circuits 1 L 482mm W 54mm H 55mm tube ø 8.5mm connection male faston 6.3mm connection distance 46mm dry heating element		

1

GEV No.	415290	Ref. No.	004918
description	heating element 1300W 230V heating circuits 1 L 473mm W 80mm H 55mm tube ø 6.5mm connection M4 griddle connection distance 75mm dry heating element		

1

GEV No.	420133	Ref. No.	0U1489
description	heating element 1400W 240V heating circuits 1 L 610mm W 40mm tube ø 8mm rectangular flange connection M4 flange length 52mm flange width 20mm hole ø 6.5mm connection length 64mm for grill dry heating element		

1 

GEV No.	415099	Ref. No.	0A2208
description	heating element 1500W 220V heating circuits 1 L 380mm W 90mm H 124mm tube ø 8.5mm L1 80mm L2 300mm cable length 1000mm connection distance 68mm dry heating element		

1

GEV No.	416986	Ref. No.	004671
description	heating element 1500W 230V heating circuits 1 L 484mm W 90mm H 50mm tube ø 8.5mm connection male faston 6.3mm griddle connection distance 82mm dry heating element		

1 

GEV No.	415075	Ref. No.	0K9222
description	heating element 2000W 220V heating circuits 1 L 573mm W 80mm H 70mm tube ø 9.2mm connection male faston 6.3mm connection length 21mm griddle dry heating element		

1

GEV No.	415382	Ref. No.	055998
description	heating element 2000W 230V heating circuits 1 L 595mm W 41mm H 40mm tube ø 6.3mm connection M5 connection distance 94mm dry heating element		

1

GEV No.	415098	Ref. No.	0A2247
description	heating element 2250W 220V heating circuits 1 L 533mm W 75mm H 123mm tube ø 14mm L1 78mm L2 456mm connection cable cable length 2000mm dry heating element		

1

GEV No.	420132	Ref. No.	006682
description	heating element 2500W 230V heating circuits 1 L 570mm W 90mm H 90mm tube ø 8.6mm connection M5 for griddle connection distance 81.4mm dry heating element		

1

GEV No.	416987	Ref. No.	006681
description	heating element 2500W 400V heating circuits 1 L 567mm W 90mm H 91mm tube ø 9mm connection M5 connection length 24mm connection distance 81mm dry heating element		

heating elements for refrigeration

heating elements for defrosting

1

GEV No.	419025	Ref. No.	083530
description	heating element 400W 230V L 440mm W 70mm H 100mm cable length 500mm tube ø 8.5mm		

heating elements for condensate evaporation

1

GEV No.	418996	Ref. No.	0A8134
description	heating element 95W 220V L 435mm W 56mm H 28mm cable length 3000mm tube ø 6.25mm		

heating elements for tilting bratt pan

1

GEV No.	415273	**Ref. No.**	058345
description	heating element 1500W 220V L 373mm W 82mm H 78mm connection M5 dry heating element heating circuits 1 tube ø 8.5mm with holder connection distance 80mm		

1

GEV No.	418016	**Ref. No.**	002559
description	heating element 1500W 230V L 375mm W 76mm H 75mm connection M5 dry heating element heating circuits 1 tube ø 8.5mm connection distance 68mm		

1

GEV No.	418004	**Ref. No.**	051356
description	heating element 1500W 230V L 530mm H 100mm dry heating element tube ø 14.5mm L1 60mm L2 535mm W1 35mm W2 80mm cable length 1000mm		

1

GEV No.	415098	**Ref. No.**	0A2247
description	heating element 2250W 220V heating circuits 1 L 533mm W 75mm H 123mm tube ø 14mm L1 78mm L2 456mm connection cable cable length 2000mm dry heating element		

1

GEV No.	418005	**Ref. No.**	0C0685
description	heating element 2500W 400V L 545mm W 80mm H 48mm connection M4 dry heating element heating circuits 1 tube ø 8.5mm L1 25mm L2 520mm W1 23mm W2 34mm rectangular flange hole distance 56mm flange length 70mm flange width 22mm hole ø 5.5mm		

1

GEV No.	418003	**Ref. No.**	004469
description	heating element 3000W 230V L 137mm W 515mm H 48mm connection male faston 6.3mm dry heating element heating circuits 1 tube ø 8.5mm W1 242mm W2 31mm rectangular flange hole distance 57mm flange length 70mm flange width 22mm hole ø 5mm connection length 97mm		
accessories for	418003		
	GEV No. 510368	Ref. No.	—
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	420131	**Ref. No.**	0C2613
description	heating element 3500W 230V L 145mm W 623mm H 50mm connection M4 for tilting bratt pan heating circuits 1 tube ø 8.5mm W1 295mm W2 33mm rectangular flange hole distance 57mm flange length 70mm flange width 22mm hole ø 5mm connection length 100mm		

1

GEV No.	415381	**Ref. No.**	051355
description	heating element for tilting bratt pan 1300W 220V L 535mm W 82mm H 100mm connection cable dry heating element heating circuits 1 tube ø 14mm L1 55mm W1 11mm W2 60mm cable length 1000mm connection distance 50mm		



1

GEV No.	420128	**Ref. No.**	0K4745
description	heating element for tilting bratt pan 3000W 230V L 500mm W 165mm H 48mm connection cable dry heating element heating circuits 1 tube ø 8.5mm L1 55mm L2 20mm L3 425mm cable length 1000mm connection distance 156.5mm		



1

GEV No.	420130	**Ref. No.**	0K4749
description	heating element for tilting bratt pan 3000W 230V L 590mm W 170mm H 45mm connection cable dry heating element heating circuits 1 tube ø 8.3mm L1 55mm L2 20mm L3 515mm cable length 1000mm connection distance 162mm		

1

GEV No.	415747	**Ref. No.**	0K4792
description	heating element tilting bratt pan 2500W 230V L 518mm W 95mm dry heating element heating circuits 1 tube ø 8.5mm cable length 215mm connection distance 87mm		

Find the complete and up-to-date range of products in our GEV Webshop

heating elements for pasta cookers



1

GEV No.	416981	**Ref. No.**	0A5492
description	heating element 1000W 230V heating circuits 1 L 245mm W 290mm H 40mm connection male faston 6.3mm tube ø 8.5mm L1 92mm L2 153mm W1 125mm W2 33mm connection distance 25mm dry heating element		

1

GEV No.	420127	**Ref. No.**	0K5116
description	heating element 1400W 230V heating circuits 1 L 530mm W 58mm rectangular flange connection M5 tube ø 6.2mm flange width 28mm L1 75mm L2 40mm L3 415mm W1 33mm W2 25mm hole distance 25mm flange length 60mm hole ø 6mm mounting distance 19mm connection length 28mm dry heating element		

1

GEV No.	415691	**Ref. No.**	056906
description	heating element 1450W 220V heating circuits 1 L 507mm W 58mm Hmm rectangular flange connection M5 tube ø 6.3mm flange width 28mm W1 25mm W2 33mm hole distance 25mm flange length 60mm hole ø 6.3mm connection length 30mm dry heating element		

1

GEV No.	416979	**Ref. No.**	059066
description	heating element 1550W 230V heating circuits 1 L 530mm W 55mm rectangular flange connection M5 tube ø 6.8mm flange width 28mm hole distance 26mm flange length 60mm hole ø 5mm connection length 80mm pasta cooker dry heating element		

1

GEV No.	416629	**Ref. No.**	005816
description	heating element 1600W 230V heating circuits 1 L 368mm W 70mm H 178mm connection M4 tube ø 9mm connection length 24mm dry heating element		

1

GEV No.	416980	**Ref. No.**	006853
description	heating element 1650W 230V heating circuits 1 L 500mm W 54mm Hmm rectangular flange connection M4 tube ø 8.5mm flange width 30mm L1 110mm L2 395mm W1 50mm W2 10mm hole distance 40mm flange length 60mm hole ø 6mm connection length 15mm dry heating element		

1

GEV No.	415597	**Ref. No.**	0C5347
description	heating element 3000W 230V heating circuits 3 L 255mm W 38mm H 26mm 3 hole flange connection male faston tube ø 6.3mm thermo-stat sleeves ø 7.5mm length thermostat sleeves 199mm hole distance 63mm mounting ø 47.5mm hole ø 8/10mm connection length 15mm immersion heater		
accessories for	415597		

GEV No.	510408	Ref. No.	067620
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

GEV No.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			

heating elements for pizza ovens



1

GEV No.	415678	**Ref. No.**	004151
description	heating element 1000W 230V L 575mm W 160mm flange length 220mm flange width 31mm hole distance 201mm connection length 133mm connection M5 L1 30mm L2 25mm L3 520mm W1 25mm W2 112mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		



1

GEV No.	415917	**Ref. No.**	004152
description	heating element 1400W 230V L 572mm W 159mm flange length 220mm flange width 32mm hole distance 199mm connection length 134mm connection M5 L1 30mm L2 27mm L3 515mm W1 25mm W2 110mm tube ø 10.2mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		

1

GEV No.	415919	**Ref. No.**	004154
description	heating element 2000W 230V L 870mm W 160mm flange length 220mm flange width 31mm hole distance 200mm connection length 130mm connection 5 L3 820mm W1 110mm W2 160mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		

1

GEV No.	419090	**Ref. No.**	0K7632
description	heating element 1670W 230V L 440mm W 144mm tube ø 8.5mm heating circuits 1 dry heating element		

heating elements for chargrills

1

GEV No.	415376	**Ref. No.**	002403
description	heating element 1800W 230V L 615mm W 88mm H 23mm hole distance 40mm windings 2 flange length 60mm flange width 30mm connection male faston 6.3mm heating circuits 1 tube ø 8.5mm hole ø 6.5mm rectangular flange dry heating element		

1

GEV No.	416978	**Ref. No.**	0C0495
description	heating element 2500W 400V L 625mm W 90mm H 40mm W1 20mm W2 48.5mm L1 15mm flange length 60mm flange width 30mm hole distance 40mm connection M5 heating circuits 1 tube ø 8.5mm connection length 54mm hole ø 6mm rectangular flange dry heating element		

1

GEV No.	415288	**Ref. No.**	004907
description	heating element 1350W 230V L 396mm W 80mm H 37mm thread 1/4" mounting distance 72mm tube ø 6.3mm connection M4 heating circuits 1 2 hole fixing dry heating element		
accessories for	415288		
	GEV No.	361182	Ref. No. —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

1

GEV No.	415352	**Ref. No.**	053613
description	heating element 2750W 240V L 480mm W 125mm H 41mm L1 70mm L2 40mm L3 370mm W1 23mm W2 79mm connection M4 connection distance 72mm tube ø 8.5mm heating circuits 1 dry heating element		

1

GEV No.	420138	**Ref. No.**	053451
description	heating element 3000W 230V L 480mm W 125mm H 41mm L1 70mm L2 40mm L3 370mm W1 23mm W2 79mm connection M4 connection distance 72mm tube ø 8.5mm heating circuits 1 dry heating element		

heating elements for salamanders/toast-

1

GEV No.	420271	**Ref. No.**	003014
description	heating element 1000W 230V L 215mm W 95mm L1 25mm L2 25mm L3 165mm W1 16mm W2 63mm hole distance 96mm connection M4 tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		

1

GEV No.	416653	**Ref. No.**	003016
description	heating element 2000W 230V L 225mm W 283mm L1 15mm L2 210mm W1 110mm W2 63mm hole distance 96mm connection M4 tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		

1

GEV No.	416654	**Ref. No.**	003012 TI3706
description	heating element 2000W 230V L 230mm W 230mm L1 22mm L2 208mm W1 83mm W2 63mm hole distance 96mm tube ø 8.5mm flange length 106mm flange width 32mm heating circuits 1 hole ø 5mm tilt flange dry heating element H 8.5mm		



1

GEV No.	415622	**Ref. No.**	0KD843
description	heating element 2000W 230V heating circuits 1 L 229mm W 255mm L1 17mm L2 212mm W1 112mm W2 32mm flange length 70mm flange width 23mm hole distance 25mm tube ø 8.5mm connection length 20mm dry heating element connection M4 rectangular flange hole ø 5mm H 8.5mm		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	416581	**Ref. No.**	052836
description	heating element 3000W 230V heating circuits 1 L 357mm W 226mm L1 20mm L2 337mm W1 98mm W2 30mm flange length 70mm flange width 22mm hole distance 57mm tube ø 6.3mm dry heating element connection M5 rectangular flange hole ø 6mm H 6.3mm		

1

GEV No.	420126	**Ref. No.**	0K4778
description	heating element 2100W 230V heating circuits 1 L 260mm W 220mm H 22mm thread M12x1 connection length 212mm tube ø 8.3mm connection M5 dry heating element for salamander grill		



1

GEV No.	416579	**Ref. No.**	056783
description	heating element 1900W 220V heating circuits 1 L 245mm W 240mm L1 63mm L2 182mm W1 98mm W2 45mm connection distance 16mm connection M4 dry heating element tube ø 6.3mm H 6.3mm		



1

GEV No.	416580	**Ref. No.**	056782
description	heating element 2000W 220V heating circuits 1 L 240mm W 333mm L1 60mm L2 180mm W1 149mm W2 35mm connection distance 29mm connection M4 dry heating element tube ø 6.3mm H 6.3mm		

heating elements for heated trolleys



1

GEV No.	415596	**Ref. No.**	0G2290
description	heating element 1500W 230V heating circuits 1 L 395mm W 198mm tube ø 6.5mm lug length 31mm lug width 16mm connection length 30mm connection male faston 6.3mm dry heating element bracket mounting hole distance 160mm mounting thread M4		

heating cartridges

1

GEV No.	417227	**Ref. No.**	083814
description	heating cartridge 90W 230V ø 12mm L 124mm thread 3/8" cable length 4000mm Hmm Wmm condensate evaporation		

ceramic heaters

245x60mm

1

GEV No.	415104		**Ref. No.**	0A2843
description	ceramic emitter 1000W 230V cable beaded cord L 245mm W 60mm H 35mm			
spare parts for	415104			
	GEV No.	415109	Ref. No.	—
	spring clip			
accessories for	415104			
	GEV No.	415110	Ref. No.	—
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			

1

GEV No.	415103		**Ref. No.**	004898
description	ceramic emitter 650W 230V cable beaded cord L 245mm W 60mm H 35mm			
spare parts for	415103			
	GEV No.	415109	Ref. No.	—
	spring clip			

Table continues overleaf

accessories for	415103			
	GEV No.	415110	Ref. No.	—
	reflector L 245mm W 95mm H 31mm thickness 0.75mm hole ø 15x40mm			

immersion heating elements

3 hole flange ø47.5mm



1

GEV No.	418683	**Ref. No.**	0L1852
description	heating element 10500W 230V heating circuits 3 L 390mm W 35mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 8.5mm length thermostat sleeves 270mm tube ø 8.5mm hole distance 62mm hole ø 6.5mm		
spare parts for	418683		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	418683		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

GEV No.	418017	**Ref. No.**	0C0715
description	heating element 10750W 230V mounting ø 47.5mm heating circuits 3 L 542mm W 35mm H 26mm number of thermostat sleeves 1 thermostat sleeves ø 8mm length thermostat sleeves 180mm thermostat sleeve not clinging tube ø 6.3mm hole distance 62mm hole ø 6mm connection M5 3 hole flange immersion heater		
accessories for	418017		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

GEV No.	415063	**Ref. No.**	0C5336 0K8360
description	heating element 17000W 230V mounting ø 47.5mm heating circuits 3 L 590mm W 29mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 4mm length thermostat sleeves 225mm thermostat sleeve centre tube ø 8.5mm hole distance 63mm hole ø 10mm connection M5 3 hole flange immersion heater		
accessories for	415063		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

GEV No.	419084	**Ref. No.**	059003 214040
description	heating element 17000W 240V mounting ø 47.5mm heating circuits 3 L 590mm W 32mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 225mm thermostat sleeve centred, adjacent tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection M5 3 hole flange immersion heater		



1

GEV No.	416130	**Ref. No.**	049371
description	heating element 2800W 230V mounting ø 47.5mm heating circuits 1 L 310mm W 8.5mm H 39mm tube ø 8.5mm hole distance 63mm hole ø 6mm connection male faston 6.3mm 3 hole flange immersion heater		
accessories for	416130		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	416135	**Ref. No.**	049980
description	heating element 2800W 230V mounting ø 47.5mm heating circuits 1 L 375mm W 8.5mm H 40mm tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	416135		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	416135		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415174	**Ref. No.**	0L1634
description	heating element 3000W 230V mounting ø 47.5mm heating circuits 3 L 160mm W 33mm H 39mm tube ø 6.3mm hole distance 65mm hole ø 8mm connection length 39mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415174		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415174		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 521012	Ref. No.	—
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		

1

GEV No.	415069	**Ref. No.**	0L1875
description	heating element 4500W 220V mounting ø 47.5mm heating circuits 3 L 310mm W 30.5mm H 29mm tube ø 6.3mm connection male faston 6.3mm 3 hole flange immersion heater		
accessories for	415069		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

accessories for	415069		
	GEV No. 520235	Ref. No.	—
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No. 520236	Ref. No.	003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No. 521012	Ref. No.	—
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
	GEV No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No. 550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm		

1

GEV No.	415067	**Ref. No.**	048928
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 218mm W 34mm H 29mm tube ø 6.3mm hole ø 8x10mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415067		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	416128	**Ref. No.**	048284 049955 0L2129
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 265mm W 30mm H 35mm tube ø 8.5mm hole distance 60mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
accessories for	416128		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415066	**Ref. No.**	0L1849
description	heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 310mm W 30mm H 36mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 64mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415066		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415066		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	418189	**Ref. No.**	002524
description	heating element 4700W 230V mounting ø 47.5mm heating circuits 3 L 393mm W 40mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 275mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 68mm hole ø 8/10mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	418189		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	418189		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415080	**Ref. No.**	0L1878
description	heating element 6000W 220V mounting ø 47.5mm heating circuits 3 L 310mm W 35mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 180mm thermostat sleeve clinging tube ø 6.3mm hole distance 63mm hole ø 8mm connection length 28mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415080		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415080		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	420081	**Ref. No.**	049455
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 260mm W 27mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7.2mm length thermostat sleeves 170mm tube ø 6.2mm hole distance 62.5mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		

1

GEV No.	415068	**Ref. No.**	048513
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 370mm W 32mm H 36mm thermostat sleeves ø 7mm length thermostat sleeves 165mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 62mm hole ø 8mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415068		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415379	**Ref. No.**	0L1877
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 479mm W 36mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 270mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	415379		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415379		
	GEV No.	521012	Ref. No. —
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	418126	**Ref. No.**	059665
description	heating element 7500W 220V mounting ø 47.5mm heating circuits 3 L 550mm W 37mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 185mm thermostat sleeve upper tube ø 6.5mm hole distance 6.5mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	418126		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	418126		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415394	**Ref. No.**	058666
description	heating element 7900W 230V mounting ø 47.5mm heating circuits 3 L 287mm W 33mm H 35mm tube ø 8.5mm hole distance 63mm hole ø 8mm connection M5 3 hole flange immersion heater		
accessories for	415394		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415690	**Ref. No.**	002835
description	heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 290mm W 32mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 175mm thermostat sleeve centre tube ø 8.5mm hole distance 63mm hole ø 10mm connection M5 3 hole flange immersion heater		
spare parts for	415690		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415690		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415668	**Ref. No.**	0K3789
description	heating element 2625W 230V mounting ø 47.5mm heating circuits 1 L 190mm W 41mm H 54mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
spare parts for	415668		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415668		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

1

GEV No.	415002	**Ref. No.**	069455
description	heating element 3000W 230V mounting ø 47.5mm heating circuits 1 L 198mm W 35mm H 44mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 175mm thermostat sleeve not clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection M4 3 hole flange immersion heater		
accessories for	415002		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	GEV No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	GEV No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	GEV No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

3 hole flange ø57.5mm

1

GEV No.	416134	**Ref. No.**	0L1772
description	heating element 10500W 230V mounting ø 57.5mm heating circuits 3 L 335mm W 52mm H 52mm tube ø 8.5mm hole distance 73mm hole ø 8/10mm connection male faston 6.3mm 3 hole flange immersion heater INCOLOY-800		
spare parts for	416134		
	GEV No.	510409	Ref. No. 007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

1

GEV No.	418154	**Ref. No.**	0C5384
description	heating element 17000W 400V mounting ø 57.5mm heating circuits 6 L 450mm W 39mm H 41mm number of thermostat sleeves 1 thermostat sleeves ø 4.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 69mm hole ø 6.5mm connection length 75mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	418154		
	GEV No.	510409	Ref. No. 007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
accessories for	418154		
	GEV No.	510409	Ref. No. 007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

1

GEV No.	418155	**Ref. No.**	0C5383
description	heating element 24000W 400V mounting ø 57.5mm heating circuits 6 L 570mm W 40mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 4.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 69mm hole ø 6.5mm connection male faston 6.3mm 3 hole flange immersion heater		

1

GEV No.	416129	**Ref. No.**	0L2108
description	heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 330mm W 36mm H 40mm tube ø 8.5mm hole distance 70mm hole ø 7.8mm connection length 28mm connection male faston 6.3mm 3 hole flange immersion heater		
accessories for	416129		
	GEV No.	510409	Ref. No. 007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

1

GEV No.	418779	**Ref. No.**	0L1630
description	heating element 9000W 230V mounting ø 57.5mm heating circuits 3 L 340mm W 52mm H 54mm tube ø 8.5mm hole distance 72mm hole ø 8mm with integrated fuse INCOLOY		
spare parts for	418779		
	GEV No.	510409	Ref. No. 007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

1

GEV No.	418153	**Ref. No.**	0C5381
description	heating element 9000W 400V mounting ø 57.5mm heating circuits 6 L 440mm W 38mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 4mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging hole distance 68mm hole ø 6mm connection male faston 6.3mm 3 hole flange immersion heater		
spare parts for	418153		
	GEV No.	510409	Ref. No. 007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

with compression flange 50 x 26mm

1

GEV No.	415272	**Ref. No.**	049059
description	heating element 800W 230V heating circuits 1 flange 50x26mm L 160mm W 34mm H 20mm tube ø 8.5mm connection male faston 6.3mm immersion heater compression flange		
spare parts for	415272		
	GEV No. 510387	Ref. No.	048483
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
accessories for	415272		
	GEV No. 510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

1

GEV No.	416133	**Ref. No.**	0L2109
description	heating element 2000W 230V compression flange flange 50x26mm L 365mm W 80mm H 27mm L1 95mm L2 270mm W1 30mm connection male faston 6.3mm heating circuits 1 tube ø 6.3mm immersion heater		
accessories for	416133		
	GEV No. 510387	Ref. No.	048483
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	GEV No. 510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

1

GEV No.	415070	**Ref. No.**	048924
description	heating element 2200W 230V compression flange flange 50x26mm L 355mm W 75mm H 25mm L1 65mm L2 290mm W1 25mm connection male faston 6.3mm heating circuits 1 tube ø 6.3mm immersion heater W2 50mm		
accessories for	415070		
	GEV No. 510387	Ref. No.	048483
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	GEV No. 510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

1

GEV No.	416132	**Ref. No.**	0L1870
description	heating element 3000W 230V compression flange flange 50x26mm L 360mm W 70mm H 25mm L1 60mm L2 300mm W1 20mm connection male faston 6.3mm heating circuits 1 tube ø 8.5mm immersion heater W2 50mm		
accessories for	416132		
	GEV No. 510387	Ref. No.	048483
	gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm		
	GEV No. 510388	Ref. No.	—
	counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm		

with expansion flange 70 x 18mm

1

GEV No.	418648	**Ref. No.**	049755
description	heating element 2000W 230V heating circuits 1 flange 70x18mm L 325mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 20mm silicone		

1

GEV No.	418825	**Ref. No.**	049756
description	heating element 3000W 230V heating circuits 1 L 310mm W 68mm tube ø 8.5mm connection length 31mm mounting measurements 70x18mm		

1

GEV No.	415459	**Ref. No.**	0H6146
description	heating element 5600W 230V heating circuits 2 flange 70x18mm L 272mm W 64mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange H 19mm		

1

GEV No.	415464	**Ref. No.**	0H6198
description	heating element 6000W 400V heating circuits 2 flange 70x18mm L 380mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange		

with round flange ø47.5mm

1

GEV No.	419086	**Ref. No.**	056012
description	heating element 17000W 220V heating circuits 6 mounting ø 47.5mm L 470mm W 42mm H 42mm round flange cable length 380mm immersion heater tube ø 6.3mm connection length 130mm		

1

GEV No.	418156	**Ref. No.**	055464
description	heating element 17000W 240V heating circuits 3 mounting ø 47.5mm L 470mm W 36mm H 40mm round flange connection cable cable length 350mm immersion heater tube ø 6.3mm		
accessories for	418156		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No.	520236	Ref. No. 003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

1

GEV No.	415809	**Ref. No.**	056013
description	heating element 24000W 400V heating circuits 3 mounting ø 47.5mm round flange connection cable immersion heater		
accessories for	415809		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No.	520236	Ref. No. 003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		

1

GEV No.	415652	**Ref. No.**	0C5337
description	heating element 24000W 400V heating circuits 6 mounting ø 47.5mm L 585mm W 32mm H 35mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm connection length 86mm thermostat sleeves ø 5mm number of thermostat sleeves 1 length thermostat sleeves 155mm thermostat sleeve clinging		
spare parts for	415652		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
accessories for	415652		
	GEV No.	510408	Ref. No. 067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	510562	Ref. No. —
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No.	520235	Ref. No. —
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No.	520236	Ref. No. 003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No.	550002	Ref. No. —
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No.	550362	Ref. No. —
	blind flange ø 64mm mounting ø 47.5mm		
	GEV No.	550460	Ref. No. —
	kable set		

1

GEV No.	420118	**Ref. No.**	0K4731
description	heating element 3000W 230V heating circuits 3 L 225mm W 39mm H 33mm tube ø 8.3mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		

1

GEV No.	420119	**Ref. No.**	0K4732
description	heating element 3000W 230V heating circuits 3 L 230mm W 42mm H 33mm tube ø 8.4mm thermostat sleeves ø 5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging/not clinging connection male faston 6.3mm connection length 16mm immersion heater round flange mounting ø 47.5mm		

Find the complete and up-to-date range of products in our GEV Webshop

GEV Image not available

1

GEV No.	415026	**Ref. No.**	0L1874
description	heating element 4500W 220/380V mounting ø 47.5mm immersion heater		
accessories for	415026		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 520235	Ref. No.	—
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No. 520236	Ref. No.	003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No. 550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm		

1

GEV No.	420121	**Ref. No.**	0K4733
description	heating element 4500W 230V heating circuits 3 L 330mm W 39mm H 33mm tube ø 8.4mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		

1

GEV No.	420140	**Ref. No.**	0K4735
description	heating element 6000W 230V heating circuits 3 L 434mm W 38mm H 35mm tube ø 8.5mm number of thermostat sleeves 0 connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		

1

GEV No.	420120	**Ref. No.**	0K4736
description	heating element 6000W 230V heating circuits 3 L 435mm W 43mm H 33mm tube ø 8.5mm thermostat sleeves ø 5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging/not clinging connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		

1

GEV No.	415405	**Ref. No.**	0L1879
description	heating element 6000W 230V heating circuits 3 L 465mm W 38mm H 24mm tube ø 6.3mm connection male faston 6.3mm immersion heater round flange mounting ø 47.5mm		
spare parts for	415405		
	GEV No. 504148	Ref. No.	—
	boiler		
accessories for	415405		
	GEV No. 520235	Ref. No.	—
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No. 520236	Ref. No.	003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No. 521012	Ref. No.	—
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs		
	GEV No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
	GEV No. 550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm		

1

GEV No.	420122	**Ref. No.**	0K6397
description	heating element 6000W 240V heating circuits 3 L 430mm W 39mm H 33mm tube ø 8.5mm thermostat sleeves ø 5mm length thermostat sleeves 190mm number of thermostat sleeves 1 thermostat sleeve eccentric, clinging/not clinging connection male faston 6.3mm connection length 17mm immersion heater round flange mounting ø 47.5mm		

1

GEV No.	418188	**Ref. No.**	056011
description	heating element 7500W 220V heating circuits 3 mounting ø 47.5mm L 260mm W 35mm H 32mm round flange cable length 1040mm immersion heater tube ø 6.2mm		
accessories for	418188		
	GEV No. 510408	Ref. No.	067620
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 510562	Ref. No.	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
	GEV No. 520235	Ref. No.	—
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	GEV No. 520236	Ref. No.	003362
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	GEV No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

Table continues overleaf

accessories for	418188			
	GEV No.	550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm			

with round flange ø57.5mm

1

GEV No.	420313	**Ref. No.**	0E7066
description	heating element 10000W 230V heating circuits 3 mounting ø 57.5mm L 455mm W 44mm H 42mm round flange connection male faston 6.3mm immersion heater tube ø 6.2mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 225mm thermostat sleeve eccentric, non clinging		
accessories for	420313		
	GEV No. 510409	Ref. No.	007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
	GEV No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

1

GEV No.	418983	**Ref. No.**	0K7530
description	heating element 12000W 220V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 30mm connection M5 immersion heater tube ø 6.3mm connection length 20mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve upper dishwasher		

1

GEV No.	419132	**Ref. No.**	0E5162
description	heating element 12000W 230V heating circuits 3 mounting ø round flange ø57.5mmmm L 460mm W 35mm H 55mm round flange immersion heater tube ø 6.2mm H2 35mm L1 40mm L2 400mm		
accessories for	419132		
	GEV No. 510409	Ref. No.	007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
	GEV No. 560400	Ref. No.	—
	flat-headed bolt thread M5 thread L 8mm SS DIN 84/ISO 1207 Qty 1 pcs intake slotted head ø 8.3mm head thickness 3.2mm		
	GEV No. 699566	Ref. No.	—
	connection terminal for heating element		

1

GEV No.	420317	**Ref. No.**	0K8505
description	heating element 15000W 230V heating circuits 3 mounting ø 57.5mm L 480mm W 32mm H 60mm round flange connection M5 immersion heater tube ø 6.3mm H1 40mm H2 20mm L1 450mm L2 30mm number of thermostat sleeves 0		

1

GEV No.	420316	**Ref. No.**	0K8249
description	heating element 6000W 230V heating circuits 3 mounting ø 57.5mm L 463mm W 40mm H 40mm round flange connection male faston 6.3mm immersion heater tube ø 6.25mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 308mm thermostat sleeve eccentric, clinging		
accessories for	420316		
	GEV No. 510409	Ref. No.	007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

1

GEV No.	420224	**Ref. No.**	0H2277
description	heating element 7500W 220V heating circuits 3 mounting ø 57.5mm L 324mm W 40mm H 42mm flange connection connection male faston 6.3mm immersion heater tube ø 6mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 290mm thermostat sleeve eccentric, clinging		

1

GEV No.	418615	**Ref. No.**	0L1859
description	heating element 7500W 230V heating circuits 3 mounting ø round flange ø57.5mmmm L 440mm W 35mm H 55mm round flange immersion heater tube ø 6.2mm H1 20mm H2 35mm L1 40mm L2 400mm		
spare parts for	418615		
	GEV No. 510409	Ref. No.	007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
accessories for	418615		
	GEV No. 550002	Ref. No.	—
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

1

GEV No.	420312	**Ref. No.**	0E5113
description	heating element 8000W 230V heating circuits 3 mounting ø 57.5mm L 455mm W 40mm H 42mm round flange connection male faston 6.3mm immersion heater tube ø 6.2mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 225mm thermostat sleeve eccentric, non clinging		

1

GEV No.	420306	**Ref. No.**	0E5163
description	heating element 9000W 230V heating circuits 3 mounting ø 57.5mm L 450mm W 34mm H 60mm round flange ø57.5mm connection M5 immersion heater tube ø 6.5mm H1 36mm H2 24mm L1 50mm L2 400mm number of thermostat sleeves 0		
accessories for	420306		
	GEV No. 510409	Ref. No.	007029
	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

special flanges

1

GEV No.	415797	**Ref. No.**	0K0517
description	heating element 18000W 400V heating circuits 6 L 325mm W 240mm H 45mm tube ø 6.5mm connection cable cable length 1250mm immersion heater rectangular flange hole distance 62mm flange length 336mm flange width 126mm hole ø 10mm		
accessories for	415797		
	GEV No. 510560	Ref. No.	0K5577
	gasket EPDM thickness 6mm ID ø 200mm dimensions 280x70mm Qty 1 pcs for heating element		

1

GEV No.	415799	**Ref. No.**	0H6153
description	heating element 25200W 400V heating circuits 6 L 470mm W 235mm H 90mm connection cable cable length 1500mm immersion heater special fixing hole distance 48/56mm hole ø 10mm		
accessories for	415799		
	GEV No. 510560	Ref. No.	0K5577
	gasket EPDM thickness 6mm ID ø 200mm dimensions 280x70mm Qty 1 pcs for heating element		

3/4"

1

GEV No.	415580	**Ref. No.**	0G0334
description	heating element 5000W 400V heating circuits 1 L 404mm W 23mm H 80mm cable length 400mm connection length 85mm immersion heater flange with thread H1 52mm H2 28mm thread 3/4"		
accessories for	415580		
	GEV No. 510403	Ref. No.	—
	flat gasket fibre ED ø 36.5mm ID ø 27mm thickness 2mm Qty 1 pcs		
	GEV No. 510421	Ref. No.	—
	gasket copper ED ø 31.8mm ID ø 26.4mm thickness 2.2mm for thread 3/4"		
	GEV No. 520234	Ref. No.	—
	nut thread 3/4" H 5mm brass WS 30 Qty 1 pcs		

1

GEV No.	415010	**Ref. No.**	069671
description	heating element 2000W 230V heating circuits 1 L 260mm W 125mm H 20mm L1 110mm L2 150mm W1 42mm W2 83mm thread M10x1 mounting distance 70mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing		
spare parts for	415010		
	GEV No. 510416	Ref. No.	—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
accessories for	415010		
	GEV No. 504306	Ref. No.	069438
	gasket fibre ED ø 16mm ID ø 10mm thickness 2mm Qty 1 pcs		
	GEV No. 510893	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	GEV No. 520231	Ref. No.	—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	GEV No. 521103	Ref. No.	—
	nut thread M4 H 3mm WS 7 brass Qty 20 pcs		
	GEV No. 521104	Ref. No.	—
	washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4		
	GEV No. 521129	Ref. No.	—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		
	GEV No. 560111	Ref. No.	—
	plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4		
	GEV No. 560131	Ref. No.	—
	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		

1

GEV No.	415073	**Ref. No.**	047507
description	heating element 2200W 220V heating circuits 1 L 403mm W 138mm H 22mm L1 124mm L2 279mm W1 27mm W2 84mm thread M14x1 mounting distance 80mm tube ø 8.5mm 2 hole fixing connection M5 immersion heater		
accessories for	415073		
	GEV No. 510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No. 520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No. 521133	Ref. No.	—
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	GEV No. 550261	Ref. No.	—
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		

Table continues overleaf

accessories for	415073			
	GEV No.	550262	Ref. No.	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			
	GEV No.	560112	Ref. No.	—
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			
	GEV No.	560132	Ref. No.	—
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs			

1

GEV No.	415072	**Ref. No.**	048086
description	heating element 2200W 230V heating circuits 1 L 325mm W 83mm H 25mm thread M14x1 mounting distance 75mm tube ø 8.5mm connection male faston 6.3mm 2 hole fixing immersion heater		
accessories for	415072		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	520228	Ref. No. —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	GEV No.	521133	Ref. No. —
	nut thread M14x1.5 H 6mm WS 19 zinc-coated steel Qty 1 pcs		
	GEV No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		
	GEV No.	550262	Ref. No. —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		

1

GEV No.	420142	**Ref. No.**	0KJ338
description	heating element 4000W 380V heating circuits 1 H 120mm tube ø 8.3mm connection M4 immersion heater 12 hole fixing for kettle W1 52mm H1 28mm H2 92mm thread M14x1.5 ø 79mm windings 7 mounting distance 44mm		

1

GEV No.	420141	**Ref. No.**	0K8600
description	heating element 5000W 230V heating circuits 1 L 116mm W 79mm tube ø 8.5mm connection M4 immersion heater 2 hole fixing for kettle W1 53mm H1 29mm H2 88mm thread M14x1.5 ø 79mm windings 7 mounting distance 45mm		

2 connections

angled

group 1

1

GEV No.	418007	**Ref. No.**	059680
description	heating element 1050W 230V heating circuits 1 L 425mm W 41.5mm H 92mm tube ø 8.5mm connection M5 dry heating element connection distance 33mm		

1

GEV No.	418008	**Ref. No.**	059679
description	heating element 1250W 230V heating circuits 1 L 485mm W 44mm H 95mm tube ø 8.7mm connection M5 connection length 22mm dry heating element connection distance 35mm		

1

GEV No.	418006	**Ref. No.**	059681
description	heating element 750W 230V heating circuits 1 L 317mm W 41.5mm H 92mm tube ø 8.5mm connection M5 dry heating element connection distance 33mm		

Find the complete and up-to-date range of products in our GEV Webshop

heating elements for convection

1

GEV No.	415119	**Ref. No.**	0A2017
description	heating element 1600W 230V heating circuits 1 ID ø 179mm ED ø 197mm L 254mm H 30mm L1 51mm W1 31mm H1 9mm H2 21mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 41mm tube ø 6.3mm convection heating element hole ø 4mm rectangular flange		
accessories for	415119		
	GEV No. 510368	Ref. No. —	
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	415123	**Ref. No.**	0H6212
description	heating element 1750W 220V heating circuits 1 ID ø 186mm ED ø 199mm L 222mm H 29mm L1 14mm W1 30mm H1 9mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	415123		
	GEV No. 510368	Ref. No. —	
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	415118	**Ref. No.**	031485
description	heating element 2400W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 221mm H 28mm L1 15mm W1 30mm H1 11mm H2 19mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 32mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	415118		
	GEV No. 510368	Ref. No. —	
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	415117	**Ref. No.**	054843
description	heating element 2500W 220V heating circuits 1 ID ø 175mm ED ø 195mm L 245mm H 55mm L1 50mm W1 30mm H1 25mm H2 10mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
spare parts for	415117		
	GEV No. 510368	Ref. No. —	
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
accessories for	415117		
	GEV No. 510426	Ref. No. 0H6829	
	gasket L 72mm W 20mm hole distance 56mm silicone thickness 2mm for heating element		

1

GEV No.	415966	**Ref. No.**	004934
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
spare parts for	415966		
	GEV No. 510368	Ref. No. —	
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		
accessories for	415966		
	GEV No. 510368	Ref. No. —	
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		



1

GEV No.	415351	**Ref. No.**	056945
description	heating element 2500W 230V heating circuits 1 ID ømm L 544mm L1 100mm W1 160mm flange length 70mm flange width 22mm hole distance 56mm ED ømm connection male faston 6.3mm tube ø 8.5mm dry heating element hole ø 50mm rectangular flange L2 444mm W2 33mm W 350mm		

1

GEV No.	418083	**Ref. No.**	055503
description	heating element 3000W 230V heating circuits 1 ID ø 179mm ED ø 190mm L 245mm H 35mm L1 45mm W1 30mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 18mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	418083		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	418150	**Ref. No.**	0C5362
description	heating element 3200W 400V heating circuits 2 ID ø 383mm ED ø 400mm L 536mm H 60mm L1 136mm W1 32mm H1 36mm H2 24mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm connection length 30mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	418150		
	GEV No.	550257	Ref. No. 002689
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

1

GEV No.	415368	**Ref. No.**	056930
description	heating element 3750W 220V heating circuits 3 L 535mm H 34mm L1 95mm W1 157mm flange length 78mm flange width 50mm hole distance 60mm connection male faston 6.3mm connection length 97mm tube ø 8.5mm dry heating element hole ø 6mm rectangular flange L2 440mm W2 33mm W 348mm		

1

GEV No.	415657	**Ref. No.**	002757	
description	heating element 4500W 230V heating circuits 3 L 534mm W 350mm H 70mm L1 96mm L2 438mm W1 160mm W2 33mm H1 37mm H2 33mm flange length 76mm flange width 50mm hole distance 60mm hole ø 6mm tube ø 8.5mm convection heating element connection male faston 6.3mm connection length 103mm rectangular flange			
accessories for	415657			
	GEV No.	550256	Ref. No.	055327
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327			
	GEV No.	550257	Ref. No.	002689
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689			

1

GEV No.	415654	**Ref. No.**	002688
description	heating element 5666W 230V heating circuits 2 ID ø 465mm ED ø 480mm L 580mm H 65mm L1 90mm W1 32mm H1 34mm H2 31mm flange length 80mm flange width 45mm hole distance 56mm connection M5 connection length 108mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	415654		
	GEV No.	550256	Ref. No. 055327
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
	GEV No.	550257	Ref. No. 002689
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

1

GEV No.	415389	**Ref. No.**	058197
description	heating element 5666W 230V heating circuits 2 ID ø 470mm ED ø 487mm L 590mm H 66mm L1 105mm W1 33mm H1 37mm H2 29mm flange length 80mm flange width 45mm hole distance 60mm connection M5 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	415389		
	GEV No.	550256	Ref. No. 055327
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	418151	**Ref. No.**	0C5364
description	heating element 5670W 400V heating circuits 2 ID ø 467mm ED ø 483mm L 585mm H 60mm L1 102mm W1 33mm H1 32mm H2 28mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	418151		
	GEV No.	550257	Ref. No. 002689
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

1

GEV No.	415393	**Ref. No.**	056970
description	heating element 8000W 230V heating circuits 2 L 150mm W 545mm H 134mm L1 33mm L2 117mm W1 29mm H1 19mm H2 115mm flange length 76mm flange width 50mm hole distance 60mm connection M5 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		

1

GEV No.	415391	**Ref. No.**	056934
description	heating element 8000W 230V heating circuits 2 L 170mm W 505mm H 128mm L1 33mm L2 138mm W1 29mm H1 13mm H2 115mm flange length 76mm flange width 50mm hole distance 60mm connection M5 connection length 104mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		

1

GEV No.	415656	**Ref. No.**	0A5330
description	heating element 8000W 400V heating circuits 2 ID ø 560mm ED ø 580mm L 630mm H 68mm L1 50mm W1 33mm H1 37mm H2 29mm flange length 80mm flange width 45mm hole distance 60mm connection M5 connection length 15mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
accessories for	415656		
	GEV No.	550256	Ref. No. 055327
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
	GEV No.	550257	Ref. No. 002689
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

1

GEV No.	418152	**Ref. No.**	0C5365
description	heating element 8000W 400V heating circuits 2 ID ø 569mm ED ø 580mm L 700mm H 60mm L1 120mm W1 33mm H1 34mm H2 26mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm connection length 20mm tube ø 8.5mm dry heating element hole ø 6mm rectangular flange		
accessories for	418152		
	GEV No.	550257	Ref. No. 002689
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

1

GEV No.	420117	**Ref. No.**	056973
description	heating element 8000W 415V heating circuits 2 L 170mm W 505mm H 133mm L1 32mm L2 138mm W1 29mm H1 33mm H2 100mm flange length 76mm flange width 50mm hole distance 60mm connection M5 connection length 102mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		

1

GEV No.	420468	**Ref. No.**	0E5126
description	heating element 1375W 230V heating circuits 1 L 370mm W 87mm W2 56.5mm flange length 23mm flange width 13mm hole distance 382mm connection length 95mm connection F6.3 tube ø 8.5mm W1 30.5mm rectangular flange		

1

GEV No.	415616	**Ref. No.**	0H6189
description	heating element 3000W 380V heating circuits 2 L 575mm W 150mm W2 125mm flange length 70mm flange width 22mm hole distance 28mm connection length 20mm connection male faston 6.3mm tube ø 6.3mm hole ø 4mm W1 25mm rectangular flange dry heating element		
accessories for	415616		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	415806	**Ref. No.**	0H6176
description	heating element 5200W 230V heating circuits 2 L 240mm W 390mm H 30mm W2 50mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm hole ø 5mm W1 290mm rectangular flange convection heating element		
accessories for	415806		
	GEV No.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

1

GEV No.	418910	**Ref. No.**	032072
description	heating element 810W 240V heating circuits 1 L 250mm W 60.5mm connection length 42mm connection male faston 6.3mm tube ø 8.5mm thread M12x1 convection heating element mounting distance 52mm		

radiation heaters

1

GEV No.	490153	**Ref. No.**	0C4077
description	radiation heater octagonal 3400W 230V L 300mm W 300mm heating circuits 2 H 30mm with heating coil energy regulation with temperature signalization connections 4+2 connection type cable cable length 900mm AD		

1

GEV No.	416998	**Ref. No.**	004755
description	radiation heater rectangular 2700W 230V L 410mm W 165mm heating circuits 3 connections 3x 2 IRCA for fryer		

1

GEV No.	416999	**Ref. No.**	005942
description	radiation heater rectangular 5000W 230V L 410mm W 280mm heating circuits 3 connections 3x 2 IRCA for fryer		

1

GEV No.	418000	**Ref. No.**	006158
description	radiation heater rectangular 9000W 400V L 432mm W 340mm heating circuits 3 IRCA for fryer		

2-circuit

1

GEV No.	490133	**Ref. No.**	059043
description	radiation heater ø 230mm 2100W 230V		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	490028	**Ref. No.**	005008
description	radiation heater ø 230mm 2100W 230V heating circuits 2 energy regulation with temperature signalization partial power 650W with heating coil connections 3+2 connection type male faston 6.3mm EGO		

1

GEV No.	490134	**Ref. No.**	059432
description	radiation heater ø 230mm 2200W 230V heating circuits 2		

1

GEV No.	490044	**Ref. No.**	0A5299
description	radiation heater ø 230mm 2200W 230V heating circuits 2 energy regulation with temperature signalization partial power 750W with ribbon heater connections 3+2 connection type male faston 6.3mm EGO		

foil heating elements



1

GEV No.	418763	**Ref. No.**	032086
description	foil heating element L 290mm W 175mm 500W 230V t.max. 150°C with temperature limiter 140°C silicone cable length 1000mm switch-off temp. 140°C		

1

GEV No.	416371	**Ref. No.**	032094
description	foil heating element L 400mm W 290mm 1000W 230V t.max. 140°C with temperature limiter silicone cable length 2000mm thickness 1mm		

hot plates

square & rectangular

with radiused edge

1

GEV No.	490065	**Ref. No.**	0A2198
description	hot plate dimensions 220x220mm 2000W 230V with spill ring connection 4 screw clamps protector no square		

1

GEV No.	490066[1]	**Ref. No.**	006220
description	hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square		

[1]incl. protector

1

GEV No.	490054[1]	**Ref. No.**	0A2020
description	hot plate dimensions 300x300mm 2500W 230V with spill ring connection 4 screw clamps protector yes		

[1]incl. protector

1

GEV No.	490056[1]	**Ref. No.**	052196 052198
description	hot plate dimensions 300x300mm 3000W 230V with spill ring connection 4 screw clamps protector yes square		

[1]incl. protector

1

GEV No.	490057[1]	**Ref. No.**	0K4756
description	hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector yes square		

[1]incl. protector

1

GEV No.	490071[1]	**Ref. No.**	052199
description	hot plate dimensions 300x300mm 4000W 230V with spill ring connection 4 screw clamps protector yes square		

[1]incl. protector

1

GEV No.	490074[1]	**Ref. No.**	052200
description	hot plate dimensions 300x300mm 4000W 400V with spill ring connection 4 screw clamps protector yes square		

[1]incl. protector

round

with radiused edge

for domestic and commercial kitchens



1

GEV No.	490010	**Ref. No.**	058104
description	hot plate ø 145mm 1000W 230V connection 4 screw clamps with 8mm spill ring		

1

GEV No.	490012	**Ref. No.**	053406
description	hot plate ø 145mm 1500W 230V connection 4 screw clamps with 8mm spill ring		

1

GEV No.	490014	**Ref. No.**	0G6313
description	hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring		

1

GEV No.	490015	**Ref. No.**	003930
description	hot plate ø 180mm 1500W 400V connection 4 screw clamps with 8mm spill ring		

1

GEV No.	490021	**Ref. No.**	003931
description	hot plate ø 220mm 2600W 400V connection 4 screw clamps with 8mm spill ring		

Find the complete and up-to-date range of products in our GEV Webshop

energy regulators

EGO

1-circuit

1

GEV No.	380015	**Ref. No.**	0C1605
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

2-circuit

1

GEV No.	380004	**Ref. No.**	059046
description	energy regulator 230V 13A dual circuit turn direction right shaft L 23mm no. 50.67021.590 with operation switch 2-pole		

thermostats

bi-metal thermostats

safety bi-metal thermostats

1

GEV No.	390199	**Ref. No.**	003329
description	bi-metal safety thermostat hole distance 24mm switch-off temp. 210°C 1NC 1-pole 16A connection F6.3		

1

GEV No.	390590	**Ref. No.**	0KK203
description	bi-metal safety thermostat hole distance 24mm switch-off temp.°C 1NC 1-poleAV connection plug 2 hole fixing		

1

GEV No.	390138	**Ref. No.**	048887
description	bi-metal safety thermostat hole distancemm switch-off temp. 112°C 1NC 1-pole 16A connection F6.3		
accessories for	390138		

GEV No.	504736	Ref. No.	048987
bracket for contact thermostat			

GEV No.	550388	Ref. No.	—
bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8			

1

GEV No.	390526	**Ref. No.**	083113
description	bi-metal safety thermostat hole distancemm switch-off temp. 25°C 1NO 1-poleAV connection F6.3		

bi-metal thermostats

1

GEV No.	375666	**Ref. No.**	005203
description	bi-metal thermostat 1NO 1-pole 10A 250V connection F6.3 M4		

1

GEV No.	390101	**Ref. No.**	048487
description	bi-metal thermostat hole distance 38mm switch-off temp. 53°C 1CO 1-pole 16A connection F6.3 2 hole fixing		

1

GEV No.	390468	**Ref. No.**	048804
description	bi-metal thermostat hole distance 40mm switch-off temp. 60°C 1CO 1-pole 16A connection F6.3 2 hole fixing		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

1

GEV No.	375055	**Ref. No.**	0A2018
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 318° 250V		

GEV No.	375488	**Ref. No.**	031480
description	thermostat t.max. 175°C temperature range 45-170°C 1-pole 1NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° shaft flat upper		

GEV No.	390156	**Ref. No.**	051360
description	thermostat t.max. 260°C temperature range 50-260°C 1-pole 1NO 16A probe ø 4mm probe L 115mm capillary pipe 1300mm capillary pipe isolated 1300mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375664	**Ref. No.**	054323
description	thermostat t.max. 287°C temperature range 60-287°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1470mm capillary pipe isolated 350mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375667	**Ref. No.**	056384
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		

GEV No.	375002	**Ref. No.**	004939
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

GEV No.	375661	**Ref. No.**	056701
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1470mm capillary pipe isolated 960mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	390040	**Ref. No.**	003262
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 2040mm capillary pipe isolated 1940mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		

Find the complete and up-to-date range of products in our GEV Webshop

55.13_ series

1

GEV No.	375871	**Ref. No.**	0E5032
description	thermostat t.max. 110°C temperature range 30-110°C 1-pole 1CO 16A probe ø 6mm probe L 113mm capillary pipe 2930mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° H 40mm W 35mm D 30mm		

1

GEV No.	375492	**Ref. No.**	058163
description	thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 1090mm capillary pipe isolated 960mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310° probe material SS		

1

GEV No.	390664	**Ref. No.**	0L2122
description	thermostat t.max. 83°C temperature range 29-83°C 1-pole 1CO 16A probe ø 6mm probe L 115mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft Lmm shaft position° shaft position rotation 260°		

1

GEV No.	375006	**Ref. No.**	069422
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 3150mm capillary pipe isolated 300mm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		

1

GEV No.	390663	**Ref. No.**	049243
description	thermostat t.max. 91°C temperature range 29-91°C 1-pole 1CO 15A probe ø 6mm probe L 113mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft Lmm rotation 260°		

55.17_ series



1

GEV No.	375665	**Ref. No.**	005207
description	thermostat t.max. 282°C temperature range 96-282°C 1-pole 1NO 16A probe ø 3.03mm probe L 196mm capillary pipe 1240mm capillary pipe isolated 350mm gland nut shaft ø ø6x4.6mm shaft L 22mm shaft position left rotation 270°		

55.18_ series

GEV No.	375950	**Ref. No.**	0E3691 0KB677
description	thermostat t.max. 238°C temperature range 50-200°C 1-pole probe ø 3mm probe L 158mm capillary pipe 890mm capillary pipe isolated 760mm shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.34_ series

GEV No.	375671	**Ref. No.**	0A2237
description	thermostat t.max. 110°C temperature range 30-110°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 1200mm capillary pipe isolated 600mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		

GEV No.	375143	**Ref. No.**	004911
description	thermostat t.max. 110°C temperature range 32-110°C 3-pole 3NO 16A probe ø 6mm probe L 138mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375839	**Ref. No.**	051361
description	thermostat t.max. 185°C temperature range 60-185°C 3-pole 3NC 16A probe ø 4mm probe L 229mm capillary pipe 2600mm capillary pipe isolated 1000mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper° rotation 270°		

GEV No.	375675	**Ref. No.**	0C1000
description	thermostat t.max. 210°C temperature range fixed 210°C 2-pole 2NC 0.5A probe ø 6mm probe L 74mm capillary pipe 1250mm capillary pipe isolated 1100mm gland nut		

GEV No.	375559	**Ref. No.**	002402
description	thermostat t.max. 230°C temperature range 95-230°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1250mm capillary pipe isolated 1000mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375587	**Ref. No.**	059235
description	thermostat t.max. 285°C temperature range 100-285°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 1150mm capillary pipe isolated 1130mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

Find the complete and up-to-date range of products in our GEV Webshop

GEV No.	375574	**Ref. No.**	055996
description	thermostat t.max. 300°C temperature range 115-300°C 3-pole 3NO 16A probe ø 2.5mm probe L 322mm capillary pipe 1150mm capillary pipe isolated 1000mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

GEV No.	375038	**Ref. No.**	0H6217
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	GEV No.	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		

GEV No.	375412	**Ref. No.**	0A2206
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318°		

GEV No.	375565	**Ref. No.**	0C0270
description	thermostat t.max. 350°C temperature range fixed 350°C 3-pole 3NC 16A probe ø 3mm probe L 190mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm		

GEV No.	375210	**Ref. No.**	049191
description	thermostat t.max. 90°C temperature range 38-90°C 3-pole 3CO 16A probe ø 6mm probe L 215mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft Lmm rotation 270°		

GEV No.	375411	**Ref. No.**	052000
description	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3NO 16A probe ø 6mm probe L 129mm capillary pipe 1480mm capillary pipe isolated 1100mm gland nut M10x1 shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.10/19_ series

GEV No.	390062	**Ref. No.**	0A2011
description	safety thermostat switch-off temp. 235°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1500mm gland nut M9x1 probe SS		
accessories for	390062		
	GEV No.	551083	Ref. No. —
	cap for safety thermostat thread M8x1		

GEV No.	375191	**Ref. No.**	004108
description	safety thermostat switch-off temp. 500°C 1-pole 16A probe ø 3.9mm probe L 230mm capillary pipe 870mm capillary pipe isolated 660mm gland nut probe		

55.11_ series

GEV No.	375767	**Ref. No.**	031482
description	safety thermostat switch-off temp. 170°C 1-pole 16A probe ø 3.1mm probe L 160mm capillary pipe 650mm capillary pipe isolated 600mm gland nut probe		

55.13_ series

GEV No.	375854	**Ref. No.**	0E5086
description	safety thermostat switch-off temp. 126°C 1-pole 16A probe ø 6mm probe L 129mm capillary pipe 1730mm capillary pipe isolated 800mm gland nut M9x1 shaft ø 6x4.6mm starting temperature 120°C probe		

55.31_ series

GEV No.	390165	**Ref. No.**	051644
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 173mm capillary pipe 830mm capillary pipe isolated 800mm gland nut probe SS		

GEV No.	390045	**Ref. No.**	051637
description	safety thermostat switch-off temp. 160°C 3-pole 0.5A probe ø 6mm probe L 173mm capillary pipe 830mm capillary pipe isolated 800mm gland nut probe SS		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	375573	**Ref. No.**	059552
description	safety thermostat switch-off temp. 225°C 3-pole 20A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 800mm gland nut probe SS		

1

GEV No.	375588	**Ref. No.**	053183
description	safety thermostat switch-off temp. 285°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 940mm gland nut probe		

1

GEV No.	375108	**Ref. No.**	052331
description	safety thermostat switch-off temp. 250°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 1230mm capillary pipe isolated 800mm gland nut probe SS		

1

GEV No.	375571	**Ref. No.**	051454
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 890mm gland nut probe SS		

1

GEV No.	390087	**Ref. No.**	051369
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 2530mm capillary pipe isolated 1600/210/375mm gland nut probe SS		

1

GEV No.	375377	**Ref. No.**	051643
description	safety thermostat switch-off temp. 350°C 3-pole 3NC 1x20/2x0.5A probe ø 6mm probe L 157mm capillary pipe 1230mm capillary pipe isolated 1100mm gland nut probe		

1

GEV No.	375641	**Ref. No.**	054932
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 239mm capillary pipe 2530mm capillary pipe isolated 1600/210mm gland nut probe SS		

55.32_ series

1

GEV No.	390167	**Ref. No.**	059079
description	safety thermostat switch-off temp. 140°C 3-pole capillary pipe isolatedmm gland nut		



GEV No.	375170	**Ref. No.**	002711
description	safety thermostat switch-off temp. 150°C 1-pole 20A probe ø 6mm probe L 74mm capillary pipe 1700mm capillary pipe isolated 1100mm gland nut probe		



GEV No.	375586	**Ref. No.**	0A5435
description	safety thermostat switch-off temp. 245°C 1-pole 0.5A probe ø 6mm probe L 77mm capillary pipe 1290mm capillary pipe isolated 1100mm gland nut probe SS		

GEV No.	375657	**Ref. No.**	0C1147
description	safety thermostat switch-off temp. 150°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 74mm capillary pipe 1700mm capillary pipe isolated 1100mm gland nut probe SS		

GEV No.	375585	**Ref. No.**	006282
description	safety thermostat switch-off temp. 245°C 3-pole 0.5A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

GEV No.	375577	**Ref. No.**	005295
description	safety thermostat switch-off temp. 170°C 3-pole 0.5A probe ø 6mm probe L 87mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe		

GEV No.	375578	**Ref. No.**	004472
description	safety thermostat switch-off temp. 245°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 2700mm capillary pipe isolated 1600mm gland nut probe SS		



GEV No.	375558	**Ref. No.**	004742
description	safety thermostat switch-off temp. 170°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 900mm capillary pipe isolated 800mm gland nut probe SS		

GEV No.	375580	**Ref. No.**	005941
description	safety thermostat switch-off temp. 250°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	375557	**Ref. No.**	006307
description	safety thermostat switch-off temp. 270°C 3-pole 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

1

GEV No.	375659	**Ref. No.**	007042
description	safety thermostat switch-off temp. 338°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 53mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M10x1		

1

GEV No.	375789	**Ref. No.**	005680
description	safety thermostat switch-off temp. 338°C 2-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut screw-in probe probe thread M14x1		

1

GEV No.	375455	**Ref. No.**	002730
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		

1

GEV No.	375579	**Ref. No.**	003594 053980
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 6mm probe L 74mm capillary pipe 1500mm capillary pipe isolated 1500mm gland nut probe		

1

GEV No.	375563	**Ref. No.**	004600
description	safety thermostat switch-off temp. 360°C 3-pole 1x20/2x0.5A probe ø 6mm probe L 79mm capillary pipe 1200mm capillary pipe isolated 1200mm gland nut probe SS		

1

GEV No.	390142	**Ref. No.**	004919
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		

1

GEV No.	375562	**Ref. No.**	004269
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

control thermostats with operation switch

55.10/19_ series

1

GEV No.	390052	**Ref. No.**	052330
description	thermostat t.max. 185°C temperature range 90-185°C 1-pole 1NO 15A probe ø 4mm probe L 229mm capillary pipe 2500mm capillary pipe isolated 1200/200mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper° rotation 270° outer switch 2NO		

1

GEV No.	375581	**Ref. No.**	002109
description	thermostat t.max. 260°C temperature range 55-260°C 1-pole 1NO 16A probe ø 4mm probe L 116mm capillary pipe 1300mm capillary pipe isolated 1300mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		

1

GEV No.	390039	**Ref. No.**	051142
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 173mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° outer switch 2NO		
accessories for	390039		
	GEV No.	111934	Ref. No. —
	knob thermostat t.max. 90°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 30-90°C rotation 270°		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats

1

GEV No.	390005	**Ref. No.**	069423
description	thermostat t.max. 85°C temperature range 25-85°C 1-pole 1CO 15A probe ø 11mm probe L 35mm capillary pipe 600mm capillary pipe isolated 600mm gland nut shaft ø ø6x4.6mm shaft L 8mm shaft position upper° rotation 270° screw-in probe		
accessories for	390005		
	GEV No.	510417	Ref. No. —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	GEV No.	550261	Ref. No. —
	nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs		

refrigeration thermostats

universal without housing

1

GEV No.	390534	**Ref. No.**	0A8246
description	thermostat temperature range -35 up to +35°C probe ø6x110mm capillary pipe 1800mm PRODIGY		
accessories for	390534		
	GEV No.	110305	Ref. No. —
	knob thermostat t.max. 35°C temperature range -35 up to +35°C ø 45mm shaft ø 6x4.6mm shaft flat inclined rotation 270° white		

RANCO

K22 series

1

GEV No.	390539	**Ref. No.**	0A8963
description	thermostat RANCO type K22L3521 probe ømm probe Lmm capillary pipe 2000mm temperature range -2 up to +8°C		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	390223	**Ref. No.**	083697
description	thermostat RANCO type K22L2560 capillary pipe 2000mm probe ø10x110mm		

K50 series

1

GEV No.	390224	**Ref. No.**	0A8728
description	thermostat RANCO type K50L3199 capillary pipe 2000mm		

1

GEV No.	390255	**Ref. No.**	083520
description	thermostat RANCO type K50P1115/012 capillary pipe 2000mm temperature range +1.5 up to +11°C		

K52 series



1

GEV No.	390214	**Ref. No.**	0A8653
description	thermostat RANCO type K52L4512 probe ø 11mm probe L 30mm capillary pipe 2100mm temperature range -6.4 up to +3.2°C		

K55 series

1

GEV No.	390259	**Ref. No.**	082025
description	thermostat RANCO type K55L5026 probe ømm probe Lmm capillary pipe 2000mm temperature range +0.5 up to +8.0°C		

1

GEV No.	390251	**Ref. No.**	081689
description	thermostat RANCO type K55L5027 capillary pipe 2000mm temperature range -1.4 up to +5.4°C		

1

GEV No.	390248	**Ref. No.**	083135
description	thermostat RANCO type K55L5079 capillary pipe 2000mm temperature range +2 up to +10°C		

1

GEV No.	390217	**Ref. No.**	083147
description	thermostat RANCO type K55L5080 probe ømm probe Lmm capillary pipe 2000mm temperature range -3 up to +10°C		

1

GEV No.	390542	**Ref. No.**	087516
description	thermostat RANCO type K55P5851 probe ø 2mm probe Lmm capillary pipe 2500mm		

K61 series

1

GEV No.	390586	**Ref. No.**	086288
description	thermostat RANCO type K61L1504 probe ø 2mm probe Lmm capillary pipe 1800mm T war 11.5°C T cold 22°C		

accessories

fitting parts

1

GEV No.	504736	**Ref. No.**	048987
description	bracket for contact thermostat		

probe clips

clamps

for thermostat

1

GEV No.	550403	**Ref. No.**	056330
description	probe clip for pipe ø 8.5mm for probe ø 6mm Qty 1 pcs		

1

GEV No.	550401	**Ref. No.**	066823
description	probe clip for pipe ø 9mm for probe ø 6mm Qty 1 pcs		

spring clips

for safety thermostat

1

GEV No.	550005	**Ref. No.**	0H6907
description	probe clip for pipe ø 17x6mm for probe ø 6mm Qty 1 pcs for flat tube heating element		

1

GEV No.	550539	**Ref. No.**	004923
description	probe clip for pipe ø 8.5mm for probe ø 4mm Qty 1 pcs		

miscellaneous

1

GEV No.	504757	**Ref. No.**	0L0280
description	screw connection ID ø 10mm for probe		

capillary tube clips

1

GEV No.	550004	**Ref. No.**	0H6906
description	capillary tube clip for pipe ø 17x6mm for flat tube heating element		

1

GEV No.	550138	**Ref. No.**	052262
description	capillary tube clip for pipe ø 8.5mm for circular tube heating elements		

gland nut accessories

locking screws

1

GEV No.	504738	**Ref. No.**	067899
description	screw connection for probe thread M12x1 ID ø 6.3mm L 18mm		
accessories for	504738		

GEV No.	528485	Ref. No.	067898
O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs			

1

GEV No.	550926	**Ref. No.**	059295
description	union screw thread M12x1 probe ø max. 4mm SS		

1

GEV No.	550925	**Ref. No.**	002076
description	union screw thread M12x1 probe ø max. 6mm SS		

Find the complete and up-to-date range of products in our GEV Webshop

connecting bows

1

GEV No.	550060	**Ref. No.**	054376
description	connecting bow long for thermostat Qty 1 pcs		

1

GEV No.	550059	**Ref. No.**	0A2205
description	connecting bow short for switch Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

27.8x25mm

1

GEV No.	347656[1]	**Ref. No.**	085987
description	rocker switch mounting measurements 27.8x25mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm		

[1] illuminated

30x22mm

1

GEV No.	301009	**Ref. No.**	082390
description	rocker switch mounting measurements 30x22mm white 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301009		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	301036	**Ref. No.**	002150
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	345711	**Ref. No.**	082473
description	rocker switch mounting measurements 30x22mm white 2CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		
accessories for	345711		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	345714	**Ref. No.**	082486
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated refrigeration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

blank

1

GEV No.	345390	**Ref. No.**	054547
description	momentary rocker switch mounting measurements 30x22mm red 1NC 230V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	345390		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	346297	**Ref. No.**	056880
description	rocker switch mounting measurements 30x22mm orange 2NO 230V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	346297		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	346298	**Ref. No.**	056879
description	rocker switch mounting measurements 30x22mm yellow 2NO 230V 16A illuminated II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	346298		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

labelled

1

GEV No.	300125	**Ref. No.**	053810
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	300125		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

with symbol

1

GEV No.	346385	**Ref. No.**	054552
description	rocker switch mounting measurements 30x22mm green 2CO 230V 16A illuminated fan connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	346385		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	346386	**Ref. No.**	058808
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated I-II connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
accessories for	346386		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	346384	**Ref. No.**	053837
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated I-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	346384		
	GEV No.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

1

GEV No.	345713	**Ref. No.**	082391
description	rocker switch mounting measurements 30x22mm white/yellow 1NO/NO 250V 16A illuminated lighting, I-II connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40		

push/momentary push switches

30x22mm

1

GEV No.	301036	**Ref. No.**	002150
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

ø16mm

1

GEV No.	346287[1]	**Ref. No.**	002418
description	momentary push switch mounting ø 16mm red 1NO 250V 3A illuminated connection male faston 2.8mm ambient temperature max. 125/55°C protection IP65 with cover cap		

[1]illuminated

ø25mm

1

GEV No.	345038	**Ref. No.**	053978
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

1

GEV No.	345161[1]	**Ref. No.**	054518
description	push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

[1]illuminated

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	345715	**Ref. No.**	082328
description	push switch mounting ø 25mm white 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

1

GEV No.	345039	**Ref. No.**	053979
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
accessories for	345039		
	GEV No.	345001	Ref. No. —
	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		

2 hole fixing

1

GEV No.	345021	**Ref. No.**	046348
description	momentary push switch 2NO		

GEV Image not available

1

GEV No.	345999	**Ref. No.**	045165
description	push switch 2NO 250V 16A connection male faston 6.3mm protection IP40		

accessories

fitting parts

1

GEV No.	345998	**Ref. No.**	048575
description	fixing plate		

push buttons



1

GEV No.	346311	**Ref. No.**	003768
description	push button		

1

GEV No.	345729	**Ref. No.**	083049
description	push button external size 23x23mm black		

element holders

1

GEV No.	346310	**Ref. No.**	003767
description	element holder ø 24mm		

microswitches

lever actuated

1

GEV No.	345102	**Ref. No.**	0A8015
description	microswitch with lever 1NO connection cable		

1

GEV No.	346362	**Ref. No.**	0K2976
description	microswitch with lever connection cable		

1

GEV No.	346927	**Ref. No.**	0HA094
description	microswitch with lever 250V 10A 2CO connection male faston 6.3mm Lmm ambient temperature max. 125°C mounting distance 22mm double type VRSR01DA1 actuating force: 220g		

1

GEV No.	345254	**Ref. No.**	046286
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		

1

GEV No.	345257	**Ref. No.**	069484
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		

1

GEV No.	345107	**Ref. No.**	047485
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 98mm ambient temperature max. 125°C mounting distance 22mm actuating force: 30g lever length 90mm		

1

GEV No.	346072	**Ref. No.**	0E0209
description	microswitch with lever 250V 6A 1CO connection male faston 6.3mm ambient temperature max. 85°C lever length 71mm		

1

GEV No.	347007	**Ref. No.**	046322
description	microswitch with lever 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C lever length 55mm		

roller-lever actuated

heavy duty version

1

GEV No.	346979	**Ref. No.**	0L1942
description	microswitch with handle with a switch 250V 5A 1CO connection male faston 6.3mm L 25mm L1 49mm ambient temperature max. 85°C mounting distance 22mm type MF45 actuating force: 150g lever length 25mm		

non-standard

1

GEV No.	347008	**Ref. No.**	0E5629
description	microswitch with handle with a switch 250V 5A 1CO connection cable ambient temperature max. 85°C lever length 20mm		

pin-plunger actuated

M10

1

GEV No.	345032	**Ref. No.**	0KI395
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		

1

GEV No.	347004	**Ref. No.**	087151
description	microswitch with plunger thread M10x1 thread L 16mm 250V 10A 1NO connection male faston 6.3mm stroke 8mm mounting distance 22mm ambient temperature max. 85°C actuating force: 160g		

with push button

switches with snap-fit

1

GEV No.	345249	**Ref. No.**	084403
description	microswitch with push button 250V 0.25A 1NO connection male faston 6.3mm L 26x12mm ambient temperature max. 85°C actuating force: 500g		

1

GEV No.	346772	**Ref. No.**	087485
description	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g		

Find the complete and up-to-date range of products in our GEV Webshop

non-standard

1

GEV No.	345777	**Ref. No.**	004288
description	microswitch		

1

GEV No.	301207	**Ref. No.**	004241
description	microswitch operation switch mounting distance 24mm 250V 0.5A NO connection male faston 4.8mm type 209 actuating force: 400g		

position switches

PIZZATO

FR series

1

GEV No.	345144	**Ref. No.**	046884
description	position switch plastic 1NC/1NO 400V 3A L 92mm W 31mm H 31mm protection IP67 actuating force: 360g screw connection PG13.5 mounting distance 22mm screw		

TELEMECANIQUE (EFA)

1

GEV No.	345823	**Ref. No.**	048159
description	position switch		

system switches (ROLD)

1

GEV No.	345723	**Ref. No.**	082916
description	adjusting screw		

1

GEV No.	345721	**Ref. No.**	083050
description	blank cap holder		

1

GEV No.	345724	**Ref. No.**	082919
description	cap size 23x23mm black MIN/MED/MAX		

1

GEV No.	345604	**Ref. No.**	083047
description	element holder single mounting measurements 28.5x28.5mm black for push buttons 23x23mm		

1

GEV No.	345603	**Ref. No.**	083048
description	element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm		

1

GEV No.	345601	**Ref. No.**	0A8268
description	indicator lamp holder V ø 11mm		

1

GEV No.	345733	**Ref. No.**	0A8267
description	indicator light lens yellow defrosting		

1

GEV No.	345832	**Ref. No.**	049068
description	momentary switch unit 1CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345825	**Ref. No.**	049315
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		

1

GEV No.	345734	**Ref. No.**	0A8264
description	push button 230V green illuminated ømm		

1

GEV No.	345739	**Ref. No.**	083202
description	push button L 25mm W 19.5mm black		

1

GEV No.	345737	**Ref. No.**	083200
description	push button L 25mm W 19.5mm black 0-1		

1

GEV No.	345740	**Ref. No.**	083209
description	push button L 25mm W 19.5mm black light		

1

GEV No.	345746	**Ref. No.**	0A8271
description	push button L 25mm W 19.5mm black light		

1

GEV No.	345738	**Ref. No.**	083201
description	push button L 25mm W 19.5mm black moisture		

1

GEV No.	345732	**Ref. No.**	0A8269
description	push button L 25mm W 19.5mm black ventilation		

1

GEV No.	345833	**Ref. No.**	049062
description	push button ø 23mm grey		

1

GEV No.	345829	**Ref. No.**	049325
description	push button ø 23mm grey drain pump		

1

GEV No.	345827	**Ref. No.**	049317
description	push button ø 23mm grey Sinus		

1

GEV No.	345834	**Ref. No.**	049065
description	push button ø 23mm yellow		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	345828	**Ref. No.**	049318
description	push button ø 23mm yellow start / I		

1

GEV No.	345727	**Ref. No.**	0A8691
description	push button size 23x23mm black 0-1 with lens		

1

GEV No.	345726	**Ref. No.**	082937
description	push button size 23x23mm black light with lens		

1

GEV No.	345725	**Ref. No.**	082901
description	push button size 23x23mm black moisture with lens		

1

GEV No.	345745	**Ref. No.**	0A8747
description	push button size 23x23mm black ventilation with lens		

1

GEV No.	345731	**Ref. No.**	0A8272
description	rotary disc red/black disc ø 16.9mm		

1

GEV No.	345719	**Ref. No.**	0A8273
description	switch 1CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345722	**Ref. No.**	0A8274
description	switch 1NO 250V 16A connection male faston 6.3mm		

1

GEV No.	345651	**Ref. No.**	003766
description	switch 2CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345826	**Ref. No.**	049326
description	switch 2CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345831	**Ref. No.**	049063
description	switch 2CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345720	**Ref. No.**	0A8754
description	switch 2NO 250V 16A connection male faston 6.3mm		

1

GEV No.	345824	**Ref. No.**	049316
description	switch 2NO 250V 16A connection male faston 6.3mm		

float switches





1

GEV No.	345822	**Ref. No.**	049478
description	float switch thread M16x1.5 1NO or 1NC ø 17.4mm L 98mm mounting ø 16mm 250V 0.5A cable cable length 2000mm		





1

GEV No.	345484	**Ref. No.**	0E5808
description	float switch thread M16x1.5 1NO or 1NC ø 17.5mm L 92mm mounting ø 16mm 250V 1A cable cable length 2000mm		

cam switches

on/off

1

GEV No.	301087	**Ref. No.**	047498
description	cam switch 2 operating positions 2NO sequence 0-1 10A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ON-OFF plastic		



1

GEV No.	300218	**Ref. No.**	0E5222
description	cam switch 2 operating positions 6NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	300074	**Ref. No.**	0A2162
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

1

GEV No.	300020	**Ref. No.**	028390
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
accessories for	300020		
	GEV No.	110135	Ref. No. —
	rosette knob up to ø 52mm		
	GEV No.	110231	Ref. No. —
	knob switch 0-1-0-1 t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	300017	**Ref. No.**	0A2241
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

1

GEV No.	300102	**Ref. No.**	050857
description	cam switch 4 operating positions 4NO sequence 0-1-0-1 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

5-position

1

GEV No.	300075	**Ref. No.**	025300
description	cam switch 5 operating positions 2NO/2CO sequence 0-1-2-3-4 32A shaft ø 6x4.6mm shaft L 23mm connection screw 5-position ceramic		

7-position

1

GEV No.	300004	**Ref. No.**	0K6627
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position ceramic		

1

GEV No.	300025	**Ref. No.**	0A2021
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		
	GEV No.	112172	Ref. No. —
	knob universal ø 70mm black without adaptor/dial plate		
	GEV No.	112213	Ref. No. —
	knob dial plate silver switch 7-position t.max.°C°C ED ø 63mm ID ø 45.5mm		
	GEV No.	112311	Ref. No. —
	knob adapter shaft ø 6x4.6mm L 0mm with spring		

1

GEV No.	300106	**Ref. No.**	0A2022
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		



1

GEV No.	300177	**Ref. No.**	053408 059238
description	cam switch 7 operating positions 6NO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position		

3 operating positions



1

GEV No.	345171	**Ref. No.**	048271
description	cam switch 3 operating positions 3NO sequence 0-1-2 16A shaft ø 6x4.6mm shaft L 26mm connection male faston 6.3mm ceramic		
accessories for	345171		
	GEV No. 112340	Ref. No.	048340
	knob switch zero mark t.max.°C temperature range°C ø 40mm shaft ø 6x4.6mm shaft flat left black		

4 operating positions



1

GEV No.	300010	**Ref. No.**	057934
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

GEV No.	301216	**Ref. No.**	059544
description	cam switch 4 operating positions 5NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		

1

GEV No.	301186	**Ref. No.**	049144
description	cam switch 4 operating positions 7NO sequence 1-0-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

1

GEV No.	301090	**Ref. No.**	053866
description	cam switch 4 operating positions sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 7-pole		



1

GEV No.	301215	**Ref. No.**	0C0320
description	cam switch 4 operating positions shaft ø 6x4.6mm connection male faston 11-pole		



1

GEV No.	301187	**Ref. No.**	049145
description	cam switch 4 operating positions shaft ø 6x4.6mm connection male faston 4-pole		

Find the complete and up-to-date range of products in our GEV Webshop

5 operating positions



1

GEV No.	300009	**Ref. No.**	051647
description	cam switch 5 operating positions changeover switch sequence 0-1-2-3-4 16A shaft ø 6x4.6mm connection male faston 8-pole		



1

GEV No.	301229	**Ref. No.**	005213
description	cam switch 5 operating positions sequence 0-1-2-3-4 shaft ø 6x4.6mm connection male faston 3-pole		



1

GEV No.	301211	**Ref. No.**	004268
description	cam switch 5 operating positions sequence 0-1-2-3-4 shaft ø 6x4.6mm connection male faston 7-pole		

6 operating positions



1

GEV No.	345170	**Ref. No.**	048270
description	cam switch 6 operating positions 1CO sequence 0-1-2-3-4-5 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
accessories for	345170		
	GEV No.	112340	Ref. No. 048340
	knob switch zero mark t.max.°C temperature range°C ø 40mm shaft ø 6x4.6mm shaft flat left black		



1

GEV No.	301184	**Ref. No.**	048286
description	cam switch 6 operating positions programme shaft ø 6x4.6mm connection male faston 1-pole		



1

GEV No.	301092	**Ref. No.**	058806
description	cam switch 6 operating positions selection/ program shaft ø 6x4.6mm connection male faston 7-pole		

7 operating positions

1

GEV No.	301210	**Ref. No.**	004741
description	cam switch 7 operating positions 7NO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		



1

GEV No.	300233	**Ref. No.**	002661
description	cam switch 7 operating positions shaft ø 6x4.6mm shaft L 23mm 5-pole		

8 operating positions



1

GEV No.	301094	**Ref. No.**	055017
description	cam switch 8 operating positions 7NO sequence 0-1-2-3-4-5-6-7 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

GEV No.	345169	**Ref. No.**	048829
description	cam switch 8 operating positions connection male faston 5-pole		
accessories for	345169		
	GEV No.	110907	Ref. No. 048830
	knob switch zero mark ø 44mm shaft ø 6x4.6mm shaft flat left black		



1

GEV No.	301238	**Ref. No.**	003761
description	cam switch 8 operating positions shaft ø 6x4.6mm connection male faston 4-pole		

operation switches

1

GEV No.	300002	**Ref. No.**	0A2134
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

1

GEV No.	300080	**Ref. No.**	026945
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
accessories for	300080		
	GEV No.	551456	Ref. No. —
	gasket for switch ED ø 14mm ID ø 2.5mm thickness 3.5mm white		



1

GEV No.	300180	**Ref. No.**	006649
description	cam switch 2 operating positions operation switch 32A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		



1

GEV No.	301142	**Ref. No.**	055473
description	cam switch 2 operating positions operation switch sequence 1-2 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		

1

GEV No.	301095	**Ref. No.**	054324
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		

1

GEV No.	300200	**Ref. No.**	054375
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

Find the complete and up-to-date range of products in our GEV Webshop

miscellaneous



1

GEV No.	300221	**Ref. No.**	0E5131
description	cam switch 2 operating positions 4NO sequence 1-2 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		



1

GEV No.	301299	**Ref. No.**	0C6245
description	cam switch 8 operating positions 5NO sequence 0-1-2-3-4-5-6-7 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

rotary switches

BREMAS

A1600 series

1

GEV No.	301182	**Ref. No.**	046649
description	rotary switch 4 0-1-2-3 sets of contacts 13 type SCH.0713/6194 600V 20A shaft ø 4x5mm shaft L 25mm square connection male faston 6.3mm		

miscellaneous

GEV
Image not available

1

GEV No.	300327	**Ref. No.**	046879
description	rotary switch		

GOTTAK

1

GEV No.	300219	**Ref. No.**	0E5132
description	switch 3 operating positions 3NO sequence 0-1 momentary switch 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

magnetic switches

29x19mm

1



GEV No.	345117	**Ref. No.**	048392
description	magnetic switch L 28.5mm W 19mm 1NO 250V 0.04A P max. 10W connection cable cable length 1000mm		

35x22mm



1

GEV No.	347003	**Ref. No.**	0K7171
description	magnetic switch L 35mm W 22mm 1NO 230V 1A 60W		

36x13mm



GEV No.	345820[1]	**Ref. No.**	049226
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection plug cable length 290mm		

[1]with coded connector

36x26mm



GEV No.	346999	**Ref. No.**	049969
description	magnetic switch L 36mm W 26mm 1NC 230V 3A P max. 60W connection cable cable length 2000mm polarised		
accessories for	346999		
	GEV No. 347001	Ref. No.	088361
	magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5		



GEV No.	346998	**Ref. No.**	049966
description	magnetic switch L 36mm W 26mm 1NO 230V 3A P max. 60W connection cable cable length 2000mm		
accessories for	346998		
	GEV No. 347001	Ref. No.	088361
	magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5		



GEV No.	347000	**Ref. No.**	049967
description	magnetic switch L 36mm W 26mm 1NO 230V 3A P max. 60W connection cable cable length 5500mm		

50x19mm



GEV No.	345821	**Ref. No.**	049621
description	magnetic switch L 50mm W 19mm 1NO 250V 1A P max. 50W connection male faston 6.3mm		
accessories for	345821		
	GEV No. 519049	Ref. No.	049627
	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		

Find the complete and up-to-date range of products in our GEV Webshop

ø 6mm

1

GEV No.	345818	**Ref. No.**	048893
description	magnetic switch 250V 0.01A connection cable		

1

GEV No.	345819[1]	**Ref. No.**	048831
description	magnetic switch 250V 1A P max. 50W probe L 29mm 1NO connection plug cable length 300mm		

[1]with coded connector

1

GEV No.	345146	**Ref. No.**	048486
description	magnetic switch 250V 1A P max. 50W probe L 29mm 1NO connection plug cable length 980mm		

ø 9mm

1

GEV No.	347190	**Ref. No.**	049970
description	magnetic switch 150V 0.5A P max. 10W probe L 30mm 1NC connection cable cable length 1500mm		

M10x1

1

GEV No.	346376	**Ref. No.**	056468
description	magnetic switch thread M10x1 L 40mm 1NO 250V 1A connection cable 50W		

accessories

magnets

1

GEV No.	347002	**Ref. No.**	048667
description	magnet ø 6mm L 30mm Hmm Wmm ED ø 6mm		



1

GEV No.	347001	**Ref. No.**	088361
description	magnet ømm L 23mm H 18mm W 16mm ID ømm ED ømm M5		



1

GEV No.	519049	**Ref. No.**	049627	
description	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm			
accessories for	519049			
	GEV No.	560095	Ref. No.	—
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head			

control equipment

MOELLER/EATON

switches (complete)

push/momentary push switches

1

GEV No.	346366	**Ref. No.**	0A2232
description	momentary push switch mounting measurements ø22mm black 1NO/1CO arrow momentary		

1

GEV No.	346340	**Ref. No.**	0A2196
description	switch mounting measurements ø22mm red complete EMERGENCY SHUT-DOWN		

SCHLEGEL

symbol plates

1

GEV No.	345752	**Ref. No.**	0H6290
description	symbol plate white operating temperature		

GEV special

ø16mm

push buttons

1

GEV No.	345754	**Ref. No.**	005139
description	push button square clear ø 16mm		

1

GEV No.	345751	**Ref. No.**	005138
description	contact block 2NO/2NC		

switches

1

GEV No.	345753	**Ref. No.**	005137
description	switch mounting measurements ø16mm latching		

1

GEV No.	345755	**Ref. No.**	0K1005
description	switch mounting measurements ø16mm momentary		

ø22mm

key lock switches

1

GEV No.	345244	**Ref. No.**	0H6694
description	key lock switch mounting measurements ø22mm latching sequence 0-1		

rotary switches

1

GEV No.	345263	**Ref. No.**	0K2156
description	rotary selector mounting measurements ø22mm black momentary sequence 0-1		

switch blocks

1

GEV No.	345261	**Ref. No.**	0H6693
description	contact block 2NO 660V max. 16(4)A connection screw		

Find the complete and up-to-date range of products in our GEV Webshop

SIEMENS

3SB series ø22mm new

signal element

1

GEV No.	347897	**Ref. No.**	075605
description	signal element mounting measurements ø22mm green		

TELEMECANIQUE (EFA)

XB2 series

switches (complete)

1

GEV No.	346575	**Ref. No.**	0H6687
description	momentary push switch mounting measurements ø22mm green 1NC/1NO		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)

1

GEV No.	359803	**Ref. No.**	054151
description	indicator light lens green Qty 1 pcs ø 6mm		

1

GEV No.	359804	**Ref. No.**	053812
description	indicator light lens yellow Qty 1 pcs ø 6mm		

ø10mm (type SRZ-3)

1

GEV No.	359123	**Ref. No.**	004896
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	GEV No.	359132	Ref. No. 004895
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

1

GEV No.	359124	**Ref. No.**	004928
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs		
accessories for	359124		
	GEV No.	359132	Ref. No. 004895
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

ø12mm (type SDK-3)

1

GEV No.	359792	**Ref. No.**	047750
description	indicator light housings mounting measurements ø12mm blue Qty 1 pcs		

ø13mm (type SFK-3)

1

GEV No.	359225	**Ref. No.**	046289
description	indicator light housings mounting measurements ø13mm clear Qty 1 pcs		

1

GEV No.	359126	**Ref. No.**	075096
description	indicator light housings mounting measurements ø13mm green Qty 1 pcs		

1

GEV No.	359128	**Ref. No.**	075097
description	indicator light housings mounting measurements ø13mm red round Qty 1 pcs		

1

GEV No.	359127	**Ref. No.**	075095
description	indicator light housings mounting measurements ø13mm yellow Qty 1 pcs		

indicator lamps for socket type SQ

1

GEV No.	359109	**Ref. No.**	054150
description	indicator lamp 230V green connection male faston 6.3mm no lens ø 6mm		
accessories for	359109		

GEV No.	359806	Ref. No.	—

indicator light lens clear Qty 1 pcs ø 6mm

1

GEV No.	359110	**Ref. No.**	053811
description	indicator lamp 230V white connection male faston 6.3mm no lens ø 6mm		

indicator lamps for socket type SRZ / SDK / SDY / SFK

1

GEV No.	359130	**Ref. No.**	046241 048488
description	indicator lamp 230V clear connection male faston 6.3mm ø 8mm		

1

GEV No.	359132	**Ref. No.**	004895
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs

1

GEV No.	359603	**Ref. No.**	0H7037
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		

indicator lights (complete)

ø 6mm

1

GEV No.	345836	**Ref. No.**	049064
description	indicator light ø 6mm 230V green cable length 250mm		

ø10mm

with screw socket

1

GEV No.	359378	**Ref. No.**	0A2224
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		

1

GEV No.	359379	**Ref. No.**	0A2225
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		

with plug-in socket

1

GEV No.	359138	**Ref. No.**	0C4181
description	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		

1

GEV No.	359140	**Ref. No.**	005215
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

ø13mm

with screw socket

1

GEV No.	359144	**Ref. No.**	005012
description	indicator light ø 13mm 230V red		
accessories for	359144		

GEV No.	510302	Ref. No.	047986

O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs

GEV No.	511505	Ref. No.	—

O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs

with plug-in socket

1

GEV No.	359364	**Ref. No.**	005010
description	indicator light ø 13mm green 230V		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	359365	**Ref. No.**	005011
description	indicator light ø 13mm yellow 230V		

ø14mm

with plug-in socket

1

GEV No.	359151	**Ref. No.**	053154
description	indicator light ø 14mm green 400V connection male faston 6.3mm temp.-resist. 120°C		

1

GEV No.	359150	**Ref. No.**	053153
description	indicator light ø 14mm red 400V connection male faston 6.3mm temp.-resist. 105°C square		

1

GEV No.	359152	**Ref. No.**	053155
description	indicator light ø 14mm yellow 400V connection male faston 6.3mm temp.-resist. 105°C square		

28.5x28.5mm

1

GEV No.	345728	**Ref. No.**	0A8692
description	indicator light lens 23x23 orange defrost		

31x10mm

1

GEV No.	359306	**Ref. No.**	0H6581
description	indicator light mounting measurements 31x10mm 230V white/red/green		

33x10mm

1

GEV No.	359842	**Ref. No.**	056501
description	indicator light mounting measurements 33x10mm 24V white		

miscellaneous

1

GEV No.	359006	**Ref. No.**	0K3776
description	indicator light white 230V		

blank elements

1

GEV No.	359844	**Ref. No.**	0C3049
description	indicator light lens red ø 6mm		

1

GEV No.	359845	**Ref. No.**	005211
description	indicator light lens yellow ø 6mm		

screw-on/push-on fit

neon light bulbs

1

GEV No.	359603	**Ref. No.**	0H7037
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		

light bulbs

for ovens

1

GEV No.	359612	**Ref. No.**	054840
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

halogen lamp

for socket G4 / G6.35 / G9

1

GEV No.	357191	**Ref. No.**	0C4396
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

oven lamps

universal oven lamps

mounting diameter 28.5mm

1

GEV No.	359317	**Ref. No.**	0H7040
description	oven lamp mounting ø 28.5mm 12V 5W socket G4 temp.-resist. 300°C cable length 300mm		
spare parts for	359317		
	GEV No.	359308	Ref. No. 0H6582
	oven lamp glass		

1

GEV No.	359308	**Ref. No.**	0H6582
description	oven lamp glass		

mounting diameter 35.5mm

1

GEV No.	359701	**Ref. No.**	002625
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
accessories for	359701		
	GEV No.	359705	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	GEV No.	359709	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
	GEV No.	359721	Ref. No. —
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	GEV No.	359942	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		

1

GEV No.	359841	**Ref. No.**	007105
description	lamp socket socket G4 mounting ø 35.5mm connection cable 3500mm		
accessories for	359841		
	GEV No.	359763	Ref. No. 002626
	frame without socket		
	GEV No.	359764	Ref. No. 002627
	lamp glass ø 44mm		
	GEV No.	359765	Ref. No. 002628
	lamp holder ID ø 38mm ED ø 76mm		

1

GEV No.	359762	**Ref. No.**	0C1555
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		

mounting diameter 47.8mm

1

GEV No.	357187	**Ref. No.**	056708
description	oven lamp mounting ø 47.8mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	357187		
	GEV No.	359610	Ref. No. —
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
	GEV No.	359725	Ref. No. —
	oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C		

Find the complete and up-to-date range of products in our GEV Webshop

55x70mm

1

GEV No.	359298	**Ref. No.**	0K3363
description	lamp socket 230V 25W socket E14 mounting measurements 70x55mm connection male faston 6.3mm		
accessories for	359298		
	GEV No.	359937	Ref. No. —
	lamp glass L 80mm W 65mm mounting measurements 52x67mm		

1

GEV No.	359375	**Ref. No.**	003956
description	lamp socket complete without lamp socket E14 mounting measurements 55x70mm		

55x100mm

1

GEV No.	359698	**Ref. No.**	054991
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
spare parts for	359698		
	GEV No.	358119	Ref. No. —
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	GEV No.	358122	Ref. No. —
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		
	GEV No.	358123	Ref. No. —
	lamp glass L 112mm W 68mm		
	GEV No.	359612	Ref. No. 054840
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	GEV No.	359714	Ref. No. 055022
	gasket for bulb socket		
	GEV No.	359715	Ref. No. —
	lamp glass L 110mm W 65mm thickness 5mm		
	GEV No.	359716	Ref. No. —
	frame for bulb socket		
accessories for	359698		
	GEV No.	359612	Ref. No. 054840
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	GEV No.	359938	Ref. No. —
	borosilicate glass L 115mm W 69mm		

1

GEV No.	359714	**Ref. No.**	055022
description	gasket for bulb socket		

1

GEV No.	359698	**Ref. No.**	054991
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
spare parts for	359698		
	GEV No.	358119	Ref. No. —
	frame L 118mm W 72mm mounting distance 143mm for bulb socket		
	GEV No.	358122	Ref. No. —
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket		
	GEV No.	358123	Ref. No. —
	lamp glass L 112mm W 68mm		
	GEV No.	359612	Ref. No. 054840
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	GEV No.	359714	Ref. No. 055022
	gasket for bulb socket		
	GEV No.	359715	Ref. No. —
	lamp glass L 110mm W 65mm thickness 5mm		
	GEV No.	359716	Ref. No. —
	frame for bulb socket		
accessories for	359698		
	GEV No.	359612	Ref. No. 054840
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	GEV No.	359938	Ref. No. —
	borosilicate glass L 115mm W 69mm		

lamps

light bulbs

1

GEV No.	359612	**Ref. No.**	054840
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

halogen lamps

for socket G4 / G6.35 / G9

1

GEV No.	357191	**Ref. No.**	0C4396
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

sockets

E14

1

GEV No.	359307	**Ref. No.**	0K2016
description	lamp socket socket E14 L 28mm with 2 hole fixing		

residual heat indicators

1

GEV No.	359326	**Ref. No.**	059047
description	residual heat indicator 4-fold		

timers

programme timers

1

GEV No.	360280	**Ref. No.**	046621
description	timer		

1

GEV No.	360283	**Ref. No.**	068671
description	timer		

1

GEV No.	360005	**Ref. No.**	069420
description	timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. WE006 motor type 82354021L		

1

GEV No.	360508	**Ref. No.**	0KU798
description	timer BIGATTI engines 1 chambers 2 operation time 60min 230V 50/60Hz shaft ø 6x5mm shaft L 19.5mm manuf. no. D94.04 / CCS011 motor type UDS11UD5RKZ253 for oven		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	360349	**Ref. No.**	069926
description	timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046		
spare parts for	360349		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

1

GEV No.	360334	**Ref. No.**	003833
description	timer FIBER P04 engines 1 chambers 2 operation time 120min 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. P045J02W401 motor type M51BJ0R6400 impulse electric		
spare parts for	360334		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		



1

GEV No.	360024	**Ref. No.**	069926 (old version)
description	timer FIBER P25 engines 1 chambers 3 operation time 2min 230V shaft ømm shaft Lmm manuf. no. P255J03H3N6 motor type M51B-J0L6400		
spare parts for	360024		
	GEV No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

1

GEV No.	360277	**Ref. No.**	049251
description	timer FIBER P25 engines 1 chambers 4 operation time 22.5min 230V shaft ømm shaft Lmm manuf. no. P255J04L2F9 motor type M51BJ0R6400		
spare parts for	360277		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

1

GEV No.	360073	**Ref. No.**	048647
description	timer FIBER P25 engines 2 chambers 5 operation time 6s / 2min 230V shaft ømm shaft Lmm manuf. no. P255J05JD84 motor type M51B-J0R6400 / M51BJ0L6400		
spare parts for	360073		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	GEV No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

1

GEV No.	360071	**Ref. No.**	048303
description	timer FIBER P25 engines 2 chambers 5 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. P255J05JB62 motor type M51B-J0R6400 / M51BJ0L6400		
spare parts for	360071		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	GEV No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		



1

GEV No.	360278	**Ref. No.**	049256
description	timer FIBER P25 engines 2 chambers 7 operation time 6s / 6min 230V shaft ømm shaft Lmm manuf. no. P255J07JFK4 motor type M51B-J0R6400 / M51BJ0L6400		
spare parts for	360278		
	GEV No.	360673	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		
	GEV No.	360674	Ref. No. —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction counterclockwise motor ø 48mm H 18.5mm motor type UDS40NE1RNZ165 cable length 150mm with holder		

1

GEV No.	360456	**Ref. No.**	045909
description	timer FIBER P34 engines 1 chambers 2 operation time 36min 230V shaft ø 5X3mm shaft L 22mm manuf. no. P345J02L867 motor type M51BJ0L6400		

mechanical timers

1

GEV No.	350061	**Ref. No.**	0C6345
description	timer DTJ with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		

1

GEV No.	350141	**Ref. No.**	0K6863
description	timer TF 2-pole operation time 120min 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M3 ambient temperature max. 80°C		

defrost timers

BIGATTI

1

GEV No.	360188	**Ref. No.**	0A8781
description	defrost timer BIGATTI type D94.00 defrosting interval 2x per 24h defrosting time 60smin fan delaymin 230V		

1

GEV No.	360058	**Ref. No.**	081983
description	defrost timer type SB3.82 defrosting interval 1-12x in 24h defrosting time 2-54min fan delay 0-15min 230V defr. funct. 1-12x per 24h		

miscellaneous

1

GEV No.	379008	**Ref. No.**	082485
description	defrost timer ELIWELL type EWTS70 12V AC/DCV mounting measurements 71x29mm front measurements 74x32mm built-in depth 60mm		
accessories for	379008		
	GEV No.	379054	Ref. No. 083833
	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

1

GEV No.	360187	**Ref. No.**	084986
description	defrost timer type RZ-2001-21 defrosting interval 4H defrosting time 15min fan delay 5min 230V 50Hz defr. funct. 4x per 24h		

Find the complete and up-to-date range of products in our GEV Webshop

alarm devices

alarm units

1

GEV No.	350056	**Ref. No.**	055368
description	alarm device 220-240VAC ømm H 25mm wall-mounted version mounting distancemm 83dB protection IPx0		

buzzers

1

GEV No.	350085	**Ref. No.**	0G1993
description	buzzer connection plug-in connection		

contactors

BENEDIKT & JÄGER

power contactors

1

GEV No.	380672	**Ref. No.**	0H7049
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K2-09A01230		

1

GEV No.	380773	**Ref. No.**	0L0285
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K3-10A01230		

1

GEV No.	380772	**Ref. No.**	088477
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10A10230		

1

GEV No.	380675	**Ref. No.**	0K3383
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K2-12A01230		

1

GEV No.	380679	**Ref. No.**	003598
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-12A01230		

1

GEV No.	380674	**Ref. No.**	0H7051
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 4NO connection screw connection type K2-12A0040230		

1

GEV No.	381079	**Ref. No.**	004012
description	power contactor resistive load 25A 230VAC (AC3/400V) 16A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K2-16A10230		

1

GEV No.	380959	**Ref. No.**	058670
description	power contactor resistive load 25A 24VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10ND10 24		

1

GEV No.	380774	**Ref. No.**	006879
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-18ND10		

1

GEV No.	380673	**Ref. No.**	0K3384
description	power contactor resistive load 45A 230VAC (AC3/400V) 11kW		

1

GEV No.	380637	**Ref. No.**	054928
description	power contactor resistive load 45A 230VAC main contacts 3NO auxiliary contacts 1NO connection screw type K2-23A10 230		

1

GEV No.	381173	**Ref. No.**	0C9763
description	power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts 1NO connection torx type K3-24B00 50/60Hz		

1

GEV No.	381085	**Ref. No.**	0L0355
description	power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts connection screw connection type K3-24A00230		

1

GEV No.	380775	**Ref. No.**	007080
description	power contactor resistive load 65A 230VAC (AC3/400V) 32A/15kW main contacts 3NO auxiliary contacts connection screw connection type K3-32A00230		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	380776	**Ref. No.**	007104
description	power contactor resistive load 80A 230VAC (AC3/400V) 40A/18.5kW main contacts 3NO auxiliary contacts connection screw connection type K3-40A00230 contacts		

1

GEV No.	380676	**Ref. No.**	0TRA70
description	power contactor resistive load 80A 230VAC (AC3/400V) 45A/20kW main contacts 3NO connection screw connection type K2-45A00230		

auxiliary contacts

1

GEV No.	380677	**Ref. No.**	047046
description	auxiliary contact contacts 1NC AC15 10A for contactors K2/K3 connection screw type HN01 AC1 25A		

1

GEV No.	380678	**Ref. No.**	046995
description	auxiliary contact contacts 1NO AC15 10A for contactors K2/K3 connection screw type HN10 AC1 25A		

1

GEV No.	380781	**Ref. No.**	048497
description	auxiliary contact contacts 1NO AC15 6A for contactors K2/K5 connection screw type HA10 AC1 25A		

ISKRA (FANAL)

power contactors

1

GEV No.	380204	**Ref. No.**	003027
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		

ABL SURSUM

motor protection circuit breakers

1

GEV No.	380303	**Ref. No.**	083472
description	motor protection circuit breaker type Mbs25-063 setting range 4-6.3A (AC3/400V) 3kW		

miscellaneous

power contactors

1

GEV No.	380391	**Ref. No.**	003305
description	power contactor 230V resistive load 110A (AC3/400V) 55/30kW main contacts 3NO connection screw		

solid state relays

CRYDOM

1

GEV No.	403038	**Ref. No.**	0K5070
description	solid state relay CRYDOM 1 phase 50A 480V 4-32VDC L 57mm W 45mm screw type CWD4850P		

relays

power relays

with DIN rail mounting

upper

1

GEV No.	380183	**Ref. No.**	048438
description	power relays FINDER 230VAC 12A 2CO connection male faston 4.8mm DIN rail manuf. no. 56.32.8.230.0007		
accessories for	380183		
	GEV No.	380476	Ref. No. —
	relay socket dimensions 78x27x33.5mm 250V voltage AC 10A FINDER manuf. no. 96.72		

1

GEV No.	380196	**Ref. No.**	048611
description	power relays FINDER 230VAC 12A 4CO connection male faston 4.8mm DIN rail manuf. no. 56.34.8.230.0007		

with flange mounting

1

GEV No.	380921	**Ref. No.**	085092
description	plug-in relay 230VAC 16A 2CO connection male faston screw mounting		

1

GEV No.	380131	**Ref. No.**	046001
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		

1

GEV No.	380130	**Ref. No.**	046380
description	power relays Italiana Relè 230VAC 16A 3NO connection male faston 6.3mm screw mounting manuf. no. B1-3-230AC		

with bracket mounting

1

GEV No.	380626	**Ref. No.**	083215
description	power relays FINDER 230VAC 10A 2CO connection male faston 4.8mm bracket mounting manuf. no. 62.62.8.230.0000		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	380312	**Ref. No.**	056466
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		

1

GEV No.	380702	**Ref. No.**	005033
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		

1

GEV No.	380636	**Ref. No.**	056510
description	power relays FINDER 24VAC 10A 3CO connection male faston 4.8mm bracket mounting manuf. no. 60.63.8.024.0000		

with special fixing

1

GEV No.	380318	**Ref. No.**	048888
description	power relays SCHRACK 230VAC 16A 2NO connection coded plug manuf. no. 0419 120301 00 2-pole		

with male contacts

female contact 4.8mm



1

GEV No.	380854	**Ref. No.**	0E5170
description	power relays FINDER 24VAC 16A 3CO connection F4.8 raster size 10mm plug-in connection manuf. no. 62.33.8.024.0000 250V connection 4.8mm		

plug-in/print relays



1

GEV No.	380333	**Ref. No.**	0E5849	
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75			
accessories for	380333			
	GEV No.	380340	Ref. No.	—
	relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5			
	GEV No.	380505	Ref. No.	—
	relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3			
	GEV No.	381181	Ref. No.	—
	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75			



1

GEV No.	380853	**Ref. No.**	0E5172
description	print relay 24VAC 1CO at 250V 16A connection pins raster size 5mm FINDER manuf. no. 40.61.8.024.0000 95.65/95.75		

relay sockets

1

GEV No.	380136	**Ref. No.**	049236
description	relay socket 11-pole connection plug-in connection round 11-pole dimensions 65x28x40mm 250V voltage AC 10A Italiana Relè manuf. no. ZVE11		
accessories for	380136		
	GEV No.	380805	Ref. No. —
	support bracket		

level relays

GICAR

1

GEV No.	400018	**Ref. No.**	055458
description	level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G		

miscellaneous

1

GEV No.	401638	**Ref. No.**	056496
description	level relay 24V type RL30/3ES/F/G		

time relays

time relays

1

GEV No.	380380	**Ref. No.**	006156
description	time relay FIBER T45Sc25 time range 0s-120h 24VAC 5A mounting measurements 45x45mm connection plug-in connection round 8-pole		

1

GEV No.	380622	**Ref. No.**	049235
description	time relay FINDER 88.02.0.230.0002 time range 0.05s-100h 24-230V AC/DC 2x8A mounting measurements 45x45mm		
accessories for	380622		
	GEV No.	380667	Ref. No. —
	relay socket 11-pole dimensions 56x43x31mm 250V voltage AC 10A FINDER manuf. no. 90.27		

1

GEV No.	360407	**Ref. No.**	075659
description	timer FINDER T23522203F0 time range 0.5s-120h 24VAC 2x6A mounting measurements 45x70mm 2CO		

transformers

open transformers

with clamp terminal

1

GEV No.	401266	**Ref. No.**	056512
description	transformer primary 230V secondary 12/24V 100VA		

Find the complete and up-to-date range of products in our GEV Webshop

toroidal core transformers

1

GEV No.	401663	**Ref. No.**	0L0174
description	transformer primary 230V secondary 12V 25VA		

1

GEV No.	379395	**Ref. No.**	006159
description	transformer primary 240V secondary 24V 200VA		

encapsulated transformers

with screw connection

1

GEV No.	401665	**Ref. No.**	0L1158
description	transformer primary 230/400V secondary 24-48V 400VA connection screw 50-60Hz		

PMA

1

GEV No.	401267	**Ref. No.**	007045
description	transformer primary 230V secondary 12/24V 60/40VA secondary 5/1.7A connection screw 50Hz		

1

GEV No.	379054	**Ref. No.**	083833
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

for lighting

1

GEV No.	401547	**Ref. No.**	002856
description	transformer primary 230V secondary 11.5V 50W		

miscellaneous

GEV Image not available

1

GEV No.	403448	**Ref. No.**	083389
description	transformer for blast chiller suitable for ZANUSSI		

electronic controllers

ELIWELL

universal controllers

built-in version

1

GEV No.	379559	**Ref. No.**	0S0989
description	electronic controller ELIWELL type IC901 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 1 relay refrigeration front measurements 74x32mm built-in depth 60mm protection IP65 accuracy superior to 0.5% from final value% defr. funct. no -55 up to +150°C display 2½ digit Templn1 yes 15A		
accessories for	379559		
	GEV No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		

Table continues overleaf

accessories for	379559			
	GEV No.	379064	Ref. No.	0D6591 7I0A9600
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
	GEV No.	379161	Ref. No.	0A9498
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
	GEV No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			

1

GEV No.	379562	**Ref. No.**	091357
description	electronic controller ELIWELL type IC902 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 1 relay front measurements 74x32mm built-in depth 61mm protection IP65 accuracy superior to 0.5% from final value% defr. funct. no -55 up to +150°C display 2½ digit TempIn1 yes 8A		
accessories for	379562		
	GEV No.	379052	Ref. No.	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		
	GEV No.	379064	Ref. No.	0D6591 7I0A9600
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	GEV No.	379161	Ref. No.	0A9498
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	GEV No.	379782	Ref. No.	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

1

GEV No.	379714	**Ref. No.**	0C3100
description	electronic controller ELIWELL type IC912 model IC11J00THD701 mounting measurements 71x29mm 230V voltage AC TC-J (TC-K - Pt100) relay outputs 1 relay CO-8A(3) TC-J (TC-K - Pt100) front measurements 74x32mm protection IP65 -150 to 1350°C°C display 3½ digits		
accessories for	379714		
	GEV No.	378074	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø3x100mm cable length 3m without screw connection 2-wire		

accessories for	379714			
	GEV No.	378075	Ref. No.	—
	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C probe ø4.5x150mm cable length 3m without screw connection 2-wire			
	GEV No.	379051	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x100mm cable length 3m without screw connection cable colours red/blue 2-wire			
	GEV No.	379062	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire			

1

GEV No.	379567	**Ref. No.**	0C3421
description	electronic controller ELIWELL type ICPlus902 model ICP11J0550000 mounting measurements 71x29mm 24V voltage AC Pt100/TC (J,K) relay outputs 1 CO-8A(3) Pt100/TC (J,K) built-in depth 60mm defr. funct. -150 to 1350°C°C display 3½ digits		
accessories for	379567		
GEV Image not available	GEV No.	378064	Ref. No.	—
	alarm device AKO type AKO-520631 mounting measurements 214x214mm 230V voltage AC relay outputs 1 CO-8A(4) up to 1 front measurements 222x222mm protection accuracy% yes yes		
	GEV No.	378075	Ref. No.	—
	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C probe ø4.5x150mm cable length 3m without screw connection 2-wire		
	GEV No.	379050	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	GEV No.	379062	Ref. No.	—
	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø6x50mm cable length 3m without screw connection 2-wire		
	GEV No.	379131	Ref. No.	—
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x85mm cable length 3m without screw connection 3-wire resistance at 0ºC 100Ohm		
	GEV No.	400583	Ref. No.	—
	transformer primary 230VAC secondary 24VAC 10VA secondary 0.4A connection screw 50Hz		

Find the complete and up-to-date range of products in our GEV Webshop

refrigeration controllers

built-in version

1

GEV No.	379025	**Ref. No.**	0S0786
description	electronic controller ELIWELL type ID961LX mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 front measurements 76.2x35mm protection IP65 -55 up to +150°C display 3½ digits		

1

GEV No.	378135	**Ref. No.**	087780
description	electronic controller ELIWELL type ID974 mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC relay outputs 3 relays -50 up to +150°C display 3½ digits RoomTempIN yes DEF Probe yes DEF Relay 8A fan relay 8A compressor relay 15A		
accessories for	378135		
	GEV No.	379053	Ref. No. —
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		
	GEV No.	379064	Ref. No. 0D6591 7I0A9600
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		
	GEV No.	379161	Ref. No. 0A9498
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	GEV No.	379782	Ref. No. —
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm		

accessories

load modules

1

GEV No.	379056	**Ref. No.**	083196
description	load module ELIWELL type EWDR Slave 230V voltage AC		

SHANGFANG

accessories

1

GEV No.	379054	**Ref. No.**	083833
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

miscellaneous

electronic thermometers

1

GEV No.	379022	**Ref. No.**	082875
description	thermometer mounting measurements 28.5x70.5mm -55 up to +99°C type EWTM 101		

speed controllers

1

GEV No.	402957	**Ref. No.**	032279
description	speed controller voltage input 230V votage output 46-184V/115-230VV 1200W max. 10A load current 6A wall-mounted version length external size 135mm width external size 74mm D 72mm for range hoods		

1

GEV No.	402956	**Ref. No.**	032986
description	speed controller voltage input 230V votage output min. 69-138/max. 110-230VV 1800W max. 13A load current 8A wall-mounted version length external size 170mm width external size 105mm D 82mm for range hoods		

program switches

1

GEV No.	400992	**Ref. No.**	006966
description	electronic controller CROUZET relay outputs 4 relays 100-240V ACV		

probes

universal probes

temperature probes

1

GEV No.	379161	**Ref. No.**	0A9498
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		

1

GEV No.	379064	**Ref. No.**	0D6591 7I0A9600
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire		

1

GEV No.	379693	**Ref. No.**	004116
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe 0 up to +350°C cable°C probe ø6x100mm cable length 1.35m without screw connection cable colours red/blue 2-wire		

producer-specific probes

probes

1

GEV No.	400714	**Ref. No.**	087346
description	temperature probe NTC 100kOhm cable PVC probe -40 up to +125°C cable -10 up to 100°C connection male faston thread probe ø7x25mm cable length 3m		

1

GEV No.	402201	**Ref. No.**	092175
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x20mm cable length 3m		

1

GEV No.	379633	**Ref. No.**	092176
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x20mm cable length 4m		

1

GEV No.	402199	**Ref. No.**	092184
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection plug thread probe ø6x20mm cable length 1.5m		

1

GEV No.	402155	**Ref. No.**	092177
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection plug thread probe ø6x20mm cable length 2m		

1

GEV No.	402200	**Ref. No.**	092174
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread probe ø6x200mm cable length 2m		

1

GEV No.	379918	**Ref. No.**	006609
description	temperature probe NTC 200kOhm cable PTFE probe -40 up to +125°C cable -40 up to +250°C connection plug thread probe ø4x-40mm cable length 1m		



1

GEV No.	379902	**Ref. No.**	049643
description	temperature probe NTC 4.8kOhm cable probe -10 up to 100°C cable°C connection male faston 6.3mm thread probe ø10x30mm cable lengthm		
accessories for	379902		

GEV No.	504574	Ref. No.	046376
O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs			

GEV No.	504757	Ref. No.	0L0280
screw connection ID ø 10mm for probe			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	379901	**Ref. No.**	049884
description	temperature probe NTC 4.8kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection male faston 6.3mm thread probe ø6x50mm cable length 0.1m		

1

GEV No.	379924	**Ref. No.**	006155
description	temperature probe Pt100 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection 1-wire thread probe ø4x40mm cable length 1.5m		

1

GEV No.	379921	**Ref. No.**	058953
description	temperature probe Pt100 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection 3-wire thread M8 probe ø4x20mm cable length 1.5m		

1

GEV No.	379719	**Ref. No.**	0H2430 0K8027
description	temperature probe Pt100 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection bullet receptacle ø2mm thread M8x1.25 probe ø3x90mm cable length 1m		

1

GEV No.	379144	**Ref. No.**	0H6481
description	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 2-wire thread probe ø3/3.5x40/180mm cable length 1.9m		

1

GEV No.	379107	**Ref. No.**	058669
description	temperature probe Pt100 probe -100 up to 450°C cable -40 up to +250°C connection 2-wire thread probe ø5x50mm cable length 1.4m		

1

GEV No.	379404	**Ref. No.**	0K8490
description	temperature probe Pt1000 cable glass fibre probe -70 up to +500°C cable -50 up to +350°C connection male faston thread probe ø4x-60mm cable length 1.6m		

1

GEV No.	378335	**Ref. No.**	7I0E5990
description	temperature probe Pt1000 cable silicone probe -50 up to +200°C ca-ble -50 up to +180°C connection coded plug thread probe ø6x50mm cable length 6m		

1

GEV No.	379100	**Ref. No.**	0C5342
description	temperature probe Pt1000 cable silicone probe -70 up to +500°C cable -50 up to +180°C connection male faston 4.8mm thread probe ø4x235mm cable length 1.8m		
accessories for	379100		

GEV No.	693745	Ref. No.	002624
gasket PTFE ED ø 20mm ID ø 15mm thickness 1mm Qty 1 pcs			

GEV No.	697993	Ref. No.	—
sleeve for temperature probe ø 11mm ID ø 4.3mm H 22.4mm			

1

GEV No.	402006	**Ref. No.**	086369
description	temperature probe PTC 2kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C connection plug thread probe ø5x60mm cable length 1.5m		

1

GEV No.	402005	**Ref. No.**	086344
description	temperature probe PTC 2kOhm cable TPE probe -50 up to +150°C cable -40 up to +110°C connection plug thread probe ø6x50mm cable length 1.6m		

1

GEV No.	379717	**Ref. No.**	0C0326 0C6539
description	temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection plug thread probe ø4x70mm cable length 1.1m		

1

GEV No.	379715	**Ref. No.**	0C0324 0C6538
description	temperature probe thermocouple K (NiCr-Ni) cable PVC probe -50 up to 1150°C cable -10 up to 100°C connection plug thread probe ø4x70mm cable length 0.5m		

1

GEV No.	379716	**Ref. No.**	0C0325
description	temperature probe thermocouple K (NiCr-Ni) cable PVC probe -50 up to 1150°C cable -10 up to 100°C connection plug thread probe ø4x70mm cable length 0.85m		

1

GEV No.	379889	**Ref. No.**	0C3457
description	temperature probe thermocouple K (NiCr-Ni) cable PVC probe -50 up to 1150°C cable -10 up to 100°C connection plug thread probe ø4x70mm cable length 2m		

1

GEV No.	379098	**Ref. No.**	0K5623
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread M6/M10 probe ø6x20mm cable length 2.1m		

1

GEV No.	379145	**Ref. No.**	0H6269
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread probe ø3x100mm cable length 2m		

1

GEV No.	379713	**Ref. No.**	004209 0C3567
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread probe ø3x200mm cable length 1.5m		

core probes

1

GEV No.	401944	**Ref. No.**	092704
description	core temperature probe NTC 10kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection plug probe ø5x80mm thread cable length 3m handle ø 10mm handle length 100mm L1 150mm L2 70mm		

1

GEV No.	379037	**Ref. No.**	059002
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M12 cable length 2.2m handle ø 9mm handle length 90mm		

1

GEV No.	379961	**Ref. No.**	002330
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M12 cable length 2.8m handle ø 9mm handle length 80mm		

1

GEV No.	379721	**Ref. No.**	0E3423 0H2363 0H2364 0K7782 0K7784 0K7785 0K8594
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection bullet receptacle ø2mm probe ø4x100mm thread M16x1 cable length 3.9m handle ø 10mm handle length 45mm		

1

GEV No.	379095	**Ref. No.**	055472
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection coded plug probe ø4x100mm thread M12 cable length 1.45m handle ø 9mm handle length 85mm		

1

GEV No.	379061	**Ref. No.**	003853
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2.5m handle ø 10mm handle length 45mm		

1

GEV No.	379060	**Ref. No.**	002673
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2m handle ø 10mm handle length 45mm		

1

GEV No.	379406	**Ref. No.**	006192
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2m handle ø 10mm handle length 50mm		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	379976	**Ref. No.**	002821
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston 6.3mm probe ø4x100mm thread M8 cable length 3.1m handle ø 9mm handle length 50/55mm		

1

GEV No.	379977	**Ref. No.**	006174
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston probe ø4x100mm thread cable length 2.6m handle ø 10mm handle length 50mm		

1

GEV No.	379964	**Ref. No.**	006525
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston probe ø5.5x110mm thread cable length 2.5m handle ø 10mm handle length 100mm		

1

GEV No.	379965	**Ref. No.**	006526
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston probe ø5x100mm thread cable length 2.6m handle ø 10mm handle length 100mm		

1

GEV No.	379954	**Ref. No.**	006527
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø5x100mm thread M8 cable length 3.2m handle ø 9mm handle length 50/50mm		

1

GEV No.	379620	**Ref. No.**	088044
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 2-wire probe ø4.5x80mm thread cable length 4m handle ø 10mm handle length 120mm L1 150mm L2 60mm		

1

GEV No.	381513	**Ref. No.**	0C4240 0CB214
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.2m handle ø 9mm handle length 45/50mm		



1

GEV No.	379956	**Ref. No.**	006982
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.5m handle ø 9mm handle length 45/50mm		

1

GEV No.	379958	**Ref. No.**	006983
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.5m handle ø 9mm handle length 45/50mm		



1

GEV No.	379969	**Ref. No.**	0C1164
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.5m handle ø 9mm handle length 45/50mm		



1

GEV No.	379955	**Ref. No.**	007109
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.6m handle ø 9mm handle length 45/50mm		



1

GEV No.	379957	**Ref. No.**	007063
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.6m handle ø 9mm handle length 45/50mm		



1

GEV No.	379960	**Ref. No.**	0C0956
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.6m handle ø 9mm handle length 45/50mm		



1

GEV No.	379959	**Ref. No.**	0C1383
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 3.2m handle ø 9mm handle length 45/50mm		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	379970[1]	**Ref. No.**	0C1404
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 3.2m handle ø 9mm handle length 45/50mm		

[1]multipoint probe

1

GEV No.	379967	**Ref. No.**	0C0225
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x90mm thread cable length 3.1m handle ø 9mm handle length 45/50mm		

1

GEV No.	379968	**Ref. No.**	0C1146
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to +250°C cable -50 up to +250°C connection plug probe ø3.5x100mm thread cable length 3.9m handle ø 9mm handle length 45/50mm		

1

GEV No.	378185	**Ref. No.**	083582
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 2-wire probe ø5x100mm thread cable length 3m handle ø 13.5mm handle length 90mm -40 up to +150°C		

sensors

1

GEV No.	379966	**Ref. No.**	006995 0C6465
description	lambda sensor probe ø 12mm 5-pole probe L 50mm		
accessories for	379966		

GEV No.	101248	Ref. No.	050682
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			

GEV No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm			

1

GEV No.	401664	**Ref. No.**	0L0456
description	sensor L 50mm thread M12x1 cable length 2000m		

accessories

fasteners

1

GEV No.	693748	**Ref. No.**	002674
description	bracket for core temperature probe		

miscellaneous

1

GEV No.	550924	**Ref. No.**	002075
description	gasket for probe ID ø 6mm EPDM		

electronics

rectifiers

1

GEV No.	401257	**Ref. No.**	002715
description	plug with rectifier		



1

GEV No.	379396	**Ref. No.**	006147
description	rectifier		

PCBs

1

GEV No.	400179	**Ref. No.**	0C3758
description	control PCB combi-steamer FCV/G 101/1 102/1		

1

GEV No.	400188	**Ref. No.**	002725
description	control PCB combi-steamer FCV/G 101/1 102/1		

1

GEV No.	400184	**Ref. No.**	0C3765
description	control PCB with keypad		

1

GEV No.	400741	**Ref. No.**	0C6364
description	keypad PCB		

1

GEV No.	400916	**Ref. No.**	0L0552
description	keypad PCB		

1

GEV No.	401667	**Ref. No.**	0C3759
description	keypad PCB		

1

GEV No.	401742	**Ref. No.**	087338
description	keypad PCB		



1

GEV No.	401743	**Ref. No.**	084714
description	keypad PCB		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	401745	**Ref. No.**	087481
description	keypad PCB		



1

GEV No.	400747	**Ref. No.**	0C0043
description	keypad PCB combi-steamer FCZ06/10/20		

1

GEV No.	400749	**Ref. No.**	0C0041
description	keypad PCB combi-steamer FCZ06/10/20		

1

GEV No.	400923	**Ref. No.**	0L1627
description	keypad PCB dishwasher LS14/ET12		

1

GEV No.	401753	**Ref. No.**	085925
description	keypad PCB for HACCP with main PCB		

1

GEV No.	404003	**Ref. No.**	0C0025
description	keypad PCB for induction device		

1

GEV No.	400996	**Ref. No.**	0C6362
description	main PCB		

GEV
Image not available

1

GEV No.	401586	**Ref. No.**	006673
description	main PCB		

1

GEV No.	400189	**Ref. No.**	006674
description	main PCB combi-steamer 260200-245		

1

GEV No.	403025	**Ref. No.**	0C4347
description	main PCB combi-steamer COP35 LIV. ACTIVE L 334mm W 110mm 230V		

1

GEV No.	401637	**Ref. No.**	0L1811
description	main PCB dishwasher		

1

GEV No.	400205	**Ref. No.**	0A8287
description	PCB		

1

GEV No.	400744	**Ref. No.**	003763
description	PCB		

1

GEV No.	400752	**Ref. No.**	0C1071
description	PCB		

1

GEV No.	400929	**Ref. No.**	048926
description	PCB		

1

GEV No.	400930	**Ref. No.**	049150
description	PCB		

1

GEV No.	400931	**Ref. No.**	049141
description	PCB		

1

GEV No.	400932	**Ref. No.**	049147
description	PCB		

1

GEV No.	401130	**Ref. No.**	003689
description	PCB		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	401343	**Ref. No.**	059033
description	PCB		

1

GEV No.	401744	**Ref. No.**	092562
description	PCB		
accessories for	401744		
	GEV No. 403477	Ref. No.	—
	cable harness L 800mm suitable for ELECTROLUX, ZANUSSI connection coded plug		

1

GEV No.	400187	**Ref. No.**	002666
description	PCB combi-steamer FCV/G 101/1 102/1		

1

GEV No.	400751	**Ref. No.**	007047
description	PCB combi-steamer FCZ06/10/20 level A		

1

GEV No.	360275	**Ref. No.**	049411
description	PCB dishwasher LS 32/60 + WT 302/60		

1

GEV No.	360276	**Ref. No.**	049412
description	PCB dishwasher LS 33/60 + WT 303/60		

1

GEV No.	400928	**Ref. No.**	048833
description	PCB dishwasher LS61-LS62		

1

GEV No.	400917	**Ref. No.**	0L1810
description	PCB dishwasher WT 4		

1

GEV No.	402003	**Ref. No.**	086368
description	PCB ice maker AC045/055		

1

GEV No.	404002	**Ref. No.**	0C0028
description	PCB induction device frequency transformation		

1

GEV No.	401617	**Ref. No.**	0C3757
description	power PCB combi-steamer FCV 6GL		

1

GEV No.	400748	**Ref. No.**	0C3761
description	power PCB combi-steamer FCV/G 101/1 102/1		

1

GEV No.	401572	**Ref. No.**	0C3762
description	power PCB combi-steamer FCV/G 101/1 102/1		

1

GEV No.	400750	**Ref. No.**	0C0042
description	power PCB combi-steamer FCZ06/10/20		

central units

1

GEV No.	401841	**Ref. No.**	086597
description	control box for ice-cube maker 24V 50-60Hz		

1

GEV No.	402042	**Ref. No.**	086294
description	control box suitable for SFT 012		

keypads

front foils

1

GEV No.	401131	**Ref. No.**	003714
description	front foil		

1

GEV No.	401132	**Ref. No.**	003838
description	front foil		

1

GEV No.	401212	**Ref. No.**	003834
description	front foil		

1

GEV No.	401216	**Ref. No.**	003835
description	front foil		

1

GEV No.	401248	**Ref. No.**	002831
description	front foil		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	401250	**Ref. No.**	003832
description	front foil		

1

GEV No.	401211	**Ref. No.**	007057
description	keypad foil		

1

GEV No.	401213	**Ref. No.**	003664
description	keypad foil		



1

GEV No.	401214	**Ref. No.**	007058
description	keypad foil		

1

GEV No.	401215	**Ref. No.**	056680
description	keypad foil		

1

GEV No.	401217	**Ref. No.**	059288
description	keypad foil		

1

GEV No.	401247	**Ref. No.**	002719
description	keypad foil		



1

GEV No.	401249	**Ref. No.**	005623
description	keypad foil		

1

GEV No.	401251	**Ref. No.**	006529
description	keypad foil		

1

GEV No.	401354	**Ref. No.**	0K2637
description	keypad foil		

1

GEV No.	401541	**Ref. No.**	006054
description	keypad foil		

1

GEV No.	401543	**Ref. No.**	005417
description	keypad foil		

1

GEV No.	401545	**Ref. No.**	005418
description	keypad foil		

1

GEV No.	401579	**Ref. No.**	005449
description	keypad foil		

1

GEV No.	404004	**Ref. No.**	0C0026
description	keypad foil		

1

GEV No.	404005	**Ref. No.**	0C0038
description	keypad foil		

1

GEV No.	401754	**Ref. No.**	087198
description	keypad foil blast chiller suitable for ZANUSSI L 237mm W 74mm buttons 11		

1

GEV No.	401746	**Ref. No.**	085793
description	keypad foil blast chiller suitable for ZANUSSI L 238mm W 75mm buttons 11		

1

GEV No.	400994	**Ref. No.**	006608
description	keypad foil for fryer		

1

GEV No.	400998	**Ref. No.**	0C1015
description	keypad foil for fryer		

1

GEV No.	400999	**Ref. No.**	0C1016
description	keypad foil for fryer		

1

GEV No.	403054	**Ref. No.**	0L0005
description	keypad foil LS14AU L 190mm W 120mm buttons 7		

membrane keypads



1

GEV No.	400204	**Ref. No.**	0A8798
description	membrane keypad		

1

GEV No.	400915	**Ref. No.**	049956
description	membrane keypad		

1

GEV No.	400918	**Ref. No.**	049920
description	membrane keypad		



1

GEV No.	400924	**Ref. No.**	049605
description	membrane keypad		



1

GEV No.	400925	**Ref. No.**	049606
description	membrane keypad		

1

GEV No.	400926	**Ref. No.**	049604
description	membrane keypad		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	400921	**Ref. No.**	0L0008
description	membrane keypad buttons 5 suitable for LS10 L 190mm W 120mm		

1

GEV No.	400922	**Ref. No.**	0L0001
description	membrane keypad buttons 6 suitable for LS14 L 190mm W 120mm		

control panel

1

GEV No.	111657	**Ref. No.**	052272
description	control panel		

1

GEV No.	111668	**Ref. No.**	051280
description	control panel ignition		

1

GEV No.	504731	**Ref. No.**	048274
description	gasket L 310mm suitable for ZANUSSI equiv. no. 048274 external weith 160mm		

1

GEV No.	504714	**Ref. No.**	049061
description	switch panel		

1

GEV No.	504716	**Ref. No.**	049313
description	switch panel		

1

GEV No.	504718	**Ref. No.**	048903
description	switch panel		

1

GEV No.	504720	**Ref. No.**	047633
description	switch panel		

1

GEV No.	504722	**Ref. No.**	046732
description	switch panel		

1

GEV No.	504723	**Ref. No.**	048648
description	switch panel		

1

GEV No.	504724	**Ref. No.**	049151
description	switch panel		

1

GEV No.	504726	**Ref. No.**	048590
description	switch panel		

1

GEV No.	504727	**Ref. No.**	049143
description	switch panel		

1

GEV No.	504729	**Ref. No.**	048598
description	switch panel		

1

GEV No.	504717	**Ref. No.**	048827
description	switch panel warewashing LS 60/61		

accessories

1

GEV No.	400997	**Ref. No.**	002670
description	push button		

solenoid valves

solenoid valves (water)

ELBI

1

GEV No.	373012	**Ref. No.**	048817
description	solenoid valve single angled 230VAC inlet 3/4" outlet 13.5mm input 20l/min t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet orange		

1

GEV No.	370253	**Ref. No.**	049334
description	solenoid valve single angled 230VAC inlet 3/4" outlet 14mm input 3.5l/min t.max. 90°C ELBI plastic flow regulating valve inlet orange		

1

GEV No.	373020	**Ref. No.**	049056
description	solenoid valve double angled 230VAC inlet 3/4" outlet 14mm input 10l/min DN10 t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet white		

INTERELEKTRIK

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

with reducers

GEV
Image not available

1

GEV No.	370659	**Ref. No.**	0G1981
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C INTERELEKTRIK plastic flow regulating valve inlet white		

Find the complete and up-to-date range of products in our GEV Webshop

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

solenoid valves with reducers

single

1

GEV No.	370554	**Ref. No.**	049452
description	solenoid valve single angled 230VAC inlet 3/4" outlet 14.5mm input 5.5l/min t.max. 90°C plastic		

1

GEV No.	370254	**Ref. No.**	049626
description	solenoid valve single angled 230VAC inlet 3/4" outlet 14mm input 12l/min t.max. 90°C EATON (INVENSYS) plastic flow regulating valve inlet grey		

3-fold

1

GEV No.	370345	**Ref. No.**	002859 0C1934
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C EATON (INVENSYS) plastic output B 0.25l/min output C 1.2l/min flow regulating valve outlet B white flow regulating valve outlet C blue		

with coded terminal

1

GEV No.	370355	**Ref. No.**	0C1933
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		

RPE

special outlet

1

GEV No.	370453	**Ref. No.**	0H9328
description	solenoid valve single angled 230VAC inlet 11.5mm outlet 11.5mm RPE		

TP

1

GEV No.	370021	**Ref. No.**	069463
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
spare parts for	370021		
	GEV No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370021		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		

Table continues overleaf

accessories for	370021			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370655	Ref. No.	047533
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP plastic flow regulating valve inlet pink 8VA		

1

GEV No.	370029	Ref. No.	058996
description	solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
spare parts for	370029		
	GEV No. 371035	Ref. No.	—
	solenoid coil 24VAC		
accessories for	370029		
	GEV No. 371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No. 371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No. 371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%		

accessories for	370029			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370025	Ref. No.	069464
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
spare parts for	370025		
	GEV No. 371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	370025			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370015	Ref. No.	002613
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
accessories for	370015		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	GEV No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	GEV No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		

Table continues overleaf

accessories for	370015			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370016	**Ref. No.**	048178
description	solenoid valve single angled 230VAC inlet 3/4" outlet 14mm DN10 TP		
spare parts for	370016		
	GEV No. 371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370016		
	GEV No. 371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No. 371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No. 371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No. 371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No. 371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No. 371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No. 371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No. 371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No. 371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No. 371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No. 371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No. 371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No. 371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%		

accessories for	370016			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			
	GEV No.	503139	Ref. No.	—
	solenoid valve filter ø 19.5mm H 16mm			

solenoid valves with reducers

1

GEV No.	370336	**Ref. No.**	0C0561
description	solenoid valve double angled 230VAC inlet 3/4" plastic outlet 11.5mm		

1

GEV No.	370337	**Ref. No.**	056872
description	solenoid valve double angled 230VAC inlet 3/4" plastic outlet 11.5mm output A 8l/min output B 0.6l/min flow regulating valve outlet A dark blue flow regulating valve outlet B orange		

1

GEV No.	370343	**Ref. No.**	055444
description	solenoid valve double angled 230VAC inlet 3/4" t.max. 90°C TP plastic outlet 11.5mm output B 1l/min flow regulating valve outlet B light blue		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	370657	**Ref. No.**	056894
description	solenoid valve double angled 230VAC inlet 3/4" TP plastic outlet 11.5mm output A 1l/min output B 8l/min flow regulating valve outlet A dark blue flow regulating valve outlet B light blue		

1

GEV No.	370342	**Ref. No.**	047579
description	solenoid valve double straight 230VAC inlet 3/4" input 16l/min t.max. 90°C TP plastic flow regulating valve inlet light brown outlet 11.5mm output B 0.25l/min flow regulating valve outlet B red		

1

GEV No.	370660	**Ref. No.**	0K8195
description	solenoid valve double straight 230VAC inlet 3/4" input 5.5l/min 10 t. max. 90°C TP plastic flow regulating valve inlet yellow outlet 11.5mm output B 0.25l/min flow regulating valve outlet B red		

1

GEV No.	370656	**Ref. No.**	047756
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm 10 TP plastic flow regulating valve inlet green		

1

GEV No.	370341	**Ref. No.**	002753
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm output 1l/min t.max. 90°C TP plastic flow regulating valve outlet light blue output A 1l/min		

1

GEV No.	370344	**Ref. No.**	002712
description	solenoid valve triple angled 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min output C 1l/min flow regulating valve outlet B red flow regulating valve outlet C light blue		

1

GEV No.	370347	**Ref. No.**	0A2415
description	solenoid valve triple angled 24V inlet 3/4" outlet 11.5mm plastic output C 1l/min		

1

GEV No.	370658	**Ref. No.**	0K8035
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm input 5.5l/min 10 t.max. 90°C TP plastic flow regulating valve inlet yellow output A 1l/min output C 0.25l/min flow regulating valve outlet A light blue flow regulating valve outlet C red		

1

GEV No.	370375	**Ref. No.**	0F0001
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output A 2.5l/min output C 0.25l/min flow regulating valve outlet A yellow flow regulating valve outlet C red		

metal

ASCO

2-way

Image not available

1

GEV No.	370470	**Ref. No.**	053933
description	solenoid valve 2-ways 24 V inlet 1/2" outlet 1/2" connection 1/2" slide-on receptacle DIN -20° up to 85°C Asco membranes NBR (water) brass		

CEME

solenoid valves

1

GEV No.	370348	**Ref. No.**	007015
description	solenoid valve 2-ways 230VAC connection 1/2" L 60mm t.max. 90°C membranes NBR p max 10bar p min 0.25bar brass		

1

GEV No.	370350	**Ref. No.**	007017
description	solenoid valve SS 230V inlet 6.5mm outlet 6.5mm -10 up to 140°C hose ø 6mm combi-steamer body SS 50Hz		

ODE

2-way

1

GEV No.	370356	**Ref. No.**	0C1121
description	solenoid valve 2-ways 230VAC inlet 3/4" outlet 3/4" connection 3/4" L 104mm DN 19mm slide-on receptacle DIN -10 up to +90°C ODE type series 21W3 coil type BDA membranes NBR (water) p max 16bar p min 0.2bar		
spare parts for	370356		
	GEV No.	371150	Ref. No. —
	solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm		
accessories for	370356		
	GEV No.	371090	Ref. No. —
	power socket plug type DIN 43650A screw		

solenoid valves steam (water)

21A series

1

GEV No.	370349[1]	**Ref. No.**	007016
description	solenoid valve stainless steel 230VAC connection 1/4" L 40mm 2-way DN 5.5mm slide-on receptacle DIN -10 up to 140°C ODE type series 21A coil type BDA membranes FKM (water/steam) p max 3.5bar		
spare parts for	370349		
	GEV No.	371150	Ref. No. —
	solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm		
accessories for	370349		
	GEV No.	371090	Ref. No. —
	power socket plug type DIN 43650A screw		

[1]SS housing

PARKER

spare parts and accessories

solenoid coils

1

GEV No.	371098	**Ref. No.**	086051
description	solenoid coil 220-230VAC 50/60Hz seat ø 14mm cable length 1000mm 14W		

SIRAI

2-way

L180-B series

1

GEV No.	370391	**Ref. No.**	003778
description	solenoid valve 2-ways 24VAC connection 3/4" L 79mm DN 18mm -10 up to +90°C coil type Z610A membranes NBR (water) p max 12bar p min 0.35bar		
accessories for	370391		
	GEV No.	371091	Ref. No. —
	power socket plug type DIN 43650B cable lengthmm small		

Find the complete and up-to-date range of products in our GEV Webshop

solenoid valves steam (water)

2-way

L145-R series

1

GEV No.	370311	**Ref. No.**	068465
description	solenoid valve 2-ways 24VAC connection 1" L 105mm DN 18.5mm slide-on receptacle DIN -60 up to +170°C SIRAI type series L145-R coil type Z534A membranes PTFE (steam) p max 6bar p min 0.4bar		
spare parts for	370311		
	GEV No.	371068	Ref. No. —
	solenoid coil 24VAC 14VA SIRAI coil type Z534A seat ø 12mm		
	GEV No.	371166	Ref. No. —
	membrane connection 1" series L145-R membrane type PTFE		
accessories for	370311		
	GEV No.	371090	Ref. No. —
	power socket plug type DIN 43650A screw		

solenoid valves (various)

1

GEV No.	370378	**Ref. No.**	0C2390
description	solenoid valve 230VAC inlet 1/2" outlet 1,1-4,5mm SIRAI coil type ZA34A 230V brass		
spare parts for	370378		
	GEV No.	371150	Ref. No. —
	solenoid coil ODE 230VAC 16VA coil type BDV seat ø 13.5mm 750Ohm		
	GEV No.	371176	Ref. No. —
	solenoid coil 230VAC 14VA SIRAI coil type ZA34A seat ø 14mm		

solenoid valves (gas)

BRAHMA

solenoid valves

1

GEV No.	101948[1]	**Ref. No.**	059509
description	solenoid valve 230VAC DN 15mm connection 1/2" L 72mm BRAHMA coil type 18811003 p max 0.5bar reg. no. 63AQ0626		
spare parts for	101948		
	GEV No.	101968	Ref. No. 005548
	solenoid valve 230VAC 20VA seat ø 17mm coil type 13902001 BRAHMA		

[1]aluminium housing

spare parts and accessories

solenoid coils

1

GEV No.	101968	**Ref. No.**	005548
description	solenoid valve 230VAC 20VA seat ø 17mm coil type 13902001 BRAHMA		

solenoid valves (refrigeration)

PARKER

valve bodies

1

GEV No.	370536	**Ref. No.**	0KM756
description	solenoid valve body p max 35bar connection 3/8" US PARKER for ice maker tube ø 10mm hot gas		
accessories for	370536		
	GEV No.	371098	Ref. No. 086051
	solenoid coil 220-230VAC 50/60Hz seat ø 14mm cable length 1000mm 14W		

ball valves electric

1

GEV No.	401140	**Ref. No.**	005026
description	ball valve inlet 1" IT outlet 1" IT with plug 230V L 152mm 50/60Hz closed off-current mode of operation electric connection cable 200mm size DN25		

1

GEV No.	401139	**Ref. No.**	0C0882
description	ball valve inlet 3/4" IT outlet 3/4" IT with plug 230V L 65mm 50/60Hz closed off-current mode of operation electric connection cable 200mm		

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal

1

GEV No.	541008	**Ref. No.**	046601
description	pressure control pressure range 105/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing		

1

GEV No.	541009	**Ref. No.**	046653
description	pressure control pressure range 160/80mbar connection 6mm ø 58mm pressure connection horizontal warewashing		

1

GEV No.	541179	**Ref. No.**	048267
description	pressure control pressure range 240/130mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

1

GEV No.	541005	**Ref. No.**	046444
description	pressure control pressure range 50/10mbar connection 6mm ø 58mm pressure connection horizontal warewashing		

1

GEV No.	541003	**Ref. No.**	069434
description	pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

1

GEV No.	541006	**Ref. No.**	049485
description	pressure control pressure range 60/20mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		

ø 58mm with coded plug

1

GEV No.	541171	**Ref. No.**	049058
description	pressure control pressure range 110/55mbar connection 6mm ø 58mm pressure connection horizontal warewashing suitable for ZANUSSI pressure connection ø 6mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	541178	**Ref. No.**	049620
description	pressure control pressure range 250/130 390mbar connection 6mm ø 58mm pressure connection horizontal warewashing suitable for ZANUSSI pressure connection ø 6mm		

1

GEV No.	541175	**Ref. No.**	049881
description	pressure control pressure range 60/20-110mbar connection 6mm ø 58mm pressure connection horizontal warewashing suitable for ZANUSSI pressure connection ø 6mm		

ø 84mm with coded plug

1

GEV No.	541177	**Ref. No.**	049081
description	pressure control 2 pressure ranges pressure range 110/55 165/135mbar connection 6mm ø 84mm pressure connection horizontal warewashing suitable for ZANUSSI pressure connection ø 6mm		

1

GEV No.	541523	**Ref. No.**	0E3731
description	pressure control 2 pressure ranges pressure range 40/15 55/35mbar connection 6mm ø 84mm pressure connection horizontal pressure connection ø 6mm		



1

GEV No.	541176	**Ref. No.**	049361
description	pressure control 2 pressure ranges pressure range 60/20 110/80mbar connection 6mm ø 84mm pressure connection horizontal warewashing suitable for ZANUSSI		



1

GEV No.	541173	**Ref. No.**	048826
description	pressure control pressure range 2 pointsmbar connection coded plug ø 84mm pressure connection horizontal warewashing pressure connection ø 6mm		

1

GEV No.	541174	**Ref. No.**	049142
description	pressure control pressure range 2 pointsmbar connection coded plug ø 84mm pressure connection horizontal warewashing pressure connection ø 6mm		

for gas equipment

1

GEV No.	541073	**Ref. No.**	002635
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		

1

GEV No.	541867	**Ref. No.**	003772
description	pressure control ø 80mm reset pressure 0.42bar triggering pressure 0.78mbar connection 7.5/10.5mm 250V voltage AC 1CO pressure connection ø 7.5-10.5mm		

1

GEV No.	541446	**Ref. No.**	005029
description	pressure control pressure range 10-50mbar connection 1/4"		

1

GEV No.	541352	**Ref. No.**	005746
description	pressure control triggering pressure 1.5mbar reset pressure 1.2mbar pressure range 1.5/1.2mbar pressure connection horizontal gas technology connection 6mm suitable for ZANUSSI		

for steam control

1

GEV No.	541350	**Ref. No.**	0A2480
description	pressure control pressure range adjustable 0.3-0.8bar connection 1/4" CO 250V 10A ambient temperature max. 60°C pressure connection 1/4"		

for combi-steamers

1

GEV No.	541335	**Ref. No.**	054540
description	pressure control		

1

GEV No.	541349	**Ref. No.**	055052
description	pressure control		

for refrigeration

RANCO

DWFK series

1

GEV No.	541451	**Ref. No.**	085088
description	pressure control RANCO high pressure		

JOHNSON CONTROLS

1

GEV No.	541116	**Ref. No.**	086039
description	pressure control HD switch pressure 10bar reset automatic switching diff. 1.1bar pressure range 7-29bar p max 38bar refrigeration type P20EA-9950C connection soldering connection 6.35mm CO JOHNSON CONTROLS pressure connection soldering connection 6.35mm		

electrodes

1

GEV No.	401264	**Ref. No.**	007033
description	level electrode 1/4" total length 103mm probe L 76mm insulated probe length 71mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401258	**Ref. No.**	0A2838
description	level electrode 1/4" total length 120mm probe L 94mm insulated probe length 90mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	400121	**Ref. No.**	055346
description	level electrode 1/4" total length 121mm probe L 94mm insulated probe length 90mm PTFE insulated connection angled, male faston 6.3mm stainless steel		

1

GEV No.	401355	**Ref. No.**	0C1086
description	level electrode 1/4" total length 130mm probe L 102mm insulated probe length 98mm PTFE insulated connection angled, male faston 6.3mm stainless steel		

1

GEV No.	401261	**Ref. No.**	003878
description	level electrode 1/4" total length 138mm probe L 112mm insulated probe length 108mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401345	**Ref. No.**	0C1201
description	level electrode 1/4" total length 142mm probe L 116mm insulated probe length 112mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401259	**Ref. No.**	053909
description	level electrode 1/4" total length 155mm probe L 128mm insulated probe length 124mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401262	**Ref. No.**	0C1055
description	level electrode 1/4" total length 159mm probe L 130mm insulated probe length 126mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401263	**Ref. No.**	0C1105
description	level electrode 1/4" total length 220mm probe L 195mm insulated probe length 189mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401265	**Ref. No.**	005879
description	level electrode 1/4" total length 240mm probe L 216mm insulated probe length 210mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		

1

GEV No.	401255	**Ref. No.**	005765
description	level electrode 1/4" total length 64mm probe L 37mm insulated probe length 33mm PTFE insulated connection angled, male faston 6.3mm ø 2.5mm marking L		

1

GEV No.	401254	**Ref. No.**	005766
description	level electrode 1/4" total length 74mm probe L 47mm insulated probe length 41mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm marking S		

1

GEV No.	400120	**Ref. No.**	056449
description	level electrode 1/4" total length 83mm probe L 62mm insulated probe length 57mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		



1

GEV No.	361642	**Ref. No.**	0C5350
description	level electrode M16x1 probe L 14mm insulated probe length 0mm cable length 1000mm		

1

GEV No.	400124	**Ref. No.**	002694
description	level electrode push-in total length 128mm probe L 103mm insulated probe length 93mm PTFE insulated connection F6.3 ø 2.5mm		

1

GEV No.	401548	**Ref. No.**	005235
description	level electrode push-in total length 175mm probe L 151mm insulated probe length 142mm PTFE insulated connection F6.3 ø 2.5mm		

1

GEV No.	401260	**Ref. No.**	002632
description	level electrode total length 75mm probe L 50mm insulated probe length 46mm PTFE insulated connection angled, male faston 6.3mm ø 2.5mm		

1

GEV No.	400123	**Ref. No.**	002633
description	spacer piece for level electrode		

1

GEV No.	693744	**Ref. No.**	055435
description	spacer piece for level electrode size 5mm		

1

GEV No.	693743	**Ref. No.**	055347
description	spacer piece for level electrode size 9mm		

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

1

GEV No.	605007	**Ref. No.**	085876
description	compressor coolant R134a type GL60TB 220-240V 50Hz HMBP fully hermetic 9.5kg 1/5HP power input 437W cylinder capacity 5.7cm^3 CSIR H 175.5mm 95W 128W 170W 222W 284W 355W 437W 528W test method ASHRAE ambient temperature max. 43°C		

1

GEV No.	605009	**Ref. No.**	083718
description	compressor coolant R134a type GL90TB 220-240V 50Hz HMBP fully hermetic 10.8kg 1/4HP power input 293W cylinder capacity 8.8cm^3 CSIR H 175.5mmW 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE		

1

GEV No.	605010	**Ref. No.**	083752
description	compressor coolant R134a type GP12TB 220-240V 50Hz HMBP fully hermetic 11.2kg 3/8HP power input 661W cylinder capacity 12cm^3 CSIR H 203.6mmW 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE ambient temperature max. 43°C		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	605011	**Ref. No.**	083728
description	compressor coolant R134a type GP14TB 220-240V 50Hz HMBP fully hermetic 11.5kg 3/8HP power input 566W cylinder capacity 14cm³ CSIR H 203.6mm 191W 271W 373W 497W 643W 810W 999W 1209W test method ASHRAE ambient temperature max. 43°C		

EMBRACO / ASPERA

R134A

HBP monophase

High evaporation temperature above -15°C

1

GEV No.	605115	**Ref. No.**	0TTP29
description	compressor coolant R134a type T6217Z 220-240V 50Hz HBP fully hermetic 16.8kg 1/2HP cylinder capacity 22.4cm³ CSIR H 225mmWWW 718W 973W 1275W 1624W 2020W 2464W test method ASHRAE		

L´UNITE HERMETIQUE / TECUMSEH

R404A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

GEV
Image not available

1

GEV No.	605218	**Ref. No.**	0T4121
description	compressor coolant R404a/R507 type CAE9460Z-F 220-240V 50Hz HMBP 13.6kg 1/2HP cylinder capacity 11.3cm³ CSR H 212mmWWWW 711W 908W 1141W 1545WW		

evaporation and condensing trays

condensing trays heated

universal

heating cartridges

1

GEV No.	417227	**Ref. No.**	083814
description	heating cartridge 90W 230V ø 12mm L 124mm thread 3/8" cable length 4000mm Hmm Wmm condensate evaporation		

fans

axial fans

ebm-papst

1

GEV No.	601715[1]	**Ref. No.**	002690
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656ZW metal connection cable 310mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		

[1]with ball bearings

import

1

GEV No.	601080[1]	**Ref. No.**	0C4423	
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C			
accessories for	601080			
	GEV No.	550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan			
	GEV No.	692519	Ref. No.	—
	guard L 120mm W 120mm plastic			

[1]with ball bearings

1

GEV No.	601130[1]	**Ref. No.**	006125
description	axial fan L 80mm W 80mm H 25mm 230VAC 50/60Hz 13/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C airflow 30.6m³/h		
accessories for	601130		
	GEV No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		

[1]with ball bearings

refrigeration fans

refrigeration motors universal

ELCO

N series - standard

1

GEV No.	601444	**Ref. No.**	087168
description	fan motor 25W 230V 50Hz W 83mm cable length 2000mm 1300/1550rpm VNT25-40/003		

IMPORT

multi fit fan motors

1

GEV No.	601022	**Ref. No.**	0A8789
description	fan motor 10W 230V 50-60Hz L1 44mm L2 54mm L3 85mm W 84mm cable length 500mm 1300rpm YZF10-20-18/26 5 mounting options bearing slide bearing		

1

GEV No.	601023	**Ref. No.**	0A8419
description	fan motor 16W 230V 50-60Hz L1 45mm L2 61mm L3 92mm W 84mm cable length 500mm 1300rpm YZF16-25-18/26 5 mounting options bearing slide bearing		

1

GEV No.	601024	**Ref. No.**	081394
description	fan motor 25W 230V 50-60Hz L1 49mm L2 80mm L3 112mm W 84mm cable length 500mm 1300rpm YZF25-40-18/26 5 mounting options bearing slide bearing shaft ø 8mm		

1

GEV No.	601020	**Ref. No.**	0A8400
description	fan motor 5W 230V 50-60Hz L1 44mm L2 48mm L3 79mm W 84mm cable length 500mm 1300rpm YZF5-13-18/26 5 mounting options bearing slide bearing		

Find the complete and up-to-date range of products in our GEV Webshop

accessories

fan wheels

aluminium




1

GEV No.	601172	**Ref. No.**	082230
description	fan wheel sucking ø 230mm fan wheel mounting 25.4mm blade angle 34° W 50mm aluminium		

cold air circulating fans (complete)

ebm-papst

R2E series




1

GEV No.	601536	**Ref. No.**	0E5666
description	fan R2E190-A026-73 fan wheel ø 190mm blades 6 230V 50/60Hz 58/75W ø 190mm H 70mm 2700rpm cable length 450mm rotation direction right ebm-papst sucking suitable capacitor 2µF		
spare parts for	601536		
	GEV No.	365170	Ref. No. —
	capacitor capacity 2µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 49mm M8 plastic connection cable 250mm 416.17.74 protection		

ZIEHL-ABEGG




1

GEV No.	500881	**Ref. No.**	084914
description	fan fan wheel ø 450mm 400V 50/60Hz 410/540W ø 475mm mounting distance 515mm 1340/1560rpm cable lengthmm ZIEHL-ABEGG FE045-VDK.4F.3 blowing		

miscellaneous

1

GEV No.	601119	**Ref. No.**	0A9308
description	fan 230V 50/60Hz 2W ø 100mm type C09R1731 fan wheel ø 100mm connection male faston 6.3mm shaft L 23mm		

cross flow fans

ebm-papst

1

GEV No.	601505	**Ref. No.**	0K5059
description	cross flow fan QLN65/2400A17-3030L roller ø 65mm roller length 240mm laminated core thickness 29mm motor position right 230V/50Hz 22W refrigeration bearing silicone connection F 6.3 0 up to +60°C 230V throughput 200m³/h 50Hz		

COPREL

with standard coil

1

GEV No.	601101	**Ref. No.**	083737
description	cross flow fan COPREL TFL(FN) roller ø 60mm roller length 300mm laminated core thickness 30mm motor position left 230V/50Hz 43W refrigeration bearing rubber connection male faston 6.3mm coil type airflow 268m³/h -10 up to +60°C		

1

GEV No.	601102	**Ref. No.**	082730
description	cross flow fan TFL 45 roller ø 45mm roller length 300mm motor position left 230V/50Hz 35W refrigeration bearing rubber connection male faston 6.3mm airflow 268m³/h -10 up to +60°C 230V 50Hz		

1

GEV No.	601452	**Ref. No.**	0A2272 0A3008
description	cross flow fan TFL 180 roller ø 60mm roller length 180mm laminated core thickness 20mm motor position left 230V/50Hz 19W universal bearing silicone connection male faston 6.3mm airflow 100m³/h -30 up to +100°C 230V 50Hz		

1

GEV No.	601453	**Ref. No.**	005204
description	cross flow fan TFR 180 roller ø 60mm roller length 180mm laminated core thickness 16mm motor position right 230V/50-60Hz 17W universal bearing silicone connection male faston 6.3mm airflow 100m³/h -30 up to +100°C 230V 50Hz		
accessories for	601453		
	GEV No.	415114	Ref. No. —
	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 150mm L 192mm for cross flow fan		

with moulded coils

1

GEV No.	601456	**Ref. No.**	0A8087
description	cross flow fan roller ø 45mm roller length 180mm laminated core thickness 15mm motor position right 230V/50Hz 26W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50/60Hz		

double fans

1

GEV No.	601455	**Ref. No.**	0K4850
description	cross flow fan roller ø 60mm roller length 2x180mm laminated core thickness 35mm motor position centre 230V/50Hz 30W universal bearing silicone connection F 6.3 airflow 280m³/h -30 up to +100°C total length 470mm		

hot air motors

1

GEV No.	511313	**Ref. No.**	005132
description	centring piece for fan motor		

1

GEV No.	511302	**Ref. No.**	0H6643
description	engine shaft gasket ID ø 16mm ED ø 40mm for 55/56 series		

1

GEV No.	601040	**Ref. No.**	054829
description	fan motor		



1

GEV No.	500103	**Ref. No.**	0H6929
description	fan motor 220-240/380-415V 3 phase 50/60Hz 0.25kW 1400rpm speeds 1 L1 150mm L2 32mm L3 40mm ø 125mm M10R IT at 50Hz 1400rpm at 60Hz 1700rpm type L7Aw4D-099 no. X3 D1 ø 17mm D2 ø 14mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	601041	**Ref. No.**	054836
description	fan motor 220-240/380-415V 3 phase 50Hz 0.19kW 1350rpm 1/0.58A		



1

GEV No.	601449	**Ref. No.**	058667
description	fan motor 220-240/380-415V 3 phase 50Hz 0.19kW 1350rpm speeds 1 L1 105mm L2 74mm L3 35mm L4 12mm D1 ø 9x10mm D2 ø 12mm M6R IT 0.58/1A type FIR1092 no. 1092 shaft flat length 9mm		
accessories for	601449		
	GEV No.	693846	Ref. No. 058731
	spacer piece for fan motor		
	GEV No.	693847	Ref. No. 058729
	fixing plate for hot air motors ED ø 230mm H 2.5mm ID ø 16mm		
	GEV No.	694297	Ref. No. 058957
	flange for hot air motors ED ø 270mm H 3.5mm ID ø 16mm		



1

GEV No.	601378	**Ref. No.**	058607
description	fan motor 220-240/380-415V 3 phase 50Hz 0.35kW 1350rpm speeds 1 L1 143mm L2 91mm L3 34mm D1 ø 10mm D2 ø 16mm M6R IT 1.8/1A number of pole pairs 4 at 50Hz 1350rpm type FIR1093/V		



1

GEV No.	500815	**Ref. No.**	058994
description	fan motor 220-240V 1 phase 50Hz 0.07/0.2kW 950/1350rpm speeds 2 L1 140mm L2 70mm L3 35mm L4 22mm D1 ø 9/10mm D2 ø 12mm 2 speeds M6R IT 0.55/0.70A at 50Hz 230V at 50Hz 950/1350rpm suitable capacitor 10µF 4P/6P type LM/FB80 no. 386328 shaft flat length 14mm		



1

GEV No.	601360	**Ref. No.**	058587
description	fan motor 220V 1 phase 50Hz 0.1kW 1350rpm speeds 1 L1 105mm L2 66mm L3 35mm D1 ø 10mm D2 ø 12mm M6R IT 0.9A number of pole pairs 4 suitable capacitor 4µF/450V at 50Hz 1350rpm type FIR1092/M		

1

GEV No.	500814	**Ref. No.**	005750
description	fan motor 230V 1 phase 50/60Hz 0.19kW 1400/1700rpm speeds 1 L1 145mm L2 51mm L3 35mm D1 ø 10mm D2 ø 16mm M6R IT 1.3A at 50Hz 1400rpm at 60Hz 1700rpm suitable capacitor 10µF shaft flat length 12mm		



1

GEV No.	500141	**Ref. No.**	0F0007
description	fan motor 230V 1 phase 50/60Hz 0.19kW 1450/1750rpm speeds 1 L1 150mm L2 52mm L3 35mm D1 ø 9/10mm D2 ø 14mm M6R IT 1.3A Cos(fi) 0.91 at 50Hz 1450rpm at 60Hz 1750rpm type LM80/4 no. 596477 shaft flat length 12mm		



1

GEV No.	500143	**Ref. No.**	002739
description	fan motor 230V 1 phase 50/60Hz 0.35kW 1400/1700rpm speeds 1 L1 165mm L2 91mm L3 35mm D1 ø 9/10mm D2 ø 16mm M6R IT 2.7A Cos(fi) 0.9 at 50Hz 230V at 60Hz 230V at 50Hz 1400rpm at 60Hz 1700rpm suitable capacitor 16µF/450V type LM80/4 no. 556749 shaft flat length 13mm		



1

GEV No.	601222	**Ref. No.**	006998
description	fan motor 230V 1 phase 50Hz 0.06/0.19kW 890/1395rpm speeds 2 L1 165mm L2 49mm L3 35mm D1 ø 10mm D2 ø 16mm M6R IT 1.6/1.4A Cos(fi) 0.85 at 50Hz 230V at 60Hz 230V at 50Hz 890/1395rpm at 60Hz 950/1695rpm suitable capacitor 12.5µF/450V 4P/6P type LM/FB80 no. 496040 shaft flat length 13mm		



1

GEV No.	500142	**Ref. No.**	005028
description	fan motor 230V 1 phase 50Hz 0.06/0.19kW 930/1380rpm speeds 2 L1 160mm L2 52mm L3 35mm D1 ø 9/10mm D2 ø 16mm M6R IT 1.5/0.7A Cos(fi) 0.9 at 50Hz 930/1380rpm at 60Hz 1100/1700rpm suitable capacitor 12.5µF/400V 4P/6P type LM/FB80 no. 552059 shaft flat length 12mm		

1

GEV No.	500653	**Ref. No.**	005748
description	fan motor 230V 1 phase 50Hz 0.06/0.19kW 930/1425rpm speeds 2 L1 150mm L2 52mm L3 35mm D1 ø 10mm D2 ø 16mm M6R IT 1.3/0.8A power input 0.19W at 50Hz 930/1425rpm suitable capacitor 10µF shaft flat length 12mm		



1

GEV No.	500144	**Ref. No.**	002748
description	fan motor 230V 1 phase 50Hz 0.11/0.35kW 900/1400rpm speeds 2 L1 165mm L2 91mm L3 35mm D1 ø 9/10mm D2 ø 16mm M6R IT 2.7/1.3A at 50Hz 230V at 60Hz 230V at 50Hz 900/1400rpm at 60Hz 1080/1680rpm suitable capacitor 16µF/450V 4P/6P type LM/FB80 no. 358008 shaft flat length 12mm		



1

GEV No.	500816	**Ref. No.**	0C1171 0C6563
description	fan motor 230V 1 phase 50Hz 0.22/0.75kW 955/1460rpm speeds 2 L1 175mm L2 52mm L3 32mm D1 ø 10mm D2 ø 16mm M6R IT 1.0/2.4A number of pole pairs 4P/6P Cos(fi) 0.84 at 50Hz 230V at 60Hz 230V at 50Hz 955/1460rpm at 60Hz 1145/1750rpm suitable capacitor 31.5/16µF 4P/6P type LM/FB 100L no. 494886 shaft flat length 13mm		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	500108	**Ref. No.**	0H6930
description	fan motor 380-415V 3 phase 50/60Hz 0.03/0.2kWrpm speeds 2 L1 155mm L2 30mm L3 31mm M10R IT Y/YY type L7mw84D-097 no. V5 D1 ø 17mm D2 ø 13mm		

1

GEV No.	602139	**Ref. No.**	0H6932
description	fan motor 440-480V 3 phase 60Hz 0.37kW 1600rpm L1 185mm L2 26mm L3 50mm type L9Cw4D-157 D1 ø 25mm D2 ø 20mm		
accessories for	602139		
	GEV No.	510574	Ref. No. —
	shaft sealing type 20 for fan motor		

1

GEV No.	601235	**Ref. No.**	055422
description	fan wheel D1 ø 280mm H1 100mm blades 6 D2 ø 10mm D3 ø 10mm H2 37mm H3 10mm		

1

GEV No.	601220	**Ref. No.**	0C6462
description	fan wheel D1 ø 280mm H1 100mm blades 6 D2 ø 10mm D3 ø 10mm H2 37mm H3 22mm		

1

GEV No.	601371	**Ref. No.**	002871 0C8325
description	fan wheel D1 ø 280mm H1 100mm blades 6 D2 ø 10mm D3 ø 10mm H2 37mm H3 23mm		

1

GEV No.	601236	**Ref. No.**	007000 0C7029
description	fan wheel D1 ø 280mm H1 130mm blades 10 D2 ø 10mm D3 ø 10mm H2 38mm H3 23mm		

1

GEV No.	601233	**Ref. No.**	0C6463
description	fan wheel D1 ø 350mm H1 135mm blades 6 D2 ø 10mm D3 ø 10mm H2 37.5mm		

1

GEV No.	601197	**Ref. No.**	054890
description	fan wheel D1 ø 350mm H1 135mm blades 6 D2 ø 9.5mm D3 ø 9.5mm H2 38mm H3 20mm		

1

GEV No.	601234	**Ref. No.**	0C6464
description	fan wheel D1 ø 380mm H1 170mm blades 12 D2 ø 10mm D3 ø 10mm H2 38mm H3 19mm		

1

GEV No.	601218	**Ref. No.**	055378
description	fan wheel D1 ø 440mm H1 152mm blades 6 D2 ø 10mm D3 ø 10mm H2 37mm H3 31mm		

1

GEV No.	601232	**Ref. No.**	003715
description	fan wheel D1 ø 440mm H1 155mm blades 6 D2 ø 10mm D3 ø 16mm H2 51mm H3 39mm		

1

GEV No.	693847	**Ref. No.**	058729
description	fixing plate for hot air motors ED ø 230mm H 2.5mm ID ø 16mm		

1

GEV No.	694297	**Ref. No.**	058957
description	flange for hot air motors ED ø 270mm H 3.5mm ID ø 16mm		

1

GEV No.	693410	**Ref. No.**	055339
description	gasket for hot air motors		

1

GEV No.	693411	**Ref. No.**	055377
description	gasket for hot air motors		

1

GEV No.	511300	**Ref. No.**	002873
description	O-ring Viton thickness 3.53mm ID ø 28.17mm for 57 series for motor shaft		

1

GEV No.	511301	**Ref. No.**	002699
description	shaft seal ID ø 16mm ED ø 38mm thickness 18mm		

Find the complete and up-to-date range of products in our GEV Webshop

hot air fans

ebm-papst





1

GEV No.	601198	**Ref. No.**	054842
description	hot air fan 230V 38W L1 65mm L2 20mm L3 25mm L4 130mm fan wheel ø 153mm type RRC140/0024A18 ebm-papst		

miscellaneous

1





GEV No.	601011	**Ref. No.**	031484
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH		
accessories for	601011		
	GEV No.	550879	Ref. No. —
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		
	GEV No.	601260	Ref. No. —
	nut thread M6L IT for hot air fan		

1

GEV No.	601199	**Ref. No.**	005202
description	hot air fan 220-240V 24-28W L1 60mm L2 25mm L3mm L4 87mm fan wheel ømm PLASET type M0850		

1

GEV No.	601201	**Ref. No.**	054314
description	hot air fan 230V 26W fan wheel ø 150mm		

accessories

fan wheels for hot air fans

1

GEV No.	601200	**Ref. No.**	005221
description	fan wheel ø 150mm W 20mm shaft intake ø 6x5mm zinc-plated blades 7		

radial fans



1

GEV No.	601238	**Ref. No.**	002639
description	radial fan 230V voltage AC 50Hz 40W H1 205mm L1 205mm D1 ø 150mm W1 103mm W2 32mm H2 83mm W3 34mm H3 86mm		

1

GEV No.	500817	**Ref. No.**	0C1112
description	radial fan 24V voltage DC 50Hz 55W H1 180mm L1 180mm D1 ø 50mm W1 112mm W2 40mm H2 45mm W3 83mm H3 83mm		

extractor fans

speed controllers

1

GEV No.	402957	**Ref. No.**	032279
description	speed controller voltage input 230V votage output 46-184V/115-230VV 1200W max. 10A load current 6A wall-mounted version length external size 135mm width external size 74mm D 72mm for range hoods		

1

GEV No.	402956	**Ref. No.**	032986
description	speed controller voltage input 230V votage output min. 69-138/max. 110-230VV 1800W max. 13A load current 8A wall-mounted version length external size 170mm width external size 105mm D 82mm for range hoods		

accessories universal

1

GEV No.	693846	**Ref. No.**	058731
description	spacer piece for fan motor		

motors

gear motors

for ovens

for flues

1

GEV No.	360342	**Ref. No.**	0C0883
description	gear motor FIBER type P245J01C620 230V voltage AC 50/60Hz 2rpm shaft ø 6mm L 76mm W 55mm H 48mm motor type M51BJ0R0000		

motors

for tilting bratt pans

1

GEV No.	500823	**Ref. No.**	052802
description	motor 170W 230V 50Hz 1 phase shaft ø 17mm shaft length 60mm 320/2800rpm type 20571252 ø 160mm H 235mm mounting distance 145mm capacitor 16µF SOLE 0.17kW		

for microwaves

1

GEV No.	500628	**Ref. No.**	002794
description	motor 20W 230V 50Hz shaft ø 9mm shaft length 12mm flange ø 73mm 1400rpm type M81A25G4GE H 80mm L 95mm W 80mm capacitor 1.5µF PANASONIC 0.02kW		

Find the complete and up-to-date range of products in our GEV Webshop

spindle motors

MECVEL

1

GEV No.	500621	**Ref. No.**	006690
description	spindle motor type PP041.0012 24V voltage DC shaft ø 16mm for pasta cooker L 255mm W 60mm H 135mm MECVEL		

pumps

wash and rinse pumps

ALBA (C&A)

pumps

1

GEV No.	500129	**Ref. No.**	0L0406
description	pump inlet ø 32mm outlet ø 30mm type C6300 230V 50Hz 1 phase 0.28kW 0.38HP L 200mm rotation direction left capacitor 6.3µF auxiliary pressure connection 13mm supporting pressure closed ALBA PUMPS (C&A)		
spare parts for	500129		
	GEV No. 365012	Ref. No.	—
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	GEV No. 510695	Ref. No.	—
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
	GEV No. 521227	Ref. No.	049187
	impellor ø 78mm H 24mm rotation direction left thread M6R shaft ø 11mm shaft length 28mm		
	GEV No. 521522	Ref. No.	049186
	pump cover ALBA PUMPS (C&A) inlet ø 32mm outlet ø 30mm auxiliary pressure connection 13mm supporting pressure closed turn direction left ø 106mm ID ø 82mm inner hight 31mm		
	GEV No. 521705	Ref. No.	—
	pump cover gasket EPDM thickness 2mm ID ø 80mm Qty 1 pcs		

1

GEV No.	500113	**Ref. No.**	048304
description	pump inlet ø 45mm outlet ø 40mm type C3100 400V 50Hz 3 phase 0.75kW 1HP L 215mm rotation direction right ALBA PUMPS (C&A)		
spare parts for	500113		
	GEV No. 504320	Ref. No.	—
	pump cover gasket ID ø 160.75mm thickness 3.53mm EPDM Qty 1 pcs		
	GEV No. 510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No. 521238	Ref. No.	—
	impellor ø 103mm H 32mm rotation direction right thread M7L seat ø 9.2mm blades 6		
	GEV No. 521531	Ref. No.	—
	pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner hight 24mm		
	GEV No. 521709	Ref. No.	048984
	O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs		



1

GEV No.	500114	**Ref. No.**	048885
description	pump inlet ø 45mm outlet ø 40mm type C5800/2013 230V 50Hz 1 phase 0.75kW 1HP L 225mm rotation direction right capacitor 16µF ALBA PUMPS (C&A)		
spare parts for	500114		
	GEV No. 365021	Ref. No.	0A2914
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	GEV No. 509021	Ref. No.	—
	impellor ø 102mm H 32mm shaft intake ø 9/8mm rotation direction right		

Table continues overleaf

spare parts for	500114			
	GEV No.	510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	GEV No.	521531	Ref. No.	—
	pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner hight 24mm			
	GEV No.	521709	Ref. No.	048984
	O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs			

1

GEV No.	500090	**Ref. No.**	046370
description	pump inlet ø 45mm outlet ø 40mm type C5803 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF ALBA PUMPS (C&A)		
spare parts for	500090		
	GEV No. 365014	Ref. No.	—
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	GEV No. 504320	Ref. No.	—
	pump cover gasket ID ø 160.75mm thickness 3.53mm EPDM Qty 1 pcs		
	GEV No. 509021	Ref. No.	—
	impellor ø 102mm H 32mm shaft intake ø 9/8mm rotation direction right		
	GEV No. 510692	Ref. No.	—
	mechanical shaft seal for shaft ø 11mm slide ringext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	GEV No. 521531	Ref. No.	—
	pump cover ALBA PUMPS (C&A) inlet ø 45mm outlet ø 40mm turn direction right ø 153mm ID ø 127mm inner hight 24mm		
	GEV No. 521709	Ref. No.	048984
	O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs		

FIR

pumps

1

GEV No.	500394	**Ref. No.**	049310
description	pump inlet ø 28mm outlet ø 26mm type 4213.1500 230V 50Hz 1 phase 0.28kW 0.38HP L 195mm rotation direction left capacitor 6.3µF FIR		
spare parts for	500394		
	GEV No. 510384	Ref. No.	—
	pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm		
	GEV No. 510532	Ref. No.	—
	impellor ø 72mm H 22mm shaft ø 11mm shaft length 32mm blades 3		
	GEV No. 510695	Ref. No.	—
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
	GEV No. 521703	Ref. No.	—
	pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs		
accessories for	500394		
	GEV No. 365012	Ref. No.	—
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	500598	**Ref. No.**	0L1079
description	pump inlet ø 30mm outlet ø 26mm type 5213E2450 230V 50Hz 1 phase 0.22kW 0.1HP L 190mm rotation direction left capacitor 5µF FIR		
spare parts for	500598		
	GEV No. 365017	Ref. No.	—
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	GEV No. 502265	Ref. No.	—
	pump cover inlet ø 30mm outlet ø 26mm ID ø 89mm inner hight 35mm		
	GEV No. 510695	Ref. No.	—
	mechanical shaft seal height counter ring 5.5mm ID ø 11mm		
	GEV No. 521203	Ref. No.	—
	impellor ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3		
	GEV No. 532718	Ref. No.	—
	O-ring EPDM thickness 4mm ID ø 80mm Qty 1 pcs		
	GEV No. 699372	Ref. No.	—
	flange for pump with cover type 5213 L 103mm W 103mm H 69mm		

1

GEV No.	500396	**Ref. No.**	049876
description	pump inlet ø 45mm outlet ø 40mm type B257.1700 230V 50Hz 1 phase 0.75kW 1HP L 220mm rotation direction right capacitor 16µF FIR		
spare parts for	500396		
	GEV No. 365021	Ref. No.	0A2914
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

spare parts for	500396		
	GEV No. 510508	Ref. No.	—
	pump cover FIR inlet ø 45mm outlet ø 40mm pump type PU 0.5/3911 turn direction right ø 160mm ID ø 125mm inner hight 25mm		
	GEV No. 510692	Ref. No.	—
	mechanical shaft seal for shaft ø 11mm slide ringext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		
	GEV No. 521001	Ref. No.	—
	impellor ø 91mm H 30mm pump type B267.4050 rotation direction right		
	GEV No. 521702	Ref. No.	048630
	pump cover gasket thickness 3.5x4.5mm Qty 1 pcs		

1

GEV No.	499139	**Ref. No.**	049669
description	pump inlet ø 62mm outlet ø 62mm type 2275.2722 230/400V 50Hz 3 phase 2.6kW L 400mm rotation direction right FIR		
spare parts for	499139		
	GEV No. 510687	Ref. No.	—
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	GEV No. 521026	Ref. No.	—
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	GEV No. 521028	Ref. No.	—
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner hight 40mm		
	GEV No. 521277	Ref. No.	—
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		
	GEV No. 524676	Ref. No.	—
	fan wheel ø 160mm shaft intake ø 24mm plastic blades 12 W 30mm		

1

GEV No.	500986	**Ref. No.**	0L0039
description	pump inlet ø 62mm outlet ø 62mm type 4290.2700 220-240/380-415V 50Hz 3 phase 1.5kW 2HP L 350mm rotation direction right FIR		
spare parts for	500986		
	GEV No. 510687	Ref. No.	—
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	GEV No. 521017	Ref. No.	—
	impellor ø 120mm H 35mm rotation direction right thread M14L seat ø 18mm blades 6		
	GEV No. 521026	Ref. No.	—
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	GEV No. 521028	Ref. No.	—
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner hight 40mm		
	GEV No. 521039	Ref. No.	—
	fanwheel cover ID ø 156mm ED ø 161mm H 76mm for wash pump		

1

GEV No.	500985	**Ref. No.**	0L0437
description	pump inlet ø 62mm outlet ø 64mm type 4290.2700 220-240/380-415V 50Hz 3 phase 1.5kW 2HP L 350mm rotation direction right FIR installation kit inclusive		

1

GEV No.	500112	**Ref. No.**	046574
description	pump inlet ø 63mm outlet ø 47mm 230/400V 50Hz 3 phase 0.55kW 0.75HP L 305mm rotation direction right FIR		
spare parts for	500112		
	GEV No. 510601	Ref. No.	048464
	impellor ø 103mm H 25mm rotation direction right thread M8L seat ø 12.2mm blades 6		
	GEV No. 510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No. 521513	Ref. No.	—
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner hight 32mm		
	GEV No. 524416	Ref. No.	—
	pump cover gasket thickness 4x4mm Qty 1 pcs		

1

GEV No.	500056	**Ref. No.**	047195
description	pump inlet ø 63mm outlet ø 47mm type 1211.2706 230/400V 50Hz 3 phase 0.55kW 0.75HP L 305mm rotation direction right FIR		
spare parts for	500056		
	GEV No. 510601	Ref. No.	048464
	impellor ø 103mm H 25mm rotation direction right thread M8L seat ø 12.2mm blades 6		
	GEV No. 510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No. 521513	Ref. No.	—
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner hight 32mm		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

spare parts for	500056			
	GEV No.	524416	Ref. No.	—
	pump cover gasket thickness 4x4mm Qty 1 pcs			

1

GEV No.	500397	**Ref. No.**	047708
description	pump inlet ø 70mm outlet ø 60mm type 2254.1000 230/400V 50Hz 3 phase 1.1kW 1.5HP L 320mm rotation direction right FIR		
spare parts for	500397		
	GEV No. 510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No. 521515	Ref. No.	0L0496
	pump cover inlet ø 70mm outlet ø 60mm		
	GEV No. 524416	Ref. No.	—
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1

GEV No.	500115	**Ref. No.**	048216
description	pump inlet ø 70mm outlet ø 60mm type 2254.2561 230/400V 50Hz 3 phase 1.5kW 2HP L 325mm rotation direction right FIR		
spare parts for	500115		
	GEV No. 504313	Ref. No.	—
	hose connector thread M12x1.75 grommet ø 11.3mm grommet length 23mm WS 17 total length 43mm thread L 15mm stainless steel IT M8x1.25		
	GEV No. 510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No. 521014	Ref. No.	048624
	impellor ø 110mm H 32mm rotation direction right thread M8L shaft ø 28mm shaft length 3mm seat ø 12.2mm blades 6		

spare parts for	500115			
	GEV No.	521515	Ref. No.	0L0496
	pump cover inlet ø 70mm outlet ø 60mm			
	GEV No.	524416	Ref. No.	—
	pump cover gasket thickness 4x4mm Qty 1 pcs			

LGB

1

GEV No.	500466	**Ref. No.**	0L0571
description	pump inlet ø 28mm outlet ø 28mm type ZFCI121DX 230V 50Hz 1 phase 0.35kW 0.47HP L 200mm rotation direction left capacitor 6.3µF LGB		
spare parts for	500466		
	GEV No. 365012	Ref. No.	—
	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
	GEV No. 510703	Ref. No.	—
	mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm		
	GEV No. 521007	Ref. No.	—
	pump cover LGB inlet ø 28mm outlet ø 26mm turn direction left		
	GEV No. 521008	Ref. No.	—
	impellor ø 72mm H 22mm rotation direction left thread M7R shaft ø 13mm shaft length 12mm		
	GEV No. 528800	Ref. No.	—
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		

1

GEV No.	500943	**Ref. No.**	0L0092
description	pump inlet ø 62mm outlet ø 50mm type ZF522VSX 230V 50Hz 1 phase 0.7kW 0.95HP L 250mm rotation direction right capacitor 16µF LGB		
spare parts for	500943		
	GEV No.	365021	Ref. No. 0A2914
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	GEV No.	510551	Ref. No. 0L0338
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	GEV No.	510694	Ref. No. —
	mechanical shaft seal for shaft ø 13mm height counter ring 8mm ID ø 11.5mm H 16mm mounting ø 24/26mm int. ø 1 14mm		
	GEV No.	521239	Ref. No. —
	impellor ø 110mm H 26mm rotation direction right thread M8L shaft ø 19.5mm shaft length 17mm seat ø 8.2mm blades 6		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner hight 38mm		

1

GEV No.	500468	**Ref. No.**	0L0564
description	pump inlet ø 63mm outlet ø 48mm type ZF523VSX 230/400V 50Hz 3 phase 1kW 1.36HP L 280mm rotation direction right LGB		
spare parts for	500468		
	GEV No.	510551	Ref. No. 0L0338
	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		
	GEV No.	510693	Ref. No. —
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	GEV No.	521058	Ref. No. —
	fanwheel cover suitable for LGB ID ø 138mm ED ø 142mm H 59mm plastic		
	GEV No.	521097	Ref. No. —
	impellor ø 100mm H 31mm thread M8L shaft ø 20mm shaft length 14mm		
	GEV No.	521536	Ref. No. —
	pump cover ALBA / LGB inlet ø 62mm outlet ø 50mm auxiliary pressure connection 12mm supporting pressure closed turn direction right ø 180mm ID ø 150mm inner hight 38mm		

Find the complete and up-to-date range of products in our GEV Webshop

OLYMPIA

pumps

1

GEV No.	500003	**Ref. No.**	069540
description	pump inlet ø 45mm outlet ø 32mm type T30 230V 50Hz 1 phase 0.29kW 0.39HP L 190mm rotation direction right capacitor 8µF OLYMPIA		
spare parts for	500003		
	GEV No. 365013	Ref. No.	049126
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	GEV No. 510512	Ref. No.	—
	pump cover OLYMPIA inlet ø 45mm outlet ø 31mm outlet 2 ø 24 turn direction right ø 130mm ID ø 124mm inner hight 20mm		
	GEV No. 510554	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	GEV No. 510615	Ref. No.	069545
	impellor ø 90mm H 22mm rotation direction right thread M10L blades 4		
	GEV No. 510693	Ref. No.	—
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		

booster pumps I

1

GEV No.	500395	**Ref. No.**	048910
description	pump inlet ø 3/8" IT outlet ø 3/8" IT type PS45DX 230V 50Hz 0.35kW capacitor 8µF LGB		
spare parts for	500395		
	GEV No. 365013	Ref. No.	049126
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
spare parts for	500395		
	GEV No. 698400	Ref. No.	—
	pump cover gasket pump type PS46 thickness 2mm ID ø 66mm Qty 1 pcs		

drain pumps

ASKOLL

1

GEV No.	499212	**Ref. No.**	0L0692
description	drain pump inlet ø 35mm outlet ø 30mm 220-240V 30W 50Hz ASKOLL type M 87 with thermal fuse		

HANNING

1

GEV No.	502286	**Ref. No.**	0L0527 0L0693 0L2133 0L2657
description	drain pump 32W 200-400V inlet ø 35mm outlet ø 30mm 50/60Hz HANNING type DP025-275		

PLASET

1

GEV No.	500207	**Ref. No.**	046647
description	drain pump inlet ø 25mm outlet ø 22mm 230V 90W 50Hz PLASET type 8411		

1

GEV No.	500206	**Ref. No.**	047562
description	drain pump with auxiliary pressure connection inlet ø 25mm outlet ø 22mm 230V 90W 50Hz PLASET type 8411		

vibration pumps

1

GEV No.	500566	**Ref. No.**	0C2341
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
accessories for	500566		
	GEV No.	510303	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	GEV No.	520512	Ref. No. —
	reducer WS 17 IT 1/4" ET 1/8" total length 28mm		
	GEV No.	542346	Ref. No. —
	hose connector thread 1/4" with O-ring hose ø 5mm stainless steel Qty 1 pcs		

pumps for ice machines



1

GEV No.	500165	**Ref. No.**	085322
description	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF		
spare parts for	500165		
	GEV No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	GEV No.	601412	Ref. No. —
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	GEV No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

1

GEV No.	500761	**Ref. No.**	086389
description	pump REBO type MH30F1 30W 230V 50Hz outlet ø 13mm L 135mm rotation direction right for ice maker		

condensators & interference suppression filters

starting capacitors

starting capacitors

1

GEV No.	365095	**Ref. No.**	086359 0A8764
description	starting capacitor 43µF 330V 50/60Hz duty cycle 3 60A1D-330043NXET ø 36mm L 80mm M8 plastic connection cable 350mm 04P.5523CM		

operating capacitors

plastic

1

GEV No.	365021	**Ref. No.**	0A2914
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

1

GEV No.	365013	**Ref. No.**	049126
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		

Find the complete and up-to-date range of products in our GEV Webshop

metal

1

GEV No.	365139	**Ref. No.**	056148
description	operating capacitor capacity 10µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		

1

GEV No.	365140	**Ref. No.**	047541
description	operating capacitor capacity 12.5µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		

filters

interference suppression filters

1

GEV No.	365046	**Ref. No.**	046217
description	interference suppression filter type 10S7E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm ø 40mm Hmm Wmm M8 plastic Qty 1 pcs		

1

GEV No.	365050	**Ref. No.**	049303
description	interference suppression filter type 411.13.5901D 250V 50Hz conductor 4 plug connection male faston 6.3mm L 50mm ø 38mm Hmm Wmm plug plastic Qty 1 pcs		

fuses

fine fuses

1

GEV No.	358610	**Ref. No.**	058869
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358611	**Ref. No.**	005136
description	fine fuse size ø5x20mm 16A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358677	**Ref. No.**	057783
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358594	**Ref. No.**	002820
description	fine fuse size ø5x20mm 0.16A slow-acting rated 250V Qty 10 pcs		

1

GEV No.	358596	**Ref. No.**	002920
description	fine fuse size ø5x20mm 0.25A slow-acting rated 250V Qty 10 pcs		

1

GEV No.	358703	**Ref. No.**	002750
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		

fine fuse holders

1

GEV No.	358396	**Ref. No.**	056582
description	fuse holder suitable fuse ø5x20mm ø 15mm mounting ø 12.5mm 16A rated 250V L 46mm connection male faston 4.8mm		

overload switches

1

GEV No.	358523	**Ref. No.**	0H6104
description	overload switch drop-away current 0.6A		

electric accessories

cables

cable harnesses

1

GEV No.	401849	**Ref. No.**	002763
description	connecting cable		

terminals and connectors

not insulated

bullet connectors

1

GEV No.	550334	**Ref. No.**	0H7029
description	plug connector size 3.5mm 0.25-1.5mm² Cu gal Sn t.max. 125°C Qty 1 pcs		

plug connectors

1

GEV No.	550328	**Ref. No.**	0H7030
description	female bullet ø 3.5mm		

1

GEV No.	550330	**Ref. No.**	0H7027
description	plug connector 12-pole		

1

GEV No.	550333	**Ref. No.**	0H7028
description	plug connector 12-pole		

1

GEV No.	550334	**Ref. No.**	0H7029
description	plug connector size 3.5mm 0.25-1.5mm² Cu gal Sn t.max. 125°C Qty 1 pcs		

terminals

connection terminals with screw/faston connections

1

GEV No.	550278	**Ref. No.**	046357
description	power terminal block 3-pole max. 40A max 400V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		

1

GEV No.	550411	**Ref. No.**	046347
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		

rail-mounted terminals

rail-mounted terminal blocks

1

GEV No.	550598	**Ref. No.**	058875
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.0-10mm²		

1

GEV No.	550599	**Ref. No.**	059239
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.0-10mm²		

electronic components

resistors

1

GEV No.	359929	**Ref. No.**	058872
description	resistor 100Ohm		

Find the complete and up-to-date range of products in our GEV Webshop

gas taps

PEL

20N series

1

GEV No.	101398	**Ref. No.**	054166
description	gas tap PEL type 20N gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper		
spare parts for	101398		
	GEV No. 100408	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	GEV No. 101205	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/ lower suitable for PEL20		
accessories for	101398		
	GEV No. 101278	Ref. No.	060325
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No. 101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm		
	GEV No. 101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	GEV No. 101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm		
	GEV No. 110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	GEV No. 110083	Ref. No.	—
	knob dial plate gas tap without ignition flame silver		

20S series

1

GEV No.	101094	**Ref. No.**	054109
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101094		
	GEV No. 100408	Ref. No.	—
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
spare parts for	101094		
	GEV No. 101060	Ref. No.	056595
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	GEV No. 101205	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/ lower suitable for PEL20		
	GEV No. 101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101094		
	GEV No. 101278	Ref. No.	060325
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No. 101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm		
	GEV No. 101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	GEV No. 101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm		
	GEV No. 110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	GEV No. 110083	Ref. No.	—
	knob dial plate gas tap without ignition flame silver		

1

GEV No.	101958	**Ref. No.**	004237
description	gas tap PEL type 20S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 40/15mm shaft flat upper without ignition flame connection		
spare parts for	101958		
	GEV No. 101060	Ref. No.	056595
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	GEV No. 101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	GEV No. 101876	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 39/15mm shaft flat right/ left suitable for PEL20		
accessories for	101958		
	GEV No. 101278	Ref. No.	060325
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No. 101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm		
	GEV No. 101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		

Table continues overleaf

accessories for	101958			
	GEV No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			
	GEV No.	110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	GEV No.	110083	Ref. No.	—
	knob dial plate gas tap without ignition flame silver			

21S series

1

GEV No.	101095	**Ref. No.**	059460
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101095		
	GEV No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	GEV No.	101060	Ref. No. 056595
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	GEV No.	101206	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/ lower suitable for PEL21		
	GEV No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	101095		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101246	Ref. No. 052127
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101278	Ref. No. 060325
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	GEV No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		
	GEV No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	GEV No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		

accessories for	101095		
	GEV No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		
	GEV No.	112206	Ref. No. —
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm		

1

GEV No.	101397	**Ref. No.**	004961
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101397		
	GEV No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	GEV No.	101060	Ref. No. 056595
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	GEV No.	101206	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/ lower suitable for PEL21		
	GEV No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		
accessories for	101397		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101246	Ref. No. 052127
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101278	Ref. No. 060325
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	GEV No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		
	GEV No.	101450	Ref. No. —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	GEV No.	101451	Ref. No. —
	union nut thread M16x1.5 tube ø 8mm		
	GEV No.	110081	Ref. No. —
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101397			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

1

GEV No.	101897	**Ref. No.**	0C0205	
description	gas tap PEL type 21S gas inlet pipe flange ø21mm bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 32/25mm shaft flat upper			
spare parts for	101897			
	GEV No.	101060	Ref. No.	056595
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	GEV No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	GEV No.	101875	Ref. No.	—
	gas tap front part shaft ø 8x6.5mm shaft L 32/25mm shaft flat upper/lower type PEL21			
	GEV No.	528347	Ref. No.	—
	O-ring Viton thickness 1.78mm ID ø 2.9mm Qty 1 pcs			
accessories for	101897			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101278	Ref. No.	060325
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	GEV No.	101300	Ref. No.	—
	union nut thread M16x1.5 tube ø 10mm			
	GEV No.	110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22N/V series

1

GEV No.	101690	**Ref. No.**	052145	
description	gas tap PEL type 22N/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower			
spare parts for	101690			
	GEV No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	GEV No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/lower suitable for PEL22			
	GEV No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101690			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			

Table continues overleaf

accessories for	101690			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/O series

1

GEV No.	101086	**Ref. No.**	0S0595
description	gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower		

spare parts for	101086			
	GEV No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	GEV No.	101058	Ref. No.	056594
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	GEV No.	101201	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL22			
	GEV No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	GEV No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101086			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			

accessories for	101086			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

22S/V series

1

GEV No.	101457	**Ref. No.**	050704
description	gas tap alternatives to JUNKERS type CH110 gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat with pipe outlet		

spare parts for	101457			
	GEV No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	101058	Ref. No.	056594
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	GEV No.	101200	Ref. No.	—
	gas tap front part shaft ø 10mm shaft L 25mm shaft flat suitable for 22S/O			
	GEV No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	GEV No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101457			
	GEV No.	100945	Ref. No.	—
	roll pin ø 3.2mm L 10mm			
	GEV No.	101218	Ref. No.	—
	shaft extension JUNKERS			
	GEV No.	101219	Ref. No.	—
	shaft extension L 25mm JUNKERS			
	GEV No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101290	Ref. No.	—
	thermocouple nut T1: M10x1 T2: M18x1 suitable for PEL20/21			
	GEV No.	110064	Ref. No.	—
	knob			
	GEV No.	110066	Ref. No.	—
	knob screw			
	GEV No.	550396	Ref. No.	—
	shaft extension L 25mm JUNKERS			

1

GEV No.	101087	Ref. No.	053192
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper		
spare parts for	101087		
	GEV No.	100259	Ref. No. —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	GEV No.	101058	Ref. No. 056594
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	GEV No.	101201	Ref. No. —
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL22		
	GEV No.	101231	Ref. No. —
	thermocouple nut T1: M9x1 T2: M18x1		

spare parts for	101087			
	GEV No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101087			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101240	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

1

GEV No.	101981	Ref. No.	0C0489
description	gas tap PEL type 22S/V gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 34/26mm shaft flat upper		
spare parts for	101981		
	GEV No.	101058	Ref. No. 056594
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		

Table continues overleaf

spare parts for	101981			
	GEV No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	GEV No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	GEV No.	101449	Ref. No.	—
	gas tap front part shaft ø 8x10mm shaft L 35/17mm shaft flat upper/ lower suitable for PEL22			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
	GEV No.	101873	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 34/26mm shaft flat upper/ lower suitable for PEL22			
accessories for	101981			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

23S/O series

1

GEV No.	101092	**Ref. No.**	0A2146	
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat upper			
spare parts for	101092			
	GEV No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	GEV No.	101059	Ref. No.	—
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	GEV No.	101204	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL23S			
	GEV No.	101244	Ref. No.	—
	gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps			
	GEV No.	101463	Ref. No.	—
	screw suitable for PEL23S Qty 4 pcs			
	GEV No.	528455	Ref. No.	—
	O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			
accessories for	101092			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101252	Ref. No.	—
	union nut thread M24x1.5 for pipe ø 12mm			
	GEV No.	101253	Ref. No.	—
	union nut thread M24x1.5 PEL for pipe ø 16mm			
	GEV No.	101254	Ref. No.	—
	union nut thread M28x1.5 tube ø 20mm			
	GEV No.	101255	Ref. No.	—
	olive for pipe ø 12mm Qty 1 pcs			
	GEV No.	101256	Ref. No.	054817
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101257	Ref. No.	—
	olive for pipe ø 20mm Qty 1 pcs			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101092			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

1

GEV No.	101091	**Ref. No.**	054811
description	gas tap PEL type 23S/O gas inlet M28x1.5 (tube ø 20mm) bypass nozzle ø 0.35mm gas outlet M24x1.5 (tube ø 16mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 35/19mm shaft flat upper		
spare parts for	101091		
	GEV No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	GEV No.	101045	Ref. No.	056596
	magnet unit T1: M9x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M9x1			
	GEV No.	101244	Ref. No.	—
	gas connection thread M24x1.5 tube ø 12/16mm horizontal for PEL gas taps			
	GEV No.	101336	Ref. No.	—
	gas tap front part shaft ø 10x8mm shaft L 35/17mm shaft flat upper/ lower suitable for PEL23S			
	GEV No.	101463	Ref. No.	—
	screw suitable for PEL23S Qty 4 pcs			
	GEV No.	528455	Ref. No.	—
	O-ring Viton thickness 2.62mm ID ø 18.72mm Qty 1 pcs			
accessories for	101091			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101252	Ref. No.	—
	union nut thread M24x1.5 for pipe ø 12mm			
	GEV No.	101253	Ref. No.	—
	union nut thread M24x1.5 PEL for pipe ø 16mm			
	GEV No.	101254	Ref. No.	—
	union nut thread M28x1.5 tube ø 20mm			

accessories for	101091			
	GEV No.	101255	Ref. No.	—
	olive for pipe ø 12mm Qty 1 pcs			
	GEV No.	101256	Ref. No.	054817
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101257	Ref. No.	—
	olive for pipe ø 20mm Qty 1 pcs			
	GEV No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			
	GEV No.	112206	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm			

alternatives to JUNKERS

1

GEV No.	101457	**Ref. No.**	050704
description	gas tap alternatives to JUNKERS type CH110 gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat with pipe outlet		
spare parts for	101457		
	GEV No.	100259	Ref. No.	—
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	101058	Ref. No.	056594
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	GEV No.	101200	Ref. No.	—
	gas tap front part shaft ø 10mm shaft L 25mm shaft flat suitable for 22S/O			
	GEV No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	GEV No.	101241	Ref. No.	—
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			

Table continues overleaf

spare parts for	101457			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
accessories for	101457			
	GEV No.	100945	Ref. No.	—
	roll pin ø 3.2mm L 10mm			
	GEV No.	101218	Ref. No.	—
	shaft extension JUNKERS			
	GEV No.	101219	Ref. No.	—
	shaft extension L 25mm JUNKERS			
	GEV No.	101231	Ref. No.	—
	thermocouple nut T1: M9x1 T2: M18x1			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101290	Ref. No.	—
	thermocouple nut T1: M10x1 T2: M18x1 suitable for PEL20/21			
	GEV No.	110064	Ref. No.	—
	knob			
	GEV No.	110066	Ref. No.	—
	knob screw			
	GEV No.	550396	Ref. No.	—
	shaft extension L 25mm JUNKERS			

SABAF

1

GEV No.	101396	**Ref. No.**	004956
description	gas tap SABAF type 10 gas inlet pipe flange ø16mm bypass nozzle ø 0mm gas outlet 1/4" (tube ø 8mm) front fixing thermocouple connection M8x1 shaft ø 8x6.5mm shaft L 26/12mm shaft flat lower		
spare parts for	101396		
	GEV No.	101376	Ref. No. —
	gasket ID ø 8mm ED ø 12mm H 3/5mm		
	GEV No.	101751	Ref. No. —
	bracket		

spare parts for	101396			
	GEV No.	106724	Ref. No.	—
	magnet unit L 30mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF			
accessories for	101396			
	GEV No.	101277	Ref. No.	—
	olive ID ø 8mm Qty 1 pcs			
	GEV No.	101751	Ref. No.	—
	bracket			
	GEV No.	520656	Ref. No.	—
	union nut thread 1/4" tube ø 6/8mm			
	GEV No.	560082	Ref. No.	—
	hexagonal screw thread M4 thread L 16mm SS WS 7 Qty 20 pcs DIN 933 / ISO 4017			

gas thermostats

SIT

630 Eurosit series

1

GEV No.	101992	**Ref. No.**	003334
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT		
accessories for	101992		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	GEV No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	GEV No.	101333	Ref. No. —
	plug thread 3/8" with O-ring		
	GEV No.	510655	Ref. No. —
	gasket silicone ø 7.8mm L 5mm blue Shore 55° Qty 10 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	101915	**Ref. No.**	002096 0C6235
description	gas thermostat type 630 Eurosit series t.max. 320°C 80-320°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT		
accessories for	101915		
	GEV No. 100825	Ref. No.	—
	gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT		
	GEV No. 100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 100949	Ref. No.	—
	gasket suitable for 630 Eurosit series		
	GEV No. 101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	GEV No. 101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	GEV No. 101333	Ref. No.	—
	plug thread 3/8" with O-ring		
	GEV No. 101390	Ref. No.	—
	gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT		
	GEV No. 101392	Ref. No.	058773
	adapter suitable for 630 Eurosit series		
	GEV No. 110357	Ref. No.	002130
	gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series		
	GEV No. 110358	Ref. No.	003391
	adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series		

710 Minisit series

1

GEV No.	101135	**Ref. No.**	056688
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller no pressure regulatormbar gland nut		
spare parts for	101135		
	GEV No. 101053	Ref. No.	056587
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No. 102118	Ref. No.	—
	probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710		
accessories for	101135		
	GEV No. 100809	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	GEV No. 100820	Ref. No.	—
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
	GEV No. 100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No. 101136	Ref. No.	054269
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	GEV No. 101137	Ref. No.	056577
	cover cap without piezoelectric igniter		
	GEV No. 101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm		
	GEV No. 101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710		
	GEV No. 101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710		
	GEV No. 101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm		
	GEV No. 101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm		

Table continues overleaf

accessories for	101135			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No.	054268
	knob suitable for Minisit ø 37mm			



1

GEV No.	101437	**Ref. No.**	052685
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller yes pressure regulator 3-18mbar gland nut		
spare parts for	101437		
	GEV No.	101053	Ref. No. 056587
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	102118	Ref. No. —
	probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710		
accessories for	101437		
	GEV No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	GEV No.	100820	Ref. No. —
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	101136	Ref. No. 054269
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	GEV No.	101137	Ref. No. 056577
	cover cap without piezoelectric igniter		

accessories for	101437			
	GEV No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	GEV No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	GEV No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	GEV No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	GEV No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No.	054268
	knob suitable for Minisit ø 37mm			



1

GEV No.	103327	**Ref. No.**	053368
description	gas thermostat SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulatormbar gland nut		
spare parts for	103327		
	GEV No.	101053	Ref. No. 056587
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	102103	Ref. No. —
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710		
accessories for	103327		
	GEV No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	GEV No.	100820	Ref. No. —
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	103327			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	GEV No.	101136	Ref. No.	054269
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	GEV No.	101137	Ref. No.	056577
	cover cap without piezoelectric igniter			
	GEV No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	GEV No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	GEV No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	GEV No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	GEV No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No.	054268
	knob suitable for Minisit ø 37mm			



GEV No.	101435	Ref. No.	052068
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm probe type type C1 pressure controller no pressure regulatormbar gland nut		
spare parts for	101435		
	GEV No.	101053	Ref. No. 056587
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	102107	Ref. No. —
	probe 100-340°C probe ø 4mm probe L 72mm capillary pipe 1050mm t.max. 340°C oven/grill probe type type C1 suitable for MINISIT 710		
accessories for	101435		
	GEV No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	101136	Ref. No. 054269
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	GEV No.	101137	Ref. No. 056577
	cover cap without piezoelectric igniter		
	GEV No.	101267	Ref. No. —
	reducer IT 3/8" ET 1/2" L 21mm		
	GEV No.	101268	Ref. No. —
	gas connection thread 3/8" angled with O-ring MINISIT 710		
	GEV No.	101269	Ref. No. —
	gas connection thread 1/2" angled with O-ring MINISIT 710		
	GEV No.	101270	Ref. No. —
	screw connection IT 3/8" ET 3/8" L 28mm		
	GEV No.	101272	Ref. No. —
	screw connection IT 1/2" ET 3/8" L 57mm		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		

Table continues overleaf

accessories for	101435			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No.	054268
	knob suitable for Minisit ø 37mm			

1

GEV No.	101132	**Ref. No.**	056833
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulatormbar gland nut ignition gas no		
spare parts for	101132		
	GEV No.	101053	Ref. No. 056587
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	102102	Ref. No. —
	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710		
accessories for	101132		
	GEV No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	101136	Ref. No. 054269
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	GEV No.	101137	Ref. No. 056577
	cover cap without piezoelectric igniter		
	GEV No.	101267	Ref. No. —
	reducer IT 3/8" ET 1/2" L 21mm		
	GEV No.	101268	Ref. No. —
	gas connection thread 3/8" angled with O-ring MINISIT 710		

accessories for	101132			
	GEV No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	GEV No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	GEV No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No.	054268
	knob suitable for Minisit ø 37mm			

1

GEV No.	101131	**Ref. No.**	054267
description	gas thermostat without cap, button and angle SIT type MINISIT 710 t.max. 190°C 50-190°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 98mm capillary pipe 1200mm probe type type A2 pressure controller no pressure regulatormbar gland nut		
spare parts for	101131		
	GEV No.	101053	Ref. No. 056587
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	GEV No.	102103	Ref. No. —
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type A2 suitable for MINISIT 710		
accessories for	101131		
	GEV No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	GEV No.	100820	Ref. No. —
	gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101131			
	GEV No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	GEV No.	101136	Ref. No.	054269
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	GEV No.	101137	Ref. No.	056577
	cover cap without piezoelectric igniter			
	GEV No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	GEV No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			
	GEV No.	101269	Ref. No.	—
	gas connection thread 1/2" angled with O-ring MINISIT 710			
	GEV No.	101270	Ref. No.	—
	screw connection IT 3/8" ET 3/8" L 28mm			
	GEV No.	101272	Ref. No.	—
	screw connection IT 1/2" ET 3/8" L 57mm			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	110068	Ref. No.	054268
	knob suitable for Minisit ø 37mm			

accessories

probes

1

GEV No.	102100	**Ref. No.**	056646
description	probe 30-100°C probe ø 5mm probe L 122mm capillary pipe 1050mm t.max. 100°C bain marie probe type type A1 suitable for MINISIT 710		

MERTIK

1

GEV No.	101966	**Ref. No.**	0C0444	
description	gas thermostat MERTIK t.max. 110°C 30-110°C gas inlet lateral 3/8" gas outlet lateral 3/8" thermocouple connection M9x1 capillary pipe 720mm probe ø 6mm probe L 80mm			
spare parts for	101966			
	GEV No.	106221	Ref. No.	—
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK			
accessories for	101966			
	GEV No.	100015	Ref. No.	—
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm			
	GEV No.	100018	Ref. No.	004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C			
	GEV No.	100179	Ref. No.	—
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm			
	GEV No.	100193	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm			
	GEV No.	100197	Ref. No.	—
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	102180	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm			
	GEV No.	106701	Ref. No.	0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic			
	GEV No.	106718	Ref. No.	—
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1			
	GEV No.	112387	Ref. No.	—
	knob dial plate universal red			
	GEV No.	112388	Ref. No.	—
	knob dial plate universal silver			
	GEV No.	112598	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver			
	GEV No.	112599	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red			

Table continues overleaf

accessories for	101966			
	GEV No.	112601	Ref. No.	—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112602	Ref. No.	—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112949	Ref. No.	—
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5			
	GEV No.	112950	Ref. No.	—
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter			

1

GEV No.	101957	**Ref. No.**	006692
description	gas thermostat MERTIK t.max. 340°C 100-340°C gas inlet bottom 3/8" gas outlet lateral 3/8" thermocouple connection M9x1 capillary pipe 720mm probe ø 4mm probe L 68mm		
spare parts for	101957		
	GEV No.	106221	Ref. No. —
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK		
accessories for	101957		
	GEV No.	100015	Ref. No. —
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm		
	GEV No.	100018	Ref. No. 004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
	GEV No.	100179	Ref. No. —
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm		
	GEV No.	100193	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm		
	GEV No.	100197	Ref. No. —
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	GEV No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	GEV No.	102180	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		
	GEV No.	106701	Ref. No. 0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic		
	GEV No.	106718	Ref. No. —
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1		

accessories for	101957			
	GEV No.	112387	Ref. No.	—
	knob dial plate universal red			
	GEV No.	112388	Ref. No.	—
	knob dial plate universal silver			
	GEV No.	112598	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver			
	GEV No.	112599	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red			
	GEV No.	112601	Ref. No.	—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112602	Ref. No.	—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112949	Ref. No.	—
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5			
	GEV No.	112950	Ref. No.	—
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter			

1

GEV No.	101959	**Ref. No.**	006460
description	gas thermostat MERTIK t.max. 340°C 100-340°C gas inlet bottom 3/8" gas outlet lateral 3/8" thermocouple connection M9x1 capillary pipe 720mm probe ø 4mm probe L 68mm pressure regulator 2.5-20mbar		
spare parts for	101959		
	GEV No.	106221	Ref. No. —
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK		
accessories for	101959		
	GEV No.	100015	Ref. No. —
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm		
	GEV No.	100018	Ref. No. 004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
	GEV No.	100179	Ref. No. —
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm		
	GEV No.	100193	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm		
	GEV No.	100197	Ref. No. —
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101959			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	102180	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm			
	GEV No.	106701	Ref. No.	0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic			
	GEV No.	106718	Ref. No.	—
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1			
	GEV No.	112387	Ref. No.	—
	knob dial plate universal red			
	GEV No.	112388	Ref. No.	—
	knob dial plate universal silver			
	GEV No.	112556	Ref. No.	—
	knob switch zero mark t.max.°C temperature range°C ø 46mm shaft MERTIK shaft ømm shaft flat			
	GEV No.	112598	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver			
	GEV No.	112599	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red			
	GEV No.	112601	Ref. No.	—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112602	Ref. No.	—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112949	Ref. No.	—
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5			
	GEV No.	112950	Ref. No.	—
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter			

1

GEV No.	106814	Ref. No.	0C5246
description	gas thermostat MERTIK type GV30T-C3A7A2K0-012 t.max. 340°C 100-340°C gas inlet bottom 3/8" gas inlet lateral gas outlet bottom gas outlet lateral 3/8" thermocouple connection M9x1 pilot connection M10x1 capillary pipe 720mm probe ø 4mm probe L 68mm shaft ø 8x6.5mm shaft L 13mm cable length 900mm gland nut		
spare parts for	106814		
	GEV No.	106221	Ref. No.	—
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK			

accessories for	106814			
	GEV No.	100015	Ref. No.	—
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm			
	GEV No.	100018	Ref. No.	004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C			
	GEV No.	100179	Ref. No.	—
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm			
	GEV No.	100193	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm			
	GEV No.	100197	Ref. No.	—
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	102180	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm			
	GEV No.	106701	Ref. No.	0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic			
	GEV No.	106718	Ref. No.	—
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1			
	GEV No.	112387	Ref. No.	—
	knob dial plate universal red			
	GEV No.	112388	Ref. No.	—
	knob dial plate universal silver			
	GEV No.	112598	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver			
	GEV No.	112599	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red			
	GEV No.	112601	Ref. No.	—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112602	Ref. No.	—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112949	Ref. No.	—
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5			
	GEV No.	112950	Ref. No.	—
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter			

1

GEV No.	101979	**Ref. No.**	006574
description	gas thermostat MERTIK type GV31T t.max. 190°C 110-190°C gas inlet bottom 3/8" gas inlet lateral 3/8" gas outlet bottom 3/8" gas outlet lateral 3/8" thermocouple connection M9x1 capillary pipe 720mm probe ø 4mm probe L 160mm pressure regulator 5-40mbar		
spare parts for	101979		
	GEV No.	106221	Ref. No. —
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK		
accessories for	101979		
	GEV No.	100015	Ref. No. —
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm		
	GEV No.	100018	Ref. No. 004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
	GEV No.	100179	Ref. No. —
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm		
	GEV No.	100193	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm		
	GEV No.	100197	Ref. No. —
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	GEV No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	GEV No.	102180	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		
	GEV No.	106701	Ref. No. 0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic		
	GEV No.	106718	Ref. No. —
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1		
	GEV No.	112387	Ref. No. —
	knob dial plate universal red		
	GEV No.	112388	Ref. No. —
	knob dial plate universal silver		
	GEV No.	112598	Ref. No. —
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver		

accessories for	101979		
	GEV No.	112599	Ref. No. —
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red		
	GEV No.	112601	Ref. No. —
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm		
	GEV No.	112602	Ref. No. —
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm		
	GEV No.	112949	Ref. No. —
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5		
	GEV No.	112950	Ref. No. —
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter		

1

GEV No.	101960	**Ref. No.**	0C0209
description	gas thermostat MERTIK type GV31T t.max. 340°C 100-340°C gas inlet bottom 3/8" gas outlet bottom 3/8" thermocouple connection M9x1 capillary pipe 720mm probe ø 4mm probe L 72mm		
spare parts for	101960		
	GEV No.	106221	Ref. No. —
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK		
accessories for	101960		
	GEV No.	100015	Ref. No. —
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm		
	GEV No.	100018	Ref. No. 004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
	GEV No.	100179	Ref. No. —
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm		
	GEV No.	100193	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm		
	GEV No.	100197	Ref. No. —
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101246	Ref. No. 052127
	olive for pipe ø 4mm Qty 1 pcs		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101960			
	GEV No.	101248	Ref. No.	050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	101278	Ref. No.	060325
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	102180	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm			
	GEV No.	106701	Ref. No.	0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic			
	GEV No.	106718	Ref. No.	—
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1			
	GEV No.	112387	Ref. No.	—
	knob dial plate universal red			
	GEV No.	112388	Ref. No.	—
	knob dial plate universal silver			
	GEV No.	112598	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver			
	GEV No.	112599	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red			
	GEV No.	112601	Ref. No.	—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112602	Ref. No.	—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112949	Ref. No.	—
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5			
	GEV No.	112950	Ref. No.	—
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter			

1

GEV No.	106813	**Ref. No.**	0C5247
description	gas thermostat MERTIK type GV31T-C1A7AGK0-003 t.max. 340°C 100-340°C gas inlet bottom 3/8" gas inlet lateral gas outlet bottom 3/8" gas outlet lateral thermocouple connection M9x1 pilot connection M10x1 capillary pipe 720mm probe ø 4mm probe L 68mm cable length 1300mm gland nut		
spare parts for	106813		
	GEV No.	106221	Ref. No.	—
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK			

accessories for	106813			
	GEV No.	100015	Ref. No.	—
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm			
	GEV No.	100018	Ref. No.	004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C			
	GEV No.	100179	Ref. No.	—
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm			
	GEV No.	100193	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm			
	GEV No.	100197	Ref. No.	—
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	101273	Ref. No.	—
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	GEV No.	101276	Ref. No.	—
	union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	GEV No.	102180	Ref. No.	—
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm			
	GEV No.	106701	Ref. No.	0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic			
	GEV No.	106718	Ref. No.	—
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1			
	GEV No.	112387	Ref. No.	—
	knob dial plate universal red			
	GEV No.	112388	Ref. No.	—
	knob dial plate universal silver			
	GEV No.	112598	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver			
	GEV No.	112599	Ref. No.	—
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red			
	GEV No.	112601	Ref. No.	—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112602	Ref. No.	—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	GEV No.	112949	Ref. No.	—
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5			
	GEV No.	112950	Ref. No.	—
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter			

1

GEV No.	106700	**Ref. No.**	0C5248
description	gas thermostat MERTIK type GV31T-C5AXE2K0 t.max. 190°C 110-190°C gas inlet bottom 3/8" gas inlet lateral 3/8" gas outlet bottom 3/8" gas outlet lateral 3/8" thermocouple connection M9x1 pilot connection M10x1 capillary pipe 720mm probe ø 4mm probe L 165mm shaft ø 8x6.5mm shaft L 13mm cable length 900mm		
spare parts for	106700		
	GEV No.	106221	Ref. No. —
	magnet unit L 32mm D1 ø 19mm D2 ø 14mm suitable for MERTIK		
accessories for	106700		
	GEV No.	100015	Ref. No. —
	ignition cable cable length 600mm connection ø2.4mm / ø2.4mm		
	GEV No.	100018	Ref. No. 004943
	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
	GEV No.	100179	Ref. No. —
	ignition cable cable length 1200mm connection F2.8mm / ø2.4mm		
	GEV No.	100193	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø4mm		
	GEV No.	100197	Ref. No. —
	ignition cable cable length 600mm connection F2.8mm / ø2.4mm		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101273	Ref. No. —
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	GEV No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	GEV No.	102180	Ref. No. —
	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		
	GEV No.	106701	Ref. No. 0C5400
	knob adapter thickness 14mm ED ø 26mm shaft 8x6.5mm plastic		
	GEV No.	106702	Ref. No. 0C0625
	plug thread 3/8" with O-ring L 12mm WS 8 brass suitable for MERTIK		
	GEV No.	106718	Ref. No. —
	union screw for gas thermostat MERTIK M9x1 for thermocouple ET M22x1		
	GEV No.	112387	Ref. No. —
	knob dial plate universal red		

accessories for	106700		
	GEV No.	112388	Ref. No. —
	knob dial plate universal silver		
	GEV No.	112598	Ref. No. —
	knob dial plate MERTIK gas regulator (piezoelectric igniter) silver		
	GEV No.	112599	Ref. No. —
	knob dial plate MERTIK gas regulator (piezoelectric igniter) red		
	GEV No.	112601	Ref. No. —
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm		
	GEV No.	112602	Ref. No. —
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm		
	GEV No.	112949	Ref. No. —
	knob MERTIK gas regulator ø 62mm shaft flat upper black special fixing shaft 8x6.5		
	GEV No.	112950	Ref. No. —
	knob MERTIK gas regulator ø 32mm black for piezoelectric igniter		

PEL

24STS series

1

GEV No.	101160[1]	**Ref. No.**	026335
description	gas thermostat PEL type 24STS 120-320°C gas inlet M20x1.5 (tube ø 12/10mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper		
spare parts for	101160		
	GEV No.	101058	Ref. No. 056594
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
accessories for	101160		
	GEV No.	101235	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps horizontal		
	GEV No.	101236	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical		
	GEV No.	101239	Ref. No. —
	adapter thread 3/8" ø 10mm left-hand thread		
	GEV No.	101240	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal		
	GEV No.	101241	Ref. No. —
	gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical		
	GEV No.	101248	Ref. No. 050682
	olive for pipe ø 12mm Qty 1 pcs suitable for PEL		

[1]incl. knob and connectors

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101160			
	GEV No.	101249	Ref. No.	—
	olive for pipe ø 10mm Qty 1 pcs			
	GEV No.	101250	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 10mm			
	GEV No.	101251	Ref. No.	—
	union nut thread M20x1.5 for pipe ø 12mm			
	GEV No.	101460	Ref. No.	—
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	GEV No.	101461	Ref. No.	—
	screw kit suitable for PEL22 Qty 4 pcs			
	GEV No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			
	GEV No.	110080	Ref. No.	—
	knob ø 70mm shaft ø 10x8mm shaft flat universal			

25ST series

1

GEV No.	101955	**Ref. No.**	006597
description	gas thermostat PEL type 25ST 140 up to approx. 300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.5mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 8x6.5mm shaft L 38/15mm shaft flat upper		
spare parts for	101955		
	GEV No.	100390	Ref. No. —
	bypass nozzle type PEL22 bore ø 0.5mm thread M6x0.5		
	GEV No.	101060	Ref. No. 056595
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	GEV No.	106199	Ref. No. —
	nut thread M8x1		
accessories for	101955		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101246	Ref. No. 052127
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	101278	Ref. No. 060325
	olive for pipe ø 10mm Qty 1 pcs		
	GEV No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		
	GEV No.	101300	Ref. No. —
	union nut thread M16x1.5 tube ø 10mm		

accessories for	101955			
	GEV No.	101450	Ref. No.	—
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm			
	GEV No.	101451	Ref. No.	—
	union nut thread M16x1.5 tube ø 8mm			
	GEV No.	110079	Ref. No.	—
	knob dial plate gas thermostat 1-8 silver			
	GEV No.	110081	Ref. No.	—
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal			

gas valves and ignition boxes

gas control valves

HONEYWELL

1

GEV No.	106229	**Ref. No.**	002178
description	gas valve type V4600A1031 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection 11/32" pilot connection M11x1 pressure range 5-50mbar operator type 230V (V404A 1071) suitable for HONEYWELL		
accessories for	106229		
	GEV No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101494	Ref. No. —
	locking screw thread M11x1 for pipe ø 6mm Qty 1 pcs		

1

GEV No.	106007	**Ref. No.**	005925
description	gas valve type VK4105A 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type suitable for HONEYWELL flange 32x32mm		
accessories for	106007		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

1

GEV No.	106008	**Ref. No.**	006596
description	gas valve type VK4105P 220/240V 50/60Hz gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL suitable for coil type 220/240V (V4336A 2220) flange 32x32mm		
accessories for	106008		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

SIT

ELETTROSIT

1

GEV No.	101123	**Ref. No.**	0A2035
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.138		
spare parts for	101123		
	GEV No.	101312	Ref. No. 054539
	microswitch		
	GEV No.	101352	Ref. No. —
	solenoid coil 230V 50Hz suitable for ELETTROSIT		
accessories for	101123		
	GEV No.	100006	Ref. No. —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101301	Ref. No. —
	gas connection thread 1/2" straight ELETTROSIT screw with O-ring		
	GEV No.	101303	Ref. No. —
	gas connection straight thread 3/4" ELETTROSIT		
	GEV No.	101309	Ref. No. 051281
	extension		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	101127	**Ref. No.**	057543
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	GEV No. 101312	Ref. No.	054539
	microswitch		
	GEV No. 101352	Ref. No.	—
	solenoid coil 230V 50Hz suitable for ELETTROSIT		
accessories for	101127		
	GEV No. 100006	Ref. No.	—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	GEV No. 100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 101301	Ref. No.	—
	gas connection thread 1/2" straight ELETTROSIT screw with O-ring		
	GEV No. 101303	Ref. No.	—
	gas connection straight thread 3/4" ELETTROSIT		
	GEV No. 101309	Ref. No.	051281
	extension		

1

GEV No.	101122	**Ref. No.**	054437
description	gas valve SIT type ELETTROSIT 24V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 equiv. no. 0.810.171 pilot outlet M10x1		
spare parts for	101122		
	GEV No. 101312	Ref. No.	054539
	microswitch		

accessories for	101122		
	GEV No. 100006	Ref. No.	—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	GEV No. 100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 101301	Ref. No.	—
	gas connection thread 1/2" straight ELETTROSIT screw with O-ring		
	GEV No. 101303	Ref. No.	—
	gas connection straight thread 3/4" ELETTROSIT		
	GEV No. 101309	Ref. No.	051281
	extension		

NOVASIT

1

GEV No.	101187	**Ref. No.**	002606
description	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt		
spare parts for	101187		
	GEV No. 101065	Ref. No.	056589
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
accessories for	101187		
	GEV No. 100110	Ref. No.	002783
	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
	GEV No. 101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No. 101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No. 101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No. 101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		

Table continues overleaf

accessories for	101187			
	GEV No.	102116	Ref. No.	002607
	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"			

1

GEV No.	101760	**Ref. No.**	006182	
description	gas valve SIT series Novasit 820 220V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.060			
spare parts for	101760			
	GEV No.	101065	Ref. No.	056589
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	GEV No.	101867	Ref. No.	—
	solenoid coil 220V 60Hz			
accessories for	101760			
	GEV No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101312	Ref. No.	054539
	microswitch			
	GEV No.	101313	Ref. No.	0K3020
	solenoid coil 230V 50Hz			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			

accessories for	101760			
	GEV No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			
	GEV No.	101503	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs			



1

GEV No.	101162	**Ref. No.**	055446	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010			
spare parts for	101162			
	GEV No.	101065	Ref. No.	056589
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	GEV No.	101313	Ref. No.	0K3020
	solenoid coil 230V 50Hz			
accessories for	101162			
	GEV No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101312	Ref. No.	054539
	microswitch			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	GEV No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	101162			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			

1

GEV No.	101761	**Ref. No.**	003719	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection connection RP equiv. no. 0.820.034			
spare parts for	101761			
	GEV No.	101065	Ref. No.	056589
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	GEV No.	101313	Ref. No.	0K3020
	solenoid coil 230V 50Hz			
accessories for	101761			
	GEV No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101312	Ref. No.	054539
	microswitch			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	GEV No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			

1

GEV No.	101956	**Ref. No.**	002903	
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.031			
spare parts for	101956			
	GEV No.	101065	Ref. No.	056589
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	GEV No.	101313	Ref. No.	0K3020
	solenoid coil 230V 50Hz			
accessories for	101956			
	GEV No.	100006	Ref. No.	—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	GEV No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	GEV No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL			
	GEV No.	101312	Ref. No.	054539
	microswitch			
	GEV No.	101314	Ref. No.	—
	solenoid coil 24V 50Hz			
	GEV No.	101317	Ref. No.	—
	plug with cable L 1000mm suitable for NOVASIT			
	GEV No.	101318	Ref. No.	—
	cover cap for solenoid coil suitable for NOVASIT			

1

GEV No.	101967	**Ref. No.**	059473
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection perforated equiv. no. 0.822.110		
spare parts for	101967		
	GEV No.	101313	Ref. No. 0K3020
	solenoid coil 230V 50Hz		
	GEV No.	101542	Ref. No. —
	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V		
accessories for	101967		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101503	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs		
	GEV No.	101924	Ref. No. —
	plug with cable L 1090mm suitable for NOVA 822/826/827		

SIGMA

1

GEV No.	106009	**Ref. No.**	0C1057
description	gas valve 230V 50Hz gas inlet 3/4" gas outlet 3/4" pressure range 0.5-12mbar Sigma equiv. no. 0.848.037		
spare parts for	106009		
	GEV No.	106214	Ref. No. —
	solenoid coil 230V 50Hz Sigma		
accessories for	106009		
	GEV No.	107222	Ref. No. —
	plug for solenoid valve 3-pole cable length 1070mm		

1

GEV No.	101989	**Ref. No.**	005757
description	gas valve 230V 50Hz gas inlet 3/4" gas outlet 3/4" SIT pressure range 2-50mbar equiv. no. 0.840.016		
spare parts for	101989		
	GEV No.	106214	Ref. No. —
	solenoid coil 230V 50Hz Sigma		
accessories for	101989		
	GEV No.	107222	Ref. No. —
	plug for solenoid valve 3-pole cable length 1070mm		

Find the complete and up-to-date range of products in our GEV Webshop

TANDEM



1

GEV No.	101984	**Ref. No.**	002714
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 2-50mbar power supply for modulator 230VAC rectified Tandem equiv. no. 0.836.010		
spare parts for	101984		
	GEV No.	101379	Ref. No. 002452
	solenoid coil 230V 50Hz suitable for Tandem		
accessories for	101984		
	GEV No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	GEV No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	GEV No.	101925	Ref. No. —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		
	GEV No.	102847	Ref. No. —
	O-ring		

1

GEV No.	101189	**Ref. No.**	002340
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem		
spare parts for	101189		
	GEV No.	101379	Ref. No. 002452
	solenoid coil 230V 50Hz suitable for Tandem		
accessories for	101189		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
accessories for	101189		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	GEV No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	GEV No.	101925	Ref. No. —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		
	GEV No.	102847	Ref. No. —
	O-ring		

1

GEV No.	106230	**Ref. No.**	005526
description	gas valve 24V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator SIT equiv. no. 0.830.100		
accessories for	106230		
	GEV No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	GEV No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	GEV No.	101925	Ref. No. —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	GEV No.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	GEV No.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

ignition boxes

BRAHMA

1

GEV No.	102340	**Ref. No.**	0A5167
description	ignition box BRAHMA type SM191.1 electrodes 1 waiting time 1.5s safety time 10s 230V 7VA 50-60Hz		

HONEYWELL

1

GEV No.	101165	**Ref. No.**	002351
description	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
spare parts for	101165		
	GEV No.	358696	Ref. No. —
	fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs		

1

GEV No.	102347	**Ref. No.**	002641
description	ignition box HONEYWELL type S4560M 1010 electrodes 1 waiting time 10s safety time 5s 220-240V 10VA 50Hz		

1

GEV No.	101184	**Ref. No.**	005924
description	ignition box HONEYWELL type S4565C 1033 equiv. no. S4565C 1033 electrodes 2 waiting times safety time 5s 220-240V 4VA 50/60Hz		

SIT

1

GEV No.	101990	**Ref. No.**	005908
description	ignition box SIT type 537ABC electrodes 3 waiting time 1.5s safety time 5s 230V 10VA 50-60Hz protection IP40		

1

GEV No.	102346	**Ref. No.**	0C1059
description	ignition box SIT type 577DBC electrodes 2 waiting time 1.5s safety time 6s 220/240V 20VA 50/60Hz protection IP40		

Find the complete and up-to-date range of products in our GEV Webshop

safety valves

SIT

440 series

1

GEV No.	101100	**Ref. No.**	050106
description	gas valve pressure range 50mbar gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 (tube ø 6mm) thermocouple connection M9x1 type 0.440.013		
accessories for	101100		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

1

GEV No.	101101	**Ref. No.**	026888
description	gas valve pressure range 50mbar gas inlet 3/4" gas outlet 3/4" pilot connection M10x1 (tube ø 6mm) thermocouple connection M9x1 type SIT D3		
accessories for	101101		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

gas solenoid valves

BRAHMA

1

GEV No.	101948[1]	**Ref. No.**	059509
description	solenoid valve 230VAC DN 15mm connection 1/2" L 72mm BRAHMA coil type 18811003 p max 0.5bar reg. no. 63AQ0626		
spare parts for	101948		
	GEV No.	101968	Ref. No. 005548
	solenoid valve 230VAC 20VA seat ø 17mm coil type 13902001 BRAHMA		

[1]aluminium housing

ignition parts

pilot burners

SIT

100 series

1

GEV No.	107103	**Ref. No.**	0K9223
description	pilot burner SIT 1 flame nozzle ø 0.2mm gas connection 6mm		
spare parts for	107103		
	GEV No.	100245	Ref. No. 056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100885	Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
	GEV No.	107160	Ref. No. —
	pilot burner cap SIT 1 flame Hmm Lmm Qty 1 pcs		

Table continues overleaf

spare parts for	107103			
	GEV No.	107166	Ref. No.	—
	pilot burner head SIT 1 flame Hmm Lmm Qty 1 pcs			
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	107103			
	GEV No.	100246	Ref. No.	056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	052281
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	052686
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

1

GEV No.	107138	**Ref. No.**	056751
description	pilot burner SIT type 100 series 1 flame natural gas nozzle ø 0.35mm gas connectionmm		
spare parts for	107138		
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100246	Ref. No.	056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium			
	GEV No.	100918	Ref. No.	—
	screw for pilot burner			
	GEV No.	107171	Ref. No.	058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			

accessories for	107138			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

1

GEV No.	106902	**Ref. No.**	029776
description	pilot burner SIT type 100 series 2 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106902		
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100842	Ref. No.	—
	pilot burner cap 2 flames Qty 1 pcs			
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium			
	GEV No.	100918	Ref. No.	—
	screw for pilot burner			
	GEV No.	107161	Ref. No.	—
	pilot burner cap SIT 2 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106902			
	GEV No.	100246	Ref. No.	056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	106902			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	052281
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	052686
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

1

GEV No.	106903	**Ref. No.**	020152
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106903		
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100854	Ref. No.	052256
	pilot burner bracket double		
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No.	—
	screw for pilot burner		
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106903		
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100246	Ref. No.	056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		

accessories for	106903			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	052281
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	052686
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

1

GEV No.	106906	**Ref. No.**	0H6331
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100855	Ref. No.	005618
	pilot burner bracket triple		
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No.	—
	screw for pilot burner		
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106906		
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

Table continues overleaf

accessories for	106906			
	GEV No.	100246	Ref. No.	056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	052281
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	052686
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories for	106907			
	GEV No.	100245	Ref. No.	056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	052281
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

1

GEV No.	106907	Ref. No.	058329
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
spare parts for	106907		
	GEV No.	100246	Ref. No.	056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No.	005618
	pilot burner bracket triple			
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium			
	GEV No.	100918	Ref. No.	—
	screw for pilot burner			
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107702	Ref. No.	052686
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories

pilot burner caps

1

GEV No.	102816	Ref. No.	003394
description	pilot burner cap 3 flames suitable for 100 series H 25mm L 64mm		

1

GEV No.	102662	Ref. No.	003328
description	pilot burner cap 3 flames suitable for 100 series H 28mm L 55mm Qty 1 pcs		

1

GEV No.	102665	Ref. No.	006128
description	pilot burner cap 3 flames suitable for 100 series H 28mm L 87mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	102664	**Ref. No.**	059301
description	pilot burner cap 3 flames suitable for 100 series H 29mm L 40mm		

1

GEV No.	102663	**Ref. No.**	0A5441
description	pilot burner cap 3 flames suitable for 100 series H 29mm L 64mm Qty 1 pcs		
accessories for	102663		
	GEV No.	100885	Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		

1

GEV No.	100836	**Ref. No.**	052280
description	pilot burner cap 3 flames suitable for 100 series H 30mm L 48mm		

pilot burner bottom parts

1

GEV No.	107700	**Ref. No.**	052281
description	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
spare parts for	107700		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
	GEV No.	102742	Ref. No. —
	pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs		

accessories for	107700		
	GEV No.	100245	Ref. No. 056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100246	Ref. No. 056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. 054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

1

GEV No.	107702	**Ref. No.**	052686
description	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		
spare parts for	107702		
	GEV No.	100246	Ref. No. 056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
accessories for	107702		
	GEV No.	100245	Ref. No. 056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. 054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No.	102742	Ref. No. —
	pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs		

1

GEV No.	100880	**Ref. No.**	006725
description	pilot burner bottom part SIT 100 series nozzle ø 0.4mm		

pilot burner brackets

universal

1

GEV No.	100854	**Ref. No.**	052256
description	pilot burner bracket double		

1

GEV No.	100855	**Ref. No.**	005618
description	pilot burner bracket triple		
accessories for	100855		

GEV No.	100855	Ref. No.	005618
pilot burner bracket triple			

GEV No.	100886	Ref. No.	—
pilot burner bracket suitable for 100 series 3-piece			

GEV No.	100888	Ref. No.	—
screw bolt for pilot burner			

pilot burner nozzles

1

GEV No.	100245	**Ref. No.**	056799
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

1

GEV No.	100246	**Ref. No.**	056656
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

ignition electrodes

1

GEV No.	100706	**Ref. No.**	056754
description	ignition electrode connection M4 Qty 1 pcs		

miscellaneous

1

GEV No.	101343	**Ref. No.**	056579
description	bolt for pilot burner		

1

GEV No.	101342	**Ref. No.**	056580
description	cover for pilot burner		

140 - 145 -150 series

1

GEV No.	100126	**Ref. No.**	002055
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connecti-onmm		
accessories for	100126		

GEV No.	100204	Ref. No.	059216
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			

GEV No.	100205	Ref. No.	—
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			

GEV No.	100206	Ref. No.	—
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			

GEV No.	100207	Ref. No.	059215
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			

GEV No.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			

GEV No.	100701	Ref. No.	059380
ignition electrode connection M4 Qty 1 pcs			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	100126			
	GEV No.	100897	Ref. No.	059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	GEV No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	GEV No.	100906	Ref. No.	057960
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No.	0C0121
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			

1

GEV No.	107134	**Ref. No.**	005503
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connecti-onmm		
accessories for	107134		
	GEV No.	100204	Ref. No.	059216
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	GEV No.	100205	Ref. No.	—
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100206	Ref. No.	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100207	Ref. No.	059215
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	GEV No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100701	Ref. No.	059380
	ignition electrode connection M4 Qty 1 pcs			
	GEV No.	100897	Ref. No.	059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	GEV No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	GEV No.	100906	Ref. No.	057960
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No.	0C0121
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

accessories for	107134			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			

1

GEV No.	100094	**Ref. No.**	059214
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connecti-onmm for thermocouple ø 5mm		
accessories for	100094		
	GEV No.	100182	Ref. No.	003547
	cover for pilot burner Qty 1 pcs			
	GEV No.	100204	Ref. No.	059216
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	GEV No.	100205	Ref. No.	—
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100206	Ref. No.	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100207	Ref. No.	059215
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series			
	GEV No.	100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series			
	GEV No.	100897	Ref. No.	059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	GEV No.	100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

1

GEV No.	107114[1]	**Ref. No.**	059379
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connection ømm		
spare parts for	107114		
	GEV No. 100907	Ref. No.	0C0121
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	107114		
	GEV No. 100204	Ref. No.	059216
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	GEV No. 100205	Ref. No.	—
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100206	Ref. No.	—
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100207	Ref. No.	059215
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	GEV No. 100216	Ref. No.	—
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	GEV No. 100701	Ref. No.	059380
	ignition electrode connection M4 Qty 1 pcs		
	GEV No. 100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs		
	GEV No. 100897	Ref. No.	059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	GEV No. 100898	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	GEV No. 100906	Ref. No.	057960
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No. 100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

[1]incl. thermocouple fitting

160 series

1

GEV No.	100109	**Ref. No.**	0A2472
description	pilot burner SIT type 160 series 1 flame nozzle ømm gas connection ømm		
spare parts for	100109		
	GEV No. 100907	Ref. No.	0C0121
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100109		
	GEV No. 100202	Ref. No.	—
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	GEV No. 100203	Ref. No.	—
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	GEV No. 100701	Ref. No.	059380
	ignition electrode connection M4 Qty 1 pcs		
	GEV No. 100801	Ref. No.	—
	gasket for pilot burner Qty 1 pcs		
	GEV No. 100869	Ref. No.	—
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	GEV No. 100906	Ref. No.	057960
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No. 100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 101282	Ref. No.	—
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		
	GEV No. 101287	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs		
	GEV No. 102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No. 107650	Ref. No.	—
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	100054	**Ref. No.**	003204
description	pilot burner SIT type 160 series 2 flames nozzle ømm gas connectionmm		
spare parts for	100054		
	GEV No. 100907	Ref. No. 0C0121	
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100054		
	GEV No. 100202	Ref. No. —	
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	GEV No. 100203	Ref. No. —	
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	GEV No. 100701	Ref. No. 059380	
	ignition electrode connection M4 Qty 1 pcs		
	GEV No. 100801	Ref. No. —	
	gasket for pilot burner Qty 1 pcs		
	GEV No. 100869	Ref. No. —	
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	GEV No. 100906	Ref. No. 057960	
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No. 100908	Ref. No. 052125	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100909	Ref. No. —	
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 101282	Ref. No. —	
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		
	GEV No. 101287	Ref. No. —	
	olive for pipe ø 6mm Qty 1 pcs		
	GEV No. 102110	Ref. No. 054810	
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No. —	
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No. 107650	Ref. No. —	
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

1

GEV No.	100056	**Ref. No.**	058146
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm		
spare parts for	100056		
	GEV No. 100907	Ref. No. 0C0121	
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100056		
	GEV No. 100202	Ref. No. —	
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	GEV No. 100203	Ref. No. —	
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	GEV No. 100701	Ref. No. 059380	
	ignition electrode connection M4 Qty 1 pcs		
	GEV No. 100801	Ref. No. —	
	gasket for pilot burner Qty 1 pcs		
	GEV No. 100869	Ref. No. —	
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	GEV No. 100870	Ref. No. 053665	
	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
	GEV No. 100906	Ref. No. 057960	
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No. 100908	Ref. No. 052125	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 100909	Ref. No. —	
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No. 101287	Ref. No. —	
	olive for pipe ø 6mm Qty 1 pcs		
	GEV No. 102110	Ref. No. 054810	
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No. 102111	Ref. No. —	
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No. 107650	Ref. No. —	
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

1

GEV No.	101898	**Ref. No.**	0C0744
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connection mm		
spare parts for	101898		
GEV No.	100907	Ref. No.	0C0121
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	101898		
GEV No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
GEV No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
GEV No.	100701	Ref. No.	059380
ignition electrode connection M4 Qty 1 pcs			
GEV No.	100869	Ref. No.	—
pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm			
GEV No.	100906	Ref. No.	057960
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
GEV No.	100908	Ref. No.	052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
GEV No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
GEV No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
GEV No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs			
GEV No.	107650	Ref. No.	—
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

190 series

1

GEV No.	100110	**Ref. No.**	002783
description	pilot burner SIT type 190 series 3 flames nozzle ømm gas connection mm		
accessories for	100110		
GEV No.	100202	Ref. No.	—
pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm			
GEV No.	100203	Ref. No.	—
pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm			
accessories for	100110		
GEV No.	100701	Ref. No.	059380
ignition electrode connection M4 Qty 1 pcs			
GEV No.	100906	Ref. No.	057960
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
GEV No.	100907	Ref. No.	0C0121
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
GEV No.	100908	Ref. No.	052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
GEV No.	100909	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
GEV No.	101282	Ref. No.	—
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			
GEV No.	101287	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs			
GEV No.	102110	Ref. No.	054810
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
GEV No.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
GEV No.	107650	Ref. No.	—
pilot burner nozzle SIT LPG code 30 Qty 1 pcs			

POLIDORO

pilot burners

1

GEV No.	100051	**Ref. No.**	054032
description	pilot burner POLIDORO 3 flames code gas connection mm		
spare parts for	100051		
GEV No.	100907	Ref. No.	0C0121
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for	100051		
GEV No.	100000	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pcs			
GEV No.	100208	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs			
GEV No.	100209	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs			
GEV No.	100701	Ref. No.	059380
ignition electrode connection M4 Qty 1 pcs			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	100051			
	GEV No.	100906	Ref. No.	057960
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	GEV No.	100907	Ref. No.	0C0121
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
	GEV No.	100908	Ref. No.	052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	102508	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 5 pcs			
	GEV No.	102509	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 5 pcs			
	GEV No.	102699	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores			
	GEV No.	102795	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	102797	Ref. No.	—
	olive for pipe ø 6mm Qty 1 pcs			
	GEV No.	106703	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs			
	GEV No.	106704	Ref. No.	—
	pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs			
	GEV No.	106763	Ref. No.	—
	pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs			
	GEV No.	106859	Ref. No.	054286
	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs			

producer-specific pilot burners

ZANUSSI

900 / H900 / 1000 series

1

GEV No.	107138	Ref. No.	056751
description	pilot burner SIT type 100 series 1 flame natural gas nozzle ø 0.35mm gas connectionmm		
spare parts for	107138		
	GEV No.	100245	Ref. No. 056799
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100246	Ref. No. 056656
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
	GEV No.	107171	Ref. No. 058330
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
accessories for	107138		
	GEV No.	100904	Ref. No. 052833
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. 054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

HD900 series

1

GEV No.	100094	Ref. No.	059214
description	pilot burner SIT type 140 series 1 flame nozzle ømm gas connecti-onmm for thermocouple ø 5mm		
accessories for	100094		
	GEV No.	100182	Ref. No. 003547
	cover for pilot burner Qty 1 pcs		
	GEV No.	100204	Ref. No. 059216
	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	GEV No.	100205	Ref. No. —
	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	GEV No.	100206	Ref. No. —
	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	GEV No.	100207	Ref. No. 059215
	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	GEV No.	100216	Ref. No. —
	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	GEV No.	100897	Ref. No. 059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	GEV No.	100898	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. 054810
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

N700 series

1

GEV No.	102484	Ref. No.	0C3644
description	pilot burner 2 flames for N700/N900 from serial no. 646		
accessories for	102484		
	GEV No.	100200	Ref. No. —
	pilot burner nozzle PRO-GAS LPG code 20 Qty 1 pcs nozzle ø 0.2mm		
	GEV No.	100202	Ref. No. —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	GEV No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	GEV No.	100869	Ref. No. —
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	GEV No.	100870	Ref. No. 053665
	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101246	Ref. No. 052127
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No.	102455	Ref. No. —
	nozzle holder T1: M10x1 tube ø 7mm from serial no. 646		
	GEV No.	102482	Ref. No. 0C3646
	union screw thread M11x1 L 11mm Qty 1 pcs hole ø 7mm from serial no. 646		
	GEV No.	102483	Ref. No. 0C3645
	olive ID ø 7mm ED ø 9.5mm Qty 1 pcs brass L 7mm from serial no. 646		
	GEV No.	102486	Ref. No. 0C3647
	pilot tube tube ø 4mm L 310mm W 240mm H 90mm for N900 mounting pos. front		
	GEV No.	102487	Ref. No. 0C3648
	pilot tube tube ø 4mm L 530mm W 190mm H 90mm for N900 mounting pos. rear		
	GEV No.	102488	Ref. No. 0C4192
	pilot tube tube ø 4mm L 230mm W 240mm H 90mm for N700 mounting pos. front		
	GEV No.	102489	Ref. No. 0C4193
	pilot tube tube ø 4mm L 355mm W 160mm H 90mm for N700 mounting pos. rear		
	GEV No.	107650	Ref. No. —
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	106789	**Ref. No.**	N/A
description	pilot burner 2 flames nozzle ømm for N700/N900 from serial no. 646 with nozzle holder		
spare parts for	106789		
	GEV No. 102455	Ref. No. —	
	nozzle holder T1: M10x1 tube ø 7mm from serial no. 646		
	GEV No. 102482	Ref. No. 0C3646	
	union screw thread M11x1 L 11mm Qty 1 pcs hole ø 7mm from serial no. 646		
	GEV No. 102483	Ref. No. 0C3645	
	olive ID ø 7mm ED ø 9.5mm Qty 1 pcs brass L 7mm from serial no. 646		
accessories for	106789		
	GEV No. 100200	Ref. No. —	
	pilot burner nozzle PRO-GAS LPG code 20 Qty 1 pcs nozzle ø 0.2mm		
	GEV No. 100202	Ref. No. —	
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	GEV No. 100203	Ref. No. —	
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	GEV No. 100869	Ref. No. —	
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	GEV No. 100870	Ref. No. 053665	
	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
	GEV No. 100908	Ref. No. 052125	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No. 101246	Ref. No. 052127	
	olive for pipe ø 4mm Qty 1 pcs		
	GEV No. 102487	Ref. No. 0C3648	
	pilot tube tube ø 4mm L 530mm W 190mm H 90mm for N900 mounting pos. rear		
	GEV No. 102488	Ref. No. 0C4192	
	pilot tube tube ø 4mm L 230mm W 240mm H 90mm for N700 mounting pos. front		
	GEV No. 102489	Ref. No. 0C4193	
	pilot tube tube ø 4mm L 355mm W 160mm H 90mm for N700 mounting pos. rear		
	GEV No. 107650	Ref. No. —	
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

electrodes



1

GEV No.	100701	**Ref. No.**	059380
description	ignition electrode connection M4 Qty 1 pcs		
accessories for	100701		
	GEV No. 100906	Ref. No. 057960	
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



1

GEV No.	100706	**Ref. No.**	056754
description	ignition electrode connection M4 Qty 1 pcs		

1

GEV No.	100718	**Ref. No.**	045821
description	ignition electrode D1 ø 10mm connection M5 D2 ø 14mm L1 55mm L2 10mm BL1 22mm BL2 22mm BL3 4mm to clip		



1

GEV No.	100738	**Ref. No.**	004970
description	ignition electrode D1 ø 6mm cable length 750mm D2 ø 10mm BL1 14mm BL2 2mm BL3 15mm to clip with spring and insulation connection ø 2.4mm		



1

GEV No.	100717	**Ref. No.**	054099
description	ignition electrode D1 ø 6mm connection F 2.8x0.8mm D2 ø 8.5mm BL1 18mm BL2 14mm BL3 21mm to clip		

1

GEV No.	100724	**Ref. No.**	0H6257
description	ignition electrode D1 ø 8mm BL1 13mm BL2 28mm BL3 8mm connection F 2.8x0.8mm M10x0.75		
accessories for	100724		
	GEV No.	519546	Ref. No. —
	nut thread M10x0.75 H 3.45mm WS 14 brass Qty 1 pcs		

1

GEV No.	102170	**Ref. No.**	0A5169
description	ignition electrode flange length 24mm flange width 17mm D1 ø 10mm fixing dimensions ø4.5mm with flange		



1

GEV No.	102361	**Ref. No.**	002637
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 20mm L2 20mm BL1 30mm BL2 28mm fixing dimensions ø4.5mm with flange connection ø 6mm		



1

GEV No.	102360	**Ref. No.**	002344
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 24mm L2 32mm BL1 33mm BL2 25mm fixing dimensions ø4.5mm with flange connection ø 6mm		

1

GEV No.	100739	**Ref. No.**	003041
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 24mm L2 71mm L4 61mm L3 27mm BL1 24mm BL2 35mm fixing dimensions ø4.5mm with flange connection ø 4mm		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	102175	**Ref. No.**	002638
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 31mm L2 30mm BL1 30mm BL2 28mm fixing dimensions ø4.5mm with flange connection ø 4mm		



1

GEV No.	102169	**Ref. No.**	003556
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 45mm L2 30mm L4 18mm L3 17mm BL1 30mm BL2 28mm fixing dimensions ø4.5mm with flange connection ø 6mm		

1

GEV No.	102345	**Ref. No.**	0C1049
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 50mm BL1 30mm BL2 18mm connection F 4.8x0.8mm cable length 500mm fixing dimensions ø4.5mm with flange		

1

GEV No.	102359	**Ref. No.**	002343
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 60mm L2 12mm BL1 33mm BL2 25mm fixing dimensions ø4.5mm with flange connection ø 4mm		



1

GEV No.	102351	**Ref. No.**	0C1137
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 20mm L2 35mm L3 26mm BL1 45mm BL2 48mm cable length 1180mm fixing dimensions ø4.5mm mounting distance 28mm with flange connection ø 6mm		



1

GEV No.	102362	**Ref. No.**	0H6803
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 21mm BL1 33mm BL2 26mm fixing dimensions ø4.5mm mounting distance 28mm with flange with earthing contact connection ø 6mm		

1

GEV No.	102352	**Ref. No.**	0C1134
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 35mm BL1 30mm BL2 18mm connection F 2.8x0.8mm cable length 600mm fixing dimensions ø4.5mm mounting distance 28mm with flange with earthing contact		



1

GEV No.	102349	**Ref. No.**	005920
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 38mm L2 10mm BL1 23mm BL2 18mm connection F 4.8x0.8mm cable length 700mm fixing dimensions ø4.5mm mounting distance 28mm with flange		

1

GEV No.	102350	**Ref. No.**	005911
description	ignition electrode flange length 51mm flange width 23mm D1 ø 9.5mm L1 33mm L2 11mm BL1 20mm BL2 15mm connection F 6.3x0.8/2.8x0.8mm cable length 450mm fixing dimensions ø5.5mm with flange		



1

GEV No.	102348	**Ref. No.**	005910
description	ignition electrode flange length 51mm flange width 23mm D1 ø 9.5mm L1 33mm L2 11mm BL1 20mm BL2 15mm connection F 6.3x0.8/2.8x0.8mm cable length 650mm fixing dimensions ø5.5mm with flange		

1

GEV No.	100906	**Ref. No.**	057960
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

1

GEV No.	100026	**Ref. No.**	054273
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		

1

GEV No.	100018	**Ref. No.**	004943
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		

1

GEV No.	100019	**Ref. No.**	003755
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		

Find the complete and up-to-date range of products in our GEV Webshop

piezoelectric igniters

mounting diameter 18mm

1

GEV No.	100009	**Ref. No.**	004944
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø2.4mm front measurements 26mm M18x1.5		
accessories for	100009		

GEV No.	101339	Ref. No.	002816
cover cap for piezoelectric igniter			

GEV No.	106869	Ref. No.	—
cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm			

GEV No.	107931	Ref. No.	—
cover cap for piezoelectric igniter ID ø 21mm ED ø 36mm			

mounting diameter 22mm

1

GEV No.	100005	**Ref. No.**	0H6070
description	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm SIT		

miscellaneous

1

GEV No.	nla[1]	**Ref. No.**	058225
description	piezoelectric igniter body metal connection F6.3x0.8 2 hole fixing ø 22mm		

[1]no longer available

1

GEV No.	nla[1]	**Ref. No.**	002057
description	piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm		

[1]no longer available

1

GEV No.	nla[1]	**Ref. No.**	054269
description	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
spare parts for	101136		

GEV No.	100001	Ref. No.	002057
piezoelectric igniter suitable for Minisit connection F6.3x0.8 ømm			

[1]no longer available

accessories

1

GEV No.	101339	**Ref. No.**	002816
description	cover cap for piezoelectric igniter		

ignition units

1

GEV No.	102485	**Ref. No.**	004240
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		

1

GEV No.	101015	**Ref. No.**	004248
description	ignition unit outputs 4 230VAC 0.6VA 50Hz		

1

GEV No.	101003	**Ref. No.**	003214
description	ignition unit outputs 4 230VAC 50Hz		

1

GEV No.	101004	**Ref. No.**	003552
description	ignition unit outputs 6 230VAC inlet F6.3x0.8 outlet F2.8x0.8 50Hz mounting ø 88mm		

ignition switches

1

GEV No.	345038	**Ref. No.**	053978
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

1

GEV No.	301207	**Ref. No.**	004241
description	microswitch operation switch mounting distance 24mm 250V 0.5A NO connection male faston 4.8mm type 209 actuating force: 400g		

thermocouples

thermocouple sets universal



1

GEV No.	102006	**Ref. No.**	0S0056
description	thermocouple set 6-piece L 1200mm		



1

GEV No.	102000	**Ref. No.**	0S0055
description	thermocouple set 6-piece L 900mm		

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø5mm - type Junkers with aluminised tip

1

GEV No.	102205	**Ref. No.**	058332
description	thermocouple M8x1 L 750mm plug connection ø5.0mm		
accessories for	102205		
	GEV No. 101260	Ref. No.	—
	thermocouple fitting thread M8x1 Qty 1 pcs		

with barrel socket ø6(6.5)mm

thermocouples SIT



1

GEV No.	107619	**Ref. No.**	0A2161
description	thermocouple SIT M10x1 L 1000mm plug connection ø6.0(6.5)mm		



1

GEV No.	107605	**Ref. No.**	051119
description	thermocouple SIT M8x1 L 1500mm plug connection ø6.0(6.5)mm		



1

GEV No.	107602	**Ref. No.**	0C0202
description	thermocouple SIT M8x1 L 850mm plug connection ø6.0(6.5)mm		
accessories for	107602		
	GEV No. 100920	Ref. No.	—
	thermocouple fitting thread M8x1 / M9x1 Qty 1 pcs		
	GEV No. 100922	Ref. No.	—
	thermocouple fitting thread M10x1 / ASA 11/32 Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop



GEV No.	107613	Ref. No.	0K3464
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		



GEV No.	107608	Ref. No.	027317
description	thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm		



GEV No.	107609	Ref. No.	025031
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		

plug-in thermocouples with interruption



GEV No.	107863	Ref. No.	0C3162
description	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm cable 820mm		



GEV No.	107148	Ref. No.	002784
description	thermocouple SIT with interrupter M9x1 L 600mm M10x1 F 6.3mm		

threaded thermocouples

threaded thermocouples standard

threaded thermocouples (miscellaneous)



GEV No.	102121	Ref. No.	004955
description	thermocouple M8x1 L 600mm M6x0.5		
accessories for	102121		
	GEV No.	100892	Ref. No. —
	thermocouple nut thread M6x0.5 H 6.5mm WS 8 brass Qty 1 pcs		



GEV No.	107646	Ref. No.	052163
description	thermocouple M9x1 L 1000mm M8x1		

threaded thermocouples with interruption



GEV No.	102259	Ref. No.	051635
description	thermocouple with interrupter M9x1 L 1000mm M8x1 with cable 1000mm		

thermopiles



1

GEV No.	102116	**Ref. No.**	002607
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

extensions

1

GEV No.	102265	**Ref. No.**	055032
description	thermocouple extension thread M9x1 L 600mm		

accessories

nuts

1

GEV No.	102067	**Ref. No.**	055033
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

interrupters

1

GEV No.	101258	**Ref. No.**	0H6263
description	interrupter thread M10x1		

1

GEV No.	101264	**Ref. No.**	004982
description	interrupter thread M8x1		

1

GEV No.	101265	**Ref. No.**	005687
description	interrupter thread M9x1		

gas burners

hob burners

universal hob burners

SABAF

1 series

1

GEV No.	104288	**Ref. No.**	004975
description	burner cap 3.6kW ø 120mm		
accessories for	104288		

GEV No.	104289	Ref. No.	004977
burner lower part 3/3.6kW for burner cap ø 90/120mm			

GEV No.	105086	Ref. No.	—
burner ring 3.6kW for burner cap ø 120mm			

GEV No.	105087	Ref. No.	—
burner head 3.6kW for burner cap ø 120mm			

1

GEV No.	104286	**Ref. No.**	004973
description	burner cap 3kW ø 90mm		
accessories for	104286		

GEV No.	104289	Ref. No.	004977
burner lower part 3/3.6kW for burner cap ø 90/120mm			

GEV No.	105089	Ref. No.	—
burner ring 3kW for burner cap ø 90mm			

GEV No.	105090	Ref. No.	—
burner head 3kW for burner cap ø 90mm			

1

GEV No.	104289	**Ref. No.**	004977
description	burner lower part 3/3.6kW for burner cap ø 90/120mm		
accessories for	104289		

GEV No.	104286	Ref. No.	004973
burner cap 3kW ø 90mm			

GEV No.	104288	Ref. No.	004975
burner cap 3.6kW ø 120mm			

GEV No.	105086	Ref. No.	—
burner ring 3.6kW for burner cap ø 120mm			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	104289			
	GEV No.	105087	Ref. No.	—
	burner head 3.6kW for burner cap ø 120mm			
	GEV No.	105089	Ref. No.	—
	burner ring 3kW for burner cap ø 90mm			
	GEV No.	105090	Ref. No.	—
	burner head 3kW for burner cap ø 90mm			
	GEV No.	106482	Ref. No.	—
	gas injector thread M6x0.75 WS 7 bore ø 1.1mm			
	GEV No.	106485	Ref. No.	—
	gas injector thread M6x0.75 WS 7 bore ø 1.6mm			

producer-specific hob burners

ZANUSSI

600 series

1

GEV No.	104288	**Ref. No.**	004975
description	burner cap 3.6kW ø 120mm		
accessories for	104288		
	GEV No. 104289	Ref. No.	004977
	burner lower part 3/3.6kW for burner cap ø 90/120mm		
	GEV No. 105086	Ref. No.	—
	burner ring 3.6kW for burner cap ø 120mm		
	GEV No. 105087	Ref. No.	—
	burner head 3.6kW for burner cap ø 120mm		

1

GEV No.	104286	**Ref. No.**	004973
description	burner cap 3kW ø 90mm		
accessories for	104286		
	GEV No. 104289	Ref. No.	004977
	burner lower part 3/3.6kW for burner cap ø 90/120mm		
	GEV No. 105089	Ref. No.	—
	burner ring 3kW for burner cap ø 90mm		
	GEV No. 105090	Ref. No.	—
	burner head 3kW for burner cap ø 90mm		

1

GEV No.	104289	**Ref. No.**	004977
description	burner lower part 3/3.6kW for burner cap ø 90/120mm		
accessories for	104289		
	GEV No. 104286	Ref. No.	004973
	burner cap 3kW ø 90mm		
	GEV No. 104288	Ref. No.	004975
	burner cap 3.6kW ø 120mm		
	GEV No. 105086	Ref. No.	—
	burner ring 3.6kW for burner cap ø 120mm		
	GEV No. 105087	Ref. No.	—
	burner head 3.6kW for burner cap ø 120mm		
	GEV No. 105089	Ref. No.	—
	burner ring 3kW for burner cap ø 90mm		
	GEV No. 105090	Ref. No.	—
	burner head 3kW for burner cap ø 90mm		
	GEV No. 106482	Ref. No.	—
	gas injector thread M6x0.75 WS 7 bore ø 1.1mm		
	GEV No. 106485	Ref. No.	—
	gas injector thread M6x0.75 WS 7 bore ø 1.6mm		

1

GEV No.	104287	**Ref. No.**	004974
description	burner ring for burner cap ø 120mm		
accessories for	104287		
	GEV No. 105086	Ref. No.	—
	burner ring 3.6kW for burner cap ø 120mm		
	GEV No. 105087	Ref. No.	—
	burner head 3.6kW for burner cap ø 120mm		

1

GEV No.	104285	**Ref. No.**	004972
description	burner ring ø 90mm for burner cap ø 90mm		
accessories for	104285		
	GEV No. 105089	Ref. No.	—
	burner ring 3kW for burner cap ø 90mm		
	GEV No. 105090	Ref. No.	—
	burner head 3kW for burner cap ø 90mm		

700 (version 1), R701, MD700, PR700 series

1

GEV No.	105056	**Ref. No.**	053448
description	air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium		
accessories for	105056		
GEV No.	101947	Ref. No.	058331
bracket for igniter/thermocouple			
GEV No.	105008	Ref. No.	056747
burner ring for burner cap ø 70mm			
GEV No.	105011	Ref. No.	056748
burner ring for burner cap ø 100mm			
GEV No.	105012	Ref. No.	002443
burner cap ø 100mm			
GEV No.	105231	Ref. No.	054091
burner head for burner cap ø 70mm with nozzle holder for plug-in nozzle			
GEV No.	105232	Ref. No.	002442
burner cap ø 70mm			
GEV No.	105233	Ref. No.	054092
burner head for burner cap ø 100mm with nozzle holder for plug-in nozzle			
GEV No.	105270	Ref. No.	054093
gasket for burner cap ø 70mm			
GEV No.	105271	Ref. No.	054094
gasket for burner cap ø 100mm			

1

GEV No.	105012	**Ref. No.**	002443
description	burner cap ø 100mm		
accessories for	105012		
GEV No.	101947	Ref. No.	058331
bracket for igniter/thermocouple			
GEV No.	105011	Ref. No.	056748
burner ring for burner cap ø 100mm			
GEV No.	105056	Ref. No.	053448
air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium			
GEV No.	105233	Ref. No.	054092
burner head for burner cap ø 100mm with nozzle holder for plug-in nozzle			
GEV No.	105271	Ref. No.	054094
gasket for burner cap ø 100mm			

1

GEV No.	105232	**Ref. No.**	002442
description	burner cap ø 70mm		
accessories for	105232		
GEV No.	101947	Ref. No.	058331
bracket for igniter/thermocouple			
GEV No.	105008	Ref. No.	056747
burner ring for burner cap ø 70mm			
GEV No.	105056	Ref. No.	053448
air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium			
GEV No.	105231	Ref. No.	054091
burner head for burner cap ø 70mm with nozzle holder for plug-in nozzle			
GEV No.	105270	Ref. No.	054093
gasket for burner cap ø 70mm			

1

GEV No.	105233	**Ref. No.**	054092
description	burner head for burner cap ø 100mm with nozzle holder for plug-in nozzle		
accessories for	105233		
GEV No.	101947	Ref. No.	058331
bracket for igniter/thermocouple			
GEV No.	105011	Ref. No.	056748
burner ring for burner cap ø 100mm			
GEV No.	105012	Ref. No.	002443
burner cap ø 100mm			
GEV No.	105056	Ref. No.	053448
air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium			
GEV No.	105271	Ref. No.	054094
gasket for burner cap ø 100mm			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	107230	**Ref. No.**	004239
description	burner head for burner cap ø 100mm with nozzle holder for threaded nozzle		

1

GEV No.	105231	**Ref. No.**	054091
description	burner head for burner cap ø 70mm with nozzle holder for plug-in nozzle		
accessories for	105231		
	GEV No. 101947	Ref. No.	058331
	bracket for igniter/thermocouple		
	GEV No. 105008	Ref. No.	056747
	burner ring for burner cap ø 70mm		
	GEV No. 105056	Ref. No.	053448
	air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105232	Ref. No.	002442
	burner cap ø 70mm		
	GEV No. 105270	Ref. No.	054093
	gasket for burner cap ø 70mm		

1

GEV No.	107229	**Ref. No.**	004238
description	burner head for burner cap ø 70mm with nozzle holder for threaded nozzle		

1

GEV No.	105011	**Ref. No.**	056748
description	burner ring for burner cap ø 100mm		
accessories for	105011		
	GEV No. 101947	Ref. No.	058331
	bracket for igniter/thermocouple		

accessories for	105011		
	GEV No. 105012	Ref. No.	002443
	burner cap ø 100mm		
	GEV No. 105056	Ref. No.	053448
	air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105233	Ref. No.	054092
	burner head for burner cap ø 100mm with nozzle holder for plug-in nozzle		
	GEV No. 105271	Ref. No.	054094
	gasket for burner cap ø 100mm		

1

GEV No.	105008	**Ref. No.**	056747
description	burner ring for burner cap ø 70mm		
accessories for	105008		
	GEV No. 101947	Ref. No.	058331
	bracket for igniter/thermocouple		
	GEV No. 105056	Ref. No.	053448
	air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105231	Ref. No.	054091
	burner head for burner cap ø 70mm with nozzle holder for plug-in nozzle		
	GEV No. 105232	Ref. No.	002442
	burner cap ø 70mm		
	GEV No. 105270	Ref. No.	054093
	gasket for burner cap ø 70mm		

1

GEV No.	105271	**Ref. No.**	054094
description	gasket for burner cap ø 100mm		

1

GEV No.	105270	**Ref. No.**	054093
description	gasket for burner cap ø 70mm		

H900 series

1

GEV No.	105055	**Ref. No.**	052116
description	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
accessories for	105055		
GEV No.	104564	Ref. No.	054193
burner cap ø 120mm 32 bores inside			
GEV No.	104565	Ref. No.	054246
burner head for burner cap ø 120mm			
GEV No.	104570	Ref. No.	004280
burner cap ø 120mm 16 bores inside			
GEV No.	104571	Ref. No.	004279
burner head for burner cap ø 120mm			
GEV No.	105001	Ref. No.	058182
burner lower part ø 84mm for burner cap ø 83mm			
GEV No.	105002	Ref. No.	058185
burner cap ø 83mm chrome-plated			
GEV No.	105003	Ref. No.	058183
burner lower part ø 103mm for burner cap ø 102mm			
GEV No.	105004	Ref. No.	058186
burner cap ø 102mm			
GEV No.	105005	Ref. No.	058184
burner head for burner cap ø 122mm			
GEV No.	105006	Ref. No.	058187
burner cap ø 122mm with central hole			
GEV No.	210205	Ref. No.	052102
drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			
GEV No.	210206	Ref. No.	052103
drain tray L 360mm W 345mm ø 122mm			
GEV No.	210207	Ref. No.	052104
drain tray L 360mm W 345mm ø 145mm			

1

GEV No.	105004	**Ref. No.**	058186
description	burner cap ø 102mm		
accessories for	105004		
GEV No.	105003	Ref. No.	058183
burner lower part ø 103mm for burner cap ø 102mm			
GEV No.	105055	Ref. No.	052116
air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
GEV No.	105238	Ref. No.	002462
burner head for burner cap ø 102mm			
GEV No.	105240	Ref. No.	002459
venturi for burner cap ø 102mm			
GEV No.	210206	Ref. No.	052103
drain tray L 360mm W 345mm ø 122mm			

1

GEV No.	105006	**Ref. No.**	058187
description	burner cap ø 122mm with central hole		
accessories for	105006		
GEV No.	105005	Ref. No.	058184
burner head for burner cap ø 122mm			
GEV No.	105055	Ref. No.	052116
air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
GEV No.	105241	Ref. No.	002463
burner head for burner cap ø 122mm			
GEV No.	105243	Ref. No.	002460
venturi for burner cap ø 122mm			
GEV No.	105244	Ref. No.	002197
spacer piece for Venturi			
GEV No.	210207	Ref. No.	052104
drain tray L 360mm W 345mm ø 145mm			

1

GEV No.	105002	**Ref. No.**	058185
description	burner cap ø 83mm chrome-plated		
accessories for	105002		
GEV No.	105001	Ref. No.	058182
burner lower part ø 84mm for burner cap ø 83mm			
GEV No.	105055	Ref. No.	052116
air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
GEV No.	105235	Ref. No.	002461
burner head ø 163mm for burner cap ø 83mm			
GEV No.	105237	Ref. No.	002458
venturi for burner cap ø 83mm			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	105002			
	GEV No.	210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			

accessories for	105003			
	GEV No.	210206	Ref. No.	052103
	drain tray L 360mm W 345mm ø 122mm			

1

GEV No.	105005	**Ref. No.**	058184	
description	burner head for burner cap ø 122mm			
accessories for	105005			
	GEV No.	105006	Ref. No.	058187
	burner cap ø 122mm with central hole			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	210207	Ref. No.	052104
	drain tray L 360mm W 345mm ø 145mm			

1

GEV No.	105001	**Ref. No.**	058182	
description	burner lower part ø 84mm for burner cap ø 83mm			
accessories for	105001			
	GEV No.	105002	Ref. No.	058185
	burner cap ø 83mm chrome-plated			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			

1

GEV No.	105712	**Ref. No.**	052118	
description	burner head for burner cap ø 122mm			
spare parts for	105712			
	GEV No.	105006	Ref. No.	058187
	burner cap ø 122mm with central hole			

1

GEV No.	105003	**Ref. No.**	058183	
description	burner lower part ø 103mm for burner cap ø 102mm			
accessories for	105003			
	GEV No.	105004	Ref. No.	058186
	burner cap ø 102mm			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			

HD900 series

1

GEV No.	105055	**Ref. No.**	052116	
description	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
accessories for	105055			
	GEV No.	104564	Ref. No.	054193
	burner cap ø 120mm 32 bores inside			
	GEV No.	104565	Ref. No.	054246
	burner head for burner cap ø 120mm			
	GEV No.	104570	Ref. No.	004280
	burner cap ø 120mm 16 bores inside			
	GEV No.	104571	Ref. No.	004279
	burner head for burner cap ø 120mm			
	GEV No.	105001	Ref. No.	058182
	burner lower part ø 84mm for burner cap ø 83mm			
	GEV No.	105002	Ref. No.	058185
	burner cap ø 83mm chrome-plated			
	GEV No.	105003	Ref. No.	058183
	burner lower part ø 103mm for burner cap ø 102mm			
	GEV No.	105004	Ref. No.	058186
	burner cap ø 102mm			

Table continues overleaf

accessories for	105055			
	GEV No.	105005	Ref. No.	058184
	burner head for burner cap ø 122mm			
	GEV No.	105006	Ref. No.	058187
	burner cap ø 122mm with central hole			
	GEV No.	210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			
	GEV No.	210206	Ref. No.	052103
	drain tray L 360mm W 345mm ø 122mm			
	GEV No.	210207	Ref. No.	052104
	drain tray L 360mm W 345mm ø 145mm			

1

GEV No.	105004	**Ref. No.**	058186
description	burner cap ø 102mm		
accessories for	105004		
	GEV No.	105003	Ref. No.	058183
	burner lower part ø 103mm for burner cap ø 102mm			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	105238	Ref. No.	002462
	burner head for burner cap ø 102mm			
	GEV No.	105240	Ref. No.	002459
	venturi for burner cap ø 102mm			
	GEV No.	210206	Ref. No.	052103
	drain tray L 360mm W 345mm ø 122mm			

1

GEV No.	105006	**Ref. No.**	058187
description	burner cap ø 122mm with central hole		
accessories for	105006		
	GEV No.	105005	Ref. No.	058184
	burner head for burner cap ø 122mm			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	105241	Ref. No.	002463
	burner head for burner cap ø 122mm			
	GEV No.	105243	Ref. No.	002460
	venturi for burner cap ø 122mm			

accessories for	105006			
	GEV No.	105244	Ref. No.	002197
	spacer piece for Venturi			
	GEV No.	210207	Ref. No.	052104
	drain tray L 360mm W 345mm ø 145mm			

1

GEV No.	105002	**Ref. No.**	058185
description	burner cap ø 83mm chrome-plated		
accessories for	105002		
	GEV No.	105001	Ref. No.	058182
	burner lower part ø 84mm for burner cap ø 83mm			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	105235	Ref. No.	002461
	burner head ø 163mm for burner cap ø 83mm			
	GEV No.	105237	Ref. No.	002458
	venturi for burner cap ø 83mm			
	GEV No.	210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			

1

GEV No.	105238	**Ref. No.**	002462
description	burner head for burner cap ø 102mm		
accessories for	105238		
	GEV No.	105004	Ref. No.	058186
	burner cap ø 102mm			

1

GEV No.	105241	**Ref. No.**	002463
description	burner head for burner cap ø 122mm		
accessories for	105241		
	GEV No.	105006	Ref. No.	058187
	burner cap ø 122mm with central hole			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	105243	Ref. No.	002460
	venturi for burner cap ø 122mm			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	105241			
	GEV No.	105244	Ref. No.	002197
	spacer piece for Venturi			

1

GEV No.	105235	**Ref. No.**	002461
description	burner head ø 163mm for burner cap ø 83mm		
accessories for	105235		
	GEV No. 105002	Ref. No.	058185
	burner cap ø 83mm chrome-plated		

1

GEV No.	105244	**Ref. No.**	002197
description	spacer piece for Venturi		
accessories for	105244		
	GEV No. 105006	Ref. No.	058187
	burner cap ø 122mm with central hole		
	GEV No. 105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105241	Ref. No.	002463
	burner head for burner cap ø 122mm		
	GEV No. 105243	Ref. No.	002460
	venturi for burner cap ø 122mm		

1

GEV No.	105240	**Ref. No.**	002459
description	venturi for burner cap ø 102mm		

1

GEV No.	105243	**Ref. No.**	002460
description	venturi for burner cap ø 122mm		
accessories for	105243		
	GEV No. 105006	Ref. No.	058187
	burner cap ø 122mm with central hole		

accessories for	105243			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			
	GEV No.	105241	Ref. No.	002463
	burner head for burner cap ø 122mm			
	GEV No.	105244	Ref. No.	002197
	spacer piece for Venturi			

1

GEV No.	105237	**Ref. No.**	002458
description	venturi for burner cap ø 83mm		

N700, N900 series

1

GEV No.	104558	**Ref. No.**	0C0128
description	burner cap ø 100mm 10kW		

1

GEV No.	104554	**Ref. No.**	0C0129
description	burner cap ø 62mm 6kW		

1

GEV No.	104555	**Ref. No.**	0C0127
description	burner head for burner cap ø 62mm 6kW		

1

GEV No.	104559	**Ref. No.**	0C0126
description	burner head ø 99mm for burner cap ø 100mm 10kW H 25mm seat ø 46.5mm		

1

GEV No.	104557	**Ref. No.**	0C0124
description	burner holder		

1

GEV No.	532505	**Ref. No.**	0C0188
description	O-ring silicone thickness 1.78mm ID ø 33.05mm Qty 1 pcs		

1

GEV No.	104560	**Ref. No.**	0C0133
description	venturi for burner cap ø 100mm 10kW		

1

GEV No.	104556	**Ref. No.**	0C0125
description	venturi for burner cap ø 62mm 6kW		

SL90, Stratos850/900, Janus1100 series

1

GEV No.	103087	**Ref. No.**	0H6320
description	burner cap D ø 95mm with central hole		

1

GEV No.	103088	**Ref. No.**	0H6321
description	burner cap E ø 115mm with central hole		

1

GEV No.	104028	**Ref. No.**	0H6340
description	burner head D for burner cap ø 95mm		

1

GEV No.	104029	**Ref. No.**	0H6341
description	burner head E for burner cap ø 115mm		

1

GEV No.	104043	**Ref. No.**	0H7155
description	burner lower part D for burner cap ø 95mm		

1

GEV No.	104044	**Ref. No.**	0G1811
description	burner lower part E for burner cap ø 115mm		

1

GEV No.	103007	**Ref. No.**	0H6863
description	O-ring Viton thickness 5mm ID ø 42.5mm Qty 1 pcs		

1100 (1) series

1

GEV No.	103093	**Ref. No.**	003569
description	burner head for burner cap ø 78mm suitable for ZANUSSI		

Find the complete and up-to-date range of products in our GEV Webshop

old series

1

GEV No.	105056	**Ref. No.**	053448
description	air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium		
accessories for	105056		
	GEV No. 101947	Ref. No.	058331
	bracket for igniter/thermocouple		
	GEV No. 105008	Ref. No.	056747
	burner ring for burner cap ø 70mm		
	GEV No. 105011	Ref. No.	056748
	burner ring for burner cap ø 100mm		
	GEV No. 105012	Ref. No.	002443
	burner cap ø 100mm		
	GEV No. 105231	Ref. No.	054091
	burner head for burner cap ø 70mm with nozzle holder for plug-in nozzle		
	GEV No. 105232	Ref. No.	002442
	burner cap ø 70mm		
	GEV No. 105233	Ref. No.	054092
	burner head for burner cap ø 100mm with nozzle holder for plug-in nozzle		
	GEV No. 105270	Ref. No.	054093
	gasket for burner cap ø 70mm		
	GEV No. 105271	Ref. No.	054094
	gasket for burner cap ø 100mm		

1

GEV No.	105015	**Ref. No.**	052527
description	burner cap ø 120mm		

1

GEV No.	105002	**Ref. No.**	058185
description	burner cap ø 83mm chrome-plated		
accessories for	105002		
	GEV No. 105001	Ref. No.	058182
	burner lower part ø 84mm for burner cap ø 83mm		
	GEV No. 105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105235	Ref. No.	002461
	burner head ø 163mm for burner cap ø 83mm		
	GEV No. 105237	Ref. No.	002458
	venturi for burner cap ø 83mm		

accessories for	105002		
	GEV No. 210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel		

1

GEV No.	105014	**Ref. No.**	052531
description	burner head for burner cap ø 120mm		

1

GEV No.	105013	**Ref. No.**	050694
description	burner head for burner cap ø 83mm		

700, R701, MD700 solid tops series

1

GEV No.	105055	**Ref. No.**	052116
description	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
accessories for	105055		
	GEV No. 104564	Ref. No.	054193
	burner cap ø 120mm 32 bores inside		
	GEV No. 104565	Ref. No.	054246
	burner head for burner cap ø 120mm		
	GEV No. 104570	Ref. No.	004280
	burner cap ø 120mm 16 bores inside		
	GEV No. 104571	Ref. No.	004279
	burner head for burner cap ø 120mm		
	GEV No. 105001	Ref. No.	058182
	burner lower part ø 84mm for burner cap ø 83mm		
	GEV No. 105002	Ref. No.	058185
	burner cap ø 83mm chrome-plated		
	GEV No. 105003	Ref. No.	058183
	burner lower part ø 103mm for burner cap ø 102mm		
	GEV No. 105004	Ref. No.	058186
	burner cap ø 102mm		
	GEV No. 105005	Ref. No.	058184
	burner head for burner cap ø 122mm		
	GEV No. 105006	Ref. No.	058187
	burner cap ø 122mm with central hole		

Table continues overleaf

accessories for	105055			
	GEV No.	210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			
	GEV No.	210206	Ref. No.	052103
	drain tray L 360mm W 345mm ø 122mm			
	GEV No.	210207	Ref. No.	052104
	drain tray L 360mm W 345mm ø 145mm			

1

GEV No.	104564	**Ref. No.**	054193
description	burner cap ø 120mm 32 bores inside		
accessories for	104564		
	GEV No.	104565	Ref. No.	054246
	burner head for burner cap ø 120mm			
	GEV No.	104566	Ref. No.	054536
	cover ø 120mm solid top range			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			

1

GEV No.	104565	**Ref. No.**	054246
description	burner head for burner cap ø 120mm		
accessories for	104565		
	GEV No.	104564	Ref. No.	054193
	burner cap ø 120mm 32 bores inside			
	GEV No.	104566	Ref. No.	054536
	cover ø 120mm solid top range			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			

1

GEV No.	104566	**Ref. No.**	054536
description	cover ø 120mm solid top range		
accessories for	104566		
	GEV No.	104564	Ref. No.	054193
	burner cap ø 120mm 32 bores inside			
	GEV No.	104565	Ref. No.	054246
	burner head for burner cap ø 120mm			

accessories for	104566			
	GEV No.	104570	Ref. No.	004280
	burner cap ø 120mm 16 bores inside			
	GEV No.	104571	Ref. No.	004279
	burner head for burner cap ø 120mm			
	GEV No.	105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			

N700, PR700 solid tops series

1

GEV No.	105055	**Ref. No.**	052116
description	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
accessories for	105055		
	GEV No.	104564	Ref. No.	054193
	burner cap ø 120mm 32 bores inside			
	GEV No.	104565	Ref. No.	054246
	burner head for burner cap ø 120mm			
	GEV No.	104570	Ref. No.	004280
	burner cap ø 120mm 16 bores inside			
	GEV No.	104571	Ref. No.	004279
	burner head for burner cap ø 120mm			
	GEV No.	105001	Ref. No.	058182
	burner lower part ø 84mm for burner cap ø 83mm			
	GEV No.	105002	Ref. No.	058185
	burner cap ø 83mm chrome-plated			
	GEV No.	105003	Ref. No.	058183
	burner lower part ø 103mm for burner cap ø 102mm			
	GEV No.	105004	Ref. No.	058186
	burner cap ø 102mm			
	GEV No.	105005	Ref. No.	058184
	burner head for burner cap ø 122mm			
	GEV No.	105006	Ref. No.	058187
	burner cap ø 122mm with central hole			
	GEV No.	210205	Ref. No.	052102
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel			
	GEV No.	210206	Ref. No.	052103
	drain tray L 360mm W 345mm ø 122mm			
	GEV No.	210207	Ref. No.	052104
	drain tray L 360mm W 345mm ø 145mm			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	104570	**Ref. No.**	004280
description	burner cap ø 120mm 16 bores inside		
accessories for	104570		
	GEV No. 104566	Ref. No.	054536
	cover ø 120mm solid top range		
	GEV No. 104571	Ref. No.	004279
	burner head for burner cap ø 120mm		
	GEV No. 105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		

1

GEV No.	104571	**Ref. No.**	004279
description	burner head for burner cap ø 120mm		
accessories for	104571		
	GEV No. 104566	Ref. No.	054536
	cover ø 120mm solid top range		
	GEV No. 104570	Ref. No.	004280
	burner cap ø 120mm 16 bores inside		
	GEV No. 105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		

1

GEV No.	104566	**Ref. No.**	054536
description	cover ø 120mm solid top range		
accessories for	104566		
	GEV No. 104564	Ref. No.	054193
	burner cap ø 120mm 32 bores inside		
	GEV No. 104565	Ref. No.	054246
	burner head for burner cap ø 120mm		
	GEV No. 104570	Ref. No.	004280
	burner cap ø 120mm 16 bores inside		
	GEV No. 104571	Ref. No.	004279
	burner head for burner cap ø 120mm		
	GEV No. 105055	Ref. No.	052116
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		

900, N900, HD900, Janus1100 solid tops series

1

GEV No.	104572	**Ref. No.**	052500
description	bracket for gas burner		
accessories for	104572		
	GEV No. 105024	Ref. No.	052376
	burner head for burner cap ø 180mm		
	GEV No. 105025	Ref. No.	052374
	cover ø 80mm solid top range		
	GEV No. 105026	Ref. No.	052377
	burner cap ø 180mm with central hole		

1

GEV No.	105026	**Ref. No.**	052377
description	burner cap ø 180mm with central hole		
accessories for	105026		
	GEV No. 104572	Ref. No.	052500
	bracket for gas burner		
	GEV No. 105024	Ref. No.	052376
	burner head for burner cap ø 180mm		
	GEV No. 105025	Ref. No.	052374
	cover ø 80mm solid top range		

1

GEV No.	105024	**Ref. No.**	052376
description	burner head for burner cap ø 180mm		
accessories for	105024		
	GEV No. 104572	Ref. No.	052500
	bracket for gas burner		
	GEV No. 105025	Ref. No.	052374
	cover ø 80mm solid top range		
	GEV No. 105026	Ref. No.	052377
	burner cap ø 180mm with central hole		

1

GEV No.	104743	**Ref. No.**	059374
description	burner head for burner cap ø 180mm with venturi		
accessories for	104743		
	GEV No.	101345	Ref. No. 020997
	nut thread M15x1 H 3mm WS 19 brass Qty 1 pcs		
	GEV No.	105025	Ref. No. 052374
	cover ø 80mm solid top range		
	GEV No.	105026	Ref. No. 052377
	burner cap ø 180mm with central hole		

1

GEV No.	105025	**Ref. No.**	052374
description	cover ø 80mm solid top range		
accessories for	105025		
	GEV No.	104572	Ref. No. 052500
	bracket for gas burner		
	GEV No.	105024	Ref. No. 052376
	burner head for burner cap ø 180mm		
	GEV No.	105026	Ref. No. 052377
	burner cap ø 180mm with central hole		

stockpot stoves

1

GEV No.	105028	**Ref. No.**	026643
description	burner cap ø 200mm with central hole		
accessories for	105028		
	GEV No.	105027	Ref. No. 0HB190
	burner head for burner cap ø 200mm		

1

GEV No.	105027	**Ref. No.**	0HB190
description	burner head for burner cap ø 200mm		
accessories for	105027		
	GEV No.	105028	Ref. No. 026643
	burner cap ø 200mm with central hole		

boiling tops (1)

1

GEV No.	105023	**Ref. No.**	020986
description	burner cap ø 145mm		

1

GEV No.	105307	**Ref. No.**	020985
description	burner cap ø 80mm		

1

GEV No.	105308	**Ref. No.**	020984
description	burner head		

1

GEV No.	105022	**Ref. No.**	020954
description	burner head for burner cap ø 145mm		

Find the complete and up-to-date range of products in our GEV Webshop

table cookers (2)

1

GEV No.	105006	**Ref. No.**	058187
description	burner cap ø 122mm with central hole		
accessories for	105006		
	GEV No. 105005	Ref. No. 058184	
	burner head for burner cap ø 122mm		
	GEV No. 105055	Ref. No. 052116	
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105241	Ref. No. 002463	
	burner head for burner cap ø 122mm		
	GEV No. 105243	Ref. No. 002460	
	venturi for burner cap ø 122mm		
	GEV No. 105244	Ref. No. 002197	
	spacer piece for Venturi		
	GEV No. 210207	Ref. No. 052104	
	drain tray L 360mm W 345mm ø 145mm		

1

GEV No.	105002	**Ref. No.**	058185
description	burner cap ø 83mm chrome-plated		
accessories for	105002		
	GEV No. 105001	Ref. No. 058182	
	burner lower part ø 84mm for burner cap ø 83mm		
	GEV No. 105055	Ref. No. 052116	
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105235	Ref. No. 002461	
	burner head ø 163mm for burner cap ø 83mm		
	GEV No. 105237	Ref. No. 002458	
	venturi for burner cap ø 83mm		
	GEV No. 210205	Ref. No. 052102	
	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel		

1

GEV No.	105241	**Ref. No.**	002463
description	burner head for burner cap ø 122mm		
accessories for	105241		
	GEV No. 105006	Ref. No. 058187	
	burner cap ø 122mm with central hole		
	GEV No. 105055	Ref. No. 052116	
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105243	Ref. No. 002460	
	venturi for burner cap ø 122mm		
	GEV No. 105244	Ref. No. 002197	
	spacer piece for Venturi		

1

GEV No.	105235	**Ref. No.**	002461
description	burner head ø 163mm for burner cap ø 83mm		
accessories for	105235		
	GEV No. 105002	Ref. No. 058185	
	burner cap ø 83mm chrome-plated		

1

GEV No.	105243	**Ref. No.**	002460
description	venturi for burner cap ø 122mm		
accessories for	105243		
	GEV No. 105006	Ref. No. 058187	
	burner cap ø 122mm with central hole		
	GEV No. 105055	Ref. No. 052116	
	air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium		
	GEV No. 105241	Ref. No. 002463	
	burner head for burner cap ø 122mm		
	GEV No. 105244	Ref. No. 002197	
	spacer piece for Venturi		

1

GEV No.	105237	**Ref. No.**	002458
description	venturi for burner cap ø 83mm		

pan supports

1

GEV No.	210211	**Ref. No.**	0G2033
description	pan support W 175mm L 360mm		

1

GEV No.	210027	**Ref. No.**	0C2526
description	pan support W 284mm L 386mm H 51mm suitable for ELECTROLUX, ZANUSSI		

1

GEV No.	210138	**Ref. No.**	002436
description	pan support W 285mm L 345mm		

1

GEV No.	210155	**Ref. No.**	004976
description	pan support W 320mm L 530mm		

1

GEV No.	210148	**Ref. No.**	002446
description	pan support W 340mm L 595mm		

1

GEV No.	210139	**Ref. No.**	058179
description	pan support W 345mm L 395mm		

1

GEV No.	210146	**Ref. No.**	002437
description	pan support W 350mm L 390mm		

1

GEV No.	210208	**Ref. No.**	0C0132
description	pan support W 370mm L 380mm		

1

GEV No.	210209	**Ref. No.**	0C0130
description	pan support W 370mm L 395mm		

reducers for pan supports

1

GEV No.	210001	**Ref. No.**	025056
description	reducer for pan support L 265mm W 265mm SS suitable for universal		

Find the complete and up-to-date range of products in our GEV Webshop

spillage trays

1

GEV No.	210205	**Ref. No.**	052102
description	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel		

1

GEV No.	210206	**Ref. No.**	052103
description	drain tray L 360mm W 345mm ø 122mm		

1

GEV No.	210207	**Ref. No.**	052104
description	drain tray L 360mm W 345mm ø 145mm		

accessories

reducers for pan supports

1

GEV No.	210001	**Ref. No.**	025056
description	reducer for pan support L 265mm W 265mm SS suitable for universal		

1

GEV No.	210002	**Ref. No.**	0A2000
description	reducer for pan support L 340mm W 100mm		

pan supports

1

GEV No.	210211	**Ref. No.**	0G2033
description	pan support W 175mm L 360mm		

1

GEV No.	210027	**Ref. No.**	0C2526
description	pan support W 284mm L 386mm H 51mm suitable for ELECTROLUX, ZANUSSI		

1

GEV No.	210138	**Ref. No.**	002436
description	pan support W 285mm L 345mm		

1

GEV No.	210155	**Ref. No.**	004976
description	pan support W 320mm L 530mm		

1

GEV No.	210148	**Ref. No.**	002446
description	pan support W 340mm L 595mm		

1

GEV No.	210122	**Ref. No.**	0KC890
description	pan support W 340mm L 730mm B-B burner		

1

GEV No.	210139	**Ref. No.**	058179
description	pan support W 345mm L 395mm		

1

GEV No.	210131	**Ref. No.**	0K1983
description	pan support W 345mm L 800mm C-C/C-D/D-E burner		

1

GEV No.	210130	**Ref. No.**	0K2331
description	pan support W 345mm L 810mm D-E burner		

1

GEV No.	210146	**Ref. No.**	002437
description	pan support W 350mm L 390mm		

1

GEV No.	210208	**Ref. No.**	0C0132
description	pan support W 370mm L 380mm		

1

GEV No.	210209	**Ref. No.**	0C0130
description	pan support W 370mm L 395mm		

spillage trays

1

GEV No.	210205	**Ref. No.**	052102
description	drain tray L 345mm W 360mm H 38mm ø 105mm PTFE coated steel		

1

GEV No.	210206	**Ref. No.**	052103
description	drain tray L 360mm W 345mm ø 122mm		

1

GEV No.	210207	**Ref. No.**	052104
description	drain tray L 360mm W 345mm ø 145mm		

air mixers

1

GEV No.	104569	**Ref. No.**	002527
description	air mixer		

1

GEV No.	105057	**Ref. No.**	026217
description	air mixing tube		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	106615	**Ref. No.**	051389
description	air mixing tube L 42mm ø 22mm		

bar burners

bar burners

1

GEV No.	105769	**Ref. No.**	003709
description	bar burner 1-row ø 50mm Wmm Hmm L 340mm flange width 57mm flange length 57mm convection oven		

1

GEV No.	104128	**Ref. No.**	052855
description	bar burner 2 row L 390mm W 180mm ømm H 45mm 6.4kW chargrill		
accessories for	104128		

	GEV No.	100562	Ref. No.	050591
	gas injector bore ø 2.15mm			
	GEV No.	100574	Ref. No.	026786
	gas injector bore ø 1.4mm			
	GEV No.	100579	Ref. No.	026718
	gas injector bore ø 1.3mm			
	GEV No.	101345	Ref. No.	020997
	nut thread M15x1 H 3mm WS 19 brass Qty 1 pcs			
	GEV No.	101346	Ref. No.	025902
	union nut nozzle holder			
	GEV No.	101347	Ref. No.	020988
	nozzle holder angled			
	GEV No.	106615	Ref. No.	051389
	air mixing tube L 42mm ø 22mm			

1

GEV No.	104573	**Ref. No.**	058979
description	bar burner 2 row L 400mm W 420mm ømm H 50mm oven		

1

GEV No.	105642	**Ref. No.**	026864
description	bar burner 2 row L 420mm W 125mm ømm H 95mm fryer		

1

GEV No.	104122	**Ref. No.**	056655
description	bar burner 2 row L 430mm W 205mm ømm H 45mm 6.95kW chargrill		

1

GEV No.	105483	**Ref. No.**	005656
description	bar burner 2 row L 468mm W 200mm ømm H 45mm chargrill		

1

GEV No.	104578	**Ref. No.**	004591
description	bar burner 2 row L 510mm W 190mm ømm H 40mm griddle		

1

GEV No.	105637	**Ref. No.**	059523
description	bar burner 2 row L 520mm W 235mm ømm H 90mm pasta cooker		

1

GEV No.	105640	**Ref. No.**	056877
description	bar burner 2 row L 525mm W 210mm ømm H 90mm pasta cooker		

1

GEV No.	104584	**Ref. No.**	006462
description	bar burner 2 row L 545mm W 190mm ømm H 50mm multi purpose roasting pan		

1

GEV No.	104581	**Ref. No.**	006650
description	bar burner 2 row L 550mm W 190mm ømm H 50mm griddle		

1

GEV No.	104582	**Ref. No.**	002358
description	bar burner 2 row L 580mm W 225mm ømm H 45mm chargrill		

1

GEV No.	104157	**Ref. No.**	051716
description	bar burner 3 row L 460mm W 355mm ømm Hmm kettle		

1

GEV No.	104583	**Ref. No.**	0C0490
description	bar burner 3 row L 640mm ømm H 265mm chargrill		

1

GEV No.	104580	**Ref. No.**	0A5124
description	bar burner 3 row L 645mm W 190mm ømm H 45mm griddle		

1

GEV No.	104585	**Ref. No.**	006471
description	bar burner 4 row L 415mm W 490mm ømm H 40mm multi purpose roasting pan		

1

GEV No.	105647	**Ref. No.**	004353
description	bar burner 4 row L 450mm W 455mm ømm H 245mm tilting bratt pan		

1

GEV No.	105660	**Ref. No.**	059506
description	bar burner 4 row L 475mm W 470mm ømm kettle		

1

GEV No.	105652	**Ref. No.**	0C0700
description	bar burner 4 row L 580mm W 545mm ømm H 30mm tilting bratt pan		

1

GEV No.	104579	**Ref. No.**	056002
description	bar burner 4 row L 625mm W 330mm ømm H 85mm griddle		

1

GEV No.	105651	**Ref. No.**	059624
description	bar burner 6 row L 550mm W 790mm ømm H 60mm frying pan		

1

GEV No.	105648	**Ref. No.**	051296
description	bar burner 6 row L 595mm W 630mm ømm H 45mm tilting bratt pan		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	105650	**Ref. No.**	0A5166
description	bar burner 6 row L 630mm W 550mm ømm tilting bratt pan		

1

GEV No.	105061	**Ref. No.**	052717
description	bar burner angled L 680mm W 260mm ømm Hmm oven		

1

GEV No.	105653	**Ref. No.**	0C0701
description	bar burner L 700mm W 585mm ømm H 30mm tilting bratt pan		

1

GEV No.	104291	**Ref. No.**	004971
description	bar burner ø 26mm Wmm Hmm L 260mm bain marie		

1

GEV No.	105643	**Ref. No.**	003326
description	bar burner ø 40mm Wmm Hmm L 380mm flange width 46mm fryer flange ø 61mm		

1

GEV No.	104229	**Ref. No.**	054117
description	bar burner ø 40mm Wmm Hmm L 480mm flange width 46mm gas range flange ø 61mm		

1

GEV No.	104574	**Ref. No.**	004258
description	bar burner ø 40mm Wmm Hmm L 485mm oven flange ø 46mm		

1

GEV No.	104589	**Ref. No.**	0A5447
description	bar burner ø 40mm Wmm Hmm L 550mm flange width 46mm bain marie flange ø 61mm		

1

GEV No.	104593	**Ref. No.**	059809
description	bar burner ø 40mm Wmm Hmm L 600mm flange width 46mm bain marie flange ø 61mm		

1

GEV No.	104223	**Ref. No.**	059221
description	bar burner ø 40mm Wmm Hmm L 620mm flange width 46mm gas range		

1

GEV No.	105768	**Ref. No.**	003677
description	bar burner ø 50mm Wmm Hmm L 267mm flange width 57mm flange length 57mm convection oven		

1

GEV No.	105784	**Ref. No.**	056451
description	bar burner ø 50mm Wmm Hmm L 300mm flange width 57mm flange length 57mm convection oven		

1

GEV No.	105407	**Ref. No.**	005794
description	bar burner ø 50mm Wmm Hmm L 320mm flange width 72mm pasta cooker flange ø 75mm		

1

GEV No.	105661	**Ref. No.**	0C0743
description	bar burner ø 50mm Wmm Hmm L 330mm flange width 57mm flange length 57mm kettle		

1

GEV No.	105641	**Ref. No.**	004847
description	bar burner ø 50mm Wmm Hmm L 330mm flange width 57mm flange length 57mm pasta cooker		

1

GEV No.	105638	**Ref. No.**	004726
description	bar burner ø 50mm Wmm Hmm L 340mm flange width 57mm flange length 57mm pasta cooker		

1

GEV No.	105644	**Ref. No.**	005929
description	bar burner ø 50mm Wmm Hmm L 390mm flange width 57mm flange length 57mm fryer		

1

GEV No.	104290	**Ref. No.**	004954
description	bar burner ø 50mm Wmm Hmm L 390mm tilting bratt pan		

1

GEV No.	105645	**Ref. No.**	006127
description	bar burner ø 50mm Wmm Hmm L 408mm flange width 57mm flange length 57mm fryer		

1

GEV No.	104575	**Ref. No.**	002513
description	bar burner ø 50mm Wmm Hmm L 500mm flange width 57mm flange length 57mm oven		

1

GEV No.	105766	**Ref. No.**	054028
description	bar burner ø 50mm Wmm Hmm L 525mm flange width 57mm flange length 57mm convection oven		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	105639	**Ref. No.**	056638
description	bar burner ø 60mm Wmm Hmm L 390mm 1-row with bolt bolt ø 10x45mm flange width 67mm flange length 67mm pasta cooker		

1

GEV No.	105770	**Ref. No.**	004831
description	bar burner ø 60mm Wmm Hmm L 570mm flange width 61mm convection oven flange ø 79mm		

1

GEV No.	104129	**Ref. No.**	052912
description	bar burner ømm W 40mm H 31mm L 670mm griddle		

1

GEV No.	104188	**Ref. No.**	0H6335
description	bar burner ømm W 40mm H 53mm L 400mm flange width 48mm flange length 83mm range/boiling pan		

1

GEV No.	104590	**Ref. No.**	0TR593
description	bar burner T-shape L 224mm ø 32mm bain marie		

1

GEV No.	104588	**Ref. No.**	058749
description	bar burner T-shape L 240mm ø 32mm bain marie		

1

GEV No.	104587	**Ref. No.**	050919
description	bar burner T-shape L 585mm ø 32mm bain marie		

1

GEV No.	104591	**Ref. No.**	051975
description	bar burner T-shape L 630mm ø 32mm bain marie		

1

GEV No.	105813	**Ref. No.**	002857
description	burner ømm W 185mm H 110mm L 560mm combi-steamer		

1

GEV No.	211041	**Ref. No.**	0C0424
description	chargrill grid L 175mm W 640mm H 50mm		

1

GEV No.	211034	**Ref. No.**	0C6879
description	chargrill grid L 340mm W 545mm		

1

GEV No.	211025	**Ref. No.**	004963	
description	chargrill grid L 480mm W 305mm H 14mm			
accessories for	211025			
	GEV No.	211098	Ref. No.	—
	handle ø 28mm L 89mm thread M10x1 black			

1

GEV No.	211087	**Ref. No.**	0C0450
description	chargrill grid L 640mm W 160mm		

1

GEV No.	211024	**Ref. No.**	004964
description	lava rock grid L 420mm W 268mm		

1

GEV No.	211006	**Ref. No.**	054711
description	lava rock grid L 440mm W 290mm		

1

GEV No.	211051	**Ref. No.**	056657
description	lava rock grid L 440mm W 290mm		

1

GEV No.	211035	**Ref. No.**	006205
description	lava rock grid L 447mm W 285mm		

1

GEV No.	211059	**Ref. No.**	002385
description	lava rock grid L 600mm W 345mm		

1

GEV No.	211039	**Ref. No.**	0C0479
description	lava rock grid L 630mm W 340mm H 45mm		

1

GEV No.	211036	**Ref. No.**	006206
description	lava rock grid L 635mm W 445mm H 20mm		

1

GEV No.	211037	**Ref. No.**	002395
description	lava rock grid L 715mm W 595mm		

chargrill grids

1

GEV No.	211041	**Ref. No.**	0C0424
description	chargrill grid L 175mm W 640mm H 50mm		

1

GEV No.	211034	**Ref. No.**	0C6879
description	chargrill grid L 340mm W 545mm		

1

GEV No.	211025	**Ref. No.**	004963
description	chargrill grid L 480mm W 305mm H 14mm		
accessories for	211025		
	GEV No. 211098	Ref. No.	—
	handle ø 28mm L 89mm thread M10x1 black		

1

GEV No.	211087	**Ref. No.**	0C0450
description	chargrill grid L 640mm W 160mm		

Find the complete and up-to-date range of products in our GEV Webshop

lava rock grids

1

GEV No.	211024	**Ref. No.**	004964
description	lava rock grid L 420mm W 268mm		

1

GEV No.	211006	**Ref. No.**	054711
description	lava rock grid L 440mm W 290mm		

1

GEV No.	211051	**Ref. No.**	056657
description	lava rock grid L 440mm W 290mm		

1

GEV No.	211035	**Ref. No.**	006205
description	lava rock grid L 447mm W 285mm		

1

GEV No.	211059	**Ref. No.**	002385
description	lava rock grid L 600mm W 345mm		

1

GEV No.	211039	**Ref. No.**	0C0479
description	lava rock grid L 630mm W 340mm H 45mm		

1

GEV No.	211036	**Ref. No.**	006206
description	lava rock grid L 635mm W 445mm H 20mm		

1

GEV No.	211037	**Ref. No.**	002395
description	lava rock grid L 715mm W 595mm		

tube burners

1

GEV No.	105071	**Ref. No.**	059297
description	tubular burner L 265mm W 50mm H 71mm for fryer oval suitable for 700/900 series		

1

GEV No.	104568	**Ref. No.**	004287
description	tubular burner ø 74mm L 185mm H 60mm round solid top range		
accessories for	104568		
	GEV No. 104569	Ref. No. 002527	
	air mixer		

1

GEV No.	104293	**Ref. No.**	004945
description	tubular burner ø 74mm L 200mm H 60mm round for fryer		

ring burners

1

GEV No.	105655	**Ref. No.**	051564
description	ring burner for kettle		

1

GEV No.	104189	**Ref. No.**	0H7082
description	ring burner L 460mm W 245mm for oven		

1

GEV No.	105654	**Ref. No.**	051563
description	ring burner L 465mm W 233mm for kettle		

accessories

covers

1

GEV No.	104576	**Ref. No.**	059596
description	cover for gas burner		

1

GEV No.	104230	**Ref. No.**	054119
description	cover L 505mm W 200mm gas range suitable for 700 series		

1

GEV No.	104577	**Ref. No.**	0C0175
description	cover L 690mm W 200mm gas range		

nozzle holders

1

GEV No.	101344	**Ref. No.**	052387
description	nozzle holder		

1

GEV No.	106580	**Ref. No.**	002187
description	nozzle holder		

1

GEV No.	101347	**Ref. No.**	020988
description	nozzle holder angled		

air slides

1

GEV No.	104193	**Ref. No.**	0H6880
description	air slide		

miscellaneous

1

GEV No.	104572	**Ref. No.**	052500
description	bracket for gas burner		
accessories for	104572		

GEV No.	105024	Ref. No.	052376
burner head for burner cap ø 180mm			

GEV No.	105025	Ref. No.	052374
cover ø 80mm solid top range			

GEV No.	105026	Ref. No.	052377
burner cap ø 180mm with central hole			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	101947	**Ref. No.**	058331
description	bracket for igniter/thermocouple		
accessories for	101947		

GEV No.	105008	Ref. No.	056747
burner ring for burner cap ø 70mm			

GEV No.	105011	Ref. No.	056748
burner ring for burner cap ø 100mm			

GEV No.	105012	Ref. No.	002443
burner cap ø 100mm			

GEV No.	105056	Ref. No.	053448
air mixing sleeve L 43mm ED ø 43mm ID ø 40mm aluminium			

GEV No.	105231	Ref. No.	054091
burner head for burner cap ø 70mm with nozzle holder for plug-in nozzle			

GEV No.	105232	Ref. No.	002442
burner cap ø 70mm			

GEV No.	105233	Ref. No.	054092
burner head for burner cap ø 100mm with nozzle holder for plug-in nozzle			

GEV No.	105270	Ref. No.	054093
gasket for burner cap ø 70mm			

GEV No.	105271	Ref. No.	054094
gasket for burner cap ø 100mm			

1

GEV No.	416578	**Ref. No.**	057730
description	ceramic plate		

1

GEV No.	105244	**Ref. No.**	002197
description	spacer piece for Venturi		
accessories for	105244		

GEV No.	105006	Ref. No.	058187
burner cap ø 122mm with central hole			

GEV No.	105055	Ref. No.	052116
air mixing sleeve L 40mm ED ø 43mm ID ø 40mm aluminium			

GEV No.	105241	Ref. No.	002463
burner head for burner cap ø 122mm			

GEV No.	105243	Ref. No.	002460
venturi for burner cap ø 122mm			

gas nozzles

main nozzles

gas nozzles M7x1

1

GEV No.	100522	**Ref. No.**	055113
description	gas injector thread M7x1 WS 10 bore ø 1.35mm		

gas nozzles M10x1

1

GEV No.	100150	**Ref. No.**	054630
description	gas injector thread M10x1 bore ø 0.95mm L 30mm WS 12		

1

GEV No.	100670	**Ref. No.**	002265
description	gas injector thread M10x1 bore ø 0.9mm L 30mm WS 12		

1

GEV No.	100156	**Ref. No.**	059364
description	gas injector thread M10x1 bore ø 1.3mm L 30mm WS 12		

1

GEV No.	100155	**Ref. No.**	056470
description	gas injector thread M10x1 bore ø 1.45mm L 30mm WS 12		

1

GEV No.	101975	**Ref. No.**	003722
description	gas injector thread M10x1 bore ø 1.55mm L 30mm WS 12		

1

GEV No.	100816	**Ref. No.**	002862
description	gas injector thread M10x1 bore ø 1.5mm WS 12		

1

GEV No.	100151	**Ref. No.**	054127
description	gas injector thread M10x1 bore ø 1.65mm L 30mm WS 12		

1

GEV No.	100152	**Ref. No.**	054631
description	gas injector thread M10x1 bore ø 1.8mm L 30mm WS 12		

1

GEV No.	106403	**Ref. No.**	054033
description	gas injector thread M10x1 bore ø 1.9mm L 30mm WS 12		

1

GEV No.	102499	**Ref. No.**	056471
description	gas injector thread M10x1 bore ø 2.25mm L 30mm WS 12		

1

GEV No.	106408	**Ref. No.**	054034
description	gas injector thread M10x1 bore ø 3mm L 30mm WS 12		

1

GEV No.	106451	**Ref. No.**	0A2088
description	gas injector thread M10x1 WS 12 bore ø 0.9mm		

1

GEV No.	106466	**Ref. No.**	059314
description	gas injector thread M10x1 WS 12 bore ø 1.15mm		

1

GEV No.	106328	**Ref. No.**	002393
description	gas injector thread M10x1 WS 12 bore ø 1.3mm		

1

GEV No.	101961	**Ref. No.**	0A2103
description	gas injector thread M10x1 WS 12 bore ø 1.55mm		

1

GEV No.	106468	**Ref. No.**	059336
description	gas injector thread M10x1 WS 12 bore ø 1.7mm		

1

GEV No.	109115	**Ref. No.**	0C0141
description	gas injector thread M10x1 WS 12 bore ø 1.95mm		

1

GEV No.	106457	**Ref. No.**	0C0142
description	gas injector thread M10x1 WS 12 bore ø 2.05mm		

1

GEV No.	104627	**Ref. No.**	0A2475
description	gas injector thread M10x1 WS 12 bore ø 2.25mm		

1

GEV No.	106475	**Ref. No.**	0A2083
description	gas injector thread M10x1 WS 12 bore ø 2.2mm		

1

GEV No.	106469	**Ref. No.**	059382
description	gas injector thread M10x1 WS 12 bore ø 2.5mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	106461	**Ref. No.**	059383
description	gas injector thread M10x1 WS 12 bore ø 2.8mm		

1

GEV No.	106474	**Ref. No.**	0A2102
description	gas injector thread M10x1 WS 12 bore ø 2mm		

1

GEV No.	693314	**Ref. No.**	059528
description	gas injector thread M10x1 WS 12 bore ø 3.95mm		

1

GEV No.	100381	**Ref. No.**	059357
description	gas injector thread M10x1 WS 12 bore ø 0.85mm		

1

GEV No.	100382	**Ref. No.**	059328
description	gas injector thread M10x1 WS 12 bore ø 1.05mm		

1

GEV No.	100538	**Ref. No.**	0A2076
description	gas injector thread M10x1 WS 12 bore ø 1.1mm		

1

GEV No.	100387	**Ref. No.**	0A2091
description	gas injector thread M10x1 WS 12 bore ø 1.45mm		

1

GEV No.	100384	**Ref. No.**	056793
description	gas injector thread M10x1 WS 12 bore ø 1.8mm		

gas nozzles M13x1

1

GEV No.	109108	**Ref. No.**	005652
description	gas injector thread M13x1 bore ø 2.2mm WS 13		

gas nozzles (other)

1

GEV No.	106824	**Ref. No.**	050677
description	gas injector bore ø 0.4mm		

1

GEV No.	100588	**Ref. No.**	052528
description	gas injector bore ø 0.6mm		

1

GEV No.	100586	**Ref. No.**	050679
description	gas injector bore ø 0.7mm		

1

GEV No.	100567	**Ref. No.**	025983
description	gas injector bore ø 0.85mm		

1

GEV No.	100577	**Ref. No.**	050675
description	gas injector bore ø 0.8mm		

1

GEV No.	100569	**Ref. No.**	026717
description	gas injector bore ø 0.95mm		

1

GEV No.	100568	**Ref. No.**	051121
description	gas injector bore ø 0.9mm		

1

GEV No.	100565	**Ref. No.**	050501
description	gas injector bore ø 1.05mm		

1

GEV No.	100582	**Ref. No.**	026785
description	gas injector bore ø 1.15mm		

1

GEV No.	100587	**Ref. No.**	025865
description	gas injector bore ø 1.1mm		

1

GEV No.	100580	**Ref. No.**	026788
description	gas injector bore ø 1.25mm		

1

GEV No.	100575	**Ref. No.**	026213
description	gas injector bore ø 1.2mm		

1

GEV No.	100583	**Ref. No.**	025866
description	gas injector bore ø 1.35mm		

1

GEV No.	100579	**Ref. No.**	026718
description	gas injector bore ø 1.3mm		

1

GEV No.	100573	**Ref. No.**	045676
description	gas injector bore ø 1.45mm		

1

GEV No.	100574	**Ref. No.**	026786
description	gas injector bore ø 1.4mm		

1

GEV No.	100578	**Ref. No.**	050515
description	gas injector bore ø 1.55mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	100564	**Ref. No.**	025954
description	gas injector bore ø 1.5mm		

1

GEV No.	100581	**Ref. No.**	026622
description	gas injector bore ø 1.65mm		

1

GEV No.	100570	**Ref. No.**	026789
description	gas injector bore ø 1.75mm		

1

GEV No.	100591	**Ref. No.**	026954
description	gas injector bore ø 1.7mm		

1

GEV No.	100572	**Ref. No.**	025868
description	gas injector bore ø 1.85mm		

1

GEV No.	100571	**Ref. No.**	025867
description	gas injector bore ø 1.8mm		

1

GEV No.	102865	**Ref. No.**	0A2301
description	gas injector bore ø 1.95mm		

1

GEV No.	100593	**Ref. No.**	025953
description	gas injector bore ø 1.9mm		

1

GEV No.	100595	**Ref. No.**	050750
description	gas injector bore ø 2.05mm		

1

GEV No.	100562	**Ref. No.**	050591
description	gas injector bore ø 2.15mm		

1

GEV No.	100576	**Ref. No.**	026787 51530
description	gas injector bore ø 2.1mm		

1

GEV No.	100563	**Ref. No.**	026214
description	gas injector bore ø 2.2mm		

1

GEV No.	100585	**Ref. No.**	050493
description	gas injector bore ø 2.3mm		

1

GEV No.	100596	**Ref. No.**	050807
description	gas injector bore ø 2.4mm		

1

GEV No.	100592	**Ref. No.**	051460
description	gas injector bore ø 2.7mm		

1

GEV No.	100561	**Ref. No.**	026720
description	gas injector bore ø 2mm		

1

GEV No.	100589	**Ref. No.**	057512
description	gas injector bore ø 3.2mm		

1

GEV No.	100590	**Ref. No.**	050571
description	gas injector bore ø 3.6mm		

1

GEV No.	100584	**Ref. No.**	051874
description	gas injector bore ø 3.8mm		

1

GEV No.	103180	**Ref. No.**	026623
description	nozzle bore ø 2.85mm		

pilot burner nozzles

pilot burner nozzles POLIDORO

1

GEV No.	106859	**Ref. No.**	054286
description	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs		

pilot burner nozzles SIT

100 series

1

GEV No.	100245	**Ref. No.**	056799
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

1

GEV No.	100246	**Ref. No.**	056656
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

1

GEV No.	107170	**Ref. No.**	058525
description	pilot burner nozzle SIT natural gas bore ø 0.35mm Qty 1 pcs		

1

GEV No.	107171	**Ref. No.**	058330
description	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		

140/150 series

1

GEV No.	100204	**Ref. No.**	059216
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		

1

GEV No.	100207	**Ref. No.**	059215
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	103288	**Ref. No.**	059356
description	pilot burner nozzle SIT natural gas code 50 bore ø 0.50mm suitable for 140 series		

160 series

1

GEV No.	107174	**Ref. No.**	053670
description	pilot burner nozzle SIT natural gas code 41 Qty 1 pcs		

1

GEV No.	107175	**Ref. No.**	053668
description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series		

bypass nozzles

bypass nozzles EGA

1

GEV No.	100346	**Ref. No.**	0K0241
description	bypass nozzle EGA type 31248 series bore ø 0.85mm		

bypass nozzles PEL20/21

1

GEV No.	100554	**Ref. No.**	002900
description	bypass nozzle type PEL20/21 bore ø 0.45mm thread M5x0.5		

1

GEV No.	100553	**Ref. No.**	002901
description	bypass nozzle type PEL20/21 bore ø 0.4mm thread M5x0.5		

1

GEV No.	100550	**Ref. No.**	002911
description	bypass nozzle type PEL20/21 bore ø 0.55mm thread M5x0.5		

1

GEV No.	100526	**Ref. No.**	002925
description	bypass nozzle type PEL20/21 bore ø 0.5mm thread M5x0.5		

1

GEV No.	100551	**Ref. No.**	002904
description	bypass nozzle type PEL20/21 bore ø 0.6mm thread M5x0.5		

1

GEV No.	100552	**Ref. No.**	002908
description	bypass nozzle type PEL20/21 bore ø 0.7mm thread M5x0.5		

1

GEV No.	100555	**Ref. No.**	002899
description	bypass nozzle type PEL20/21 bore ø 0.8mm thread M5x0.5		

1

GEV No.	100556	**Ref. No.**	002909
description	bypass nozzle type PEL20/21 bore ø 0.95mm thread M5x0.5		

1

GEV No.	100528	**Ref. No.**	002926
description	bypass nozzle type PEL20/21 bore ø 0.9mm thread M5x0.5		

1

GEV No.	100557	**Ref. No.**	002902
description	bypass nozzle type PEL20/21 bore ø 1.05mm thread M5x0.5		

1

GEV No.	100531	**Ref. No.**	002927
description	bypass nozzle type PEL20/21 bore ø 1.15mm thread M5x0.5		

1

GEV No.	100533	**Ref. No.**	002928
description	bypass nozzle type PEL20/21 bore ø 1.3mm thread M5x0.5		

1

GEV No.	100534	**Ref. No.**	003182
description	bypass nozzle type PEL20/21 bore ø 1.4mm thread M5x0.5		

bypass nozzles PEL22

1

GEV No.	100414	**Ref. No.**	004261
description	bypass nozzle type PEL22 bore ø 0.45mm thread M6x0.5		

1

GEV No.	100409	**Ref. No.**	056743
description	bypass nozzle type PEL22 bore ø 0.8mm thread M6x0.5		

1

GEV No.	106309	**Ref. No.**	003372
description	bypass nozzle type PEL22 bore ø 1.7mm thread M6x0.5		

bypass nozzles PEL23/24

1

GEV No.	100674	**Ref. No.**	002976
description	bypass nozzle type PEL23/24 bore ø 1.4mm thread M8x0.5		

auxiliary gas parts

screw connections

double nipples

1

GEV No.	106518	**Ref. No.**	002716
description	double nipple T1: 1/2" T2: M24x1.5 tube ø 16mm		

olives

GEV Image not available

1

GEV No.	106426	**Ref. No.**	054979
description	olive		

1

GEV No.	101278	**Ref. No.**	060325
description	olive for pipe ø 10mm Qty 1 pcs		
accessories for	101278		

GEV No.	100943	Ref. No.	—
union nut thread M17x1 tube ø 10mm			

GEV No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm			

GEV No.	101478	Ref. No.	—
union nut thread 3/8" for pipe ø 10mm			

1

GEV No.	101248	**Ref. No.**	050682
description	olive for pipe ø 12mm Qty 1 pcs suitable for PEL		
accessories for	101248		

GEV No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm			

1

GEV No.	101256	**Ref. No.**	054817
description	olive for pipe ø 16mm Qty 1 pcs		
accessories for	101256		

GEV No.	101253	Ref. No.	—
union nut thread M24x1.5 PEL for pipe ø 16mm			

1

GEV No.	101246	**Ref. No.**	052127
description	olive for pipe ø 4mm Qty 1 pcs		
accessories for	101246		

GEV No.	100908	Ref. No.	052125
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

1

GEV No.	100897	**Ref. No.**	059161
description	olive for pipe ø 4mm Qty 1 pcs for pilot burner		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	100870	**Ref. No.**	053665
description	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		

1

GEV No.	102483	**Ref. No.**	0C3645
description	olive ID ø 7mm ED ø 9.5mm Qty 1 pcs brass L 7mm from serial no. 646		

union nuts

1

GEV No.	101346	**Ref. No.**	025902
description	union nut nozzle holder		

union screws

1

GEV No.	100904	**Ref. No.**	052833
description	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		

1

GEV No.	100906	**Ref. No.**	057960
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

1

GEV No.	100907	**Ref. No.**	0C0121
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		

1

GEV No.	100908	**Ref. No.**	052125
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
accessories for	100908		

	GEV No.	100897	Ref. No.	059161
	olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	GEV No.	101246	Ref. No.	052127
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101280	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	GEV No.	101282	Ref. No.	—
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs			

1

GEV No.	102482	**Ref. No.**	0C3646
description	union screw thread M11x1 L 11mm Qty 1 pcs hole ø 7mm from serial no. 646		

1

GEV No.	101467	**Ref. No.**	051950
description	union screw thread M18x1.5 for pipe ø 12mm Qty 1 pcs		

gas pressure regulators

Standard pressure according to country:
Germany 50mbar
France 37mbar
Italy 30mbar
Spain 37/50mbar
UK 20mbar

1

GEV No.	250124	**Ref. No.**	0S0027
description	gas pressure regulator BP2205 connection 1/4" - 1/2" 30mbar/7kg/h countries IT input pressure max. 4bar NOVACOMET LPG		

gas lines

pilot tubes

producer-specific

1

GEV No.	106519	**Ref. No.**	0C0802
description	gas line tube ø 16mm L 410mm W 80mm		



1

GEV No.	102488	**Ref. No.**	0C4192
description	pilot tube tube ø 4mm L 230mm W 240mm H 90mm for N700 mounting pos. front		



1

GEV No.	102486	**Ref. No.**	0C3647
description	pilot tube tube ø 4mm L 310mm W 240mm H 90mm for N900 mounting pos. front		



1

GEV No.	102489	**Ref. No.**	0C4193
description	pilot tube tube ø 4mm L 355mm W 160mm H 90mm for N700 mounting pos. rear		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	102487	**Ref. No.**	0C3648
description	pilot tube tube ø 4mm L 530mm W 190mm H 90mm for N900 mounting pos. rear		

universal

1

GEV No.	102110	**Ref. No.**	054810
description	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
accessories for	102110		
	GEV No.	100908	Ref. No. 052125
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	101246	Ref. No. 052127
	olive for pipe ø 4mm Qty 1 pcs		

pressure switches

1

GEV No.	541073	**Ref. No.**	002635
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		

1

GEV No.	541867	**Ref. No.**	003772
description	pressure control ø 80mm reset pressure 0.42bar triggering pressure 0.78mbar connection 7.5/10.5mm 250V voltage AC 1CO pressure connection ø 7.5-10.5mm		

1

GEV No.	541446	**Ref. No.**	005029
description	pressure control pressure range 10-50mbar connection 1/4"		

1

GEV No.	541352	**Ref. No.**	005746
description	pressure control triggering pressure 1.5mbar reset pressure 1.2mbar pressure range 1.5/1.2mbar pressure connection horizontal gas technology connection 6mm suitable for ZANUSSI		

equipment-specific units

for potato peelers

abrasive side elements

grinding discs

1

GEV No.	696377	**Ref. No.**	037546
description	grating disc ø 350mm for potato peeler device		

for dough mixers

chains

roller chains 08B-1 single

1

GEV No.	693275	**Ref. No.**	056862
description	roller chain DIN/ISO 08 B-1 splitting 1/2" / 12.7mm links 23 internal width 7.75mm rollerø 8.51mm single without connecting bow		

connectors

1

GEV No.	693276	**Ref. No.**	056863
description	connector single DIN/ISO 08 B-1 splitting 1/2" links 1 L 23mm internal width 11.8mm rollerø 4.3mm metal		

for fridges

spare parts and accessories

1

GEV No.	690632	**Ref. No.**	082757
description	pin refrigerated counter ø 5mm L 17mm		

housing and bezels

covers

1

GEV No.	694337	**Ref. No.**	0A9666
description	bezel for lighting L 1375mm W 85mm H 18mm suitable for ELECTROLUX		

for refrigerated counters

spare parts and accessories

1

GEV No.	690632	**Ref. No.**	082757
description	pin refrigerated counter ø 5mm L 17mm		

for cold storage cells

pressure compensation valves

1

GEV No.	750332	**Ref. No.**	081971
description	pressure compensation valve mounting ø 61mm MiniElebar T.N. unheated for walk-in fridge +1 up to +10°C built-in depth 60mm mounting pos. horizontal		
spare parts for	750332		
	GEV No.	750335	Ref. No. —
	ventilation grille suitable for MiniElebar ø 86mm mounting distance 69.5mm H 14.5mm		

for ice-cube maker

doors

door guides

1

GEV No.	695447	**Ref. No.**	0KM684
description	door guides mounting pos. right L 215/240mm W 14mm		

miscellaneous

1

GEV No.	695630	**Ref. No.**	086445 0KM780
description	coupling set ø 37mm		

for espresso machines

brewing units

filter holder gaskets

O-rings

1

GEV No.	510409	**Ref. No.**	007029
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

for convection ovens/combi-steamers

steam generators

steam generators

1

GEV No.	694312	**Ref. No.**	005234
description	steam generator L 615mm W 100mm H 425mm		

Find the complete and up-to-date range of products in our GEV Webshop

spare parts and accessories

1

GEV No.	690869	**Ref. No.**	003825
description	bar L 440mm		

1

GEV No.	700497	**Ref. No.**	054561
description	bush for door mechanism		

1

GEV No.	550541	**Ref. No.**	002843
description	duct suitable for chip scuttle		

filters

1

GEV No.	514377	**Ref. No.**	0H6299
description	drain filter		

1

GEV No.	514425	**Ref. No.**	0C1740
description	drain filter ø 102mm		

frame

1

GEV No.	693398	**Ref. No.**	057382
description	frame for level glass		

cleaning system

cleaning arms

1

GEV No.	693408	**Ref. No.**	0C5503 0C8317
description	cleaning arm		
spare parts for	693408		

GEV No.	693409	Ref. No.	007026
retainer clip for wash arm			

door mechanics

miscellaneous

1

GEV No.	690631	**Ref. No.**	081807
description	bush refrigerated counter		

vibration pumps

1

GEV No.	500566	**Ref. No.**	0C2341
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
accessories for	500566		

GEV No.	510303	Ref. No.	—
O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs			

GEV No.	520512	Ref. No.	—
reducer WS 17 IT 1/4" ET 1/8" total length 28mm			

GEV No.	542346	Ref. No.	—
hose connector thread 1/4" with O-ring hose ø 5mm stainless steel Qty 1 pcs			

heat exchangers

1

GEV No.	692323	**Ref. No.**	003881
description	heat exchanger for convection oven		

miscellaneous

1

GEV No.	693429	**Ref. No.**	002662
description	bush		

1

GEV No.	550697	**Ref. No.**	0K2358
description	bush for knob		

1

GEV No.	698582	**Ref. No.**	002634
description	gasket conical D1 ø 74mm D2 ø 17mm thickness 11mm		

1

GEV No.	693432	**Ref. No.**	002663
description	gasket for knob		

1

GEV No.	693430	**Ref. No.**	051263
description	nut thread M22x1.5 H 5mm WS 26 zinc-coated steel Qty 1 pcs		

1

GEV No.	693431	**Ref. No.**	002727
description	plain washer		

for tilting bratt pans

spare parts and accessories

1

GEV No.	693285	**Ref. No.**	051266
description	spigot		

gearboxes

1

GEV No.	693270	**Ref. No.**	002795
description	gearbox		

poly-V-belt pulleys

1

GEV No.	693264	**Ref. No.**	052783
description	V-belt pulley single disc ø 165mm shaft intake ø 20mm groove depth 10mm disc width 16mm groove width 4mm overall width 54mm aluminium		

1

GEV No.	693261	**Ref. No.**	056976
description	V-belt pulley single disc ø 80mm shaft intake ø 15mm groove depth 9mm disc width 16mm groove width 4mm overall width 26mm steel shaft ø 25mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	693268	**Ref. No.**	002147
description	V-ripped belt pulley grooves 6 disc ø 60mm shaft intake ø 15mm disc width 17mm groove depth 1.5mm groove width 1.5mm overall width 30mm		

spindles

1

GEV No.	693278	**Ref. No.**	056830
description	end piece DIN/ISO splitting links L 30mm internal width M8mm rollerø 4.5mm metal chrome-plated		

1

GEV No.	693277	**Ref. No.**	056827
description	end piece L 30mm internal width 8.5mm rollerø 4.5mm chrome-plated brass		

1

GEV No.	693267	**Ref. No.**	052803
description	threaded rod		

1

GEV No.	693271	**Ref. No.**	056823
description	threaded rod thread M6 L 500mm ø 21mm		

1

GEV No.	693292	**Ref. No.**	0C0674
description	threaded rod thread TR20x4 L 525mm		

1

GEV No.	693283	**Ref. No.**	051336
description	threaded rod thread TR20x4 L 865mm		

miscellaneous

1

GEV No.	693284	**Ref. No.**	051265
description	bracket		

1

GEV No.	693274	**Ref. No.**	056825
description	bush		

1

GEV No.	693282	**Ref. No.**	051277
description	bush		

1

GEV No.	523510	**Ref. No.**	056820
description	deep-groove ball bearing type 6202-2RS shaft ø 15mm ED ø 35mm W 11mm with sealing discs deep-groove ball bearing DIN 625-1		

1

GEV No.	693279	**Ref. No.**	056852
description	hauling cable for tilting bratt pan complete		

1

GEV No.	693281	**Ref. No.**	051326
description	spindle		

2

GEV No.	693272	**Ref. No.**	056818
description	threaded bush		

1

GEV No.	693291	**Ref. No.**	0C0675
description	threaded bush		

1

GEV No.	693266	**Ref. No.**	052800
description	threaded bush for tilting bratt pan		

1

GEV No.	693318	**Ref. No.**	051264
description	threaded bush for tilting bratt pan		

for boiling pans

spare parts and accessories

1

GEV No.	690869	**Ref. No.**	003825
description	bar L 440mm		

1

GEV No.	111634	**Ref. No.**	058759
description	shaft extension		

1

GEV No.	693285	**Ref. No.**	051266
description	spigot		

filters

1

GEV No.	514379	**Ref. No.**	027114
description	drain filter kettle		

Find the complete and up-to-date range of products in our GEV Webshop

gearboxes



1

GEV No.	520400	**Ref. No.**	0G1613
description	auger gear		

level glasses

components

level glass pipes



1

GEV No.	697862	**Ref. No.**	059856
description	level glass pipe ø 10mm L 167mm thickness 1.5mm with O-rings brown		

complete

1

GEV No.	540200	**Ref. No.**	0H7003
description	level glass for kettle complete thread 1½"		

miscellaneous

1

GEV No.	540993	**Ref. No.**	0TR591
description	support for manometer size 1/2"		

for pasta cookers

spare parts and accessories

1

GEV No.	693285	**Ref. No.**	051266
description	spigot		

for dishwashers

containers

container lids

1

GEV No.	504708	**Ref. No.**	047551
description	lid		

1

GEV No.	510109	**Ref. No.**	069472
description	lid for salt tank		

1

GEV No.	510110	**Ref. No.**	069552
description	lid for salt tank		

1

GEV No.	504701	**Ref. No.**	068644
description	screw cap		

dosing containers

1

GEV No.	504696	**Ref. No.**	049975
description	container		

1

GEV No.	504700	**Ref. No.**	068630
description	container		

1

GEV No.	504690	**Ref. No.**	049024
description	dosing container		
spare parts for	504690		
	GEV No. 504693	Ref. No.	049022
	round filters		
	GEV No. 504699	Ref. No.	049941
	hose connector		

1

GEV No.	504707	**Ref. No.**	047549
description	rinse aid container		

Find the complete and up-to-date range of products in our GEV Webshop

salt tanks

1

GEV No.	524177	**Ref. No.**	069467
description	lid ø 69mm H 20mm for salt tank ID ø 50mm		
accessories for	524177		
	GEV No.	524148	Ref. No. —
	O-ring EPDM thickness 3.53mm ID ø 40.86mm Qty 1 pcs		

1

GEV No.	510018	**Ref. No.**	069469
description	nut ø 92mm H 10.5mm for salt tank ID ø 64mm		

1

GEV No.	510929	**Ref. No.**	069575
description	salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm		
spare parts for	510929		
	GEV No.	506015	Ref. No. —
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
	GEV No.	510018	Ref. No. 069469
	nut ø 92mm H 10.5mm for salt tank ID ø 64mm		
	GEV No.	524177	Ref. No. 069467
	lid ø 69mm H 20mm for salt tank ID ø 50mm		
accessories for	510929		
	GEV No.	510071	Ref. No. 049244
	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		
	GEV No.	510654	Ref. No. —
	gasket H 6mm D1 ø 82mm D2 ø 68mm		
accessories for	510929		
	GEV No.	510883	Ref. No. —
	gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs		

1

GEV No.	504232	**Ref. No.**	049075
description	salt tank ø 120mm H 120mm		

1

GEV No.	510032	**Ref. No.**	069680
description	salt tank without gasket new model		
spare parts for	510032		
	GEV No.	506015	Ref. No. —
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
	GEV No.	510018	Ref. No. 069469
	nut ø 92mm H 10.5mm for salt tank ID ø 64mm		
	GEV No.	510071	Ref. No. 049244
	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		
	GEV No.	524177	Ref. No. 069467
	lid ø 69mm H 20mm for salt tank ID ø 50mm		

accessories

1

GEV No.	510071	**Ref. No.**	049244
description	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		

1

GEV No.	504712	**Ref. No.**	047548
description	funnel		

1

GEV No.	504713	**Ref. No.**	047552
description	intake lance		

1

GEV No.	504703	**Ref. No.**	048434
description	lid suitable for ZANUSSI equiv. no. 048434 external hight 20mm		

1

GEV No.	504710	**Ref. No.**	047550
description	nut		

1

GEV No.	504704	**Ref. No.**	068627
description	thread bolt for dosing container		

boilers

boilers for dishwashers

1

GEV No.	504740	**Ref. No.**	069453
description	boiler		

1

GEV No.	504741	**Ref. No.**	046294
description	boiler		

1

GEV No.	504744	**Ref. No.**	047950
description	boiler		

1

GEV No.	504745	**Ref. No.**	049336
description	boiler		

1

GEV No.	504746	**Ref. No.**	048548
description	boiler		

1

GEV No.	504747	**Ref. No.**	0L1639
description	boiler		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504748	**Ref. No.**	049958
description	boiler		

1

GEV No.	504749	**Ref. No.**	049902
description	boiler		

1

GEV No.	504751	**Ref. No.**	049632
description	boiler		

1

GEV No.	504756	**Ref. No.**	0L1906
description	boiler		

1

GEV No.	504759	**Ref. No.**	0L0514
description	boiler kit		

1

GEV No.	504739	**Ref. No.**	0L2081
description	boiler ø 140mm L 325mm inlet ø 48mm		

accessories

1

GEV No.	511459	**Ref. No.**	069459
description	connecting fitting for boiler		
accessories for	511459		

GEV No.	511460	Ref. No.	069461
connecting fitting for boiler			

1

GEV No.	511460	**Ref. No.**	069461
description	connecting fitting for boiler		

1

GEV No.	517339	**Ref. No.**	005381
description	flange ø 74mm ID ø 33mm thickness 1mm hole ø 9mm		

softener cartridges

softening columns

1

GEV No.	505102	**Ref. No.**	049074
description	softener 4-fold L 380mm W 180mm		

1

GEV No.	530000	**Ref. No.**	069476
description	softener 4-fold L 380mm W 180mm		

housing and bezels

fascias

1

GEV No.	504709	**Ref. No.**	047547
description	bezel		

trapdoors

1

GEV No.	504706	**Ref. No.**	048465
description	door		

1

GEV No.	504698	**Ref. No.**	048363
description	door for rinse aid container		

hood mechanics for dishwashers

bolts

1

GEV No.	504679	**Ref. No.**	048349
description	screw bolt hood mechanics		

bushes

1

GEV No.	504677	**Ref. No.**	046538
description	bush hood mechanics		

rollers

1

GEV No.	504681	**Ref. No.**	049598
description	roller hood mechanics		

1

GEV No.	524964	**Ref. No.**	048657
description	roller ø 34.5mm H 26mm for hood mechanics plastic hole ø 10mm		

1

GEV No.	524963	**Ref. No.**	048260
description	roller ø 49mm H 21.5mm for hood mechanics plastic white hole ø 10mm		

miscellaneous

1

GEV No.	504680	**Ref. No.**	049597
description	linkage guide hood mechanics		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504766	**Ref. No.**	048297
description	pin hood mechanics		

2

GEV No.	504678	**Ref. No.**	049430
description	screw connection hood mechanics		

air traps

air traps

1

GEV No.	504617	**Ref. No.**	048853
description	air trap		
accessories for	504617		
	GEV No. 504618	Ref. No. 068642	
	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs		
	GEV No. 504621	Ref. No. 049268	
	nut		

1

GEV No.	504620	**Ref. No.**	048308
description	air trap		
accessories for	504620		
	GEV No. 504618	Ref. No. 068642	
	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs		
	GEV No. 504621	Ref. No. 049268	
	nut		

1

GEV No.	504622	**Ref. No.**	046631
description	air trap		
accessories for	504622		
	GEV No. 511452	Ref. No. 067930	
	gasket for air trap		

accessories for	504622		
	GEV No. 528487	Ref. No. —	
	O-ring EPDM thickness 2.62mm ID ø 9.19mm Qty 1 pcs		

1

GEV No.	504624	**Ref. No.**	045459
description	air trap		
accessories for	504624		
	GEV No. 528487	Ref. No. —	
	O-ring EPDM thickness 2.62mm ID ø 9.19mm Qty 1 pcs		

1

GEV No.	511445	**Ref. No.**	0L0098
description	air trap L 230mm W 60mm hose ø 6mm		

1

GEV No.	510103	**Ref. No.**	069515
description	air trap L 85mm W 20mm H 80mm hose ø 6mm plastic		
spare parts for	510103		
	GEV No. 505045	Ref. No. —	
	O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs		
	GEV No. 505094	Ref. No. —	
	air trap		
	GEV No. 510016	Ref. No. 069646	
	eye bolt for rinse aid container connection		
	GEV No. 510105	Ref. No. 069670	
	hose connector for air trap		

air trap accessories

1

GEV No.	511452	**Ref. No.**	067930
description	gasket for air trap		

1

GEV No.	510105	**Ref. No.**	069670
description	hose connector for air trap		
spare parts for	510105		
	GEV No.	510017	Ref. No. 069987
	union screw		

1

GEV No.	504621	**Ref. No.**	049268
description	nut		

mechanics for flight type dishwashers

1

GEV No.	510598	**Ref. No.**	0E5006
description	guide for spindle L 60mm W 40mm hole ø 21mm thickness 15mm		

1

GEV No.	511483	**Ref. No.**	0K8142
description	hook		

1

GEV No.	504603	**Ref. No.**	0K8166
description	hook for dishwasher		

1

GEV No.	511597	**Ref. No.**	0KU566
description	tappet for dishwasher L 140mm W 45mm H 68mm hole ø 8.4mm		

backflow preventers

backflow preventers

1

GEV No.	510789	**Ref. No.**	048191
description	backflow preventer		

1

GEV No.	524491	**Ref. No.**	0L2435
description	backflow preventer		



1

GEV No.	511446	**Ref. No.**	049459
description	backflow preventer dimensions 200x260mm		
accessories for	511446		
	GEV No. 511448	Ref. No. 049480	
	lid for back flow restrictor		
	GEV No. 512175	Ref. No. 049460	
	O-ring EPDM thickness 2.62mm ID ø 53.65mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	516101	**Ref. No.**	0L1892
description	backflow preventer dishwasher hose ø 12mm		
spare parts for	516101		

GEV No.	506367	Ref. No.	—
flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

1

GEV No.	520273	**Ref. No.**	049851
description	non-return valve brass connection 1/2" IT - 1/2" IT total length 60mm DN15		

accessories

1

GEV No.	511448	**Ref. No.**	049480
description	lid for back flow restrictor		

door mechanics

bolts

1

GEV No.	504658	**Ref. No.**	047478
description	bolt for hinge		

springs

roller springs

1

GEV No.	519449	**Ref. No.**	0E5158
description	roller spring W 25mm ID ø 32mm lug lengthmm		

linkage

1

GEV No.	504643	**Ref. No.**	049282
description	door pin		

1

GEV No.	504654	**Ref. No.**	048581
description	door pin spring linkage		

1

GEV No.	507413	**Ref. No.**	0L0034
description	linkage guide L 220mm H 5mm W 30mm		

sliding plates

1

GEV No.	504645	**Ref. No.**	049285
description	sliding plate sliding plate		

hinges

1

GEV No.	504651	**Ref. No.**	048582
description	door hinge hinge left mounting pos. left		

1

GEV No.	504647	**Ref. No.**	0L0718
description	door hinge hinge lever left mounting pos. left		

1

GEV No.	504646	**Ref. No.**	0L0717
description	door hinge hinge lever right mounting pos. right		

1

GEV No.	518547	**Ref. No.**	069513
description	door hinge hinge mounting pos. left		

1

GEV No.	518253	**Ref. No.**	0A6146
description	door hinge hinge mounting pos. right		

1

GEV No.	504650	**Ref. No.**	048583
description	door hinge hinge right mounting pos. right		

hinge pins

1

GEV No.	504642	**Ref. No.**	049281
description	hinge pin hinge pin		

1

GEV No.	518097	**Ref. No.**	049685
description	hinge pin ø 25mm D1 ø 16mm L 34mm thread M8 stainless steel		

door frames



1

GEV No.	504665	**Ref. No.**	047483
description	door frame door frame		

door bumpers

1

GEV No.	504644	**Ref. No.**	049286
description	door bumper end stop		

locks

1

GEV No.	504663	**Ref. No.**	049536
description	door catch L 35mm W 12mm H 28mm mounting distance 28mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504659	**Ref. No.**	047491
description	door catch L 84mm W 19mm H 31mm mounting distance 64mm catch housing		

miscellaneous

1

GEV No.	504482	**Ref. No.**	0L0366
description	bracket H 19mm L 70mm W 35mm		

1

GEV No.	504648	**Ref. No.**	048812
description	bush bush		

1

GEV No.	518081	**Ref. No.**	0L0608
description	handle rail set 3-piece L 550mm		

1

GEV No.	504657	**Ref. No.**	048161
description	hinge hinge		

1

GEV No.	504641	**Ref. No.**	049280
description	hinge mounting pos. left hinge		

1

GEV No.	504656	**Ref. No.**	046291
description	hinge mounting pos. left hinge		

1

GEV No.	504640	**Ref. No.**	049279
description	hinge mounting pos. right hinge		

1

GEV No.	504655	**Ref. No.**	046292
description	hinge mounting pos. right hinge		

1

GEV No.	504636	**Ref. No.**	049246
description	plate plastic plastic plate		

1

GEV No.	504637	**Ref. No.**	049802
description	spring jack spring jack		

curtains

curtains

1

GEV No.	533110	**Ref. No.**	046883
description	curtain W 530mm H 350mm warewashing		



1

GEV No.	533109	**Ref. No.**	0E5277
description	curtain W 545mm H 445mm warewashing		

1

GEV No.	533004	**Ref. No.**	0E5038
description	curtain W 550mm H 355mm		



1

GEV No.	533105	**Ref. No.**	046882
description	curtain W 575mm H 420mm warewashing		

1

GEV No.	533106	**Ref. No.**	048042
description	curtain W 640mm H 430mm warewashing		

washing and rinsing systems

1

GEV No.	504529	**Ref. No.**	048401
description	bush		

1

GEV No.	504550	**Ref. No.**	046362
description	bush		

1

GEV No.	693407	**Ref. No.**	0C5103
description	bush for wash arm		

1

GEV No.	504504	**Ref. No.**	049042
description	bush wash arm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504515	**Ref. No.**	049294
description	connector holder		

1

GEV No.	504542	**Ref. No.**	047991
description	connector holder		

1

GEV No.	510016	**Ref. No.**	069646
description	eye bolt for rinse aid container connection		

1

GEV No.	504261	**Ref. No.**	0L0077
description	hose ø 63/53mm L 230mm L-shape		

1

GEV No.	504503	**Ref. No.**	049047
description	knurled nut thread M10x1 ø 30mm H 4mm SS		

1

GEV No.	504528	**Ref. No.**	048632
description	knurled nut thread M12x1 ø 35mm H 6mm SS		

1

GEV No.	504516	**Ref. No.**	047282
description	knurled nut thread M8x1 ø 25mm H 6mm SS		

1

GEV No.	504547	**Ref. No.**	047283
description	knurled nut thread M8x1 ø 25mm H 6mm SS		

1

GEV No.	504272	**Ref. No.**	049596
description	nut		

1

GEV No.	504555	**Ref. No.**	047891
description	nut		

1

GEV No.	504506	**Ref. No.**	049039
description	nut for wash arm support		

1

GEV No.	504517	**Ref. No.**	048330
description	nut for wash arm support		

1

GEV No.	504523	**Ref. No.**	048824
description	nut for wash arm support		

1

GEV No.	504536	**Ref. No.**	048237
description	nut for wash arm support		

1

GEV No.	504505	**Ref. No.**	049043
description	nut wash arm		

1

GEV No.	693409	**Ref. No.**	007026
description	retainer clip for wash arm		

1

GEV No.	518003	**Ref. No.**	069444
description	screw cap		

1

GEV No.	510011	**Ref. No.**	069497
description	screw connection plastic		

1

GEV No.	504520	**Ref. No.**	048820
description	throttle disc		

1

GEV No.	504530	**Ref. No.**	048931
description	throttle disc		

1

GEV No.	510112	**Ref. No.**	069440
description	Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS		

1

GEV No.	693405	**Ref. No.**	007009
description	wash arm support		

1

GEV No.	693406	**Ref. No.**	0C5293
description	wash arm support		

1

GEV No.	507411	**Ref. No.**	046860
description	wash jet		

1

GEV No.	504560	**Ref. No.**	046400
description	wash pipe		

1

GEV No.	518102	**Ref. No.**	0L0095
description	wash pipe L 700mm with rinse arm shaft		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504634	**Ref. No.**	046542
description	wash pipe ø 60mm L 400mm		

1

GEV No.	504258	**Ref. No.**	0E2969
description	wash pipe ø 63mm L 185mm L-shape		

knobs

universal knobs

1

GEV No.	110253	**Ref. No.**	0A2269
description	knob switch zero mark t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		

producer-specific knobs

ELECTROLUX (Zanussi, Alpeninox, Therma, Juno)

1

GEV No.	111599	**Ref. No.**	052604
description	knob gas tap with ignition flame ø 50mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	111595	**Ref. No.**	054105
description	knob gas tap without ignition flame ø 50mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111639	**Ref. No.**	051697
description	knob switch 5-position ø 50mm shaft ø 6x4.6mm shaft flat upper		

1

GEV No.	110280	**Ref. No.**	059249
description	knob gas thermostat t.max. 330°C temperature range 120-330°C ø 55mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111773	**Ref. No.**	002671
description	knob ø 55mm shaft ø 6x4.6mm shaft flat universal universal		

1

GEV No.	111710	**Ref. No.**	002672
description	knob switch zero mark t.max.°C temperature range°C ø 55mm shaft ø 6x4.6mm shaft flat upper white		

1

GEV No.	111966	**Ref. No.**	0C3022
description	knob time 120min ø 55mm shaft ø 6x4.6mm shaft flat lower grey		

1

GEV No.	112705	**Ref. No.**	003743
description	knob zero mark t.max.°C temperature range°C ø 55mm shaft ø 6x4.6mm shaft flat upper grey		
spare parts for	112705		
	GEV No.	550132	Ref. No. 025245
	knob spring ø 6x4.6mm Qty 10 pcs		

1

GEV No.	110445	**Ref. No.**	059386
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 70mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	110283	**Ref. No.**	059244
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	110290	**Ref. No.**	058561
description	knob gas tap without ignition flame t.max.°C ø 70mm shaft ø 8x6.5mm shaft flat upper		

1

GEV No.	111600	**Ref. No.**	059538
description	knob graduated t.max.°C temperature range°C ø 70mm shaft ø 10x8mm		

1

GEV No.	110708	**Ref. No.**	004987
description	knob energy regulator 1-6 + MAX t.max.°C temperature range°C ø 60mm shaft ø 6x4.6mm shaft flat left black		

1

GEV No.	110070	**Ref. No.**	051638
description	knob gas tap with ignition flame ø 60mm black shaft special		

1

GEV No.	110045	**Ref. No.**	052138
description	knob gas tap with ignition flame ø 60mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	110716	**Ref. No.**	004966
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 60mm shaft ø 8x6.5mm shaft flat lower black		

1

GEV No.	110710	**Ref. No.**	004957
description	knob gas tap without ignition flame t.max.°C temperature range°C ø 60mm shaft ø 8x6.5mm shaft flat lower black		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	110714	**Ref. No.**	005672
description	knob gas thermostat 1-7 t.max.°C temperature range°C ø 60mm shaft ø 8x6.5mm shaft flat lower black		

1

GEV No.	110399	**Ref. No.**	052087
description	knob oven TH/BH/TH+BH ø 60mm shaft ø 6x4.6mm shaft flat lower black		

1

GEV No.	110043	**Ref. No.**	050341
description	knob switch 0-1-0-1 ø 60mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110042	**Ref. No.**	051552
description	knob switch 5-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110397	**Ref. No.**	052183
description	knob switch 5-position ø 60mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110711	**Ref. No.**	004913
description	knob switch 7-position t.max.°C temperature range°C ø 60mm shaft ø 6x4.6mm shaft flat right black		

1

GEV No.	110715	**Ref. No.**	004924
description	knob thermostat t.max. 190°C temperature range 10x9°C ø 60mm shaft ø 6x4.6mm shaft flat right black		

1

GEV No.	110707	**Ref. No.**	005432
description	knob thermostat t.max. 275°C temperature range 50-275°C ø 59mm shaft ø 6x4.6mm shaft flat right rotation 270° black		

1

GEV No.	110713	**Ref. No.**	004916
description	knob thermostat t.max. 310°C temperature range 100-310°C ø 60mm shaft ø 6x4.6mm shaft flat right black		

1

GEV No.	110712	**Ref. No.**	004909
description	knob thermostat t.max. 90°C temperature range 30-90°C ø 60mm shaft ø 6x4.6mm shaft flat right rotation 270° black		

1

GEV No.	111768	**Ref. No.**	055447
description	knob gas tap with ignition flame ø 20mm		

1

GEV No.	111646	**Ref. No.**	003704
description	knob gas tap without ignition flame ø 30mm black		

1

GEV No.	111767	**Ref. No.**	056452
description	knob gas tap without ignition flame ø 30mm white		

1

GEV No.	112340	**Ref. No.**	048340
description	knob switch zero mark t.max.°C temperature range°C ø 40mm shaft ø 6x4.6mm shaft flat left black		

1

GEV No.	110203	**Ref. No.**	003762
description	knob switch zero mark t.max.°C temperature range°C ø 55mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110046	**Ref. No.**	026915
description	knob thermostat 1-8 t.max.°C°C ø 60mm shaft ø 8 x 5mm shaft flat lower		

1

GEV No.	111660	**Ref. No.**	006570
description	knob thermostat t.max. 190°C temperature range 110-190°C ø 60mm shaft ø MERTIKmm black		

1

GEV No.	111625	**Ref. No.**	006464
description	knob thermostat t.max. 250°C temperature range 90-250°C ø 60mm shaft ø MERTIKmm black		

1

GEV No.	111686	**Ref. No.**	005208
description	knob thermostat t.max. 300°C temperature range 50-300°C ø 54mm shaft ø 6x4.6mm shaft flat upper rotation 270° silver		



1

GEV No.	110287	**Ref. No.**	025260
description	knob water t.max.°C temperature range°C ø 50mm shaft ø 7x7mm shaft flat black		
accessories for	110287		

GEV No.	110288	Ref. No.	054367
cover cap knob white			

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	111445	**Ref. No.**	047844
description	knob zero mark ø 40mm shaft ø 6x4.6mm shaft flat right light blue		

1

GEV No.	110474	**Ref. No.**	056222
description	knob convection oven ø 55mm shaft ø 6x4.6mm shaft flat lower		

1

GEV No.	111943	**Ref. No.**	056198
description	knob energy regulator ø 55mm shaft ø 6x4.6mm shaft flat lower black		

1

GEV No.	111684	**Ref. No.**	056204
description	knob oven ø 55mm shaft ø 6x4.6mm shaft flat lower		

1

GEV No.	111761	**Ref. No.**	056127
description	knob programme ø 55mm shaft ø 6x4.6mm shaft flat lower		

1

GEV No.	110291	**Ref. No.**	056197
description	knob thermostat t.max. 250°C temperature range 50-250°C ø 55mm shaft ø 6x4.6mm shaft flat lower rotation 310° grey		

1

GEV No.	111442	**Ref. No.**	047693
description	knob zero mark ø 42mm shaft ø 6x4.6mm shaft flat right grey		

1

GEV No.	111770	**Ref. No.**	006948
description	knob set 120min, 1 - 10, 50 - 250°C ø 55mm shaft ø 6x4.6mm shaft flat upper/lower grey 3-piece		
accessories for	111770		
	GEV No.	550132	Ref. No. 025245
	knob spring ø 6x4.6mm Qty 10 pcs		

1

GEV No.	110137	**Ref. No.**	048402
description	knob switch zero mark ø 44mm shaft ø 6x4.6mm shaft flat left black		

1

GEV No.	110907	**Ref. No.**	048830
description	knob switch zero mark ø 44mm shaft ø 6x4.6mm shaft flat left black		

1

GEV No.	111765	**Ref. No.**	055474
description	knob core temperature t.max. 100°C temperature range 50-100°C ø 55mm shaft ø 6x4.6mm shaft flat lower black		

1

GEV No.	111602	**Ref. No.**	0C0257
description	knob switch zero mark ø 46mm shaft standard shaft ø 6x4.6mm shaft flat upper black		
accessories for	111602		
	GEV No.	111607	Ref. No. 053816
	gasket knob D1 ø 14mm D2 ø 4mm thickness 3mm equiv. no. 53816 suitable for JUNO, ZANUSSI		
	GEV No.	111628	Ref. No. 0C0466
	bezel thermostat t.max. 280°C 120-280°C		
	GEV No.	550132	Ref. No. 025245
	knob spring ø 6x4.6mm Qty 10 pcs		

1

GEV No.	111598	**Ref. No.**	0C0191
description	knob switch zero mark ø 46mm shaft standard shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111615	**Ref. No.**	0C0190
description	knob switch zero mark t.max.°C temperature range°C ø 32mm shaft MERTIK shaft ømm shaft flat grey		

1

GEV No.	111614	**Ref. No.**	0C0189
description	knob switch zero mark t.max.°C temperature range°C ø 46mm shaft MERTIK shaft ømm shaft flat black		

1

GEV No.	111631	**Ref. No.**	0C0465
description	knob switch zero mark t.max.°C temperature range°C ø 46mm shaft shaft ø 10x8mm shaft flat upper black		

1

GEV No.	111632	**Ref. No.**	0C0192
description	bezel gas tap with ignition flame t.max.°C°C for front hob		

1

GEV No.	111633	**Ref. No.**	0C0193
description	bezel gas tap with ignition flame t.max.°C°C for rear hob		

1

GEV No.	111621	**Ref. No.**	0C0259
description	bezel oven TH/BH/TH+BH		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	111654	**Ref. No.**	0C0518
description	bezel switch 0-1-0-1		

1

GEV No.	111635	**Ref. No.**	0C0560
description	bezel switch 4-position		

1

GEV No.	111605	**Ref. No.**	0C0304
description	bezel switch 7-position for front hob		

1

GEV No.	111606	**Ref. No.**	0C0307
description	bezel switch 7-position for rear hob		

1

GEV No.	111608	**Ref. No.**	0C0317
description	bezel thermostat 1-8 for front hob		

1

GEV No.	111609	**Ref. No.**	0C0318
description	bezel thermostat 1-8 for rear hob		

1

GEV No.	111665	**Ref. No.**	0C0615
description	bezel thermostat t.max. 185°C 105-185°C		

1

GEV No.	111628	**Ref. No.**	0C0466
description	bezel thermostat t.max. 280°C 120-280°C		

1

GEV No.	111620	**Ref. No.**	0C0258
description	bezel thermostat t.max. 300°C 100-300°C		

1

GEV No.	111653	**Ref. No.**	0C0515
description	bezel thermostat t.max. 90°C 30-90°C		

1

GEV No.	111675	**Ref. No.**	0C0711
description	bezel water hot/cold		

1

GEV No.	111661	**Ref. No.**	0C0623
description	bezel gas regulator t.max. 190°C 120-190°C		

1

GEV No.	111613	**Ref. No.**	0C0194
description	bezel gas regulator t.max. 270°C 110-270°C		

1

GEV No.	111626	**Ref. No.**	0C0597
description	bezel gas regulator t.max. 270°C 110-270°C		

1

GEV No.	111650	**Ref. No.**	0C0503
description	bezel gas regulator t.max. 90°C 30-90°C		

1

GEV No.	110448	**Ref. No.**	059378
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 70mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	110348	**Ref. No.**	059206
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111596	**Ref. No.**	004329
description	knob gas tap without ignition flame t.max.°C temperature range°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111624	**Ref. No.**	059422
description	knob gas thermostat t.max. 280°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111612	**Ref. No.**	004336
description	knob gas thermostat t.max. 290°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	110446	**Ref. No.**	059413
description	knob gas thermostat t.max. 300°C ø 70mm shaft ø 8x6.5mm shaft flat upper		

1

GEV No.	110286	**Ref. No.**	059801
description	knob gas thermostat t.max. 90°C temperature range 30-90°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111534	**Ref. No.**	059304
description	knob gas valves t.max.°C temperature range°C ø 70mm shaft ø 10x8mm shaft flat upper black		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	111644	**Ref. No.**	059531
description	knob water cold t.max.°C temperature range°C ø 70mm shaft ø 10x8mm shaft flat upper black H 25mm		

1

GEV No.	111680	**Ref. No.**	059516
description	knob water hot ø 70mm shaft ø 10x8mm shaft flat upper black/red H 39mm		

1

GEV No.	111643	**Ref. No.**	004465
description	knob water t.max.°C temperature range°C ø 70mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	111640	**Ref. No.**	059779
description	knob energy regulator 1-8 + MAX ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110429	**Ref. No.**	059554
description	knob energy regulator 1-8 + MAX t.max.°C temperature range°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	111618	**Ref. No.**	004343
description	knob oven t.max.°C temperature range°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110449	**Ref. No.**	059333
description	knob switch 0-1-0-1 ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	111637	**Ref. No.**	059546
description	knob switch 4-position t.max.°C temperature range°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110428	**Ref. No.**	059230
description	knob switch 7-position t.max.°C temperature range°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	111659	**Ref. No.**	059303
description	knob thermostat t.max. 185°C temperature range 105-185°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110447	**Ref. No.**	059403
description	knob thermostat t.max. 280°C temperature range 120-280°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		



1

GEV No.	111671	**Ref. No.**	002104
description	knob thermostat t.max. 300°C temperature range 110-200°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		

1

GEV No.	110466	**Ref. No.**	002401
description	knob thermostat t.max. 300°C temperature range 160-300°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		



1

GEV No.	111627	**Ref. No.**	004710
description	knob thermostat t.max. 310°C temperature range 150-310°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		

1

GEV No.	111619	**Ref. No.**	004330
description	knob thermostat t.max. 320°C temperature range 140-320°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110467	**Ref. No.**	002386
description	knob thermostat t.max. 90°C temperature range 30-90°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		

1

GEV No.	111676	**Ref. No.**	004885
description	knob water hot/cold ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110309	**Ref. No.**	058597
description	knob gas tap with ignition flame ø 70mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	111656	**Ref. No.**	002603
description	knob gas tap with ignition flame ø 70mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	110282	**Ref. No.**	003392
description	knob gas thermostat t.max. 190°C temperature range 110-190°C ø 70mm shaft ø 10x8mm shaft flat upper black		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	111678	**Ref. No.**	058708
description	knob water hot ø 70mm shaft ø 10x8mm shaft flat upper black/red H 29mm		

1

GEV No.	110289	**Ref. No.**	058534
description	knob gas tap without ignition flame t.max.°C temperature range°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	110319	**Ref. No.**	058537
description	knob gas thermostat t.max. 300°C ø 70mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	110278	**Ref. No.**	058541
description	knob oven TH/BH/TH+BH t.max.°C temperature range°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110317	**Ref. No.**	058547
description	knob switch 7-position t.max.°C temperature range°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110314	**Ref. No.**	058591
description	knob thermostat t.max. 185°C temperature range 105-185°C ø 70mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	110342	**Ref. No.**	058579
description	knob thermostat t.max. 310°C temperature range 110-310°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		

1

GEV No.	110279	**Ref. No.**	058542
description	knob thermostat t.max. 320°C temperature range 140-320°C ø 70mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		

1

GEV No.	111630	**Ref. No.**	004821
description	knob gas tap with ignition flame t.max.°C temperature range°C ø 55mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111623	**Ref. No.**	004658
description	knob gas thermostat t.max. 280°C ø 55mm shaft ø 10x8mm shaft flat upper black		

1

GEV No.	110349	**Ref. No.**	059220
description	knob gas thermostat t.max. 330°C ø 55mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111645	**Ref. No.**	004871
description	knob gas thermostat t.max. 90°C ø 55mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	111670	**Ref. No.**	059469
description	knob energy regulators 1-7 t.max.°C temperature range°C ø 55mm shaft ø 6x4.6mm shaft flat lower black		

1

GEV No.	110426	**Ref. No.**	059850
description	knob graduated/grill ø 55mm shaft ø 6x4.6mm shaft flat lower		

1

GEV No.	111651	**Ref. No.**	004566
description	knob switch 0-1-0-1 ø 55mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	111664	**Ref. No.**	004783
description	knob thermostat t.max. 185°C temperature range 105-185°C ø 55mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	111669	**Ref. No.**	059468
description	knob thermostat t.max. 300°C temperature range 120-300°C ø 55mm shaft ø 6x4.6mm shaft flat lower rotation 270° black		

1

GEV No.	110427	**Ref. No.**	059236
description	knob thermostat t.max. 350°C temperature range 105-185°C ø 55mm shaft ø 6x4.6mm shaft flat lower rotation 270° black		

1

GEV No.	112597	**Ref. No.**	005855
description	knob thermostat t.max. 90°C temperature range 30-90°C ø 55mm shaft ø 6x4.6mm shaft flat right rotation 270°		

1

GEV No.	111652	**Ref. No.**	004565
description	knob thermostat t.max. 90°C temperature range 30-90°C ø 55mm shaft ø 6x4.6mm shaft flat upper black		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	110308	Ref. No.	058776
description	knob gas thermostat t.max. 280°C ø 55mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	110281	Ref. No.	059010
description	knob gas thermostat t.max. 330°C ø 55mm shaft ø 8x6.5mm shaft flat upper black		

1

GEV No.	110344	Ref. No.	058651
description	knob thermostat t.max. 90°C temperature range 30-90°C ø 55mm shaft ø 6x4.6mm shaft flat upper rotation 270° black		

1

GEV No.	110701	Ref. No.	003029
description	knob energyregulator 1-10 + MAX t.max.°C temperature range°C ø 38mm shaft ø 6x4.6mm shaft flat upper black		

1

GEV No.	111688	Ref. No.	005210
description	knob 120min		

1

GEV No.	111764	Ref. No.	007044
description	knob universal ø 60mm shaft ø 6x4.6mm		

1

GEV No.	111444	Ref. No.	048153
description	knob zero mark ø 40mm shaft ø 6x4.6mm shaft flat right anthracite		

accessories

button springs

1

GEV No.	550132	Ref. No.	025245
description	knob spring ø 6x4.6mm Qty 10 pcs		

covers

1

GEV No.	110288	Ref. No.	054367
description	cover cap knob white		

fascias

1

GEV No.	111766	Ref. No.	055454
description	bezel		

1

GEV No.	111661	Ref. No.	0C0623
description	bezel gas regulator t.max. 190°C 120-190°C		

1

GEV No.	111613	**Ref. No.**	0C0194
description	bezel gas regulator t.max. 270°C 110-270°C		

1

GEV No.	111626	**Ref. No.**	0C0597
description	bezel gas regulator t.max. 270°C 110-270°C		

1

GEV No.	111650	**Ref. No.**	0C0503
description	bezel gas regulator t.max. 90°C 30-90°C		

1

GEV No.	111632	**Ref. No.**	0C0192
description	bezel gas tap with ignition flame t.max.°C°C for front hob		

1

GEV No.	111633	**Ref. No.**	0C0193
description	bezel gas tap with ignition flame t.max.°C°C for rear hob		

1

GEV No.	111621	**Ref. No.**	0C0259
description	bezel oven TH/BH/TH+BH		

1

GEV No.	111654	**Ref. No.**	0C0518
description	bezel switch 0-1-0-1		

1

GEV No.	111635	**Ref. No.**	0C0560
description	bezel switch 4-position		

1

GEV No.	111605	**Ref. No.**	0C0304
description	bezel switch 7-position for front hob		

1

GEV No.	111606	**Ref. No.**	0C0307
description	bezel switch 7-position for rear hob		

1

GEV No.	111608	**Ref. No.**	0C0317
description	bezel thermostat 1-8 for front hob		

1

GEV No.	111609	**Ref. No.**	0C0318
description	bezel thermostat 1-8 for rear hob		

1

GEV No.	111665	**Ref. No.**	0C0615
description	bezel thermostat t.max. 185°C 105-185°C		

1

GEV No.	111628	**Ref. No.**	0C0466
description	bezel thermostat t.max. 280°C 120-280°C		

1

GEV No.	111620	**Ref. No.**	0C0258
description	bezel thermostat t.max. 300°C 100-300°C		

1

GEV No.	111653	**Ref. No.**	0C0515
description	bezel thermostat t.max. 90°C 30-90°C		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	111675	**Ref. No.**	0C0711
description	bezel water hot/cold		

gaskets

1

GEV No.	110300	**Ref. No.**	059326
description	gasket		

1

GEV No.	550679	**Ref. No.**	006465
description	gasket for knob		

1

GEV No.	693432	**Ref. No.**	002663
description	gasket for knob		

1

GEV No.	111607	**Ref. No.**	053816
description	gasket knob D1 ø 14mm D2 ø 4mm thickness 3mm equiv. no. 53816 suitable for JUNO, ZANUSSI		

1

GEV No.	111762	**Ref. No.**	056500
description	gasket knob hole distance 24mm D1 ø 40mm D2 ø 14mm equiv. no. 56500 suitable for ZANUSSI		

1

GEV No.	110202	**Ref. No.**	0H6984
description	gasket switch shaft		

1

GEV No.	110271	**Ref. No.**	0H6667
description	gasket switch shaft		

miscellaneous

1

GEV No.	693429	**Ref. No.**	002662
description	bush		

1

GEV No.	550697	**Ref. No.**	0K2358
description	bush for knob		

1

GEV No.	693430	**Ref. No.**	051263
description	nut thread M22x1.5 H 5mm WS 26 zinc-coated steel Qty 1 pcs		

1

GEV No.	693431	**Ref. No.**	002727
description	plain washer		

handles and hand wheels

hand wheels

hand wheels

1

GEV No.	693399	**Ref. No.**	0A5164
description	hand wheel ø 160mm D1 ø 40mm bore ø 16mm hole ø 4mm thread hole distance 4mm groove widthmm L1 22mm L2 50mm handle length 75mm with folding handle		

1

GEV No.	691974		**Ref. No.**	052392
description	hand wheel ø 175mm D1 ø 40mm bore ø 20mm depth of bore 35mm thread M8 hole distance 8mm L2 155mm without handle			
accessories for	691974			
	GEV No.	690859	Ref. No.	052393
	folding handle ø 28mm total length 110mm seat ø 26mm shaft ømm thread M6 with pin L 110mm			

spare parts and accessories

1

GEV No.	690859	**Ref. No.**	052393
description	folding handle ø 28mm total length 110mm seat ø 26mm shaft ømm thread M6 with pin L 110mm		

cylindrical handles

fixed

1

GEV No.	540713	**Ref. No.**	058111
description	cylindrical handle thread M8 ø 17mm L 38mm		

1

GEV No.	111219	**Ref. No.**	057728
description	cylindrical handle thread M8 ø 28mm L 86mm		

1

GEV No.	691314	**Ref. No.**	057728
description	cylindrical handle thread M8 ø 28mm L 86mm		

cone handles

1

GEV No.	110704	**Ref. No.**	004906
description	cone handle thread M6 ø 16mm L 25mm plastic black		

1

GEV No.	514322	**Ref. No.**	029898
description	cone handle thread M6 ø 20mm L 26mm plastic black		

star handles

1

GEV No.	111666	**Ref. No.**	010142
description	star handle shaft 7x7mm ø 68mm L 22mm black thermoplastic		

handle rails

handle rails

1

GEV No.	518081	**Ref. No.**	0L0608
description	handle rail set 3-piece L 550mm		

bracket handles

1

GEV No.	690448	**Ref. No.**	081906
description	pull handle L 402mm H 42mm mounting distance 375mm		

lever handles

1

GEV No.	540929	**Ref. No.**	056887
description	lever handle suitable for outlet tap shaft 8x8mm L 90mm		

Find the complete and up-to-date range of products in our GEV Webshop

recessed handles

1

GEV No.	504780	**Ref. No.**	047481
description	handle		

hand cranks

1

GEV No.	514250	**Ref. No.**	002276
description	hand crank bore ø 10mm L 80mm with folding handle		

miscellaneous

1

GEV No.	690453	**Ref. No.**	083420
description	handle		

1

GEV No.	700443	**Ref. No.**	025083
description	handle		
accessories for	700443		
	GEV No.	700452	Ref. No. 054854
	door catch with spigot		

1

GEV No.	700449	**Ref. No.**	066847
description	handle		

accessories

extensions

1

GEV No.	540928	**Ref. No.**	056985
description	extension handle		

locks

locking devices

producer-specific

ZANUSSI

1

GEV No.	690461	**Ref. No.**	0A8053
description	key cylinder straight thread M19x1 rotation 90° cam length 54mm cam width 16mm		

1

GEV No.	690641	**Ref. No.**	0A8655
description	key cylinder thread M15x1 rotation 90° L 20mm		

1

GEV No.	690637	**Ref. No.**	081694
description	key cylinder with slide latch ø 23mm thread M19x1 mounting measurements 16.5x19mm hub 38-45mm shaft ø 11mm thread L 24mm		

handle latches

producer-specific

ELECTROLUX/ZANUSSI

group 2

1

GEV No.	700444	**Ref. No.**	053756
description	bolt for catch		

1

GEV No.	700460	**Ref. No.**	0C6059
description	cap		

1

GEV No.	700445	**Ref. No.**	053757
description	compression spring ø 21.7mm L 29mm wire gauge ø 1.5mm		

1

GEV No.	700447	**Ref. No.**	053766
description	door catch with spigot		

1

GEV No.	700453	**Ref. No.**	055057
description	door handle metal		

1

GEV No.	700454	**Ref. No.**	055059
description	protector L 212mm W 60mm H 70mm		

1

GEV No.	700446	**Ref. No.**	053761
description	push button		

1

GEV No.	700442	**Ref. No.**	025033 0G6450
description	thread bolt thread M6 L 32mm thread L 13mm head ø 8mm for rail		

1

GEV No.	700450	**Ref. No.**	054282
description	torsion spring ø 13mm L2 177mm wire gauge ø 2.5mm L1 10mm L3 177mm Qty 1 pcs		

group 3

1

GEV No.	700482	**Ref. No.**	006977
description	catch		
accessories for	700482		

GEV No.	694364	Ref. No.	—
door handle L 185mm W 57mm H 61mm black plastic			

GEV No.	694376	Ref. No.	—
door catch with hook H 69mm L 67-71mm W 20mm mounting distance 40mm			

GEV No.	700483	Ref. No.	006981
door catch with spigot			

1

GEV No.	700483	**Ref. No.**	006981
description	door catch with spigot		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	700481	**Ref. No.**	006978
description	door handle black plastic		

1

GEV No.	690873	**Ref. No.**	006979
description	spring		

group 4

1

GEV No.	700485	**Ref. No.**	0C1645
description	catch		
accessories for	700485		
	GEV No.	700481	Ref. No. 006978
	door handle black plastic		
	GEV No.	700486	Ref. No. 007092
	door catch with hook		

1

GEV No.	700486	**Ref. No.**	007092
description	door catch with hook		

1

GEV No.	700481	**Ref. No.**	006978
description	door handle black plastic		

edgemount latches

handle latches

producer-specific

INOXTREND

1

GEV No.	690146	**Ref. No.**	0K1669
description	handle latch L 172mm mounting distance 134mm non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
accessories for	690146		
	GEV No.	690123	Ref. No. —
	door catch with roller		
	GEV No.	693777	Ref. No. 0K2347
	gasket H 6.6mm L 105mm W 45mm L1 78mm W1 25mm for handle		
	GEV No.	693778	Ref. No. 0K1952
	door catch		

MODULAR

1

GEV No.	690146	**Ref. No.**	0K1669
description	handle latch L 172mm mounting distance 134mm non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
accessories for	690146		
	GEV No.	690123	Ref. No. —
	door catch with roller		
	GEV No.	693777	Ref. No. 0K2347
	gasket H 6.6mm L 105mm W 45mm L1 78mm W1 25mm for handle		
	GEV No.	693778	Ref. No. 0K1952
	door catch		

ZANUSSI



1

GEV No.	700467	**Ref. No.**	002647
description	catch L 173mm H 40mm mounting distance 133/124mm W 30mm non lockable 6200 total length 170mm overall height 85mm		
accessories for	700467		
	GEV No.	693937	Ref. No. 0F0029
	door handle H 44mm L 220mm W 50mm plastic black		
	GEV No.	700468	Ref. No. —
	door catch with roller		
	GEV No.	701412	Ref. No. —
	cover cap plastic round ø 11mm black for catch thickness 8mm		

door catches

1

GEV No.	693778	**Ref. No.**	0K1952
description	door catch		

1

GEV No.	700461	**Ref. No.**	002086
description	door catch L 22mm thread M5 ø 9mm with spigot total length 45mm thread L 23mm		

1

GEV No.	700082	**Ref. No.**	056464
description	door catch L 38mm W 18mm mounting distance 26mm		

1

GEV No.	700451	**Ref. No.**	054562
description	door catch with spigot		

snap locks

universal

1

GEV No.	504662	**Ref. No.**	049271
description	snap lock L 70mm W 12mm H 16mm mounting distance 58mm without door catch stainless steel		
accessories for	504662		
	GEV No.	504663	Ref. No. 049536
	door catch L 35mm W 12mm H 28mm mounting distance 28mm		

espagnolette locks

universal

1

GEV No.	690837	**Ref. No.**	056551
description	bolt piece L 75mm W 29mm H 28mm cam length 17.5mm cam width 10mm mounting distance 20/40mm		

1

GEV No.	690041	**Ref. No.**	0K2246
description	cam L 148mm mounting distance 32mm		

1

GEV No.	693797	**Ref. No.**	004104
description	console upper/lower for cam		

1

GEV No.	690040	**Ref. No.**	0KS854
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		

1

GEV No.	690838	**Ref. No.**	056571
description	door catch with roller H 48mm L 50mm W 26mm mounting distance 28mm rollerø 10mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	690836	**Ref. No.**	056550
description	latch gear L 17mm W 26mm H 1.5mm mounting distance 42mm shaft diameter 7x7mm		

miscellaneous

1

GEV No.	700440	**Ref. No.**	003682
description	bolt for catch		

1

GEV No.	700452	**Ref. No.**	054854
description	door catch with spigot		

hinges

edgemount hinges

CAFF/FERMOD



1

GEV No.	690642	**Ref. No.**	0A9531
description	edgemount hinge L 156mm mounting distance 64/32mm hinging right with gradient and spring series G 466		



1



GEV No.	690805	**Ref. No.**	084892
description	edgemount hinge L 188mm mounting distance 38mm hinging left/ right with gradient and spring series G 920		
accessories for	690805		

GEV No.	691642	Ref. No.	—
base plate thickness 5mm plastic L 98mm W 49mm			

spring assisted hinges

universal

INTERKLIMAT

hinges

1



GEV No.	690622	**Ref. No.**	082219
description	spring assisted hinge series 28L mounting pos. left/right L 75mm W 25mm H 103mm A 13mm B 18mm mounting measurements 22x22mm intake 7.5x7.5 refrigeration units		

accessories



1

GEV No.	690757	**Ref. No.**	081654
description	bush for door hinge ID ø 7.5mm L 25.5mm W 25.5mm black H 4.5mm		

1

GEV No.	690747	**Ref. No.**	0A8856
description	bush for hinge ID ø 7.5mm L 25.5mm W 25.5mm white mounting measurements 22x22mm H 4.5mm		

producer-specific

ELECTROLUX/ZANUSSI



1

GEV No.	690757	**Ref. No.**	081654
description	bush for door hinge ID ø 7.5mm L 25.5mm W 25.5mm black H 4.5mm		

1

GEV No.	690747	**Ref. No.**	0A8856
description	bush for hinge ID ø 7.5mm L 25.5mm W 25.5mm white mounting measurements 22x22mm H 4.5mm		

1

GEV No.	690620	**Ref. No.**	0A8372
description	spring assisted hinge		

1

GEV No.	690621	**Ref. No.**	0A8371
description	spring assisted hinge left		

1

GEV No.	690633	**Ref. No.**	082587
description	spring assisted hinge refrigerator		
accessories for	690633		

	GEV No.	690634	Ref. No.	082501 087135
	hinge bearing mounting pos. lower with bolt refrigerator			
	GEV No.	690635	Ref. No.	082499
	hinge bearing mounting pos. upper with bolt refrigerator			

Find the complete and up-to-date range of products in our GEV Webshop

SAGI

1

GEV No.	690747	**Ref. No.**	0A8856
description	bush for hinge ID ø 7.5mm L 25.5mm W 25.5mm white mounting measurements 22x22mm H 4.5mm		

oven hinges

1

GEV No.	691939	**Ref. No.**	052725
description	cover mounting distance 94mm L 122mm W 20mm oven hinge		



1

GEV No.	700001	**Ref. No.**	053096
description	opposite support L 118mm W 17mm mounting distance 94mm		

1

GEV No.	700457	**Ref. No.**	058934
description	opposite support oven hinge		

1

GEV No.	700456	**Ref. No.**	056339
description	oven hinge		
accessories for	700456		
	GEV No.	700457	Ref. No. 058934
	opposite support oven hinge		

1

GEV No.	701596	**Ref. No.**	059227
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 117mm groove distance 10mm spring thickness 3mm mounting ear position left/right spring length 112mm W 25mm		

1

GEV No.	700006	**Ref. No.**	0A2005
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm		
accessories for	700006		
	GEV No.	700001	Ref. No. 053096
	opposite support L 118mm W 17mm mounting distance 94mm		
	GEV No.	700007	Ref. No. 0A2004
	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		



1

GEV No.	700007	**Ref. No.**	0A2004
description	oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm		
accessories for	700007		
	GEV No.	700001	Ref. No. 053096
	opposite support L 118mm W 17mm mounting distance 94mm		

1

GEV No.	701561	**Ref. No.**	050766
description	oven hinge mounting distance 173mm mounting distance 2mm lug mounting 14mm lever length 112mm groove distance 10mm spring thickness 3mm mounting ear position left/right spring length 111mm L 205mm W 25mm with opposite support		



1

GEV No.	701414	**Ref. No.**	0C3129
description	oven hinge mounting distance 173mm mounting distance 2mm lug mounting 14mm lever length 113mm groove distance 10mm spring thickness 4mm mounting ear position left/right spring length 111mm L 205mm W 25mm with opposite support		

1

GEV No.	700892	**Ref. No.**	0C3026
description	oven hinge Qty 2 pcs		

door bearing

1

GEV No.	700080	**Ref. No.**	0A8689
description	bolt for hinge		

1

GEV No.	700464	**Ref. No.**	055318
description	bolt for hinge		

1

GEV No.	700466	**Ref. No.**	059083
description	bolt for hinge		

1

GEV No.	690645	**Ref. No.**	0A9096
description	bush for door hinge		

1

GEV No.	691310	**Ref. No.**	083875
description	bush L 23mm W 23mm ID ø 7mm for hinge		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	690696	**Ref. No.**	084528
description	bush mounting pos. lower for door hinge		

1

GEV No.	690695	**Ref. No.**	084521
description	bush mounting pos. upper for door hinge		

1

GEV No.	690631	**Ref. No.**	081807
description	bush refrigerated counter		

1

GEV No.	700083	**Ref. No.**	0A8072
description	hinge		

1

GEV No.	690660	**Ref. No.**	082756
description	hinge L 50mm W 42mm H 25mm hole distance 28/25mm lower		

1

GEV No.	693776	**Ref. No.**	005241
description	hinge mounting pos. bottom right		

1

GEV No.	700029	**Ref. No.**	0G5222
description	hinge mounting pos. right		

1

GEV No.	693782	**Ref. No.**	005242
description	hinge mounting pos. upper right		

1

GEV No.	700021	**Ref. No.**	045480
description	hinge SS left		

1

GEV No.	700020	**Ref. No.**	045481
description	hinge SS right		

1

GEV No.	700475	**Ref. No.**	002652
description	hinge bearing L 125mm W 50mm H 18mm mounting pos. bottom right with bolt		

1

GEV No.	690630	**Ref. No.**	081808
description	hinge bearing mounting pos. bottom left with bolt refrigerated counter		

1

GEV No.	700476	**Ref. No.**	005694
description	hinge bearing mounting pos. bottom right with bolt		

1

GEV No.	700511	**Ref. No.**	007091
description	hinge bearing mounting pos. bottom right with bolt		

1

GEV No.	690625	**Ref. No.**	082374
description	hinge bearing mounting pos. centre with bolt refrigerator		

1

GEV No.	690699	**Ref. No.**	082754
description	hinge bearing mounting pos. centre without bolt		

1

GEV No.	690624	**Ref. No.**	081656
description	hinge bearing mounting pos. left without bolt		

1

GEV No.	690656	**Ref. No.**	082722
description	hinge bearing mounting pos. left without bolt		

1

GEV No.	690694	**Ref. No.**	084519
description	hinge bearing mounting pos. lower with bolt		

1

GEV No.	690785	**Ref. No.**	084534
description	hinge bearing mounting pos. lower with bolt		

1

GEV No.	700480	**Ref. No.**	002875
description	hinge bearing mounting pos. lower with bolt		

1

GEV No.	690634	**Ref. No.**	082501 087135
description	hinge bearing mounting pos. lower with bolt refrigerator		

1

GEV No.	690665	**Ref. No.**	0A8973
description	hinge bearing mounting pos. right with bolt		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	690623	**Ref. No.**	081655
description	hinge bearing mounting pos. right without bolt		

1

GEV No.	690655	**Ref. No.**	082721
description	hinge bearing mounting pos. right without bolt		

1

GEV No.	690627	**Ref. No.**	082256
description	hinge bearing mounting pos. right/left with bolt refrigerator		

1

GEV No.	690628	**Ref. No.**	082350
description	hinge bearing mounting pos. right/left without bolt		

1

GEV No.	690649	**Ref. No.**	0A9174
description	hinge bearing mounting pos. right/left without bolt		

1

GEV No.	690673	**Ref. No.**	0A8688
description	hinge bearing mounting pos. right/left without bolt		

1

GEV No.	690679	**Ref. No.**	0A8974
description	hinge bearing mounting pos. upper left with bolt		

1

GEV No.	690698	**Ref. No.**	084535
description	hinge bearing mounting pos. upper left with bolt		

1

GEV No.	700462	**Ref. No.**	055415
description	hinge bearing mounting pos. upper right with bolt		

1

GEV No.	700463	**Ref. No.**	055316
description	hinge bearing mounting pos. upper right with bolt		

1

GEV No.	700473	**Ref. No.**	002651
description	hinge bearing mounting pos. upper right with bolt		

1

GEV No.	690693	**Ref. No.**	084520
description	hinge bearing mounting pos. upper with bolt		

1

GEV No.	700477	**Ref. No.**	002876
description	hinge bearing mounting pos. upper with bolt		

1

GEV No.	690635	**Ref. No.**	082499
description	hinge bearing mounting pos. upper with bolt refrigerator		

1

GEV No.	690644	**Ref. No.**	0A9266
description	hinge bearing with bolt		

1

GEV No.	690650	**Ref. No.**	0A9173
description	hinge bearing with bolt		

1

GEV No.	690652	**Ref. No.**	083751
description	hinge bearing with bolt		

1

GEV No.	690664	**Ref. No.**	0A8455
description	hinge bearing with bolt		

1

GEV No.	690668	**Ref. No.**	0A8470
description	hinge bearing with bolt		

1

GEV No.	690670	**Ref. No.**	0A8505
description	hinge bearing with bolt		

1

GEV No.	690866	**Ref. No.**	006972
description	hinge bearing with bolt		

1

GEV No.	690867	**Ref. No.**	006980
description	hinge bearing with bolt		

1

GEV No.	690868	**Ref. No.**	007086
description	hinge bearing with bolt		

1

GEV No.	700484	**Ref. No.**	007007
description	hinge bearing with bolt		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	690638	**Ref. No.**	082500
description	hinge bearing without bolt		

1

GEV No.	690639	**Ref. No.**	082257
description	hinge bearing without bolt		

1

GEV No.	690643	**Ref. No.**	0A9097
description	hinge bearing without bolt		

1

GEV No.	690651	**Ref. No.**	083716
description	hinge bearing without bolt		

1

GEV No.	690871	**Ref. No.**	005041
description	hinge bearing without bolt		

1

GEV No.	693288	**Ref. No.**	002107
description	hinge bearing without bolt		

1

GEV No.	700079	**Ref. No.**	0A8687
description	hinge bearing without bolt		

1

GEV No.	690667	**Ref. No.**	0A8073
description	hinge pin		

accessories

base plate

1

GEV No.	700479	**Ref. No.**	002877
description	base plate for door hinge mounting pos. upper left		

miscellaneous

1

GEV No.	690666	**Ref. No.**	0A8074
description	bush conical ID ø 6mm ED ø 8.2mm L 15mm brass		

1

GEV No.	690647	**Ref. No.**	082964
description	bush refrigerator		

1

GEV No.	690646	**Ref. No.**	0A9092
description	bush refrigerator ID ø 7mm		

1

GEV No.	700474	**Ref. No.**	002653
description	disc for hinge corrugated		

1

GEV No.	690648	**Ref. No.**	082962
description	pressure pin refrigerator		

1

GEV No.	700478	**Ref. No.**	002645
description	protector for glass door for hinge		

pullouts

drawer slides

producer-specific

1

GEV No.	690677	**Ref. No.**	082742
description	drawer rail L 620mm pull-out lengthmm Qty 1 piece W 11mm H 29mm mounting pos. left		

1

GEV No.	690676	**Ref. No.**		082743
description	drawer rail L 620mm pull-out lengthmm Qty 1 piece W 11mm H 29mm mounting pos. right			
spare parts for	690676			
	GEV No.	690680	Ref. No.	0A8292
	roller rollerø 24mm B1 6mm overall width 9mm A 24mm B 6mm C 9mm D 6mm E 10mm ceramic bearing ball bearing			

1

GEV No.	690773	**Ref. No.**	084437
description	drawer slide L 580mm pull-out length 520mm Qty 1 piece W 17mm H 60mm mounting pos. right		

1

GEV No.	690654	**Ref. No.**	082761
description	drawer slide L 580mm pull-out length 550mm Qty 1 piece W 18mm H 62mm mounting pos. left		

1

GEV No.	690653	**Ref. No.**	082760
description	drawer slide L 580mm pull-out length 550mm Qty 1 piece W 18mm H 62mm mounting pos. right		
spare parts for	690653		
	GEV No.	690750	Ref. No. 089159 0A8370
	stop fortelescopic rail L 20mm plastic H 12mm D 9mm		

accessories

1

GEV No.	690750	**Ref. No.**	089159 0A8370
description	stop fortelescopic rail L 20mm plastic H 12mm D 9mm		

rollers

rollers



1

GEV No.	690680	**Ref. No.**	0A8292
description	roller rollerø 24mm B1 6mm overall width 9mm A 24mm B 6mm C 9mm D 6mm E 10mm ceramic bearing ball bearing		

Find the complete and up-to-date range of products in our GEV Webshop

roller with holder

1

GEV No.	690711	**Ref. No.**	033886
description	roller rollerø 22mm B1 6mm with holder SS/Nylon mounting pos. right door (left) bearing ball bearing Qty 1 pcs H 11mm L 63mm mounting distance 38/50mm		

fittings for catering equipment

outlet taps

producer-specific

ZANUSSI

1

GEV No.	540986	**Ref. No.**	006688
description	ball valve without handle L 67mm shaft ø 17x17mm inlet 1" IT outlet 1" ET		
accessories for	540986		
	GEV No.	540678	Ref. No. 006689
	handle for outlet tap		

1

GEV No.	540678	**Ref. No.**	006689
description	handle for outlet tap		

aerators and air bleeders

1

GEV No.	540826	**Ref. No.**	0KC081
description	aerator and air bleeder thread 1/2" ET WS 24 chrome-plated brass L 30mm		

1

GEV No.	540827	**Ref. No.**	010023
description	aerator and air bleeder thread 3/4" ET chrome-plated L 45mm ø 36mm		

1

GEV No.	540825	**Ref. No.**	051566
description	aerator and air bleeder thread 3/8" ET WS 24 chrome-plated L 37mm		

lid hinges

ELECTROLUX

spare parts

1

GEV No.	693310	**Ref. No.**	059865
description	adjusting bush		

1

GEV No.	701215	**Ref. No.**	002983
description	adjusting bush D1 ø 47mm D2 ø 45mm L 77mm		

1

GEV No.	701216	**Ref. No.**	002982
description	adjusting bush ø 47mm L 40mm		

1

GEV No.	693302	**Ref. No.**	004849
description	bracket		

1

GEV No.	693307	**Ref. No.**	002944
description	bracket for kettle type series 900		

1

GEV No.	693298	**Ref. No.**	052892
description	bracket left		

1

GEV No.	693301	**Ref. No.**	052891
description	bracket right		

1

GEV No.	693306	**Ref. No.**	002106
description	bracket right		

1

GEV No.	693309	**Ref. No.**	059863
description	brake		

1

GEV No.	693300	**Ref. No.**	052897
description	bush		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	693308	**Ref. No.**	059864
description	bush		

1

GEV No.	693312	**Ref. No.**	059859
description	countersunk screw thread M6		

1

GEV No.	693311	**Ref. No.**	059860
description	cylinder head bolt thread M6 thread L 15mm SS Qty 1 pcs intake slotted		

1

GEV No.	693305	**Ref. No.**	0A2612
description	spanner		

1

GEV No.	693299	**Ref. No.**	052894
description	torsion spring ø 28.6mm L2 103mm wire gauge ø 3.6mm L1 45mm		

1

GEV No.	693313	**Ref. No.**	051527
description	torsion spring ø 38.1mm wire gauge ø 6.2mm L1 19mm L2 212mm L3 19mm		

1

GEV No.	693316	**Ref. No.**	059518
description	torsion spring ø 38.2mm wire gauge ø 6.2mm L1 33mm L2 320mm L3 24mm		

1

GEV No.	693315	**Ref. No.**	002981
description	torsion spring ø 39mm wire gauge ø 7.1mm L1 31mm L2 322mm L3 23mm		

1

GEV No.	693304	**Ref. No.**	004850
description	torsion spring wire gauge ø 4mm L1 7mm L2 101mm L3 7mm ø 28.6mm		

drain taps

brass

drain taps

1

GEV No.	548001	**Ref. No.**	0S1037
description	drain tap 1 1/2" IT O-ring seal kettle connection with union nut A 80mm B1 68mm B2 132mm		
spare parts for	548001		

	GEV No.	505092	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs			
	GEV No.	540213	Ref. No.	—
	handle ID ø 5mm L 117mm			

1

GEV No.	540275	**Ref. No.**	0C4850
description	drain tap 2" IT with union nut A 90mm B 151mm B1 80mm chrome-plated brass		
spare parts for	540275		
	GEV No. 540214	Ref. No.	—
	handle ID ø 6mm L 145mm		
accessories for	540275		
	GEV No. 529484	Ref. No.	—
	flat gasket fibre ED ø 58mm ID ø 50mm thickness 2mm Qty 1 pcs		
	GEV No. 542448	Ref. No.	—
	gasket silicone 60x49x2 for drain tap 2"		

1

GEV No.	541860	**Ref. No.**	0S0950
description	drain tap 2" IT with union nut conical seal A 95mm B1 75mm B2 155mm		
spare parts for	541860		
	GEV No. 540214	Ref. No.	—
	handle ID ø 6mm L 145mm		
	GEV No. 540959	Ref. No.	—
	gasket for drain tap hose ext. ø 60mm ID ø 50mm H 2mm		
accessories for	541860		
	GEV No. 529484	Ref. No.	—
	flat gasket fibre ED ø 58mm ID ø 50mm thickness 2mm Qty 1 pcs		

1

GEV No.	540296	**Ref. No.**	017215
description	drain tap ET M60x2mm chrome-plated brass		
spare parts for	540296		
	GEV No. 505092	Ref. No.	—
	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		
	GEV No. 540213	Ref. No.	—
	handle ID ø 5mm L 117mm		

1

GEV No.	540157	**Ref. No.**	053159
description	drain tap ET M78x3mm chrome-plated brass		
spare parts for	540157		
	GEV No. 540214	Ref. No.	—
	handle ID ø 6mm L 145mm		

accessories

1

GEV No.	540222	**Ref. No.**	053809
description	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

safety fittings

safety fittings

1

GEV No.	514304	**Ref. No.**	059663
description	safety fitting thread 1" 0.5bar 140kg/h thread size manometer 1/2" chrome-plated H 188mm		
spare parts for	514304		
	GEV No.	540322	Ref. No. —
	ball handle thread M8 ø 32mm with metal bush		

accessories

1

GEV No.	540820	**Ref. No.**	010348
description	fitting support thread 1¼" W 165mm		

1

GEV No.	540822	**Ref. No.**	054808
description	fitting support thread 3/4"		

1

GEV No.	540835	**Ref. No.**	027297
description	screw cap thread 3/4"		
spare parts for	540835		
	GEV No.	513016	Ref. No. 027300
	O-ring EPDM thickness 3.53mm ID ø 26.58mm Qty 1 pcs		
accessories for	540835		
	GEV No.	513016	Ref. No. 027300
	O-ring EPDM thickness 3.53mm ID ø 26.58mm Qty 1 pcs		

safety valves

1

GEV No.	540721	**Ref. No.**	056691
description	safety valve triggering pressure 0.5bar M88 thread 1¼"		
accessories for	540721		
	GEV No.	541501	Ref. No. —
	reducer for safety fitting IT 1¼" ET 3/4"		

1

GEV No.	540722	**Ref. No.**	052623
description	safety valve with outlet for lid		

filters

accessories

fastening material

1

GEV No.	693914	**Ref. No.**	054905
description	spring clip for drain filter		
accessories for	693914		
	GEV No.	694000	Ref. No. 004836
	filter		

equipment feet and end caps

bullet feet

zamak/SS

1

GEV No.	700112	**Ref. No.**	032550
description	equipment foot pipe type 40x40 thickness 1mm H 33-60mm Zamak/SS Qty 1 pcs		

baskets

fryer baskets

ZANUSSI

1

GEV No.	970142	**Ref. No.**	058518
description	fryer basket L1 255mm W1 230mm H1 120mm chrome-plated steel		

1

GEV No.	970575	**Ref. No.**	053206
description	fryer basket L1 260mm W1 135mm H1 120mm chrome-plated steel		

1

GEV No.	970404	**Ref. No.**	052683
description	fryer basket L1 260mm W1 270mm H1 120mm chrome-plated steel		

1

GEV No.	970407	**Ref. No.**	004499
description	fryer basket L1 260mm W1 270mm H1 120mm L2 540mm H2 130mm H3 240mm chrome-plated steel		

1

GEV No.	970139	**Ref. No.**	005704
description	fryer basket L1 265mm W1 210mm H1 105mm L2 480mm H2 147mm H3 205mm chrome-plated steel		

1

GEV No.	970577	**Ref. No.**	058157
description	fryer basket L1 270mm W1 185mm H1 120mm chrome-plated steel		

1

GEV No.	970141	**Ref. No.**	026820
description	fryer basket L1 285mm W1 115mm H1 110mm		

1

GEV No.	970140	**Ref. No.**	054948
description	fryer basket L1 320mm W1 100mm H1 120mm chrome-plated steel		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	970143	**Ref. No.**	054960
description	fryer basket L1 320mm W1 225mm H1 120mm L2 550mm H2 140mm H3 250mm		

1

GEV No.	970408	**Ref. No.**	005933
description	fryer basket L1 325mm W1 225mm H1 120mm chrome-plated steel		

1

GEV No.	970406	**Ref. No.**	004492
description	fryer basket L1 325mm W1 225mm H1 90mm chrome-plated steel		

1

GEV No.	970412	**Ref. No.**	006133
description	fryer basket L1 330mm W1 135mm H1 140mm chrome-plated steel		

1

GEV No.	970145	**Ref. No.**	059327
description	fryer basket L1 330mm W1 160mm H1 120mm chrome-plated steel		

1

GEV No.	970413	**Ref. No.**	006539
description	fryer basket L1 330mm W1 285mm H1 140mm L2 700mm H2 200mm H3 260mm chrome-plated steel		

1

GEV No.	970144	**Ref. No.**	052290
description	fryer basket L1 340mm W1 160mm H1 150mm chrome-plated steel		

1

GEV No.	970411	**Ref. No.**	059307
description	fryer basket L1 340mm W1 335mm H1 120mm chrome-plated steel		

pasta baskets

ZANUSSI

1

GEV No.	970398	**Ref. No.**	006886
description	pasta basket H1 125mm W1 105mm L1 165mm H3 200mm stainless steel		

1

GEV No.	970396	**Ref. No.**	056918
description	pasta basket H1 180mm ø 135mm H3 360mm stainless steel		

1

GEV No.	970397	**Ref. No.**	056917
description	pasta basket H1 180mm ø 170mm H3 360mm stainless steel		

1

GEV No.	970393	**Ref. No.**	056919
description	pasta basket H1 180mm W1 150mm L1 275mm H3 340mm stainless steel		

1

GEV No.	970809	**Ref. No.**	0C6290
description	pasta basket H1 200mm W1 290mm L1 145mm size 1/3 H3 345mm stainless steel Qty 2 pcs		

GEV
Image not available

1

GEV No.	970388	**Ref. No.**	005809
description	pasta basket H1 200mm W1 290mm L1 290mm H3 340mm stainless steel		

1

GEV No.	970394	**Ref. No.**	0C1339
description	pasta basket H1 210mm W1 240mm L1 285mm H3 420mm stainless steel		

1

GEV No.	970395	**Ref. No.**	0C1341
description	pasta basket H1 210mm W1 275mm L1 480mm H3 415mm stainless steel		

1

GEV No.	970392	**Ref. No.**	0C1340
description	pasta basket H1 210mm W1 285mm L1 160mm stainless steel		

1

GEV No.	970399	**Ref. No.**	0G2326
description	pasta basket H1 215mm W1 160mm L1 275mm H3 338mm stainless steel		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	970401	**Ref. No.**	004873
description	pasta basket H1 265mm W1 105mm L1 350mm H3 380mm stainless steel		

1

GEV No.	970403	**Ref. No.**	004875
description	pasta basket H1 265mm W1 220mm L1 170mm H3 455mm stainless steel		

1

GEV No.	970402	**Ref. No.**	004874
description	pasta basket H1 265mm W1 220mm L1 350mm H3 445mm stainless steel		

1

GEV No.	970385	**Ref. No.**	005806
description	pasta basket left H1 200mm W1 145mm L1 145mm H3 340mm stainless steel		

1

GEV No.	970386	**Ref. No.**	005807
description	pasta basket right H1 200mm W1 145mm L1 145mm H3 340mm stainless steel		

1

GEV No.	970748	**Ref. No.**	004872
description	pasta basket set 4-piece H1 170mm W1 115mm L1 265mm H3 430mm stainless steel		

1

GEV No.	970788	**Ref. No.**	0C9225
description	pasta basket set 4-piece H1 170mm W1 115mm L1 265mm mounting pos. left/right stainless steel		

1

GEV No.	970572	**Ref. No.**	056922
description	chargrill grid L 500mm W 290mm H 115mm stainless steel pasta cooker		

crumb screens

1

GEV No.	970524	**Ref. No.**	006130
description	crumb screen L 295mm W 385mm suitable for fryer		

warewashing baskets

steel wire baskets round

mix baskets



1

GEV No.	970494	**Ref. No.**	045098
description	mix basket ED ø 520mm H 155mm usable height 85mm		

plate baskets

GEV Image not available

1

GEV No.	970561	**Ref. No.**	065565
description	plate basket ED ø 520mm		

steel wire baskets square

mix baskets

1

GEV No.	970074[1]	**Ref. No.**	0S0058
description	mix basket L 500mm W 500mm H 130mm mesh type close-meshed		

[1]fine-meshed

accessories

plate inserts

1

GEV No.	970517	**Ref. No.**	069562
description	plate insert L 320mm W 80mm plates 12		

shelves and shelf rails

grates

universal

without upstand

1

GEV No.	970125	**Ref. No.**	082729
description	grate W 325mm D 530mm GN 1/1 plastic-coated steel crossing wires 1 white suitable for refrigerator		
accessories for	970125		
	GEV No. 690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No. 694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No. 694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

with upstand

1

GEV No.	970527	**Ref. No.**	081883
description	grate W 530mm D 650mm GN 2/1 chrome-plated steel with hinge camp crossing wires 2 suitable for refrigerator		
accessories for	970527		
	GEV No. 690330	Ref. No.	—
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No. 694700	Ref. No.	—
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	970527			
	GEV No.	694701	Ref. No.	—
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs			

1

GEV No.	970556	**Ref. No.**	083635
description	grate W 530mm D 650mm GN 2/1 plastic-coated steel with hinge camp wire gauge frame 9mm lengthwise wires gauge 5mm crossing wires 2 white suitable for refrigerator		
accessories for	970556		
	GEV No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	GEV No.	690332	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 1 pcs		
	GEV No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	GEV No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

producer-specific

1

GEV No.	970019	**Ref. No.**	006029
description	ventilation grille W 395mm D 75mm steel chrome-plated suitable for refrigerator for bottom heaters		

grates

1

GEV No.	691972	**Ref. No.**	006580
description	chimney grate L 396mm W 70mm H 25mm cast iron		

grid attachments

1

GEV No.	690806	**Ref. No.**	082317
description	rack support L 540mm H 26mm W 17.5mm plastic suitable for ELECTROLUX, ZANUSSI		

1

GEV No.	690807	**Ref. No.**	082316
description	rack support L 720mm H 26mm W 27mm plastic		

shelf rails and supports

producer-specific

1

GEV No.	690739	**Ref. No.**	0A8164
description	guide L-shape L 445mm W 20mm H 22mm mounting pos. left		

1

GEV No.	690784	**Ref. No.**	0A8163
description	guide L-shape L 445mm W 20mm H 22mm mounting pos. right		



1

GEV No.	690778	**Ref. No.**	082304 093853
description	guide U-shape L 466mm W 14mm H 20mm mounting pos. left/right		

1

GEV No.	690777	**Ref. No.**	082286
description	guide U-shape L 467mm W 15mm H 18mm mounting pos. left/right		

1

GEV No.	690781	**Ref. No.**	0A8153
description	guide U-shape L 495mm W 15mm H 20mm mounting pos. left		

1

GEV No.	690779	**Ref. No.**	082719
description	guide U-shape L 565mm W 14mm H 20mm mounting pos. left		

1

GEV No.	690780	**Ref. No.**	082720
description	guide U-shape L 565mm W 14mm H 20mm mounting pos. right		

1

GEV No.	690776	**Ref. No.**	082206 082263
description	guide U-shape L 580mm W 21mm mounting pos. left/right		

1

GEV No.	690659	**Ref. No.**	0A8260
description	guide U-shape L 582mm W 15mm H 19mm mounting pos. left		
accessories for	690659		
	GEV No.	690783	Ref. No. 0A8259
	guide U-shape L 582mm W 15mm H 19mm mounting pos. right		

1

GEV No.	690783	**Ref. No.**	0A8259
description	guide U-shape L 582mm W 15mm H 19mm mounting pos. right		
accessories for	690783		
	GEV No.	690659	Ref. No. 0A8260
	guide U-shape L 582mm W 15mm H 19mm mounting pos. left		

1

GEV No.	692531	**Ref. No.**	093850
description	pair of setting bar U-shape L 581mm W 20mm H 14mm mounting pos. left/right		

1

GEV No.	690626	**Ref. No.**	031970
description	shelf support L 32mm W 14mm H 20mm		

Find the complete and up-to-date range of products in our GEV Webshop

gaskets

refrigeration gaskets

plug-in gaskets

profile 9048

We offer custom-made gaskets for this profile



1

GEV No.	900021	**Ref. No.**	031694
description	refrigeration gasket profile 9048 W 142mm L 372mm plug size drawer refrigeration size 2/5 suitable for ELECTROLUX, ZANUSSI		



1

GEV No.	900302	**Ref. No.**	082740
description	refrigeration gasket profile 9048 W 157mm L 312mm plug size refrigeration		



1

GEV No.	900372	**Ref. No.**	0A8752
description	refrigeration gasket profile 9048 W 157mm L 372mm plug size drawer size 1/3		



1

GEV No.	900303	**Ref. No.**	081772
description	refrigeration gasket profile 9048 W 195mm L 372mm plug size drawer refrigeration size 1/3 suitable for ELECTROLUX, ZANUSSI		



1

GEV No.	900373	**Ref. No.**	0A9289
description	refrigeration gasket profile 9048 W 212mm L 417mm plug size drawer		



1

GEV No.	900019	**Ref. No.**	082759
description	refrigeration gasket profile 9048 W 262mm L 372mm plug size drawer size 1/2		



1

GEV No.	900305	**Ref. No.**	081815
description	refrigeration gasket profile 9048 W 322mm L 372mm plug size drawer size 1/2		



1

GEV No.	900020	**Ref. No.**	031693
description	refrigeration gasket profile 9048 W 372mm L 385mm plug size drawer refrigeration size 3/5 suitable for ELECTROLUX, ZANUSSI		



1

GEV No.	900018	**Ref. No.**	082725
description	refrigeration gasket profile 9048 W 372mm L 572mm plug size door size 1/1		



GEV No.	900304	**Ref. No.**	081805
description	refrigeration gasket profile 9048 W 372mm L 587mm plug size door refrigeration size 1/1		



GEV No.	900029	**Ref. No.**	0A9150
description	refrigeration gasket profile 9048 W 417mm L 502mm plug size door refrigeration		



GEV No.	900986	**Ref. No.**	0A8992
description	refrigeration gasket profile 9048 W 450mm L 578mm plug size		



GEV No.	900384	**Ref. No.**	083742
description	refrigeration gasket profile 9048 W 502mm L 1502mm plug size		



GEV No.	900383	**Ref. No.**	083675
description	refrigeration gasket profile 9048 W 502mm L 717mm plug size		



GEV No.	900380	**Ref. No.**	0A9195
description	refrigeration gasket profile 9048 W 597mm L 1677mm plug size		



GEV No.	900389	**Ref. No.**	083664
description	refrigeration gasket profile 9048 W 637mm L 1512mm plug size door refrigeration suitable for ELECTROLUX, ZANUSSI		



GEV No.	900388	**Ref. No.**	083662
description	refrigeration gasket profile 9048 W 637mm L 717mm plug size 1/2 door refrigeration		



GEV No.	900023	**Ref. No.**	082375
description	refrigeration gasket profile 9048 W 647mm L 1517mm plug size door refrigeration suitable for ELECTROLUX, ZANUSSI		



GEV No.	900377	**Ref. No.**	084529
description	refrigeration gasket profile 9048 W 647mm L 1792mm plug size		

Find the complete and up-to-date range of products in our GEV Webshop



GEV No.	900035	**Ref. No.**	082424
description	refrigeration gasket profile 9048 W 648mm L 725mm plug size 1/2 door refrigeration suitable for ELECTROLUX, ZANUSSI		



GEV No.	900301	**Ref. No.**	080959
description	refrigeration gasket profile 9048 W 660mm L 1565mm plug size door refrigeration		



GEV No.	900385	**Ref. No.**	083749
description	refrigeration gasket profile 9048 W 707mm L 797mm plug size 1/2 door refrigeration		



GEV No.	900375	**Ref. No.**	0A9180
description	refrigeration gasket profile 9048 W 740mm L 1810mm plug size		



GEV No.	900386	**Ref. No.**	083722
description	refrigeration gasket profile 9048 W 797mm L 1492mm plug size door refrigeration suitable for ELECTROLUX, ZANUSSI		

profile 9773

We offer custom-made gaskets for this profile



GEV No.	901392	**Ref. No.**	0A9565
description	refrigeration gasket profile 9773 W 395mm L 595mm external size W1 382mm L1 582mm plug size suitable for ELECTROLUX, ZANUSSI		



GEV No.	900985	**Ref. No.**	087357
description	refrigeration gasket profile 9773 W 598mm L 1690mm external size W1 585mm L1 1677mm plug size suitable for ELECTROLUX, ZANUSSI		



GEV No.	900379	**Ref. No.**	088076
description	refrigeration gasket profile 9773 W 620mm L 1700mm external size W1 607mm L1 1687mm plug size suitable for ELECTROLUX, ZANUSSI		



GEV No.	900984	**Ref. No.**	0A8230
description	refrigeration gasket profile 9773 W 664mm L 762mm external size W1 651mm L1 749mm plug size suitable for ELECTROLUX, ZANUSSI		



GEV No.	900983	**Ref. No.**	0A8225
description	refrigeration gasket profile 9773 W 665mm L 1570mm external size W1 652mm L1 1557mm plug size suitable for ELECTROLUX, ZANUSSI		



GEV No.	900254	**Ref. No.**	085719
description	refrigeration gasket profile 9773 W 682mm L 1531mm external size W1 669mm L1 1518mm plug size suitable for ELECTROLUX, ZANUSSI		



GEV No.	900381	**Ref. No.**	0A8647
description	refrigeration gasket profile 9773 W 685mm L 1518mm external size W1 672mm L1 1505mm plug size suitable for ELECTROLUX, ZANUSSI		

profile 9704

We offer custom-made gaskets for this profile



GEV No.	900374	**Ref. No.**	082586
description	refrigeration gasket profile 9704 W 665mm L 1535mm plug size glass door refrigeration suitable for ELECTROLUX, ZANUSSI		

profile 9333

We offer custom-made gaskets for this profile



GEV No.	900387	**Ref. No.**	083791
description	refrigeration gasket profile 9333 W 520mm L 1515mm plug size glass door refrigeration		



GEV No.	900989	**Ref. No.**	0A8365
description	refrigeration gasket profile 9333 W 670mm L 1460mm plug size		



GEV No.	900382	**Ref. No.**	0A8648
description	refrigeration gasket profile 9333 W 685mm L 1515mm plug size glass door refrigeration		

profile 9237

We offer custom-made gaskets for this profile



GEV No.	900012	**Ref. No.**	081943
description	refrigeration gasket profile 9237 W 645mm L 1535mm plug size door refrigeration		

Find the complete and up-to-date range of products in our GEV Webshop



GEV No.	901343	Ref. No.	0A9559
description	refrigeration gasket profile 9237 W 661mm L 1512mm plug size		



GEV No.	900013	Ref. No.	081725
description	refrigeration gasket profile 9237 W 690mm L 710mm plug size 1/2 door refrigeration		



GEV No.	900015	Ref. No.	081724
description	refrigeration gasket profile 9237 W 710mm L 1500mm plug size door refrigeration		

profile 9794

We offer custom-made gaskets for this profile



GEV No.	900987	Ref. No.	087691
description	refrigeration gasket profile 9794 W 254mm L 387mm plug size		



GEV No.	900890	Ref. No.	087664
description	refrigeration gasket profile 9794 W 390mm L 555mm plug size		



GEV No.	901369	Ref. No.	099531
description	refrigeration gasket profile 9794 W 390mm L 560mm plug size		



GEV No.	901153	Ref. No.	089735
description	refrigeration gasket profile 9794 W 622mm L 1495mm plug size		



GEV No.	900981	Ref. No.	087129
description	refrigeration gasket profile 9794 W 626mm L 1467mm plug size		



GEV No.	900988	Ref. No.	0A9741
description	refrigeration gasket profile 9794 W 691mm L 626mm plug size		

profile 9794Z (blast freezer)



GEV No.	901237[1]	Ref. No.	083377
description	blast freezer gasket profile 9794Z W 406mm L 666mm plug size for blast chiller suitable for ELECTROLUX, ZANUSSI		

[1]for blast freezer



GEV No.	901236[1]	**Ref. No.**	083397
description	blast freezer gasket profile 9794Z W 666mm L 736mm plug size suitable for ELECTROLUX, ZANUSSI		

[1]for blast freezer

screw-in gaskets

profile 9030

We offer custom-made gaskets for this profile



GEV No.	900001	**Ref. No.**	0A8083
description	refrigeration gasket profile 9030 W 185mm L 390mm external size		



GEV No.	900034	**Ref. No.**	0A8379
description	refrigeration gasket profile 9030 W 200mm L 392mm external size refrigeration		



GEV No.	900002	**Ref. No.**	0A8079
description	refrigeration gasket profile 9030 W 310mm L 390mm external size drawer for refrigerated counter refrigeration size 1/2		



GEV No.	900309	**Ref. No.**	0K9330
description	refrigeration gasket profile 9030 W 330mm L 380mm external size drawer for refrigerated counter refrigeration size 1/2		



GEV No.	900308	**Ref. No.**	0K9331
description	refrigeration gasket profile 9030 W 380mm L 585mm external size drawer for refrigerated counter refrigeration size 1/1		



GEV No.	900003	**Ref. No.**	0A8081
description	refrigeration gasket profile 9030 W 390mm L 435mm external size drawer for refrigerated counter refrigeration size 3/5		



GEV No.	900004	**Ref. No.**	0A8075
description	refrigeration gasket profile 9030 W 391mm L 640mm external size door for refrigerated counter refrigeration size 1/1		



GEV No.	900007	**Ref. No.**	0A8144
description	refrigeration gasket profile 9030 W 446mm L 540mm external size refrigeration size 1/1		

Find the complete and up-to-date range of products in our GEV Webshop



GEV No.	900014	Ref. No.	0A8159
description	refrigeration gasket profile 9030 W 540mm L 670mm external size refrigeration size 1/1		



GEV No.	900006	Ref. No.	081293
description	refrigeration gasket profile 9030 W 670mm L 1570mm external size door refrigeration suitable for ELECTROLUX, ZANUSSI		



GEV No.	900005	Ref. No.	081294
description	refrigeration gasket profile 9030 W 675mm L 770mm external size 1/2 door refrigeration suitable for ELECTROLUX, ZANUSSI		

gaskets for heated units

window seals



GEV No.	900270	Ref. No.	057866
description	window gasket profile 1510 Qty 5m		



GEV No.	900190	Ref. No.	055412
description	window gasket profile 1820 perimeter 1400mm Qty 1		



GEV No.	900191	Ref. No.	055314
description	window gasket profile 1820 perimeter 2200mm Qty 1		



GEV No.	900743	Ref. No.	unbekannt
description	window gasket profile 1820 Qty supplied by meter		



GEV No.	900272	Ref. No.	003680
description	window gasket profile 1830 L 1500mm Qty 1		



GEV No.	900154	Ref. No.	0K2079
description	window gasket profile 1840 perimeter 1700mm Qty 1		



GEV No.	900269	Ref. No.	003739
description	window gasket profile 1874 perimeter 2060mm Qty 1		



GEV No.	900185	**Ref. No.**	002837
description	window gasket profile 1875 perimeter 1500mm Qty 1		



GEV No.	900186	**Ref. No.**	002878
description	window gasket profile 1875 perimeter 2000mm Qty 1		

door seals



GEV No.	900189	**Ref. No.**	053751
description	door seal profile 2260 W 645mm L 715mm external size Qty 1 10 x 2/1		



GEV No.	900040	**Ref. No.**	0H6657
description	door seal profile 2447 W 627mm L 1321mm external size Qty 1		



GEV No.	900039	**Ref. No.**	0H6660
description	door seal profile 2447 W 777mm L 1321mm external size Qty 1		



GEV No.	900187	**Ref. No.**	055414
description	door seal profile 2450 W 395mm H 585mm external size Qty 1 suitable for ELECTROLUX 395x585		



GEV No.	900188	**Ref. No.**	055315
description	door seal profile 2450 W 640mm H 720mm external size Qty 1 suitable for ELECTROLUX 640x720		



GEV No.	900275	**Ref. No.**	054986
description	door seal profile 2450 W 645mm H 1380mm external size Qty 1 suitable for ELECTROLUX 640x1380		



GEV No.	900433	**Ref. No.**	005713
description	door seal profile 2520 W 430mm L 635mm external size Qty 1 suitable for ELECTROLUX, JUNO, ZANUSSI 635x430		



GEV No.	900579	**Ref. No.**	005708
description	door seal profile 2520 W 450mm L 1490mm external size Qty 1 suitable for ELECTROLUX 450x1490		

Find the complete and up-to-date range of products in our GEV Webshop



GEV No.	900577	**Ref. No.**	005710
description	door seal profile 2520 W 450mm L 550mm external size Qty 1 suitable for ELECTROLUX 450x550		



GEV No.	900578	**Ref. No.**	005709
description	door seal profile 2520 W 450mm L 770mm external size Qty 1 suitable for ELECTROLUX 450x770		



GEV No.	900161	**Ref. No.**	005705
description	door seal profile 2520 W 640mm L 1400mm external size Qty 1 suitable for ELECTROLUX 640x1400		



GEV No.	900590	**Ref. No.**	005706
description	door seal profile 2520 W 640mm L 730mm external size Qty 1 suitable for ELECTROLUX 640x730		



GEV No.	900434	**Ref. No.**	005711
description	door seal profile 2520 W 655mm L 1400mm external size Qty 1 suitable for ELECTROLUX 660x1400		



GEV No.	900160	**Ref. No.**	005712
description	door seal profile 2520 W 655mm L 725mm external size Qty 1 suitable for ELECTROLUX		



GEV No.	900276	**Ref. No.**	0C1473
description	door seal profile 2760 W 480mm L 1460mm outer plug size Qty 1 suitable for ELECTROLUX 1438x450		



GEV No.	900278	**Ref. No.**	006992
description	door seal profile 2760 W 480mm L 505mm outer plug size Qty 1 suitable for ELECTROLUX 475x450		



GEV No.	900268	**Ref. No.**	007069
description	door seal profile 2760 W 480mm L 755mm outer plug size Qty 1 suitable for ELECTROLUX 450x725		



1

GEV No.	900267	**Ref. No.**	0C1195
description	door seal profile 2760 W 660mm L 1460mm outer plug size Qty 1 suitable for ELECTROLUX 1438x630		



1

GEV No.	901146	**Ref. No.**	0C1887
description	door seal profile 2760 W 665mm L 760mm outer plug size Qty 1 suitable for ELECTROLUX 725x630		



1

GEV No.	900047	**Ref. No.**	0H6768
description	door seal profile 2924 W 50mm L 570mm external size Qty 1 mounting pos. upper		

1

GEV No.	900146[1]	**Ref. No.**	0H6516
description	door seal profile 2940 W 600mm L 670mm external size Qty 1		

[1]3-sided (long side open)

1

GEV No.	900306	**Ref. No.**	057656
description	door seal profile 2947 Qty supplied by meter		



1

GEV No.	900624	**Ref. No.**	054112
description	door seal profile 2953 Qty supplied by meter		



1

GEV No.	900273	**Ref. No.**	054850
description	door seal profile 2970 L 1133mm Qty 1		

door gaskets (wire reinforced)



1

GEV No.	900279	**Ref. No.**	005194
description	oven gasket wire reinforced L 395mm W 285mm		

door seals with tension springs



1

GEV No.	900046	**Ref. No.**	0H6762
description	oven gasket profile 2958 L 290mm Qty 1 mounting pos. lateral		

gaskets for tray rack trolleys



1

GEV No.	900592	**Ref. No.**	0H6662
description	tray rack trolley gasket profile 4040 L 658mm Qty 1		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	900580	**Ref. No.**	006176
description	tray rack trolley gasket profile 4055 L 660mm Qty 1		



1

GEV No.	900295	**Ref. No.**	0C0899
description	tray rack trolley gasket profile 4100 L 610mm Qty 1		



1

GEV No.	900274	**Ref. No.**	0C1196
description	tray rack trolley gasket profile 4100 L 745mm Qty 1		

O-rings

EPDM

1

GEV No.	510302	**Ref. No.**	047986
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		



1

GEV No.	504512	**Ref. No.**	047473
description	O-ring EPDM thickness 1.78mm ID ø 14mm Qty 1 pcs		



1

GEV No.	532003	**Ref. No.**	059293
description	O-ring EPDM thickness 1.78mm ID ø 3.69mm Qty 10 pcs		



1

GEV No.	528485	**Ref. No.**	067898
description	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs		



1

GEV No.	530293	**Ref. No.**	0L0555
description	O-ring EPDM thickness 1.78mm ID ø 8.73mm Qty 1 pcs		



1

GEV No.	504574	**Ref. No.**	046376
description	O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs		

1

GEV No.	532581	**Ref. No.**	0E5118
description	O-ring EPDM thickness 2.3mm ID ø 17.2mm Qty 1 pcs		



1

GEV No.	529412	**Ref. No.**	069644
description	O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs		



1

GEV No.	528223	**Ref. No.**	067292
description	O-ring EPDM thickness 2.62mm ID ø 11.91mm Qty 1 pcs		



1

GEV No.	507313	**Ref. No.**	046223
description	O-ring EPDM thickness 2.62mm ID ø 13.95mm Qty 1 pcs		



1

GEV No.	504618	**Ref. No.**	068642
description	O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs		



1

GEV No.	504590	**Ref. No.**	047929
description	O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs		



1

GEV No.	528919	**Ref. No.**	069527
description	O-ring EPDM thickness 2.62mm ID ø 20.24mm Qty 1 pcs		



1

GEV No.	510769	**Ref. No.**	046799
description	O-ring EPDM thickness 2.62mm ID ø 25.07mm Qty 1 pcs		



1

GEV No.	504561	**Ref. No.**	067768
description	O-ring EPDM thickness 2.62mm ID ø 29.82mm Qty 1 pcs		



1

GEV No.	540222	**Ref. No.**	053809
description	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		



1

GEV No.	532546	**Ref. No.**	052206
description	O-ring EPDM thickness 2.62mm ID ø 52.07mm Qty 1 pcs		



1

GEV No.	512175	**Ref. No.**	049460
description	O-ring EPDM thickness 2.62mm ID ø 53.65mm Qty 1 pcs		



1

GEV No.	504577	**Ref. No.**	047462
description	O-ring EPDM thickness 2.62mm ID ø 60mm Qty 1 pcs		




1

GEV No.	510009	**Ref. No.**	069531 OKM724
description	O-ring EPDM thickness 3.53mm ID ø 101.2mm Qty 1 pcs		



1

GEV No.	511339	**Ref. No.**	048327
description	O-ring EPDM thickness 3.53mm ID ø 110.7mm Qty 1 pcs		



1

GEV No.	504593	**Ref. No.**	049033
description	O-ring EPDM thickness 3.53mm ID ø 123.4mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	511517	**Ref. No.**	059475
description	O-ring EPDM thickness 3.53mm ID ø 21.82mm Qty 10 pcs		



1

GEV No.	517087	**Ref. No.**	050292
description	O-ring EPDM thickness 3.53mm ID ø 23.4mm Qty 1 pcs		



1

GEV No.	513016	**Ref. No.**	027300
description	O-ring EPDM thickness 3.53mm ID ø 26.58mm Qty 1 pcs		



1

GEV No.	510072	**Ref. No.**	049245
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		



1

GEV No.	510895	**Ref. No.**	027301
description	O-ring EPDM thickness 3.53mm ID ø 34.52mm Qty 1 pcs		

1

GEV No.	508061	**Ref. No.**	065506
description	O-ring EPDM thickness 3.53mm ID ø 42.86mm Qty 1 pcs		



1

GEV No.	508370	**Ref. No.**	048229
description	O-ring EPDM thickness 3.53mm ID ø 46.04mm Qty 1 pcs		



1

GEV No.	532612	**Ref. No.**	068799
description	O-ring EPDM thickness 3.53mm ID ø 60.33mm Qty 1 pcs		



1

GEV No.	504580	**Ref. No.**	046366
description	O-ring EPDM thickness 3.53mm ID ø 73.03mm Qty 1 pcs		



1

GEV No.	504578	**Ref. No.**	045462 047458
description	O-ring EPDM thickness 3.53mm ID ø 94.84mm Qty 1 pcs		



1

GEV No.	521709	**Ref. No.**	048984
description	O-ring EPDM thickness 3mm ID ø 126mm Qty 1 pcs		



1

GEV No.	510563	**Ref. No.**	0E5062
description	O-ring EPDM thickness 3mm ID ø 28mm Qty 1 pcs		



1

GEV No.	501008	**Ref. No.**	046865
description	O-ring EPDM thickness 3mm ID ø 64mm Qty 1 pcs		



1

GEV No.	510408	**Ref. No.**	067620
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

GEV No.	510409	**Ref. No.**	007029
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		



1

GEV No.	532613	**Ref. No.**	049593
description	O-ring EPDM thickness 5.34mm ID ø 72.39mm Qty 1 pcs		



1

GEV No.	510551	**Ref. No.**	0L0338
description	pump cover gasket ID ø 158.3mm pump type 1214/1293/1225/2243/1226/1204/3473/1241 thickness 3.53mm EPDM Qty 1 pcs		

silicone



1

GEV No.	532505	**Ref. No.**	0C0188
description	O-ring silicone thickness 1.78mm ID ø 33.05mm Qty 1 pcs		

Viton



1

GEV No.	511300	**Ref. No.**	002873
description	O-ring Viton thickness 3.53mm ID ø 28.17mm for 57 series for motor shaft		



1

GEV No.	532506	**Ref. No.**	007074
description	O-ring Viton thickness 3.53mm ID ø 29.75mm Qty 1 pcs		



1

GEV No.	528412	**Ref. No.**	002874
description	O-ring Viton thickness 3.53mm ID ø 31.34mm Qty 1 pcs		



1

GEV No.	550530	**Ref. No.**	055323
description	O-ring Viton thickness 5.34mm ID ø 37.8mm Qty 1 pcs		



1

GEV No.	103007	**Ref. No.**	0H6863
description	O-ring Viton thickness 5mm ID ø 42.5mm Qty 1 pcs		

sealing washers

fibre gaskets

1

GEV No.	504765	**Ref. No.**	066088
description	flat gasket FIBER ED ø 54mm ID ø 48mm thickness 2mm for thread 1½" Qty 1 pcs		

1

GEV No.	510597	**Ref. No.**	050296
description	flat gasket fibre ED ø 34mm ID ø 24mm thickness 2mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504306	**Ref. No.**	069438
description	gasket fibre ED ø 16mm ID ø 10mm thickness 2mm Qty 1 pcs		

1

GEV No.	514251	**Ref. No.**	050295
description	gasket fibre ED ø 46mm ID ø 38mm thickness 2mm Qty 1 pcs		

1

GEV No.	540796	**Ref. No.**	020279
description	gasket fibre ED ø 60mm ID ø 50mm thickness 2mm for outlet tap Qty 1 pcs		

rubber gaskets

1

GEV No.	504524	**Ref. No.**	048823
description	flat gasket rubber ED ø 121mm ID ø 85mm thickness 1mm Qty 1 pcs		

1

GEV No.	520054[1]	**Ref. No.**	046925
description	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

[1]Qty 10 pieces

1

GEV No.	504507	**Ref. No.**	049038
description	flat gasket rubber ED ø 49.5mm ID ø 39mm thickness 2mm Qty 1 pcs equiv. no. 049038 suitable for ZANUSSI		

1

GEV No.	504711	**Ref. No.**	030186
description	flat gasket rubber ED ø 55mm ID ø 42mm thickness 3mm Qty 1 pcs		

1

GEV No.	510071	**Ref. No.**	049244
description	flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs		

1

GEV No.	504774	**Ref. No.**	046595
description	gasket rubber ED ø 58.5mm ID ø 47mm thickness 3mm Qty 1 pcs		

1

GEV No.	504776	**Ref. No.**	049828
description	gasket rubber ED ø 60mm ID ø 50mm thickness 1.5mm for intake body		

PTFE gaskets

1

GEV No.	510012	**Ref. No.**	069643
description	flat gasket PTFE ED ø 16.5mm ID ø 12.5mm thickness 1.5mm Qty 1 pcs equiv. no. 437008		

1

GEV No.	693745	**Ref. No.**	002624
description	gasket PTFE ED ø 20mm ID ø 15mm thickness 1mm Qty 1 pcs		

foam rubber gaskets

1

GEV No.	504669	**Ref. No.**	046583
description	foam rubber gasket W 10mm thickness 2mm self-adhesive Qty 5m		

1

GEV No.	901678	**Ref. No.**	0K7496
description	foam rubber gasket Qty 1200mm incl. adhesive for lid		

sealing cords

square

1

GEV No.	693739	**Ref. No.**	058404
description	sealing cord square size 12x12mm t.max. 550°C braided L 5m		

door seal rails

1

GEV No.	900376	**Ref. No.**	0A8409
description	bottom gasket W 37mm W2 15mm L 1000mm self-adhesive		

shaft gaskets

shaft gaskets

1

GEV No.	511532	**Ref. No.**	0KV751
description	shaft seal ID ø 15mm ED ø 25.5mm thickness 6.5mm for ice-cube maker		

1

GEV No.	511533	**Ref. No.**	0KM798
description	shaft seal ID ø 25mm ED ø 34mm thickness 5mm for ice maker		

miscellaneous

1

GEV No.	511301	**Ref. No.**	002699
description	shaft seal ID ø 16mm ED ø 38mm thickness 18mm		

special gaskets

door seals for dishwashers

1

GEV No.	504675	**Ref. No.**	047455
description	door seal L 315mm W 255mm mounting pos. left H 15mm door suitable for ZANUSSI equiv. no. 047455		

1

GEV No.	504674	**Ref. No.**	047454
description	door seal L 315mm W 255mm mounting pos. right H 15mm door suitable for ZANUSSI equiv. no. 047454		

1

GEV No.	504667	**Ref. No.**	049017
description	door seal L 440mm mounting pos. upper door suitable for ZANUSSI equiv. no. 049017		

1

GEV No.	504758	**Ref. No.**	049892
description	door seal L 560mm mounting pos. upper		

1

GEV No.	504673	**Ref. No.**	046394
description	door seal L 600mm mounting pos. upper door suitable for ZANUSSI equiv. no. 046394		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	504668	**Ref. No.**	049016
description	door seal mounting pos. lower door suitable for ZANUSSI equiv. no. 049016		

1

GEV No.	504669	**Ref. No.**	046583
description	foam rubber gasket W 10mm thickness 2mm self-adhesive Qty 5m		

miscellaneous

1

GEV No.	693402	**Ref. No.**	002706
description	boiler gasket		

1

GEV No.	901678	**Ref. No.**	0K7496
description	foam rubber gasket Qty 1200mm incl. adhesive for lid		

1

GEV No.	550924	**Ref. No.**	002075
description	gasket for probe ID ø 6mm EPDM		

1

GEV No.	504322	**Ref. No.**	060717
description	gasket L 14mm W 14mm external hight 4mm ID ø 8mm		

1

GEV No.	693396	**Ref. No.**	057402
description	gasket level glass L 30mm W 30mm thickness 0.8mm equiv. no. 250617 suitable for JUNO		
accessories for	693396		
	GEV No.	693398	Ref. No. 057382
	frame for level glass		

1

GEV No.	510014	**Ref. No.**	069525
description	gasket suitable for HOBART equiv. no. 139321-155 L 84mm W 40mm thickness 2.5mm		

1

GEV No.	700491	**Ref. No.**	003990
description	gasket suitable for JUNO equiv. no. 03990 L 40mm W 35mm door catch thickness 1mm		

1

GEV No.	504732	**Ref. No.**	046360
description	gasket suitable for ZANUSSI equiv. no. 046360 L 47mm W 18.5mm thickness 3mm		



1

GEV No.	693404	**Ref. No.**	055371
description	gasket suitable for ZANUSSI equiv. no. 55371 fanwheel ED ø 800mm		

1

GEV No.	693403	**Ref. No.**	003874
description	gasket suitable for ZANUSSI hot air		

thermostat gaskets

1

GEV No.	510167	**Ref. No.**	066717
description	gasket for thermostat ED ø 41mm ID ø 18mm Qty ANGELO PO/ ZANUSSI pcs equiv. no. 3150270/66717		

gaskets for wash arm support

1

GEV No.	504537	**Ref. No.**	048236
description	gasket D1 ø 100mm D2 ø 70mm thickness 7.5mm wash arm support equiv. no. 048236 suitable for ZANUSSI		

1

GEV No.	504559	**Ref. No.**	047928
description	gasket D1 ø 26mm D2 ø 70mm thickness 2mm rubber with 3 screw holes wash arm support equiv. no. 047928 suitable for ZANUSSI		

refrigeration cycle components

valves

expansion valves

DANFOSS

valves

type TUA/TUB/TUC

1

GEV No.	750016	**Ref. No.**	087333
description	expansion valve DANFOSS type TUB coolant R134a angled 90° thermostatically controlled inlet 6mm ODF outlet 12mm ODF p max 34bar -40 up to +10°C capillary pipe 800mm		

refrigeration pipes

copper pipes uninsulated

1

GEV No.	694252	**Ref. No.**	091724
description	T-piece ED ø 6mm copper		

Find the complete and up-to-date range of products in our GEV Webshop

evaporators

for fridges

producer-specific

1

GEV No.	750251	**Ref. No.**	082231
description	evaporator L 315mm W 105mm H 690mm overall height 125mm refrigerators and refridgerator-freezers suitable for ELECTROLUX, ZANUSSI		

1

GEV No.	750150	**Ref. No.**	082211
description	evaporator L 315mm W 125mm H 105mm refrigerators and refridge-rator-freezers suitable for ELECTROLUX, ZANUSSI		

1

GEV No.	750250	**Ref. No.**	082732
description	evaporator L 395mm W 100mm H 250mm refrigerator suitable for ELECTROLUX, ZANUSSI		

1

GEV No.	750009	**Ref. No.**	0A9212
description	evaporator L 445mm W 95mm H 110mm		

condensors

condensors



1

GEV No.	750249	**Ref. No.**	082229
description	condenser refrigerator W 300mm D 90mm H 250mm suitable for ELECTROLUX, ZANUSSI		

transmission technology and ball bearings

drive belts

V-belts

profile Z/10

1

GEV No.	693262	**Ref. No.**	052804
description	V-belt belt width 10mm L 560mm H 6mm CODE Z22 profile Z/10		

toothed belts

1

GEV No.	504778	**Ref. No.**	0E5050
description	toothed belt profile T10 L 610mm H 4mm teeth 61 rubber with textile insertion CODE 354TI W 16mm		

1

GEV No.	698653	**Ref. No.**	0KJ039
description	toothed belt profile V L 1000mm CODE 4668 W 31.5mm		

poly-v belts



1

GEV No.	693269	**Ref. No.**	002148
description	poly-v belt grooves 6 W 14mm L 355mm profile J		



1

GEV No.	698409	**Ref. No.**	033106 0KJ780
description	poly-v belt grooves 6 W 14mm L 559mm profile J		

chains

roller chains 08B-1 single

1

GEV No.	693275	**Ref. No.**	056862
description	roller chain DIN/ISO 08 B-1 splitting 1/2" / 12.7mm links 23 internal width 7.75mm rollerø 8.51mm single without connecting bow		

connectors

1

GEV No.	693276	**Ref. No.**	056863
description	connector single DIN/ISO 08 B-1 splitting 1/2" links 1 L 23mm internal width 11.8mm rollerø 4.3mm metal		

springs

torsion springs

1

GEV No.	504653	**Ref. No.**	046268
description	torsion spring mounting pos. left		

1

GEV No.	504652	**Ref. No.**	046269
description	torsion spring mounting pos. right		

1

GEV No.	700487	**Ref. No.**	054560
description	torsion spring ø 10.8mm L2 5mm wire gauge ø 2.2mm L1 86mm L3 86mm		

1

GEV No.	700450	**Ref. No.**	054282
description	torsion spring ø 13mm L2 177mm wire gauge ø 2.5mm L1 10mm L3 177mm Qty 1 pcs		

1

GEV No.	690683	**Ref. No.**	082178
description	torsion spring ø 14.5mm wire gauge ø 2.5mm L1 86mm L2 30mm L3 16mm refrigerator		

1

GEV No.	700087	**Ref. No.**	082179
description	torsion spring ø 14.5mm wire gauge ø 2.7mm L1 86mm L2 30mm L3 16mm refrigerator		



1

GEV No.	700023	**Ref. No.**	0H6608
description	torsion spring ø 18.2mm L2 150mm wire gauge ø 3.2mm mounting pos. left L1 100mm L3 24mm		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	700022	**Ref. No.**	0H6607
description	torsion spring ø 18.6mm L2 93mm wire gauge ø 3.4mm mounting pos. right L1 133mm L3 24mm		

1

GEV No.	693299	**Ref. No.**	052894
description	torsion spring ø 28.6mm L2 103mm wire gauge ø 3.6mm L1 45mm		

1

GEV No.	693313	**Ref. No.**	051527
description	torsion spring ø 38.1mm wire gauge ø 6.2mm L1 19mm L2 212mm L3 19mm		

1

GEV No.	693316	**Ref. No.**	059518
description	torsion spring ø 38.2mm wire gauge ø 6.2mm L1 33mm L2 320mm L3 24mm		

1

GEV No.	693286	**Ref. No.**	051268
description	torsion spring ø 39.2mm wire gauge ø 7.2mm L1 308mm L2 19mm L3 19mm for kettle type series 900		

1

GEV No.	693315	**Ref. No.**	002981
description	torsion spring ø 39mm wire gauge ø 7.1mm L1 31mm L2 322mm L3 23mm		

1

GEV No.	504697	**Ref. No.**	048279
description	torsion spring ø 6mm L2 6mm wire gauge ø 1.2mm L1 67mm L3 29mm		

1

GEV No.	504705	**Ref. No.**	068645
description	torsion spring ø 7mm L2 5mm wire gauge ø 1mm L1 50mm L3 29mm		

compression springs

1

GEV No.	301209	**Ref. No.**	004243
description	compression spring ø 10mm L 15mm wire gauge ø 0.9mm		

1

GEV No.	700422	**Ref. No.**	052789
description	compression spring ø 14.8mm L 70mm wire gauge ø 1.7mm		

1

GEV No.	700445	**Ref. No.**	053757
description	compression spring ø 21.7mm L 29mm wire gauge ø 1.5mm		

1

GEV No.	700424	**Ref. No.**	056846
description	compression spring ø 26mm L 220mm wire gauge ø 4.2mm		

1

GEV No.	504660	**Ref. No.**	047492
description	compression spring ø 8.9mm L 37.5mm wire gauge ø 1.15mm		

spring compressors

1

GEV No.	504688	**Ref. No.**	049886
description	spring compressor		

1

GEV No.	504689	**Ref. No.**	049583
description	spring compressor		

1

GEV No.	693287	**Ref. No.**	051267
description	spring compressor		

1

GEV No.	693290	**Ref. No.**	0A2551
description	spring compressor		

roller springs

roller springs

1

GEV No.	519449	**Ref. No.**	0E5158
description	roller spring W 25mm ID ø 32mm lug lengthmm		

1

GEV No.	504518	**Ref. No.**	0E5167
description	roller spring W 39mm ID ø 32mm lug lengthmm		

miscellaneous

1

GEV No.	700455	**Ref. No.**	055558
description	spring		

1

GEV No.	691220	**Ref. No.**	053342
description	spring clip shaft diameter 6mm ømm L 17mm W 14mm H 5mm wire gauge ø 1.5mm		

tension springs

1

GEV No.	504687	**Ref. No.**	049947
description	tension spring		

1

GEV No.	504649	**Ref. No.**	048815
description	tension spring ø 10.5mm total length 274mm wire gauge ø 1.8mm		

1

GEV No.	504639	**Ref. No.**	049086
description	tension spring ø 15.5mm total length 198mm wire gauge ø 1.5mm		

1

GEV No.	504638	**Ref. No.**	049200
description	tension spring ø 15mm total length 185mm wire gauge ø 1.5mm		

1

GEV No.	700420	**Ref. No.**	056975
description	tension spring ø 20mm total length 60mm wire gauge ø 2.6mm		

1

GEV No.	693295	**Ref. No.**	0C0666
description	tension spring ø 29.5mm total length 310mm wire gauge ø 4.6mm		

1

GEV No.	693289	**Ref. No.**	0A5150
description	tension spring ø 36.5mm total length 240mm wire gauge ø 6.9mm		

1

GEV No.	504686	**Ref. No.**	048258
description	tension spring ø 39.3mm total length 493mm wire gauge ø 4.1mm		

1

GEV No.	504684	**Ref. No.**	048655
description	tension spring ø 40mm total length 365mm wire gauge ø 4mm		

1

GEV No.	504685	**Ref. No.**	049582
description	tension spring ø 40mm total length 750mm wire gauge ø 5.5mm		

1

GEV No.	504682	**Ref. No.**	046615
description	tension spring ø 50mm total length 290mm L2 165mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	693294	**Ref. No.**	0C0671
description	tension spring ø 70mm total length 355mm wire gauge ø 10mm		

manometers

1

GEV No.	541579	**Ref. No.**	017055
description	manometer ø 52mm pressure range 0 up to 1bar connection marking 0.5 thread 1/4"		

1

GEV No.	541334	**Ref. No.**	059515
description	manometer ø 60mm pressure range 0 up to 1bar thread 1/8" marking 0.5 kettle connection on the backside		

1

GEV No.	541339	**Ref. No.**	0C0712
description	manometer ø 62.4mm pressure range 0 up to 1bar thread 1/8" marking connection		

hose reels and spray guns

spray guns

1

GEV No.	549332	**Ref. No.**	003167
description	spray gun for appliances 1/2" IT L 215mm type ZANUSSI		
accessories for	549332		
	GEV No. 520168	Ref. No.	—
	double nipple nickel-plated brass thread 1/2" - 1/2" Qty 1 pcs		

1

GEV No.	542038	**Ref. No.**	003175
description	spray gun for appliances 3/8" IT L 135mm		

1

GEV No.	542966	**Ref. No.**	003513
description	wall holder for hand spray		

hose reels

appliance hose reels

1

GEV No.	545800	**Ref. No.**	0C1128
description	hose reel complete with spray gun hose length 1.6m		

dosing pumps

peristaltic dosing pumps

MICRODOS

built-in version

without control

1

GEV No.	361097	**Ref. No.**	049311 049625 0L0697 0S0704
description	dosing pump MICRODOS without control 0.5l/h 230VAC rinse aid hose ø 4x6mm hose silicone suction level 1.5m horizontal/vertical type MP3		
spare parts for	361097		
	GEV No. 361487	Ref. No.	—
	pump hose rinse aid ID ø 5mm ED ø 10mm hose ø 4x6mm hose type silicone with connections Shore 60°		
	GEV No. 361515	Ref. No.	—
	roller assembly rinse aid hose type silicone black		
	GEV No. 361595	Ref. No.	—
	pump hose rinse aid ID ø 6mm ED ø 10.6mm hose ø 6x10mm hose ø 6mm hose type silicone		

SEKO

built-in version

without control

1

GEV No.	361150[1]	**Ref. No.**	0S0704
description	dosing pump SEKO without control 0.4l/h 230VAC rinse aid hose ø 4x6mm hose type D hose Sekobril suction level 1.5m horizontal/vertical type PG dimensions 67x95x52mm		
spare parts for	361150		
	GEV No. 361135	Ref. No.	—
	pump hose SEKO rinse aid hose ø 3x8mm hose ø 4x6mm hose type D hose Sekobril		
	GEV No. 361136	Ref. No.	—
	roller assembly for dosing pump hole ø 4.8x4mm		
	GEV No. 361562	Ref. No.	—
	pump cover for dosing pump yellow		

[1]with accessories

spare parts for	361150		
	GEV No. 361866	Ref. No.	—
	union nut for hose connector ø 17mm		
accessories for	361150		
	GEV No. 361144	Ref. No.	—
	mounting set rinse aid hose type 4x6mm hose length 2m PVC/nylon hose container filter/non-return valve transparent		
	GEV No. 570123	Ref. No.	—
	PVC hose ID ø 4mm ED ø 6mm L 3.5m thickness 1mm t.max. 60°C transparent		

1

GEV No.	361152[1]	**Ref. No.**	0S0705
description	dosing pump SEKO without control 3l/h 230VAC detergent hose ø 4x6mm hose type K hose Santoprene suction level 1.5m horizontal/vertical type PG built-in version dimensions 67x95x52mm		
spare parts for	361152		
	GEV No. 361136	Ref. No.	—
	roller assembly for dosing pump hole ø 4.8x4mm		
	GEV No. 361562	Ref. No.	—
	pump cover for dosing pump yellow		
	GEV No. 361815	Ref. No.	049419
	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		
accessories for	361152		
	GEV No. 361142	Ref. No.	—
	mounting set detergent hose type 4x6mm hose length 2m PVC 2x hose/container filter/tank intake transparent		
	GEV No. 520090	Ref. No.	—
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	GEV No. 520091	Ref. No.	—
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		

[1]with accessories

spare parts

1

GEV No.	361815	**Ref. No.**	049419
description	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		

Find the complete and up-to-date range of products in our GEV Webshop

piston pumps

with solenoid coil

1

GEV No.	361740	**Ref. No.**	048580
description	dosing pump inlet 4x6mm outlet 5mm 230V rinse aid duty cycle 25% type EKP-M 50Hz impulse 3imp/s		
spare parts for	361740		
	GEV No.	361811	Ref. No. —
	hose connector for dosing pump hose ø 6.3mm T1: M12x1.5 chrome-plated brass		
accessories for	361740		
	GEV No.	361505	Ref. No. —
	screw pipe fitting straight nickel-plated brass thread 3/8" IT hose ø 6x8mm		

spare parts

1

GEV No.	361113	**Ref. No.**	069479
description	solenoid coil 230VAC for type DB2		

membrane dosing pumps

self-priming

LANG

1

GEV No.	361008[1]	**Ref. No.**	045478
description	dosing pump type N6 with special hose set rinse aid pressure connection ø angled, 4x6mm suction connection ø straight, 4x6mm suction connection straight, M10x1		
spare parts for	361008		
	GEV No.	361079	Ref. No. —
	spring for type N5/N6 for ball		
	GEV No.	361080	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs		
	GEV No.	361085	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs		
	GEV No.	361309	Ref. No. —
	ball for type N5/N6		
	GEV No.	361310	Ref. No. —
	bracket for type N6 ball guide		

[1]with accessories

spare parts for	361008		
	GEV No.	361311	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
	GEV No.	361314	Ref. No. —
	valve ring for type N6 holder for O-ring		
	GEV No.	361317	Ref. No. —
	sealing disc for type N6		
	GEV No.	361886	Ref. No. —
	non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm		

various

1

GEV No.	361370	**Ref. No.**	049484
description	dosing pump type model 2 rinse aid inlet 4x6mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 4x6mm		
spare parts for	361370		
	GEV No.	361307	Ref. No. —
	membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P		
	GEV No.	361459	Ref. No. —
	hose connector ø 6mm for dosing pump		

accessories

1

GEV No.	361462	**Ref. No.**	0S1028
description	container filter with weight SS hose ø 4x6mm		

non-return valves

1

GEV No.	361147	**Ref. No.**	049358
description	non-return valve inlet 4x6mm outlet 1/8" L 50mm Qty 1 pcs		

tank inlets

1

GEV No.	361270	**Ref. No.**	049801
description	tank inlet SS M12 hose ø 4mm		

hoses

supply hoses

stainless steel flexi hoses

universal hoses



1

GEV No.	520008	**Ref. No.**	069571
description	flex hose SS braid straight-curved DN12 connection 1: 3/4" connection 2: 3/4" L 1500mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
accessories for	520008		
	GEV No.	520054	Ref. No. 046925
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

PVC supply hoses



1

GEV No.	520010	**Ref. No.**	0C5562
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
accessories for	520010		
	GEV No.	520053	Ref. No. —
	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		
	GEV No.	520054	Ref. No. 046925
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

1

GEV No.	520011	**Ref. No.**	0L1887
description	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		

drain hoses

1

GEV No.	530615	**Ref. No.**	047894
description	drain hose DN40 L 1000mm straight ø inside 58mm straight ext. ø 65mm outer hose ø 47mm temp.-resist. 90°C		



1

GEV No.	504253	**Ref. No.**	049856
description	drain hose DN21 L 1600mm A int. ø 35mm A ext. ø 40mm B int. ø 40mm B ext. ø 46mm outer hose ø 29mm		



1

GEV No.	530575	**Ref. No.**	047465
description	drain hose DN31 L 1000mm A int. ø 36mm A ext. ø 40mm B int. ø 40mm B ext. ø 46mm outer hose ø 41mm		

1

GEV No.	504254	**Ref. No.**	048818
description	drain hose DN35 L 1600mm A int. ø 35mm A ext. ø 41mm B int. ø 41mm B ext. ø 49mm outer hose ø 42mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504252	**Ref. No.**	047558
description	drain hose DN1.5 L 2150mm straight ø inside 18mm straight ext. ø 24mm elbow ø inside 28mm elbow ext. ø 34mm outer hose ø 24mm		

industrial hoses

Niplaflex hoses

1

GEV No.	530719	**Ref. No.**	055445
description	hose ID ø 11mm ED ø 18mm L 0.4m operating p. 10bar burst p. 30bar t.max. 110°C		

1

GEV No.	530561	**Ref. No.**	0C4158
description	pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C		

pressure control hoses

1

GEV No.	530560	**Ref. No.**	048883
description	pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C		

formed hoses

straight

1

GEV No.	504627	**Ref. No.**	046257
description	formed hose D1 ø 42mm D2 ø 52mm L 430mm dishwasher straight		

1

GEV No.	504626	**Ref. No.**	045768
description	formed hose D1 ø 55mm D2 ø 45mm L 300mm dishwasher straight		

1

GEV No.	504631	**Ref. No.**	0L0613
description	formed hose dishwasher straight equiv. no. 045456		

1

GEV No.	504633	**Ref. No.**	046565
description	formed hose dishwasher straight equiv. no. 046565		



1

GEV No.	530720	**Ref. No.**	056888
description	steam hose ID ø 30mm ED ø 41mm L 700mm Qty 1 for combi-steamer		

form L

1

GEV No.	504629	**Ref. No.**	046398
description	formed hose warewashing L-shape equiv. no. 046398		

1

GEV No.	504625	**Ref. No.**	049041
description	formed hose warewashing L-shape equiv. no. 049041		

1

GEV No.	518216	**Ref. No.**	069535
description	formed hose warewashing L-shape equiv. no. 127001 mounting pos. upper		

with branch

1

GEV No.	504630	**Ref. No.**	048241
description	formed hose warewashing equiv. no. 048241 with piggyback, old		

form S

1

GEV No.	504632	**Ref. No.**	046372
description	formed hose S-shape warewashing equiv. no. 046372		

miscellaneous

1

GEV No.	518036	**Ref. No.**	069442
description	formed hose angled warewashing		

for dishwashers

pressure hoses

1

GEV No.	513319	**Ref. No.**	049773
description	hose ext. ø 36 ID ø 25mm L 1000mm black		

1

GEV No.	513320	**Ref. No.**	049599
description	hose ext. ø 36 ID ø 27mm black		

fittings, hose and pipe connectors

hose connectors

without screw connection

1

GEV No.	501210	**Ref. No.**	047431
description	Y-piece plastic hose ø 10-10-10mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	504583	**Ref. No.**	048195
description	Y-piece plastic hose ø 12-12-12mm		

1

GEV No.	504582	**Ref. No.**	0L0353
description	cross fitting SS hose ø 11-11-11-11mm 4-way		

hose connectors

producer-specific

1

GEV No.	504584	**Ref. No.**	0L0365
description	hose connector metal L 56mm D1 ø 29mm D2 ø 14mm D3 ø 14mm		

valves and tank inlets

ball valves

universal

ball valves with butterfly handle

1

GEV No.	540983	**Ref. No.**	0A5439
description	ball valve connection 1" IT - 1" ET DN25 total length 79mm		

1

GEV No.	540937	**Ref. No.**	005919
description	ball valve connection 3/4" IT - 1" IT DN20 total length 80mm		
accessories for	540937		
	GEV No. 540938	Ref. No.	0C0563
	extension for ball valve		
	GEV No. 540939	Ref. No.	—
	lever handle suitable for outlet tap shaft 8x8mm		

1

GEV No.	540982	**Ref. No.**	005927
description	ball valve connection 3/4" IT - 3/4" ET DN20 total length 69mm shaft ø 8x5mm		

1

GEV No.	540658	**Ref. No.**	053108
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 69mm		

1

GEV No.	540931	**Ref. No.**	056843
description	ball valve connection 3/8" IT - 3/8" IT DN10 total length 42mm		
accessories for	540931		
	GEV No. 111643	Ref. No.	004465
	knob water t.max.°C temperature range°C ø 70mm shaft ø 10x8mm shaft flat upper black		
	GEV No. 301208	Ref. No.	004242
	disc		
	GEV No. 540932	Ref. No.	0A2563
	adapter for ball valve		

Table continues overleaf

accessories for	540931			
	GEV No.	540933	Ref. No.	0A2135
	extension IT for ball valve ET M6 shaft ø 10x8mm			

ball valves with lever handle

1

GEV No.	520282	**Ref. No.**	004729
description	ball valve connection 1" IT - 1" IT DN25 total length 67mm with lever handle		

1

GEV No.	514325	**Ref. No.**	0A2071
description	ball valve connection 1" IT - 1" IT DN25 total length 83mm with lever handle		

1

GEV No.	520280	**Ref. No.**	0H6385
description	ball valve connection 1/2" IT - 1/2" IT DN15 total length 50mm with lever handle handle length 85mm		

1

GEV No.	540981[1]	**Ref. No.**	004486
description	ball valve connection 1/2" IT - tube ø16mm total length 69mm handle length 95mm		

[1]pipe connection ø16mm

1

GEV No.	540991	**Ref. No.**	0A5258
description	ball valve connection 3/8" IT - 3/8" ET DN10 total length 62mm with lever handle handle length 95mm		

producer-specific

ZANUSSI

1

GEV No.	540932	**Ref. No.**	0A2563
description	adapter for ball valve		

1

GEV No.	540927	**Ref. No.**	056885
description	ball valve connection 1" IT - 1" IT total length 71mm without handle shaft ø 12x12mm		

1

GEV No.	540977		**Ref. No.**	056114
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 70mm without handle shaft ø 12x12mm			
accessories for	540977			
	GEV No.	540978	Ref. No.	003378
	bracket			
	GEV No.	540979	Ref. No.	003377
	handle rod L 200mm for outlet tap			

1

GEV No.	540975	**Ref. No.**	058610
description	ball valve inlet 1/2" IT outlet 1/2" ET screw pipe fitting 16 L 67mm without handle		
accessories for	540975		
	GEV No.	540965	Ref. No.	002457
	drain pipe thread			

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

accessories for	540975		
	GEV No.	540976	Ref. No. 004505
	drain pipe L 80mm ET 1/2"		

1

GEV No.	540962	Ref. No.	053466
description	ball valve inlet 1/2" IT outlet 1/2" IT L 56mm without handle		

1

GEV No.	540964	Ref. No.	058647
description	ball valve inlet 1/2" IT outlet 1/2" IT L 61mm without handle shaft ø 10x7.3mm		
accessories for	540964		
	GEV No.	540965	Ref. No. 002457
	drain pipe thread		
	GEV No.	540976	Ref. No. 004505
	drain pipe L 80mm ET 1/2"		

1

GEV No.	540980	Ref. No.	005948
description	ball valve inlet 3/4" ET outlet 3/4" IT L 68mm without handle shaft ø 12x9mm		

1

GEV No.	541633	Ref. No.	002033
description	ball valve thread 1/2"		

1

GEV No.	540986	Ref. No.	006688
description	ball valve without handle L 67mm shaft ø 17x17mm inlet 1" IT outlet 1" ET		
accessories for	540986		
	GEV No.	540678	Ref. No. 006689
	handle for outlet tap		

1

GEV No.	540978	Ref. No.	003378
description	bracket		

1

GEV No.	540938	Ref. No.	0C0563
description	extension for ball valve		

1

GEV No.	514070	Ref. No.	005770
description	extension for outlet tap L 525mm		

1

GEV No.	540933	Ref. No.	0A2135
description	extension IT for ball valve ET M6 shaft ø 10x8mm		

1

GEV No.	514068	Ref. No.	002883
description	handle for outlet tap		

1

GEV No.	514069	Ref. No.	002881
description	handle for outlet tap		

1

GEV No.	514072	Ref. No.	002880
description	handle for outlet tap		

1

GEV No.	540678	Ref. No.	006689
description	handle for outlet tap		

1

GEV No.	540987	Ref. No.	006142
description	handle for outlet tap		

1

GEV No.	514176	Ref. No.	003829
description	handle rod L 165mm		

1

GEV No.	540979	**Ref. No.**	003377
description	handle rod L 200mm for outlet tap		

1

GEV No.	111666	**Ref. No.**	010142
description	star handle shaft 7x7mm ø 68mm L 22mm black thermoplastic		

ball valves electric

1

GEV No.	401140	**Ref. No.**	005026
description	ball valve inlet 1" IT outlet 1" IT with plug 230V L 152mm 50/60Hz closed off-current mode of operation electric connection cable 200mm size DN25		

1

GEV No.	401139	**Ref. No.**	0C0882
description	ball valve inlet 3/4" IT outlet 3/4" IT with plug 230V L 65mm 50/60Hz closed off-current mode of operation electric connection cable 200mm		

shut-off valves

universal

1

GEV No.	540935	**Ref. No.**	056616
description	shut-off valve connection tube ø 10mm total length 110mm shaft 7x7mm		
accessories for	540935		
	GEV No. 110287	Ref. No.	025260
	knob water t.max.°C temperature range°C ø 50mm shaft ø 7x7mm shaft flat black		

inlet taps

1

GEV No.	540799	**Ref. No.**	002322
description	inlet tap connection 1/2" projection 130mm with swivel spout		
spare parts for	540799		
	GEV No. 548176	Ref. No.	—
	tap head without plunger bush bearing thread 1/2" T2: M24x1 D1 ø 18mm D2 ø 24mm H1 18-24mm H2 29mm H3 10mm shaft intake ø 8mm suitable for RUBINETTERIE DEL FRIULI		
	GEV No. 551335	Ref. No.	—
	star handle shaft intake ø 8mm shaft length H1 12mm H2 22mm D1 ø 32mm suitable for RUBINETTERIE DEL FRIULI marking blue		

1

GEV No.	540989	**Ref. No.**	0C0689
description	inlet spout		

1

GEV No.	540990	**Ref. No.**	051672
description	inlet spout connection 1/2" ET projection 120mm spout height 55mm		

Find the complete and up-to-date range of products in our GEV Webshop

1

GEV No.	541895	**Ref. No.**	0C4146
description	inlet spout connection 1/2" ET tube ø 16mm projection 50mm overall height 70mm spout height 50mm rotation°		

1

GEV No.	540966	**Ref. No.**	004537
description	inlet spout for pasta cooker		

1

GEV No.	540992	**Ref. No.**	051521
description	inlet tap connection 1/2" IT projection 23mm spout height 23mm		

drain systems and wash basins

standpipes

producer-specific

ZANUSSI

1

GEV No.	501354	**Ref. No.**	032244
description	drain fitting thread M35x2 brass ø 45mm H 25mm ID ø 30mm		

1

GEV No.	510597	**Ref. No.**	050296
description	flat gasket fibre ED ø 34mm ID ø 24mm thickness 2mm Qty 1 pcs		

1

GEV No.	501355	**Ref. No.**	032245
description	nut thread M35x2 H 8mm WS 41 steel		

1

GEV No.	540967	**Ref. No.**	050301
description	overflow pipe L 140mm ø 20mm		
accessories for	540967		

GEV No.	511518	Ref. No.	—
O-ring EPDM thickness 3.53mm ID ø 23.4mm Qty 10 pcs			

1

GEV No.	540969	**Ref. No.**	0A5181
description	overflow pipe L 85mm ø 20mm		
accessories for	540969		

GEV No.	511516	Ref. No.	—
O-ring EPDM thickness 3.53mm ID ø 20.22mm Qty 10 pcs			

connection fittings

screw pipe fittings

1

GEV No.	540052	**Ref. No.**	002188
description	elbow screw joint thread 3/8" tube ø 10mm chrome-plated brass		

water cycle components

supply filters

1

GEV No.	520261	**Ref. No.**	053037
description	supply filter thread 1/2" IT - 1/2" IT total length 58mm red brass mesh opening 0.4mm		

1

GEV No.	520262	**Ref. No.**	068121
description	supply filter thread 3/4" IT - 3/4" IT total length 70mm red brass DN20 mesh opening 0.4mm		

1

GEV No.	504586	**Ref. No.**	048834
description	supply filter thread 3/4" ET - 3/4" IT total length 108mm plastic		

1

GEV No.	504585	**Ref. No.**	048746
description	supply filter thread 3/4" ET - 3/4" IT total length 122mm plastic DN19		

non-return valves

1

GEV No.	520273	**Ref. No.**	049851
description	non-return valve brass connection 1/2" IT - 1/2" IT total length 60mm DN15		

ancillary products

clamps

hose clamps

DIN 3017 - W2

1

GEV No.	520112	**Ref. No.**	048126
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		

1

GEV No.	520116	**Ref. No.**	046878
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520118	**Ref. No.**	046855
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520119	**Ref. No.**	046853
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520110	**Ref. No.**	046946
description	hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017		

pipes

miscellaneous

1

GEV No.	695617	**Ref. No.**	056810
description	water pipe		

Find the complete and up-to-date range of products in our GEV Webshop

tools

cleaning tools

scrapers

1

GEV No.	705022	**Ref. No.**	056940
description	scraper for chargrill		

1

GEV No.	705008	**Ref. No.**	055995
description	scraper for griddle		
spare parts for	705008		
	GEV No. 705021	Ref. No.	0C2519
	spare blades for scraper Qty 10 pcs		

1

GEV No.	705021	**Ref. No.**	0C2519
description	spare blades for scraper Qty 10 pcs		

measuring equipment

thermometers

built-in thermometers

1

GEV No.	541522	**Ref. No.**	048525
description	thermometer mounting measurements 45x45mm +40 up to +120°C capillary pipe 5000mm probe ø 6mm probe L 36mm front measurements 48x48mm		

1

GEV No.	541095	**Ref. No.**	048544
description	thermometer mounting measurements 58x25.5mm 0 up to +120°C capillary pipe 3000mm probe ø 6.5mm probe L 20mm		

1

GEV No.	541080	**Ref. No.**	083101
description	thermometer mounting measurements 58x25.5mm -40 up to +40°C capillary pipe 2500mm probe ø 6mm probe L 30mm		

ø52mm

1

GEV No.	541521	**Ref. No.**	032863
description	thermometer mounting ø 52mm t.max. 120°C 0 up to +120°C probe ø 8.5mm probe L 33mm capillary pipe 1000mm		

1

GEV No.	541840	**Ref. No.**	048564
description	thermometer mounting ø 52mm t.max. 120°C 0-120°C probe ø 6mm probe L 38mm capillary pipe 2500mm		

1

GEV No.	541582	**Ref. No.**	056383
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 17mm capillary pipe 1700mm		

1

GEV No.	541090	**Ref. No.**	053808
description	thermometer mounting ø 52mm t.max. 350°C 0 up to +350°C probe ø 6.5mm probe L 22mm capillary pipe 1450mm		

1

GEV No.	541083	**Ref. No.**	081792
description	thermometer mounting ø 52mm t.max. 40°C -40 up to +40°C probe ø 6mm probe L 30mm capillary pipe 1500mm		

ø60mm

1

GEV No.	541082	**Ref. No.**	081512
description	thermometer mounting ø 60mm t.max. 40°C -40 up to +40°C probe ø 6mm probe L 135mm capillary pipe 2000mm		

fastening material

screws

hexagonal screws

1

GEV No.	560464	**Ref. No.**	0KE147
description	hexagonal screw thread M8 thread L 12mm SS WS 13 Qty 1 pcs head thickness 5mm DIN 933 / ISO 4017		

cylinder head bolts

miscellaneous

1

GEV No.	693311	**Ref. No.**	059860
description	cylinder head bolt thread M6 thread L 15mm SS Qty 1 pcs intake slotted		

1

GEV No.	550843	**Ref. No.**	051675
description	screw		

grub screws

DIN 913/ISO 4026

1

GEV No.	504733	**Ref. No.**	047846
description	grub screw thread M4 L 5mm stainless steel DIN 913 intake internal hexagon WS 2 Qty 1 pcs		

DIN 916/ISO 4029

1

GEV No.	504734	**Ref. No.**	046258
description	grub screw thread M4 L 6mm black DIN 916 intake internal hexagon WS 2 Qty 1 pcs		

knurled screws

1

GEV No.	510112	**Ref. No.**	069440
description	Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS		

Find the complete and up-to-date range of products in our GEV Webshop

miscellaneous

1

GEV No.	700442	**Ref. No.**	025033 0G6450
description	thread bolt thread M6 L 32mm thread L 13mm head ø 8mm for rail		

nuts

knurled nuts

1

GEV No.	504503	**Ref. No.**	049047
description	knurled nut thread M10x1 ø 30mm H 4mm SS		

1

GEV No.	504528	**Ref. No.**	048632
description	knurled nut thread M12x1 ø 35mm H 6mm SS		

1

GEV No.	504516	**Ref. No.**	047282
description	knurled nut thread M8x1 ø 25mm H 6mm SS		

1

GEV No.	504547	**Ref. No.**	047283
description	knurled nut thread M8x1 ø 25mm H 6mm SS		

hexagonal nuts

DIN 6923 / ISO 4161

1

GEV No.	504315	**Ref. No.**	0E5372
description	nut thread M5 H 5mm WS 8 Qty 10 pcs		

hexagonal nuts metric (without norm)

1

GEV No.	514252	**Ref. No.**	050287
description	hexagonal nut		

1

GEV No.	690842	**Ref. No.**	056409
description	nut		

1

GEV No.	101345	**Ref. No.**	020997
description	nut thread M15x1 H 3mm WS 19 brass Qty 1 pcs		

1

GEV No.	693430	**Ref. No.**	051263
description	nut thread M22x1.5 H 5mm WS 26 zinc-coated steel Qty 1 pcs		

1

GEV No.	102067	**Ref. No.**	055033
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

washers

spring washers

1

GEV No.	104284	**Ref. No.**	0C6288
description	clamping washer nominal-ø 4mm ED ø 10mm steel thickness 0.7mm Qty 10 pcs		

washers

miscellaneous

1

GEV No.	301208	**Ref. No.**	004242
description	disc		

1

GEV No.	693431	**Ref. No.**	002727
description	plain washer		

1

GEV No.	690844	**Ref. No.**	056416
description	plain washer plastic		

fasteners

slot nuts

1

GEV No.	560268	**Ref. No.**	0E5048
description	slot nut W 8mm H 7mm L 35mm		

clamps

hose clamps

DIN 3017 - W2

1

GEV No.	520112	**Ref. No.**	048126
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		

1

GEV No.	520116	**Ref. No.**	046878
description	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520118	**Ref. No.**	046855
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520119	**Ref. No.**	046853
description	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		

1

GEV No.	520110	**Ref. No.**	046946
description	hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017		

retaining rings

DIN 471

1

GEV No.	504519	**Ref. No.**	048979
description	retaining ring shaft ø 17mm thickness 1mm SS DIN 471		

DIN 472

1

GEV No.	698003	**Ref. No.**	0A2592
description	retaining ring bore ø 35mm thickness 1.5mm steel DIN 472		

DIN 6799

1

GEV No.	507015	**Ref. No.**	068293
description	retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm for shaft ø 8-11mm		

Find the complete and up-to-date range of products in our GEV Webshop

roll pins

1

GEV No.	692013	**Ref. No.**	0H6043
description	roll pin ø 3mm L 16mm		

consumables

lubricants

machine lubricants

1

GEV No.	890029	**Ref. No.**	0KL180
description	machine lubricant Mobilux EP004 can 500g for gearbox -25 up to +120°C		
description	Mobilux EP004 - can 500g Suitable for lubricating enclosed gears and bearings in poorly sealed gear cases with the exception of electric motor bearings. Can also be used for many other industrial applications, e.g. gear cases and chains, in which conventional gear oils would escape due to leaks caused by worn or missing seals. Meets requirements of SEW 1008 hour gear test, DR.EM.2003 mod. Temperature resistance: -25°C to +120°C		

fuses

fine fuses

1

GEV No.	358610	**Ref. No.**	058869
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358611	**Ref. No.**	005136
description	fine fuse size ø5x20mm 16A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358677	**Ref. No.**	057783
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358594	**Ref. No.**	002820
description	fine fuse size ø5x20mm 0.16A slow-acting rated 250V Qty 10 pcs		

1

GEV No.	358596	**Ref. No.**	002920
description	fine fuse size ø5x20mm 0.25A slow-acting rated 250V Qty 10 pcs		

1

GEV No.	358703	**Ref. No.**	002750
description	fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs		

A

alarm devices 65
angle pieces 295
appliance hose reels 285
axial fans 101

B

ball valves 291
ball valves electric 96, 294
bar burners 183
bi-metal thermostats 29, 29
booster pumps I 117
bullet connectors 120

C

cables 120
cam switches 48
capillary tube clips 40
ceramic heaters 11
clamps 40, 296, 300
cleaning tools 297
cold air circulating fans (complete) 103
compressors 100
condensators & interference suppression filters 118
condensing trays heated 101
connection fittings 295
consumables 301
contactors 65
container filters 287
control equipment 56
control thermostats 29, 38
copper pipes uninsulated 280
cross flow fans 103
cylinder head bolts 298

D

defrost timers 64
door catches 240
door gaskets (wire reinforced) 272
door seal rails 278
door seals 270
door seals for dishwashers 278
door seals with tension springs 272
dosing pumps 286
drain hoses 288
drain pumps 117
drain systems and wash basins 295

E

edgemount hinges 241
edgemount latches 239
electric accessories 120
electrodes 98
electronic controllers 71
energy regulators 29
espagnolette locks 240
evaporators 281
expansion valves 280
extractor fans 110

F

fans 101
fasteners 300
fastening material 298
filters 119
fine fuses 301
float switches 48
foam rubber gaskets 277
foil heating elements 27
formed hoses 289
fuses 119, 301

G

gas burners 166
gas control valves 139
gas lines 200
gas nozzles 191
gas pressure regulators 200
gas solenoid valves 147
gas taps 121
gas thermostats 128
gaskets for heated units 269
gaskets for tray rack trolleys 272
gaskets for wash arm support 280
grates 260
grub screws 298

H

halogen lamp 60
handle latches 239
heating cartridges 11
heating elements 3, 11
heating elements for bain maries 4
heating elements for chargrills 10
heating elements for condensate evaporation 7
heating elements for convection 23
heating elements for defrosting 7
heating elements for fryers 5
heating elements for frying pans 4
heating elements for griddles 7
heating elements for heated trolleys 11
heating elements for ovens 3
heating elements for pasta cookers 9
heating elements for pizza ovens 9
heating elements for refrigeration 7

heating elements for salamanders/toasters 10
heating elements for tilting bratt pan 8
hexagonal nuts 299
hexagonal screws 298
hob burners 166
hose clamps 296, 300
hose connectors 290, 291
hose reels 285
hoses 288
hot air fans 109
hot air motors 104
hot plates 27

I

ignition boxes 146
ignition cables 162
ignition switches 164
ignition units 163
immersion heating elements 12
indicator lights 57
indicator lights (complete) 58
induction coils 3
industrial hoses 289
inlet spouts 294
inlet taps 294

K

knurled nuts 299
knurled screws 298

L

lamps 57
light bulbs 59
lubricants 301

M

machine lubricants 301
magnetic switches 53
measuring equipment 297
mechanical timers 64
microswitches 43
motors 110

N

neon light bulbs 58, 59
Niplaflex hoses 289
non-return valves 287, 296
nuts 299

O

operating capacitors 118
O-rings 273
oven hinges 243
oven lamps 60

P

piezoelectric igniters 163
pilot burners 147
plug connectors 120
plug-in gaskets 263
position switches 45
pressure control hoses 289
pressure hoses 290
pressure switches 96, 201
probe clips 40
probes 74
programme timers 62
pumps 111
pumps for ice machines 118
push/momentary push switches 42
PVC supply hoses 288

R

radial fans 109
radiation heaters 26
refrigeration cycle components 280
refrigeration fans 102
refrigeration gaskets 263
refrigeration motors universal 102
refrigeration pipes 280
refrigeration thermostats 38
relays 68
residual heat indicators 62
retaining rings 300
ring burners 189
rocker/momentary rocker switches 41
roll pins 301
rotary switches 53

S

safety bi-metal thermostats 29
safety thermostats 34
safety valves 147
screw pipe fittings 295
screw-in gaskets 268
screws 298
sealing cords 278
sealing washers 276
shaft gaskets 278
shelves and shelf rails 260
shut-off valves 294
slot nuts 300
snap locks 240
solenoid valves 88
solid state relays 68
spray guns 285

spring assisted hinges 242
spring clips 40
spring washers 299
stainless steel flexi hoses 288
standpipes 295
starting capacitors 118
supply filters 295, 295
supply hoses 288
switches and momentary switches 41
system switches (ROLD) 45

T

tank inlets 288
temperature probes 74
terminals 120
terminals and connectors 120
thermocouples 164
thermostat gaskets 280
thermostats 29
time relays 70
timers 62
tools 297
transformers 70
tube burners 189

U

universal hoses 288
universal probes 74

V

valves and tank inlets 291
vibration pumps 118

W

wash and rinse pumps 111
washers 300
water cycle components 295
window seals 269